

TIM-01 FLOORING SYSTEM Manufacturing Guide

Engineered for performance.

Manufactured to exacting standards to deliver long-term stability, beauty and durability.

MANUFACTURING STANDARDS



AUSTRALIAN STANDARDS

Complies with Australian Standards for dimensional tolerances and quality.




TOLERANCE

Dimensional tolerances no more than 7%. Machining tolerance of 0.6mm.



MATERIAL ALLOWANCE


Allow approx. 10% extra material (15% for Herringbone / Chevron) to account for waste.



SHORT BOARDS

25% of boards are short boards, minimum length 600mm.

NATURAL CHARACTERISTICS



WOOD FEATURES

Our natural wood flooring products exhibit all the expected characteristics of real wood, such as knots, tonal variation, veins, and surface cracks. Each plank is completed by hand, ensuring a unique identity and character for every batch. No pigments or artificial colors are used; instead, a natural process of oxidation from the oak's tannins develops a rich patina over time.

NATURAL CHARACTERISTICS



KNOTS & VARIANCE

Large open knots may come pre-filled depending on their width, depth, and location on the plank. As a distressed, natural product, variance in thickness and grooves is expected.



COLOUR EVOLUTION

The color of the wood will evolve with exposure to light, stabilizing within 6 to 24 months. Wood material naturally responds to environmental factors, expanding and contracting with changes in temperature and humidity. All of our engineered flooring is compatible with underfloor heating systems.



HANDLING

Handle all TIM-01 Solid European Oak Flooring with care and keep it in unopened packs until installation. Store the timber in dry conditions, away from direct sunlight and any water source.



ACCLIMATISATION

Allow 3 to 14 days prior to installation for acclimatization by laying the packs flat in the room where they will be installed, allowing the material to adjust to the local conditions.



NOTE

Refer to the Installation Guide for full site and installation requirements before commencement.