

DESCRIPTION

Solvent-based primer specially developed for masonry surfaces, designed to combat any problems associated with water, alkalinity, and efflorescence for both interior and exterior use.

PRODUCT FEATURES AND RECOMMENDED USES

Successfully combating alkaline surfaces, this primer can be applied to newly plastered masonry surfaces. While normal concrete requires at least 30 days of curing, Supra Primer requires only a minimum of 2 days.

It effectively stops water seepage. This product is ideal for bathrooms and basements, where dampness is most prevalent. It also effectively prevents the recurrence of efflorescence. It can be used as a primer for both interior and exterior applications and can be top-coated with most coating systems.

TECHNICAL DATA

Type	Vinyl Acrylic		
Color	White		
Texture	Matt		
Non-Volatile	45 – 48% by volume		
Coverage (Theoretical)	24 - 37 sq.m./Gallon		
Wet Film Thickness	100 - 150 microns		
Dry Film Thickness	45 - 70 microns		
Application	Brush, Roller		
Diluent	Normally not required.		
Drying Time	Touch Dry	1 - 2	hours
	Hard Dry	4 - 6	hours
	Recoat Dry	24	hours

SURFACE PREPARATION

For re-painting, make sure the surface to be painted is free from dirt, grease, and any waxy contaminants, as well as loose, peeling paint. If mold and fungus appear on the painted surfaces, it is important that all existing mold be killed before applying a new coat of paint. One effective method for killing mold is to wash the mold-infested surfaces with Dyno Super Mold Killer. The treated surfaces are then rinsed with clean water and allowed to dry before repainting.

For new masonry surfaces, allow the surface to dry for at least 2 days. Before painting, make sure the surface to be painted is free from dirt, grease, and waxy contaminants.

SUGGESTED COATING SYSTEMS

For New masonry surface, more than 3 weeks of aging

Dyno SUPRA Primer	1 Coat
Dyno Acrylic Emulsion/ Dynolux/ Dynosilk	2 Coats

For New masonry surface, 2 days aging

For Re-painting on masonry surfaces with problem of rising damp, efflorescent

Dyno SUPRA Primer	2 Coats
Dyno Acrylic Emulsion/ Dynolux/ Dynosilk	2 Coats