

Bone Shell Technique with Relocated Crestal Ridge Segment for Anterior Horizontal Mandibular Ridge Atrophy: A Case Series

Snjezana Pohl, MD, DMD¹/Mia Buljan, DMD²

¹Department of Oral medicine and Periodontology, University of Rijeka, Private Clinic Rident, Rijeka, Croatia.

²Oral Surgery Resident, Clinical Hospital Dubrava, Zagreb, Croatia.

Correspondence to: Dr Snježana Pohl, Department of Oral medicine and Periodontology, University of Rijeka, Private Clinic Rident, Rijeka. Franje Čandeka 39, Rijeka 51000, Croatia. Phone: +385-99-8050588. Email: snjezana.pohl@rident.hr

Submitted November 16, 2021; accepted February 21, 2022.

ABSTRACT

Horizontal and vertical ridge augmentation by bone shell technique provides predictable outcomes. The external oblique ridge is the most used donor site for bone plate harvesting, followed by the mandibular symphysis. The lateral sinus wall and the palate have also been described as alternative donor sites. This preliminary case series reports a bone shell technique that used the coronal segment of the knife-edge ridge as a bone shell in five consecutive edentulous patients with severe mandibular horizontal ridge atrophy and adequate ridge height. The follow-up period was 1–4 years. The average horizontal bone gains at 1 mm and 5 mm below the newly formed ridge crest were 3.6 ± 0.76 mm and 3.4 ± 0.92 mm, respectively. Ridge volume was sufficiently restored in all patients to enable implant placement in a staged approach. In two of the 20 sites, additional hard tissue grafts at implant placements were required. The advantages of the relocated crestal ridge segment utilization are as follows: the donor and recipient sites are the same, no major anatomical structures are compromised,

periosteal releasing incision and flap advancement are not required for primary wound closure, and the risk of wound dehiscence is minimized due to reduced muscle tension. *Int J Periodontics Restorative Dent* 2023. doi: 10.11607/prd.6095

INTRODUCTION

Implant-prosthetic rehabilitation of edentulous ridges with severe horizontal resorption can be challenging. Different ridge augmentation procedures that provide sufficient bone volume for restoratively driven implant placement have been described, including the barrier membrane, particulate bone grafting, block grafting, and ridge expansion techniques.¹ However, autogenous bone still presents a gold standard as it shows osteogenic, osteoinductive, and osteoconductive potential.^{2,3} Cortical bone provides mechanical and structural integrity; however, due to its limited revascularization potential, cortical bone blocks demonstrate slower integration than cancellous bone. The trabecular structure of cancellous bone facilitates rapid graft revascularization and integration; however, the cancellous bone is resorbed rapidly.⁴⁻⁷

To maximize bone volume gain and minimize solid bone block resorption, Khoury and Khoury⁸ introduced a bone shell technique (BST) that combines the advantages of using cortical and cancellous bones as a graft. The technique involves thin cortical bone plates that are screwed at a distance to the buccal and/or oral walls to rebuild the contours of the alveolar ridge, thus creating a bony envelope filled with bone chips. Particulate bone enables acceleration of transplant revascularization and graft regeneration, whereas the cortical bone plate provides mechanical stability.⁸⁻¹¹

The external oblique line is the most used donor site for BST plate harvesting, followed by the mandibular symphysis. Donor site morbidity is greater with the mandibular symphysis as a donor area.¹²⁻¹⁴ Sensory problems may occur after graft harvesting from both the external oblique line and the mandibular symphysis.¹⁵⁻¹⁷

Other studies have determined the hard plate and lateral maxillary wall as alternative donor sites for bone shell harvesting.¹⁸⁻²¹ Bone plates can be harvested from the hard palate for smaller defects.

The reported prevalence of knife-edge ridge configuration in the anterior mandible, adequate in height and inadequate in width for implant placement (class IV according to the Cawood et al.²² classification of edentulous jaws), is 75%.²³ A high and narrow ridge in the edentulous jaw may simultaneously function as a donor and recipient site: the crestal ridge segment (CRS) is cut off, thinned out, relocated at the front of the remaining ridge, and fixed to serve as a scaffold in the BST. This novel approach may reduce postoperative morbidity, simplify surgical execution, maintain a blood supply, and minimize wound tension in this specific indication.

This study aimed to present and evaluate the preliminary results of five edentulous patients treated with the relocation of the CRS as part of the BST for horizontal ridge augmentation. All patients were provided with four interforaminal implants. Two of the 20 implants required additional bone grafting at implant placement.

MATERIALS AND METHODS

Overview of the clinical cases

This case series presents a retrospective analysis of five systemically healthy patients (three females and two males; age range, 59–68 years) diagnosed with class IV atrophy of the edentulous mandible. Each patient provided informed consent for surgery, data collection, and publication of intraoral photographs. The treatment plan included the BST, with the relocation of the CRS before implant placement and implant-supported prosthesis delivery. Three oral surgeons performed the surgical procedures in a private clinic between September 2016 and January 2019, and the patients were re-examined 1–4 years after treatment completion.

Preoperative planning

A cone-beam computed tomography (CBCT) scan of each patient was taken. Preoperatively, the height of the CRS for proposed transection and relocation was evaluated on the sagittal plane of the CBCT scan (Fig 1).

The CRS height was thus estimated for the proposed CRS abutment on the prominent portion of the mandibular basal bone, such that the augmented ridge could accommodate an implant length of at least 10 mm at implant placement.

Surgical procedure

All patients were administered 2 g amoxicillin 1 h preoperatively. A graphical representation of the procedure is shown in Fig 2. The surgical procedure and dental restoration are shown in Fig 3 for the mandible of a female patient aged 59 years.

All patients were treated under local anesthesia. Following a crestal incision extending from the retromolar area of one side to the contralateral retromolar area, full-thickness mucoperiosteal buccal and lingual flaps were elevated to expose the alveolar ridge in the anterior and premolar regions (Fig 2a). The mental foramina were identified. The preoperatively determined CRS height was marked on the buccal aspect at three points using a small hard round metal bur: one central point and two points, each 6 mm anterior to the mental foramina (Fig 2b). The full-thickness bone cut entailed 1) a horizontal osteotomy parallel to the ridge crest, which connected the three marked points and 2) two oblique osteotomies at each end of the horizontal cut, which ascended in a posterior-coronal direction (Fig 2c). A diamond disk (MicroSaw, Dentsply Friadent, Mannheim, Germany) or piezosurgery (Mectron 3, Genoa, Italy) was used for the osteotomy (Fig 3b). The harvested CRS (Fig 3c) was held with bone-holding forceps (Helmut Zepf Medizintechnik, Seitingen-Oberflacht, Germany) and scraped with a bone scraper (Safescraper® TWIST, META, Reggio Emilia, Italy) to a thickness of 1 mm–1.5 mm. Additional bone chips were harvested by beveling the ridge step that remained in the area where both oblique cuts met the ridge crest (Fig 2d).

The bone plate was relocated to the recipient site at the newly formed ridge crest level and abutted on the prominent portion of the mandibular basal bone. Apically, the bone shell was in contact with or near the recipient site, and coronally, a distance was maintained to the recipient site. The CRS was anchored in this position using titanium micro screws (Stoma, Emmingen-Liptingen, Germany) (Fig 3d). The interlaminar envelope was filled with well-compacted particulate bone (Fig 2e, 3e). Primary wound closure was performed using horizontal mattress sutures and single or continuous sutures with absorbable monofilament 5.0 (Surgicryl Monofast, SMI, St. Vith, Belgium) (Fig 3f). Due to a preexisting anterior ridge defect in one patient, two separate CRSs were harvested and fixed (Fig 4).

In two cases, the surgical protocol differed, as the patients were provided with fixed provisional prostheses supported on temporary implants to allow time for graft maturation and implant osseointegration (Fig 4). Provisional implants (BEGO Semados S/RI/ Mini implants, BEGO Implant System, Bremen, Germany) were placed in the residual ridges after CRS harvesting, and impressions were taken before bone shell fixation and particulate bone grafting. The patients were provided with temporary fixed prostheses on the days of the surgery; provisional implants were unscrewed when impressions were taken for definitive restoration. Patients who were not given provisional implants were instructed not to wear overdentures for three months.

Postoperative antibiotic therapy (1 g amoxicillin every 8 h for the following 5 d) was prescribed to all patients. An analgesic (ibuprofen 400 mg) was administered 30 min after the surgery, and patients were advised to take analgesics as required.

Reentry for implant placement, implant exposure, and prosthodontic rehabilitation

CBCT scans were obtained before the implants were placed and 12–16 weeks after the first surgeries. Following crestal incision and mucoperiosteal buccal flap elevation, the micro screws were removed. Each patient received four interforaminal implants (RSX Semados implants, Bego, Bremen, Germany), either 3.75 mm or 4.1 mm in diameter and 11.5 mm or 13 mm in length. In two patients who had fixed implant-supported prostheses as the final restorations, implants were loaded 24 h after

surgery. In three patients with bar-retained removable overdentures as definitive restorations, implants were submerged and allowed to undergo subgingival healing for three months. A crestal incision with minimal flap elevation was used for implant exposure. For two patients with insufficient widths of peri-implant keratinized gingiva, vestibuloplasties with free gingival grafts were performed at the time of implant uncovering.

Ridge dimensions and bone gain measurements

Ridge thickness and vertical bone height were measured on the axial plane's cross-sectional view using the ruler measuring tool of the software at baseline and follow-up CBCT. Measurements were performed at four points according to the planned implant positions: 6 mm anterior to the mental foramen and 7 mm lateral to the midline, bilaterally. Vertical bone height was measured as the distance from the alveolar crest to the base of the mandible. The buccolingual thickness was measured at 1 mm, 5 mm, and 10 mm below the ridge crest.

On a follow-up CBCT scan, the native bone was distinguishable from the newly formed bone. The follow-up ridge thickness, native (i.e., initial) ridge thickness, and bone gain were measured at 1 mm, 5 mm, and 10 mm below the new ridge crest at the same anterior-posterior distances as baseline measurements (Fig 5). Owing to the small sample size, no further statistical analysis was performed.

Follow-up evaluation

Patients participated in a regular maintenance program and were re-examined 1 (three patients), 3 (one patient), and 4 years (one patient) after treatment completion. Patients were asked about any discomfort, and peri-implant tissue health was assessed based on the peri-implant plaque index, bleeding on probing, and peri-implant probing depth. The presence of plaque at the gingival margin was examined on each implant's four prosthetic suprastructure surfaces. The presence (1) or absence (0) of plaque was recorded in a simple chart; the plaque incidence in the oral cavity is expressed as a percentage.

Similarly, the presence (1) or absence (0) of bleeding on probing was assessed on all four surfaces. Changes in crestal bone levels were evaluated using a two-dimensional radiograph (panoramic X-ray).

Statistical analysis

The statistical analysis approach was based on implant sites as a unit. Data analysis was performed using Excel for Microsoft 365 for Windows (Armonk, NY: IBM Corp.).

RESULTS

Wound healing was uneventful in all the patients. Two patients reported using a single dose of 400 mg of ibuprofen, which was administered 30 min after the surgery. Three patients took an additional 400 mg of ibuprofen on the same day.

The initial ridge dimensions are listed in Table 1. The average horizontal bone gains at 1 mm and 5 mm below the newly formed ridge crest were 3.6 ± 0.76 mm and 3.4 ± 0.92 mm, respectively (Table 2). The ridge height was reduced from the initial average height of 26.5 mm to 19 mm. Accordingly, the CRS height was 6 mm–10 mm. Twenty implants were placed as planned; 18 implants were placed without additional bone grafting.

At 1–4 years of follow-up, there were no clinical or radiological signs of peri-implant marginal bone loss or peri-implantitis. The plaque at the gingival margin was detected on 20% of all examined surfaces; 15% of all examined sites were positive for bleeding on probing. Peri-implant probing depths ranged from 2 mm to 4 mm. There were no changes in bone level on orthopantomography at follow-up, compared to the initial situation (Fig 6). One patient given a bar-retained denture presented with denture-related stomatitis two years after denture delivery.

DISCUSSION

The relocated CRS utilized as a scaffold in the BST is applicable for edentulous knife-edge ridges with adequate height and intended ridge height reduction. This technique does not compromise any

major nerves or blood vessels during CRS harvesting. In addition, the duration of treatment is shortened for two reasons. First, the second surgical site is omitted, and the CRS fits tailor-made, facilitating plate fixation. Further, the CRS follows the shape of the recipient area: the bone segment curvature corresponds to the curvature of the ridge to be augmented in the mesiodistal direction, providing a constant gap dimension. Since abutment is on the more prominent basal bone, the bone shell provides an apical enclosure containing the particulate bone. Autologous bone particles are harvested by thinning the plate and beveling the neighboring bone ridge, eliminating an additional donor site.

Further, the reduced vertical dimension enables tension-free primary wound closure without requiring a periosteal-releasing incision and coronal flap advancement. Reduced muscle stretching and bone shell curvature that follows the ridge curvature without sharp edges may reduce the risk of wound dehiscence. Ridge height was reduced by an average of 7.5 mm, which provided the space for the prosthodontic suprastructure. Extreme ridge reduction that would allow implant placement without horizontal augmentation was avoided. No attempt was made to digitally plan the surgical guide based on the reconstructed CBCT scan data in the presented cases. The surgical guide for bone reduction has proven safer and more precise, with greater efficiency and predictability of results than those of traditional freehand bone reduction.²⁴

In this case series, the average horizontal bone gain was 3.6 mm, measured at 1 mm below the ridge crest, similar to the average bone gain reported by Stimmelmeier et al.²⁵ Two sites required minor bone augmentation during implant placement. CBCT scans were performed initially and for implant planning after graft maturation. In standard situations of horizontal ridge augmentation, the lingual bone height does not change significantly, and bone gain can be calculated by subtracting the initial ridge thickness from the follow-up ridge thickness. When a technique using relocation of the CRS is performed, a stable lingual reference point is missing. Therefore, a different method of bone gain evaluation was applied. On the follow-up CBCT scans, new bone was distinguishable from the

native bone, enabling the measurement of the native bone thickness, ridge thickness after graft maturation, and bone gain measurement.

All patients were offered interim, provisional, implant-supported fixed prostheses to protect the grafted area from masticatory forces; however, only two patients were provided with such, since three declined for financial reasons and thus remained without any prosthesis at graft maturation.

Temporization of these cases can be challenging due to the large interarch distance and limited retention on the provisional implants' supragingival parts.

The study limitations are the small number of examined sites and the retrospective study design. This case series demonstrates the potential efficacy of the presented technique, which should be evaluated in a larger number of treatment centers through well-designed studies.

Horizontal ridge augmentation that uses CSR as a bone shell is limited to very restricted indications of edentulous ridges with sufficient height and planned vertical ridge reduction.

Acknowledgments

Funding statement: This research received no grant from any funding agency in the public, commercial, or not-for-profit sectors.

Conflict of interest disclosure: The authors do not have any financial interest in the companies whose materials are included in this article and declare that they have no conflicts of interest.

Acknowledgment: Authors want to thank DMD Domagoj Grabovac and DMD Matko Oguic for their contribution of the two cases performed with the presented technique.

REFERENCES

1. McAllister BS, Haghghat K. Bone augmentation techniques. *J Periodontol* 2007;78:377–96.

2. Sakkas A, Wilde F, Heufelder M, Winter K, Schramm A. Autogenous bone grafts in oral implantology-is it still a “gold standard”? A consecutive review of 279 patients with 456 clinical procedures. *Int J Implant Dent* 2017;3:23.
3. Albrektsson T, Johansson C. Osteoinduction, osteoconduction and osseointegration. *Eur Spine J* 2001;10:S96–101.
4. Roberts TT, Rosenbaum AJ. Bone grafts, bone substitutes and orthobiologics: the bridge between basic science and clinical advancements in fracture healing. *Organogenesis* 2012;8:114–24.
5. Sbordone C, Toti P, Guidetti F, Califano L, Santoro A, Sbordone L. Volume changes of iliac crest autogenous bone grafts after vertical and horizontal alveolar ridge augmentation of atrophic maxillas and mandibles: a 6-year computerized tomographic follow-up. *J Oral Maxillofac Surg* 2012;70:2559–65.
6. Dreiseidler T, Kaunisaho V, Neugebauer J, Zöllner JE, Rothamel D, Kreppel M. Changes in volume during the four months’ remodelling period of iliac crest grafts in reconstruction of the alveolar ridge. *Br J Oral Maxillofac Surg* 2016;54:751–6.
7. Acocella A, Bertolai R, Colafranceschi M, Sacco R. Clinical, histological and histomorphometric evaluation of the healing of mandibular ramus bone block grafts for alveolar ridge augmentation before implant placement. *J Craniomaxillofac Surg* 2010;38:222–30.
8. Khoury F, Khoury C. Mandibular bone block grafts: diagnosis, instrumentation, harvesting techniques and surgical procedures. In: Khoury F, Antoun H, Missika P (eds). *Bone Augmentation in Oral Implantology*. London: Quintessence, 2007:115–213.
9. Sbordone L, Toti P, Menchini-Fabris GB, Sbordone C, Piombino P, Guidetti F. Volume changes of autogenous bone grafts after alveolar ridge augmentation of atrophic maxillae and mandibles. *Int J Oral Maxillofac Surg* 2009;38:1059–65.

10. Yu H, Chen L, Zhu Y, Qiu L. Bilamina cortical tenting grafting technique for three-dimensional reconstruction of severely atrophic alveolar ridges in anterior maxillae: a 6-year prospective study. *J Craniomaxillofac Surg* 2016;44:868–75.
11. Khoury F, Hanser T. Mandibular bone block harvesting from the retromolar region: a 10-year prospective clinical study. *Int J Oral Maxillofac Implants* 2015;30:688–97.
12. Misch CM. Comparison of intraoral donor sites for onlay grafting prior to implant placement. *Int J Oral Maxillofac Implants* 1997;12:767–76.
13. Clavero J, Lundgren S. Ramus or chin grafts for maxillary sinus inlay and local onlay augmentation: comparison of donor site morbidity and complications. *Clin Implant Dent Relat Res* 2003;5:154–60.
14. Weibull L, Widmark G, Ivanoff CJ, Borg E, Rasmusson L. Morbidity after chin bone harvesting--a retrospective long-term follow-up study. *Clin Implant Dent Relat Res* 2009;11:149–57.
15. von Arx T, Häfliger J, Chappuis V. Neurosensory disturbances following bone harvesting in the symphysis: a prospective clinical study. *Clin Oral Implants Res* 2005;16:432–9.
16. Starch-Jensen T, Deluiz D, Deb S, Bruun NH, Tinoco EMB. Harvesting of autogenous bone graft from the ascending mandibular ramus compared with the chin region: a systematic review and meta-analysis focusing on complications and donor site morbidity. *J Oral Maxillofac Res* 2020;11(3):e1.
17. Silva FM, Cortez AL, Moreira RW, Mazzonetto R. Complications of intraoral donor site for bone grafting prior to implant placement. *Implant Dent* 2006;15:420–6.
18. Anitua E, Alkhraisat MH, Miguel-Sánchez A, Orive G. Surgical correction of horizontal bone defect using the lateral maxillary wall: outcomes of a retrospective study. *J Oral Maxillofac Surg* 2014;72:683–93.

19. Gluckman H, Du Toit J, Salama M. The palatal bone block graft for onlay grafting combined with maxillary implant placement: a case series. *Int J Periodontics Restorative Dent* 2016;36:517–23.
20. Moussa M, El-Dahab OA, El Nahass H. Anterior maxilla augmentation using palatal bone block with platelet-rich fibrin: a controlled trial. *Int J Oral Maxillofac Implants* 2016;31:708–15.
21. Rodriguez-Recio O, Rodriguez-Recio C, Gallego L, Junquera L. Computed tomography and computer-aided design for locating available palatal bone for grafting: two case reports. *Int J Oral Maxillofac Implants* 2010;25:197–200.
22. Cawood JI, Howell RA. A classification of the edentulous jaws. *Int J Oral Maxillofac Surg* 1988;17:232–6.
23. Petrokovski J, Starinsky R, Arensburg B, Kaffe I. Morphologic characteristics of bony edentulous jaws. *J Prosthodont* 2007;16:141–7.
24. Mijiritsky E, Ben-Zaken H, Shacham M, Cinar IC, Tore C, Nagy K, Ganz SD. Variety of surgical guides and protocols for bone reduction prior to implant placement: a narrative review. *Int J Environ Res Public Health* 2021;18:2341.
25. Stimmelmayer M, Gernet W, Edelhoff D, Güth JF, Happe A, Beuer F. Two-stage horizontal bone grafting with the modified shell technique for subsequent implant placement: a case series. *Int J Periodontics Restorative Dent* 2014;34:269–76.

FIGURE LEGENDS

Fig 1 Schematic illustration of relocated crestal ridge segment (CRS) radiographic planning. a) Initial situation, sagittal view. Ridge height is measured; the basal ridge prominence for CRS support is determined (black arrow). b) The ridge above the prominence is evaluated for bisection. The blue arrow points to the site of planned CSR relocation. c) The proposed ridge dimensions.

Fig 2 (a) Mid-crestal incision is performed. b) A small round burr is used to mark three bone-incision points. c) Diamond disc is used for the full-thickness osteotomy. d) Particulate bone is scraped during ridge beveling. e) CRS is fixed, and the bony envelope is filled with bone chips.

Fig 3 (a) Initial situation. b) Bone cut is performed. c) CRS is harvested. d) CSR is anchored in the distance to the alveolar ridge. e) Particulate bone is compacted in the bony envelope. f) Wound closure. g) Implants are placed. h) Situation at 1 year after the prosthesis delivery.

Fig 4 CSR is in two segments because of the preexisting defect in the anterior area.

Provisional implants are placed.

Fig 5 Basale ridge dimensions measured 7 mm lateral to the midline. The ridge height is 31.5 mm, and the ridge width is 2.7 mm measured at 1 mm, 2.7 mm at 5 mm, and 3.9 mm at 10 mm below the ridge crest. (a). Native ridge measured at the same location at follow-up. The ridge height is 21.8 mm, with a 3.0-mm ridge width measured 1 mm below the ridge crest. (c) Ridge dimensions at follow-up: 7.6 mm ridge width at 1 mm below the ridge crest and 8.8 mm at 5 mm below the crest. No gain in ridge width is measured at 10 mm below the crest.

Fig 6 Representative radiography after implant-prosthetic rehabilitation and at the follow-up visit after 3 years.

Tables

Table 1. Baseline ridge width and height (mm) before ridge height reduction and augmentation (N=20)

| | Initial BW 1 mm below the bone crest | Initial BW 5 mm below the bone crest | Initial BW 10 mm below the bone crest | Initial bone height |
|-----------|--------------------------------------|--------------------------------------|---------------------------------------|---------------------|
| Minimum | 1.1 | 2.4 | 2.7 | 20.2 |
| Maximum | 3.8 | 4.0 | 4.6 | 31.5 |
| Mean ± SD | 2.5±0.7 | 3.2±0.5 | 3.8±0.7 | 26.5±3.7 |

BW = bone width

Table 2. Ridge dimensions and bone gain (mm) at follow-up after ridge height reduction and augmentation (N=20)

| | BWb 1* | Post-BW 1* | BG 1* | BWb 5* | Post-BW 5* | BG 5* | BWb 10* | Post-BW 10* | BG 10* | Post-RH* | RH reduction* |
|------------|---------|------------|---------|---------|------------|---------|---------|-------------|---------|----------|---------------|
| Min | 3.0 | 4.8 | 1.8 | 2.9 | 7.0 | 2.2 | 2.0 | 3.5 | 0.0 | 14,5 | 5,7 |
| Max | 4.8 | 8.5 | 4.8 | 6.6 | 10.0 | 4.9 | 9.6 | 9.6 | 2.3 | 22,3 | 10,3 |
| Mean ± SD* | 3.4±0.5 | 7±0.8 | 3.6±0.8 | 4.6±0.1 | 8.0±0.9 | 3.4±0.9 | 6.6±2.2 | 7.±1.7 | 0.6±0.7 | 19,1±2.8 | 7,5±1.4 |

BWb*= bone width after ridge reduction, before augmentation

Post-BW= bone width after ridge reduction, after augmentation

BG* = bone gain, measured 1, 5 and 10 mm below the new ridge crest

Post-RH* = bone height after ridge height reduction

RH reduction* = ridge height reduction from baseline

SD*= standard deviation

Figures 6095




Fig 1a




Fig 1b





Fig 2a




Fig 2b

