

Natsyn® 2210

CHEMICAL DESCRIPTION

NATSYN®2210 is a high cis(98.5% typical) polyisoprene containing a non-staining AO.

APPLICATIONS

NATSYN® 2210 has been used as a substitute for natural rubber, independently or blended with other elastomers, in applications requiring:

- Improved processing
- Resilience
- High Tensile strength

Application areas may include:

- Tire compounds
- Automotive and Conveyor belts
- Hoses and Tubes
- Shoe Products
- Sponge rubber
- Mechanical goods
- Sporting goods
- Adhesives
- Elastic straps and bands
- Rubber Thread

TYPICAL PROPERTIES

Color	Opaque to Translucent, White, Yellow, Grey
Mooney ML1+4 @ 100°C	60
Volatiles, %	0.5
Ash, %	0.6
Extractable, %	3.0

PACKAGING

Returnable Containers

- May be provided in returnable containers, which are collapsible aluminum containers that contain 36 – 75 lb film wrapped bales.

Non-returnable Containers

- May be provided in cardboard boxes that contain 27 - 75lb film wrapped bales.

Storage and Handling

- NATSYN® 2210 may be stored in its original packaging in a dry atmosphere away from heat and ultraviolet light.
- As a guideline, NATSYN® 2210 should be re-tested at least every 18 months following the date of manufacture. A recommended test is Mooney.

WARRANTY: Unless sold without warranty, this product is warranted to conform to G-3 Chickadee Purchaser, LLC applicable specifications in effect at the date of shipment. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. NO OTHER WARRANTY OF ANY KIND WHATSOEVER, EITHER ORAL OR WRITTEN, INCLUDING IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHER WARRANTY OF QUALITY IS EITHER EXPRESSED OR IMPLIED FOR THIS PRODUCT. G-3 CHICKADEE PURCHASER, LLC SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL AND/OR CONSEQUENTIAL DAMAGES, EVEN IF G-3 CHICKADEE PURCHASER, LLC HAS BEEN NOTIFIED OF THE POTENTIAL OF SUCH A LOSS OR CLAIM OR FOR ANY AMOUNT IN EXCESS OF THE APPLICABLE PURCHASE PRICE. This warranty is null and void should the product be subject to abuse, modification, misused or mishandled.