

# TECHNICAL SPECIFICATIONS

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	PRESCRIBED VALUES	TERRAZZA
<b>MEASUREMENT&amp;SURFACE APPEARANCE</b>			
LENGTH	ISO 10545-2:2018	±0.3%	-0.01%~+0.01%
WIDTH	ISO 10545-2:2018	±0.3%	-0.01%~+0.01%
THICKNESS	ISO 10545-2:2018	±5%	-0.5%~1.4%
<b>PHYSICAL PROPERTIES</b>			
WATER ABSORPTION	ISO 10545-3:2018	≤0.5%	≤0.1%
BREAKING STRENGTH	ISO 10545-4:2019	≥1300N	≥10000N
MODULUS OF RUPTURE	ISO 10545-4:2019	≥35N/mm <sup>2</sup>	>38.3N/mm <sup>2</sup>
SLIP RESISTANCE,WET PENDULUM TEST METHOD,SLIDER96	AS 4586-2013/Amdt 1-2017 AppendixA	N/A	P5
SLIP RESISTANCE,WET-BAREFOOT INCLINING PLATFORM TEST METHOD	AS 4586-2013/Amdt 1-2017 AppendixC	N/A	MEAN ANGLE OF INCLINATION ABAREFOOT:30° GROUP:C
SLIP RESISTANCE,OIL-WET INCLINING PLATFOPM TEST METHOD	AS 4586-2013/Amdt 1-2017 AppendixD	N/A	R11
<b>CHEMICAL PROPERTIES</b>			
CHEMICAL RESISTANCE PERSISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	ISO 10545-13:2016	MINIMUM B	A
RESISTANCE TO STAINING	ISO 10545-14:2015	MINIMUM CLASS 3	CLASS5
<a href="http://www.terrazza.ca">www.terrazza.ca</a>			