



A Mobility and Accessibility Manufacturer

# VISTA ENCLOSURE

Smooth, quiet, and efficient.



ATLAS

# VERSATILITY MEETS DESIGN

The ATLAS Vista Enclosure lift is self-contained, enclosed vertical platform lift that offers a smooth, quiet, and efficient experience. It is designed and made to carry a wheelchair and passenger safely up and down one or more levels, and is easily installed in a new or existing structure.

It's durable design, and wide-array of options offer an affordable solution without sacrificing quality. Being suitable for indoor or outdoor applications, the ATLAS Vista Enclosure is the perfect solution for public and commercial buildings and residential homes. Driven by our reliable acme-screw drive, the lift travels up and down an enclosed system, so no machine room is needed.

For decades, Atlas has installed thousands of vertical platform lifts in public buildings and private residences all over the world. We have been manufacturing and servicing custom manufactured in North-America since 1991.

## EASY INSTALLATION

With our qualified technicians, your VISTA Enclosure platform lift can be installed quickly and safely.

## PREMIUM MATERIALS

Attention to detail is reflected in the choice of premium materials. High-end extruded aluminium, and polycarbonate Lexan offer a finished and superior product.

## PEACE OF MIND

The VISTA Enclosure meets CSA-B613 B355-15, ASME 17.1, ASME 18.1 giving you the peace of mind!



# Maximize space, with a minimal footprint

These standard features come on every VISTA Enclosure.  
No extra cost, just great value!

## Capacity

**1000**  
LBS

## Drive

**ACME**  
SCREW DRIVE

## Travel Speed

**12**  
FPM

## Travel

**160**  
INCHES

## MOTOR

**24**  
VDC

### STANDARD FEATURES

|                     |                                             |
|---------------------|---------------------------------------------|
| Drive System        | ACME Screw Drive                            |
| Max. Capacity       | Up to 1000 LBS                              |
| Motor               | 1.5 HP -24 VDC                              |
| Max. Travel         | Up to 160 inches                            |
| Travel Speed        | 15 FPM (0.08 M/S)                           |
| Configurations      | 0 degree, 90 degree and 180 degree          |
| Controls            | Constant Pressure Rocker Switch with E-Stop |
| Codes & Regulations | CSA B613, B355, ASME 17.1, ASME 18.1        |



# Design your Enclose VPL



## AVAILABLE OPTIONS

|                  |                                                                                                          |
|------------------|----------------------------------------------------------------------------------------------------------|
| Cabin & Platform | Custom cabin heights and platform sizes and configurations.                                              |
| Travel           | Custom Travel distance ranging from as low as 44" up to 160".                                            |
| Controls         | Flush and surface mounts, Call posts, Top Gate Mounted, No Key, Type 455 and Type 2252 (Commercial Kit). |
| Doors            | Wide range of door sizes and finishings                                                                  |

## WARRANTY

|            |                                                                          |
|------------|--------------------------------------------------------------------------|
| 12 Months* | 12 Month limited warranty on parts and labour from the date of purchase. |
|------------|--------------------------------------------------------------------------|

\*Certain conditions apply. Consult your owners' manual for more warranty details.

## FOR PRICING AND ORDERING



Email us at [info@atlasacces.com](mailto:info@atlasacces.com)



Call us toll free: 888.773.6708 or direct: 450.796.5708



Online at [atlasacces.com](http://atlasacces.com)