

## PRODUCT SPECIFICATIONS FOR ALFA

The woven flat-waved type carpet have ribbed, stylish patterns and a durability that is adapted to public environments. Alfa has a smaller and denser pattern than Beta. Both are available in multiple similar colors and the material is polyamide. Alfa is also available as area rug - in any size and shape.


PRODUCT TYPE: Woven bouclé wall-to-wall carpet

PILE MATERIAL: 100% polyamide, antistatic

PILE HEIGHT: approx. 2 mm PILE WEIGHT: approx. 785 g/m<sup>2</sup> TOTAL HEIGHT: approx. 4 mm TOTAL WEIGHT: approx. 2400 g/m<sup>2</sup> ROLL WIDHT: approx. 400 cm

BACKING: pre-coat + textile secondary backing ENVIRONMENT AND SUSTAINABILITY: Meets the requirements for: Miljöbyggnad Guld, LEED v 4.1 (exkl USA), BREEAM-SE 2017, BREEAM International, Indoor Air Comfort Gold, ref IACG-42-03-09-2022

Sunda Hus: B BVB: ID 152392 Accepted



CE MARK REGULATION (EU)
Council Directive 89/106/EEC ref 2531-CPR-CXA10207



#### CARE ADVICE WALL-TO-WALL CARPETS

All carpets retain their appearance for a longer time if you remove dirt and stains regularly. If you have a light, single-colour carpet you will naturally need to clean it more often than a darker, patterned one. Almost all dirt comes from outside. If you want to prevent it from coming all the way in you can place a good-quality scraper mat outside the door and an entrance mat inside. Effective vacuuming is the easiest and most environmentally friendly cleaning method. It is also the most economical. When you vacuum regularly you remove all the loose dirt and dust.

#### CLEANING ADVICE

We recommend that cleaning is carried out by a professional cleaning company. At www.kasthall.com you can read more about our materials, how to look after your carpet and find our stain guide.

#### OTHER INFORMATION

Important information when ordering wall-to-wall carpets and runners:

- We recommend that our carpets are installed by professional carpet-fitters. Some carpets should be laid on underfelt with gripper strips, while others can be glued direct to the floor. Contact us for more information and laying instructions.
- Depending on the materials used and the different processes in production, dimensions of the carpet may vary by up to 3%.
- Note that variations in colour and texture can arise between batches of yarn
- Please note that certain restrictions apply to stitching of concave shapes/lines. For rugs with concave shapes/lines, please submit drawing to Kasthall prior to placing the order.
- All runners should be laid on an underlay that prevents them from moving on all types of flooring. This extends the life of the carpet and reduces the risk of slipping.
- In longer corridors the runner should be laid on underfelt with gripper strips.

### ENVIRONMENT AND SOCIAL RESPONSIBILITY

At Kasthall environmental work is a very natural part of what we do and what we stand for - today and for generations to come. Many of our products are compliant with known environmental standards. Our working environment reflects the creativity and quality that we strive for - in design, materials and manufacture. Read more about our environmental work and philosophy at kasthall.com.



Electrical behavior

ight fastness: 5 (EN 1307)

Permanent antistatio (EN 14041)

# ALFA Woven bouclé wall-to-wall carpet 100% polyamide, antistatic





