



# Onda Sconce, Small



## Technical Specifications

|                |   |
|----------------|---|
| Materials      | Glass, Brass-plated steel                 |
| Product weight | 3.5 lbs                                   |
| Lead time      | 12 weeks                                  |
| Integrated LED | 1,200 lm / 1800K -3000K / 15 W / CRI      |
| Input Voltage  | 120 V, 240 V or 277 V                     |
| Dimmer         | TRIAC, ELV or 0-10 V                      |
| Certifications | UL, ETL listed, damp-rated, ADA compliant |




## Notes

1. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
2. Dimensions may vary within half an inch.
3. The LED lifetime is 50,000 hours.
4. The driver is included within the fixture.
5. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
6. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of


Updated

April 29, 2025


Front View




Side View



Top View



Isometric View



# Onda Sconce, Small, Plug-in



## Technical Specifications

|                |                                      |
|----------------|--------------------------------------|
| Materials      | Glass, Brass-plated steel            |
| Product weight | 3.5 lbs                              |
| Lead time      | 12 weeks                             |
| Integrated LED | 1,200 lm / 1800K -3000K / 15 W / CRI |
| Input Voltage  | 120 V                                |
| Dimmer         | Integrated dimmer switch             |
| Certifications | UL, ETL listed                       |




## Notes

1. This fixture comes with a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
3. Dimensions may vary within half an inch.
4. The LED lifetime is 50,000 hours.
5. The driver is included within the fixture.
6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.


Updated

April 29, 2025


Front View




Side View




Top View




Inline Dimmer Switch Detail




Front View



Solid



Powder



Stripe

# Onda Sconce, Medium



## Technical Specifications

|                |                                      |
|----------------|--------------------------------------|
| Materials      | Glass, Brass-plated steel            |
| Product weight | 7 lbs                                |
| Lead time      | 12 weeks                             |
| Integrated LED | 2,400 lm / 1800K -3000K / 25 W / CRI |
| Input Voltage  | 120 V, 240 V or 277 V                |
| Dimmer         | TRIAC, ELV or 0-10 V                 |
| Certifications | UL, ETL listed, damp-rated           |




## Notes

1. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
2. Dimensions may vary within half an inch.
3. The LED lifetime is 50,000 hours.
4. The driver is included within the fixture.
5. This fixture is designed so the LED board can be replaced when it reaches its lifetime.


Updated

April 29, 2025


Front View




Side View



Top View



Isometric View



# Onda Sconce, Medium, Plug-in



## Technical Specifications

|                |                                      |
|----------------|--------------------------------------|
| Materials      | Glass, Brass-plated steel            |
| Product weight | 7 lbs                                |
| Lead time      | 12 weeks                             |
| Integrated LED | 2,400 lm / 1800K -3000K / 25 W / CRI |
| Input Voltage  | 120 V                                |
| Dimmer         | Integrated dimmer switch             |
| Certifications | UL, ETL listed                       |




## Notes

1. This fixture comes with a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
3. Dimensions may vary within half an inch.
4. The LED lifetime is 50,000 hours.
5. The driver is included within the fixture.
6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.


Updated

April 29, 2025


Front View




Side View




Top View




Inline Dimmer Switch Detail




Front View



Solid



Powder




Stripe

# Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at

---


## Solid Glass



Almond



Olive




Pecan



Cherry

---


## Powder Glass



Cirrus



Moss



Umber




Plum

---

## Striped Glass




Vellum



Zinnia



Marigold



Garnet

# Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at

---


## Brass




Brass



Patina Brass



Blackened Brass



Pewter