

# CASCADIA C1 ROUND

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

## FINISH

Brushed Brass, White Canopy  
Blackened Brass, White Canopy  
Brushed Brass, Black Canopy  
Blackened Brass, Black Canopy  
Brushed Brass, Brass Canopy

## SKU

CS.R1BRB.1  
CS.R1BKB.1  
CS.R1BRB.2  
CS.R1BKB.2  
CS.R1BRB.3

## MATERIALS

Glass  
Brass

## CABLE MEASURE

3m (10 ft) standard adjustable  
Coax kevlar cable

## LAMPING

COB LED 350-700mA (Replaceable)  
3W  
320 lumens  
2700K  
CRI > 90  
0-10V, 1-10V, PUSH, PWM  
50,000 lifetime hours

## CERTIFICATION



## CUSTOM OPTIONS

Extended cable length (10m / 32.8ft)  
upon request  
Design configuration support  
available

*Please inquire for pricing and lead time.*


## VOLTAGE

110V - 127 V, 220V - 240 V (AC)

## WEIGHT




1.4 lbs, 0.635 kg

## STANDARD FINISHES



## CANOPY

180mm (7.09") diameter  
28mm (1.11") depth  
Brushed brass, silk black, white  
RAL9003  
Round



*Image shown: Cascadia C1, brushed brass finish with white canopy.*

# CASCADIA C3 ROUND

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

## FINISH

Brushed Brass, White Canopy  
 Blackened Brass, White Canopy  
 Brushed Brass, Black Canopy  
 Blackened Brass, Black Canopy  
 Brushed Brass, Brass Canopy

## SKU

CS.R3BRB.1  
 CS.R3BKB.1  
 CS.R3BRB.2  
 CS.R3BKB.2  
 CS.R3BRB.3

## MATERIALS

Glass  
 Brass

## CABLE MEASURE

3m (10 ft) standard adjustable  
 Coax kevlar cable

## LAMPING

COB LED 350-700mA (Replaceable)  
 9W  
 960 lumens  
 2700K  
 CRI > 90  
 0-10V, 1-10V, PUSH, PWM  
 50,000 lifetime hours

## CERTIFICATION




## CUSTOM OPTIONS

Extended cable length (10m / 32.8ft)  
 upon request  
 Design configuration support  
 available


*Please inquire for pricing and lead time.*

## STANDARD FINISHES



## CANOPY

180mm (7.09") diameter  
 28mm (1.11") depth  
 Brushed brass, silk black, white  
 RAL9003  
 Round



*Image shown: Cascadia C3, brushed brass finish with white canopy.*

# CASCADIA C11 ROUND

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

## FINISH

Brushed Brass, White Canopy  
Blackened Brass, White Canopy  
Brushed Brass, Black Canopy  
Blackened Brass, Black Canopy  
Brushed Brass, Brass Canopy

## SKU

CS.R11BRB.1  
CS.R11BKB.1  
CS.R11BRB.2  
CS.R11BKB.2  
CS.R11BRB.3

## MATERIALS

Glass  
Brass

## CABLE MEASURE

3m (10 ft) standard adjustable  
Coax kevlar cable

## LAMPING

COB LED 350-700mA (Replaceable)  
33W  
3520 lumens  
2700K  
CRI > 90  
0-10V, 1-10V, PUSH, PWM  
50,000 lifetime hours

## CERTIFICATION




## CUSTOM OPTIONS

Extended cable length (10m / 32.8ft)  
upon request  
Design configuration support  
available



*Please inquire for pricing and lead time.*

## STANDARD FINISHES



## CANOPY

300mm (11.8") diameter  
50.50mm (1.99") depth  
Brushed brass, silk black, white  
RAL9003  
Round



*Image shown: Cascadia C11, brushed brass finish with white canopy.*

# CASCADIA C21 ROUND

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

## FINISH

Brushed Brass, White Canopy  
 Blackened Brass, White Canopy  
 Brushed Brass, Black Canopy  
 Blackened Brass, Black Canopy  
 Brushed Brass, Brass Canopy

## SKU

CS.R21BRB.1  
 CS.R21BKB.1  
 CS.R21BRB.2  
 CS.R21BKB.2  
 CS.R21BRB.3

## MATERIALS

Glass  
 Brass

## CABLE MEASURE

3m (10 ft) standard adjustable  
 Coax kevlar cable

## LAMPING

COB LED 350-700mA (Replaceable)  
 63W  
 6720 lumens  
 2700K  
 CRI > 90  
 0-10V, 1-10V, PUSH, PWM  
 50,000 lifetime hours

## CERTIFICATION




## CUSTOM OPTIONS

Extended cable length (10m / 32.8ft)  
 upon request  
 Design configuration support  
 available




*Please inquire for pricing and lead time.*

## STANDARD FINISHES



## CANOPY

500mm (19.69") diameter  
 50.50mm (1.99") depth  
 Brushed brass, silk black, white  
 RAL9003  
 Round



*Image shown: Cascadia C21, brushed brass finish with white canopy.*

# CASCADIA C33 ROUND

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

## FINISH

Brushed Brass, White Canopy  
Blackened Brass, White Canopy  
Brushed Brass, Black Canopy  
Blackened Brass, Black Canopy  
Brushed Brass, Brass Canopy

## SKU

CS.R33BRB.1  
CS.R33BKB.1  
CS.R33BRB.2  
CS.R33BKB.2  
CS.R33BRB.3

## MATERIALS

Glass  
Brass

## LAMPING

COB LED 350-700mA (Replaceable)  
99W  
10560 lumens  
2700K  
CRI > 90  
0-10V, 1-10V, PUSH, PWM  
50,000 lifetime hours

## VOLTAGE

110V - 127 V, 220V - 240 V (AC)

## WEIGHT

57.8 lbs, 26.2 kg

## CANOPY

700mm (27.5") diameter  
50.50mm (1.99") depth  
Brushed brass, silk black, white  
RAL9003  
Round

## CABLE MEASURE

3m (10 ft) or 10m (32.8 ft) standard  
adjustable  
Coax kevlar cable

## CERTIFICATION






## CUSTOM OPTIONS

Design configuration support  
available

*Please inquire for pricing and lead time.*

## STANDARD FINISHES



*Image shown: Cascadia C33, brushed brass finish with white canopy.*



# CASCADIA C55 ROUND

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

## FINISH

Brushed Brass, White Canopy  
 Blackened Brass, White Canopy  
 Brushed Brass, Black Canopy  
 Blackened Brass, Black Canopy  
 Brushed Brass, Brass Canopy

## SKU

CS.R55BRB.1  
 CS.R55BKB.1  
 CS.R55BRB.2  
 CS.R55BKB.2  
 CS.R55BRB.3

## MATERIALS

Glass  
 Brass

## LAMPING

COB LED 350-700mA (Replaceable)  
 165W  
 2700K  
 CRI > 90  
 0-10V, 1-10V, PUSH, PWM  
 50,000 lifetime hours

## VOLTAGE

110V - 127 V, 220V - 240 V (AC)

## WEIGHT

70.57 lbs, 32.01 kg

## CANOPY

900mm (35.4") diameter  
 50.50mm (1.99") depth  
 Brushed brass, silk black, white  
 RAL9003  
 Round

## CABLE MEASURE

3m (10 ft) or 10m (32.8 ft) standard  
 adjustable  
 Coax kevlar cable

## CERTIFICATION






## CUSTOM OPTIONS

Design configuration support  
 available

*Please inquire for pricing and lead time.*

## STANDARD FINISHES



*Image shown: Cascadia C55, brushed brass finish with white canopy.*

# CASCADIA C10 LINEAR

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

**FINISH**  
Brushed Brass, White Canopy  
Blackened Brass, White Canopy

**SKU**  
CS.L10BRB.1  
CS.L10BKB.1

**MATERIALS**  
Glass  
Brass

**CABLE MEASURE**  
3m (10 ft) standard adjustable  
Coax kevlar cable

**LAMPING**  
COB LED 350-700mA (Replaceable)  
30W  
3200 lumens  
2700K  
CRI > 90  
0-10V, 1-10V, PUSH, PWM  
50,000 lifetime hours

**CERTIFICATION**  
CE ETL

**CUSTOM OPTIONS**  
Extended cable length (10m / 32.8ft)  
upon request  
Design configuration support  
available




**VOLTAGE**  
110V - 127 V, 220V - 240 V (AC)

*Please inquire for pricing and lead time.*

**WEIGHT**  
31.9 lbs, 14.5 kg

**STANDARD FINISHES**

**CANOPY**  
1250mm x 125mm (49.2" x 4.9")  
50.50mm (1.99") depth  
Brushed brass, silk black, white  
RAL9003  
Linear



*Image shown: Cascadia C10 linear, brushed brass finish with white canopy.*

# CASCADIA C13 RECTANGULAR

An homage to nature and its effortless beauty, the Cascadia pendant takes its name from the Canadian Cascades' white-capped mountain range and organic flow of waterways. The distinctive opaline glow of Cascadia's artisanal, hand-created LED glass tubing and modular pendant system hides its technical precision through an aesthetic of simplicity and a pureness in design.

**FINISH**  
Brushed Brass, White Canopy  
Blackened Brass, White Canopy

**SKU**  
CS.RT13BRB.1  
CS.RT13BKB.1

**MATERIALS**  
Glass  
Brass

**CABLE MEASURE**  
3m (10 ft) standard adjustable  
Coax kevlar cable

**LAMPING**  
COB LED 350-700mA (Replaceable)  
39W  
4160 lumens  
2700K  
CRI > 90  
0-10V, 1-10V, PUSH, PWM  
50,000 lifetime hours

**CERTIFICATION**  
CE ETL

**CUSTOM OPTIONS**  
Extended cable length (10m / 32.8ft)  
upon request  
Design configuration support  
available



**VOLTAGE**  
110V - 127 V, 220V - 240 V (AC)

*Please inquire for pricing and lead time.*

**WEIGHT**  
16.1 lbs, 7.3 kg

**STANDARD FINISHES**

**CANOPY**  
400mm x 200mm (15.7" x 7.9")  
50.50mm (1.99") depth  
Brushed brass, silk black, white  
RAL9003  
Rectangular



*Image shown: Cascadia C13 rectangular, brushed brass finish with white canopy.*