

MILA 7 STANDARD C1

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML07.ST1BRB.1
 ML07.ST1BRB.2
 ML07.ST1BRB.3
 ML07.ST1BKP.1
 ML07.ST1BKP.2
 ML07.ST1BKP.3

MATERIALS

Brass plated steel
 Glass

LAMPING

COB LED 350-700mA (Replaceable)
 3W
 320 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

7 lbs, 3.2 kg

CANOPY

180mm (7.09") diameter
 28mm (1.11") depth
 Brushed brass, silk black, white
 RAL9003
 Round

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding
 cable

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
 request
 Design configuration support
 available

Please inquire for pricing and lead time.

STANDARD FINISHES






Image shown: Mila 7 C1 standard, brushed brass finish with white canopy.

MILA 7 INVERT C1

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML07.NV1BRB.1
 ML07.NV1BRB.2
 ML07.NV1BRB.3
 ML07.NV1BKP.1
 ML07.NV1BKP.2
 ML07.NV1BKP.3

MATERIALS

Brass plated steel
 Glass

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding
 cable

LAMPING

COB LED 350-700mA (Replaceable)
 3W
 320 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
 request
 Design configuration support
 available

Please inquire for pricing and lead time.

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

7 lbs, 3.2 kg

CANOPY

180mm (7.09") diameter
 28mm (1.11") depth
 Brushed brass, silk black, white
 RAL9003
 Round

STANDARD FINISHES





Image shown: Mila 7 C1 invert, brushed brass finish with white canopy.

MILA 5 STANDARD C1

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
Brushed Brass, Black Canopy
Brushed Brass, Brass Canopy
Silk Black, White Canopy
Silk Black, Black Canopy
Silk Black, Brass Canopy

SKU

ML05.ST1BRB.1
ML05.ST1BRB.2
ML05.ST1BRB.3
ML05.ST1BKP.1
ML05.ST1BKP.2
ML05.ST1BKP.3

MATERIALS

Brass plated steel
Glass

LAMPING

COB LED 350-700mA (Replaceable)
3W
320 lumens
2700K
CRI > 90
0-10V, 1-10V, PUSH, PWM
50,000 lifetime hours

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

6 lbs, 2.7 kg

CANOPY

180mm (7.09") diameter
28mm (1.11") depth
Brushed brass, silk black, white
RAL9003
Round

CABLE MEASURE

3m (10 ft) standard adjustable
22GA x 2 cable with kevlar grounding
cable

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
request
Design configuration support
available

Please inquire for pricing and lead time.

STANDARD FINISHES







Image shown: Mila 5 C1 standard, brushed brass finish with white canopy.

MILA 5 INVERT C1

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML05.NV1BRB.1
 ML05.NV1BRB.2
 ML05.NV1BRB.3
 ML05.NV1BKP.1
 ML05.NV1BKP.2
 ML05.NV1BKP.3

MATERIALS

Brass plated steel
 Glass

LAMPING

COB LED 350-700mA (Replaceable)
 3W
 320 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

6 lbs, 2.7 kg

CANOPY

180mm (7.09") diameter
 28mm (1.11") depth
 Brushed brass, silk black, white
 RAL9003
 Round

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding
 cable

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
 request
 Design configuration support
 available

Please inquire for pricing and lead time.

STANDARD FINISHES






Image shown: Mila 5 C1 invert, brushed brass finish with white canopy.

MILA 7 STANDARD C2

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML07.ST2BRB.1
 ML07.ST2BRB.2
 ML07.ST2BRB.3
 ML07.ST2BKP.1
 ML07.ST2BKP.2
 ML07.ST2BKP.3

MATERIALS

Brass plated steel
 Glass

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding cable

LAMPING

COB LED 350-700mA (Replaceable)
 6W
 640 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon request
 Design configuration support available

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

14.5 lbs, 6.6 kg

CANOPY

300mm (11.8") diameter
 38mm (1.5") depth
 Brushed brass, silk black, white
 RAL9003
 Round

STANDARD FINISHES







Image shown: Mila 7 C2 standard, brushed brass finish with white canopy.

MILA 5 STANDARD C2

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML05.ST2BRB.1
 ML05.ST2BRB.2
 ML05.ST2BRB.3
 ML05.ST2BKP.1
 ML05.ST2BKP.2
 ML05.ST2BKP.3

MATERIALS

Brass plated steel
 Glass

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding cable

LAMPING

COB LED 350-700mA (Replaceable)
 DIMMABLE 6W
 640 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

CERTIFICATION




CUSTOM OPTIONS

Extended cable length (10m) upon request
 Design configuration support available

Please inquire for pricing and lead time.

STANDARD FINISHES



VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

12.5 lbs, 5.6 kg

CANOPY

300mm (11.8") diameter
 38mm (1.5") depth
 Brushed brass, silk black, white
 RAL9003
 Round





Image shown: Mila 5 C2 standard, brushed brass finish with white canopy.

MILA 7 STANDARD C3

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML07.ST3BRB.1
 ML07.ST3BRB.2
 ML07.ST3BRB.3
 ML07.ST3BKP.1
 ML07.ST3BKP.2
 ML07.ST3BKP.3

MATERIALS

Brass plated steel
 Glass

LAMPING

COB LED 350-700mA (Replaceable)
 9W
 960 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

21.5 lbs, 9.75 kg

CANOPY

300mm (11.8") diameter
 38mm (1.5") depth
 Brushed brass, silk black, white
 RAL9003
 Round

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding
 cable

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
 request
 Design configuration support
 available

Please inquire for pricing and lead time.

STANDARD FINISHES






Image shown: Mila 7 C3 standard, brushed brass finish with white canopy.

MILA 5 STANDARD C3

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML05.ST3BRB.1
 ML05.ST3BRB.2
 ML05.ST3BRB.3
 ML05.ST3BKP.1
 ML05.ST3BKP.2
 ML05.ST3BKP.3

MATERIALS

Brass plated steel
 Glass

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding cable

LAMPING

COB LED 350-700mA (Replaceable)
 9W
 960 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon request
 Design configuration support available

Please inquire for pricing and lead time.

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

16.5 lbs, 7.5 kg

CANOPY

300mm (11.8") diameter
 38mm (1.5") depth
 Brushed brass, silk black, white
 RAL9003
 Round

STANDARD FINISHES






Image shown: Mila 5 C3 standard, brushed brass finish with white canopy.

MILA 7 STANDARD C5

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML07.ST5BRB.1
 ML07.ST5BRB.2
 ML07.ST5BRB.3
 ML07.ST5BKP.1
 ML07.ST5BKP.2
 ML07.ST5BKP.3

MATERIALS

Brass plated steel
 Glass

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding cable

LAMPING

COB LED 350-700mA (Replaceable)
 15W
 1600 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon request
 Design configuration support available

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

41.5 lbs, 18.8 kg

CANOPY

500mm (19.69") diameter
 38mm (1.5") depth
 Brushed brass, silk black, white
 RAL9003
 Round

STANDARD FINISHES







Image shown: Mila 7 C5 standard, brushed brass finish with white canopy.

MILA 7 STANDARD C7

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
Brushed Brass, Black Canopy
Brushed Brass, Brass Canopy
Silk Black, White Canopy
Silk Black, Black Canopy
Silk Black, Brass Canopy

SKU

ML07.ST7BRB.1
ML07.ST7BRB.2
ML07.ST7BRB.3
ML07.ST7BKP.1
ML07.ST7BKP.2
ML07.ST7BKP.3

MATERIALS

Brass plated steel
Glass

CABLE MEASURE

3m (10 ft) standard adjustable
22GA x 2 cable with kevlar grounding
cable

LAMPING

COB LED 350-700mA (Replaceable)
21W
2240 lumens
2700K
CRI > 90
0-10V, 1-10V, PUSH, PWM
50,000 lifetime hours

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
request
Design configuration support
available

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

49.5 lbs, 22.5 kg

Please inquire for pricing and lead time.

CANOPY

500mm (19.69") diameter
38mm (1.5") depth
Brushed brass, silk black, white
RAL9003
Round

STANDARD FINISHES





Image shown: Mila 7 C7 standard, brushed brass finish with white canopy.

MILA 7 STANDARD C9

A labour of love, Mila was realized through the marriage of hand-blown artisan glass balanced with the soft geometry of its delicately bent form. Simple and elegant, the glow of Mila's pearl-like spheres hang in beautiful harmony within nests of precious metal. A timeless and elegant piece, Mila is ideal in both commercial and domestic settings, defined by McCormick's signature graphic language.

FINISH

Brushed Brass, White Canopy
 Brushed Brass, Black Canopy
 Brushed Brass, Brass Canopy
 Silk Black, White Canopy
 Silk Black, Black Canopy
 Silk Black, Brass Canopy

SKU

ML07.ST9BRB.1
 ML07.ST9BRB.2
 ML07.ST9BRB.3
 ML07.ST9BKP.1
 ML07.ST9BKP.2
 ML07.ST9BKP.3

MATERIALS

Brass plated steel

LAMPING

COB LED 350-700mA (Replaceable)
 27W
 2880 lumens
 2700K
 CRI > 90
 0-10V, 1-10V, PUSH, PWM
 50,000 lifetime hours

VOLTAGE

110V - 127 V, 220V - 240 V (AC)

WEIGHT

69 lbs, 31.3 kg

CANOPY

700mm (27.5") diameter
 38mm (1.5") depth
 Brushed brass, silk black, white
 RAL9003
 Round

CABLE MEASURE

3m (10 ft) standard adjustable
 22GA x 2 cable with kevlar grounding
 cable

CERTIFICATION



CUSTOM OPTIONS

Extended cable length (10m) upon
 request
 Design configuration support
 available

Please inquire for pricing and lead time.

STANDARD FINISHES







Image shown: Mila 7 C9 standard, brushed brass finish with white canopy.