

# Domes - Armature

| Dome Diameter | Weight        | Power | Light Output      |
|---------------|---------------|-------|-------------------|
| 8"            | 2 lbs / 1 kg  | 12W   | Up to 800 lumens  |
| 10"           | 4 lbs / 2 kg  | 18W   | Up to 1200 lumens |
| 12"           | 5 lbs / 2 kg  | 30W   | Up to 2100 lumens |
| 14"           | 8 lbs / 4 kg  | 35W   | Up to 2400 lumens |
| 18"           | 14 lbs / 6 kg | 42W   | Up to 2900 lumens |
| 22"           | 20 lbs / 9 kg | 49W   | Up to 3400 lumens |

Finishes See [Porcelain & Metal Finishes](#).

Light Bulbs 120V or 230V G8 LED Bulbs by Emery Allen. Bulbs are included.  
Color accuracy 90+ CRI.  
Choose from 2700K or 3000K light temperature.  
Compatible with most standard LED dimmers (ELV forward/reverse phase).  
**POWER:** 120V or 230V. No transformer required.

Light Output See [Dome Light Output](#) guide. Darker porcelain finishes diminish light output. Colored gloss porcelain finishes cast colored light. You may specify a reflector to increase light output and restore color. See [Dome Reflector](#) guide.

Production Handmade in Boulder, Colorado.  
10-12 week lead time. Rush by request.

UL Listing Available by request.

## ADVANCED CUSTOMIZATIONS

Dim-To-Warm Light 12V GY6.35 Bulbs by Emery Allen.  
Color accuracy 90+ CRI.  
1800K-2700K CCT light temperature. [See details](#).  
Light output reduced by up to 35%.  
**POWER:** 12V LED transformer required.  
Choose from the following:

- Emery Allen Integrated Driver (installed in j-box)
- Remote Driver (installed in attic, basement, or closet)

See [Domes LED Drivers & Dimmers](#) for driver details.

Premium Light 24V LED Strip by ElementalLED or QTL.  
Color accuracy 95+ CRI.  
Light output is equivalent to Standard Light.  
50K+ hour lifetime (17+ years at 8 hr/day).  
Choose from light temperatures 2400K to 5000K.  
Inquire for premium Dim-To-Warm options (reduced output)  
LEDs are electrician replaceable at end of life.  
**POWER:** 24V LED transformer required.  
Choose from the following:

- SwitchEX+ Driver/Dimmer Wall Unit
- Remote Driver (installed in attic, basement, closet)

See [Domes LED Drivers & Dimmers](#) for driver details

Custom Light You may optionally specify your own LED strip and driver.

# Domes - Armature - Mounting

U.S. Patents Pending.

## STANDARD

### Two Canopies

One Junction Box



The distance between canopies may not be customizable for all sculptures. Please contact us to provide a drawing before placing an order with a custom distance between canopies.

## CANOPY CUSTOMIZATIONS

### Multi-Pendant Canopy

One Junction Box



### Other Canopies

Custom canopies including recessed and mud-in available by request.

See [Canopy Options](#).

Angled

Armature - Angled 5 - 14, 12, 12, 8, 8


**55"L x 14"W**

**AS SHOWN ON WEBSITE**

Minimum Overall Drop Height : 11"



You may specify the number of domes, dome sizes, length and overall drop height. Each sculpture is designed to specification.



# Armature - Angled 5 - 18, 14, 14, 10, 10 67"L x 18"W

Minimum Overall Drop Height : 12"



You may specify the number of domes, dome sizes, length and overall drop height. Each sculpture is designed to specification.

