

Domes - Grand Sconces

U.S. Patents Pending.

Dome Diameter	Weight	Power	Light Output
8"	Not available		
10"	4 lbs / 2 kg	18W	Up to 1200 lumens
12"	5 lbs / 2 kg	30W	Up to 2100 lumens
14"	8 lbs / 4 kg	35W	Up to 2400 lumens
18"	Not available		
22"	Not available		

Finishes See [Porcelain & Metal Finishes](#).

Mounting **Junction box width must be 2.5" or less (e.g. single gang).**

Light Bulbs 120V or 230V G8 LED Bulbs by Emery Allen. Bulbs are included.
Color accuracy 90+ CRI.
Choose from 2700K or 3000K light temperature.
Compatible with most standard LED dimmers (ELV forward/reverse phase).
POWER: 120V or 230V. No transformer required.

Light Output See [Dome Light Output](#) guide. Darker porcelain finishes diminish light output. Colored gloss porcelain finishes cast colored light. You may specify a reflector to increase light output and restore color. See [Dome Reflector](#) guide.

Production Handmade in Boulder, Colorado.
10-12 week lead time. Rush by request.


UL Listing Available by request.

ADVANCED CUSTOMIZATIONS


Dim-To-Warm Light	12V GY6.35 Bulbs by Emery Allen. Color accuracy 90+ CRI. 1800K-2700K CCT light temperature. See details . Light output reduced by up to 35%. POWER: 12V LED transformer required. Choose from the following: - Emery Allen Integrated Driver (installed in j-box) - Remote Driver (installed in attic, basement, or closet) See Domes LED Drivers & Dimmers for driver details.
Premium Light	24V LED Strip by ElementalLED or QTL. Color accuracy 95+ CRI. Light output is equivalent to Standard Light. 50K+ hour lifetime (17+ years at 8 hr/day). Choose from light temperatures 2400K to 5000K. Inquire for premium Dim-To-Warm options (reduced output) LEDs are electrician replaceable at end of life. POWER: 24V LED transformer required. Choose from the following: - SwitchEX+ Driver/Dimmer Wall Unit - Remote Driver (installed in attic, basement, closet) See Domes LED Drivers & Dimmers for driver details
Custom Light	You may optionally specify your own LED strip and driver.

Grand Sconce - 10-Inch

AS SHOWN ON WEBSITE



Grand Sconce - 12-Inch



Grand Sconce - 14-Inch

