

TED BRADLEY STUDIO



Constellation - Five Rings

Exceptional craftsmanship. Unlike anything else.

The sculpture is inspired by a constellation, where each porcelain ring is like a star in the night sky. When looking at the rings individually, they appear random and disconnected - the eyes dance without coming to rest on a single focal point. But stepping back and viewing the sculpture as a whole, it comes together into something cohesive and beautiful.

The sculpture can cast gentle candlelight on a dining table or brighten an entire room.




Rings - Constellation

Standard Light	24V LED Strip by ElementalLED. Color accuracy 90+ CRI. Choose from light temperatures 2400K to 5000K. 50K+ hour lifetime (17+ years at 8 hr/day). LEDs are electrician replaceable with relamping kit.
Premium Light	24V LED Strip by ElementalLED Color accuracy 95+ CRI. Choose from light temperatures 2400K to 5000K. 50K+ hour lifetime (17+ years at 8 hr/day). LEDs are electrician replaceable with relamping kit.
Custom Light	Inquire for Dim-To-Warm options. Specify your own LED strip and driver.
Power	120V standard 240-277V available with remote driver
Driver/Transformer	24V LED driver required. Choose from: • SwitchEX+ Driver/Dimmer Wall Unit (driver is in wall dimmer) • Remote Driver (installed in attic, basement, or closet) • Integrated Driver (installed in sculpture canopy) See LED Drivers & Dimmers .
Dimming	Minimum dimming range 0.1% Electronic Low Voltage (see details)
Mounting	Standard junction box Sloped ceiling by request

Ring Diameter	Light Output	Weight	Power
12"	530 lumens	5 lbs / 2.3 kg	10W
15"	670 lumens	6 lbs / 2.7 kg	13W
18"	800 lumens	7 lbs / 3.2 kg	15W
22"	980 lumens	8 lbs / 3.6 kg	18W

Finishes	See Porcelain & Metal Finishes .
Mounting	Standard junction box. Sloped ceiling by request. See Canopy Options .
Configuration & Sizing	You may specify the number of rings, ring sizes, shape (round or linear), dimensions (length and width, or diameter), and overall drop height. Each sculpture is designed to specification.
UL Certification	Light ring design is UL certified. Sculpture not certified.
Lead Time	10-12 Weeks Rush by request
Production	Handmade in Colorado
Protection	(5) U.S. Patents Pending

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.






Constellation - Five Rings - Linear 50

Dimensions	50" L x 32"W x 8"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height
Maximum	No Maximum Drop Height,
Weight	45 lbs / 20 kg
Power	63 W

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.




AS SHOWN ON WEBSITE



Constellation - Five Rings - Linear 58

Dimensions	58" L x 32"W x 8"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height
Maximum	No Maximum Drop Height
Weight	36 lbs / 16 kg
Power	66 W




We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Five Rings - Linear 67

Dimensions	67" L x 32"W x 8"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height
Maximum	No Maximum Drop Height
Weight	33 lbs / 15 kg
Power	58 W


We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Five Rings - Linear 70

Dimensions	70" L x 32"W x 8"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height
Maximum	No Maximum Drop Height
Weight	36 lbs / 16 kg
Power	66 W



We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Five Rings - Round SM

Dimensions	39" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height 39" Diameter
Maximum	No Maximum Drop Height 56" Diameter
Weight	41 lbs / 19 kg
Power	59 W

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.




Constellation - Five Rings - Round 42

Dimensions	42" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height 42" Diameter
Maximum	No Maximum Drop Height 56" Diameter
Weight	43 lbs / 20 kg
Power	61 W

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.


AS SHOWN ON WEBSITE



Constellation - Five Rings - Round 46

Dimensions	46" diameter, 9" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	13" Height 46" Diameter
Maximum	No Maximum Drop Height 56" Diameter
Weight	46 lbs / 21 kg
Power	71 W


We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Five Rings - Round 60

Dimensions	60" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height 44" Diameter
Maximum	No Maximum Drop Height, 60" Diameter
Weight	46 lbs / 21 kg
Power	71 W

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Five Rings - Round XL

Dimensions	60" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Height 44" Diameter
Maximum	No Maximum Drop Height, 60" Diameter
Weight	61 lbs / 28 kg
Power	84 W