

TED BRADLEY STUDIO



Constellation - Four Rings




Exceptional craftsmanship. Unlike anything else.

The sculpture is inspired by a constellation, where each porcelain ring is like a star in the night sky. When looking at the rings individually, they appear random and disconnected - the eyes dance without coming to rest on a single focal point. But stepping back and viewing the sculpture as a whole, it comes together into something cohesive and beautiful.

The sculpture can cast gentle candlelight on a dining table or brighten an entire room.

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.


AS SHOWN ON WEBSITE



Constellation - Four Rings Linear

Dimensions	57"L x 28"W, 6" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimum Height	10"
Ring Sizes	18" and 15" diameters
Light	2,900 lumens total 660-800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 31 lbs / 14 kg Sloped ceiling by request
Power	120V 60W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Rush by request Patents pending


We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Four Rings Round SM2

Dimensions	39" Diameter, 6" Body Height Dimensions are customizable Can be configured as round or linear
Minimums	10" Height, 39" Diameter
Ring Sizes	(2) 15" rings, (2) 12" rings
Light	2,400 lumens total 660 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 25 lbs / 12 kg Sloped ceiling by request
Power	120V 60W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Rush by request Patents pending

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.




Constellation - Four Rings Round SM

Dimensions	40" Diameter, 6" Body Height Dimensions are customizable Can be configured as round or linear
Minimums	10" Height, 40" Diameter
Ring Sizes	(4) 15" diameter
Light	2,600 lumens total 660 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 28 lbs / 13 kg Sloped ceiling by request
Power	120V 60W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Rush by request Patents pending

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.


AS SHOWN ON WEBSITE



Constellation - Four Rings Round

Dimensions	46" diameter, 6" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	10" Height, 46" Diameter
Maximum	60" Diameter
Ring Sizes	18" and 15" diameters
Light	2,900 lumens total 660-800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 31 lbs / 14 kg Sloped ceiling by request
Power	120V 60W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Four Rings Round

Dimensions	48" diameter, 6" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12.5" Height, 48" Diameter
Maximum	60" Diameter
Ring Sizes	18" and 15" diameters
Light	2,900 lumens total 660-800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 31 lbs / 14 kg Sloped ceiling by request
Power	120V 60W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request