


TED BRADLEY STUDIO




Mono Pendants - Set of 5 Column

Exceptional craftsmanship. Unlike anything else.

These sculptures present the porcelain rings in vertical orientation, allowing the full profile of the ring to be seen. They are similar to the Swag Pendants, but the omission of the draping cords leads to a cleaner and more simplified aesthetic.


The number of rings, size of rings, and spacing can be customized, allowing the designer to readily create a one-of-a-kind sculpture for their client.

AS SHOWN ON WEBSITE



Mono Pendants - Set of 5 Column


Dimensions	28" Diameter x 83" Body Height (as shown) Dimensions & ring counts are customizable Drop height made to order
Ring Sizes	22", 18", and/or 15" diameters
Light	4,000 lumens total 660-1,100 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box Structural ceiling 45 lbs / 21 kg (7-11 lbs per pendant) Sloped ceiling by request
Power	120V 75W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Rush by request Patents pending



Mono Pendants - Set of 5 Column (Varied)

Dimensions	29" Diameter x 92" Body Height (as shown) Dimensions & ring counts are customizable Drop height made to order
Ring Sizes	18", 15", and/or 12" diameters
Light	4,000 lumens total 660-1,100 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box Structural ceiling 45 lbs / 21 kg (7-11 lbs per pendant) Sloped ceiling by request
Power	120V 75W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Rush by request Patents pending

AS SHOWN ON WEBSITE



Mono Pendants - Set of 5 Column (Varied)

Dimensions	35" Diameter x 96" Body Height (as shown) Dimensions & ring counts are customizable Drop height made to order
Ring Sizes	22", 18", and/or 15" diameters
Light	4,000 lumens total 660-1,100 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box Structural ceiling 45 lbs / 21 kg (7-11 lbs per pendant) Sloped ceiling by request
Power	120V 75W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Rush by request Patents pending