

TED BRADLEY STUDIO




Nest - Six Rings

Exceptional craftsmanship. Unlike anything else.

This sculpture series is inspired by a bird's nest. A collection of disparate elements come together to create a beautiful whole. White porcelain rings are affixed to horizontal metal crossbars at various angles. Warm, dimmable LEDs are inlaid on the inside surface of each ring.

In this design six rings are affixed to a vertical downrod, equally spaced from one another. This sculpture can be made in a linear or round format.



The sculptures can cast gentle candlelight on a dining table or brighten an entire room.



Nest - Six Rings - XS


Dimensions	35" diameter, 15" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	19" Height, 35" Diameter
Ring Sizes	22", 18", 15", or 12"
Light	3,300 lumens total 550 lumens per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17 years at 8 hours / day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 42 lbs / 19 kg Sloped ceiling by request
Power	120V 60W (10W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

AS SHOWN ON WEBSITE





Nest - Six Rings - 42"D

Dimensions	42" diameter, 17" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	21" Height, 42" Diameter
Ring Sizes	22", 18", 15", or 12"
Light	3,300 lumens total 550 lumens per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17 years at 8 hours / day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 42 lbs / 19 kg Sloped ceiling by request
Power	120V 60W (10W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request



Nest - Six Rings - 47"D

Dimensions	47" diameter, 19" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	23" Drop Height, 47" Diameter
Ring Sizes	22", 18", 15", or 12"
Light	4,800 lumens total 800 lumens per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17 years at 8 hours / day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 59 lbs / 27 kg Sloped ceiling by request
Power	120V 90W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request



Nest - Six Rings - 51"D

Dimensions	51" diameter, 20" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	24" Drop Height, 47" Diameter
Ring Sizes	22", 18", 15", or 12"
Light	4,800 lumens total 800 lumens per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17 years at 8 hours / day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 59 lbs / 27 kg Sloped ceiling by request
Power	120V 90W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request