

TED BRADLEY STUDIO



Constellation - Three Rings

Exceptional craftsmanship. Unlike anything else.



The sculpture is inspired by a constellation, where each porcelain ring is like a star in the night sky. When looking at the rings individually, they appear random and disconnected - the eyes dance without coming to rest on a single focal point. But stepping back and viewing the sculpture as a whole, it comes together into something cohesive and beautiful.

The sculpture can cast gentle candlelight on a dining table or brighten an entire room.

Round

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.


AS SHOWN ON WEBSITE



Constellation - Three Rings Round SM

Dimensions	40" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height, 40" Diameter
Maximum	60" Diameter
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,010 lumens total 670 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 22 lbs / 10 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request



We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Round

Dimensions	44" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height, 44" Diameter
Maximum	60" Diameter
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,800 lumens total 800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request


We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Round

Dimensions	52" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height, 44" Diameter
Maximum	60" Diameter
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,800 lumens total 800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request


We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Round

Dimensions	56" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height, 44" Diameter
Maximum	60" Diameter
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,800 lumens total 800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.





Constellation - Three Rings Round XL

Dimensions	53" diameter, 8" body height (as shown) Dimensions are customizable Can be configured as round or linear
Minimums Maximum	12" Drop Height, 44" Diameter 60" Diameter
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,800 lumens total 980 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

Linear



We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Linear “A”

Dimensions	53"L x 37"W x 7"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12.5" Drop Height
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,260 lumens total 660-800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.





Constellation - Three Rings Linear “B”

Dimensions	50"L x 34"W x 7"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,260 lumens total 660-800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



AS SHOWN ON WEBSITE



Constellation - Three Rings Linear “C”

Dimensions	53"L x 32"W x 7"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,260 lumens total 660-800 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 24 lbs / 11 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request



We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Linear “D”

Dimensions	46"L x 30"W x 7"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	11" Drop Height
Ring Sizes	22", 18", 15", or 12" diameters
Light	1,800 lumens total 530-670 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 19 lbs / 9 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request



We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Linear “E”

Dimensions	63”L x 41”W x 7”H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12” Drop Height
Ring Sizes	22”, 18”, 15”, or 12” diameters
Light	2,800 lumens total 800-980 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 29 lbs / 13 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation - Three Rings Linear "F"

Dimensions	58"L x 37"W x 7"H (as shown) Dimensions are customizable Can be configured as round or linear
Minimums	12" Drop Height
Ring Sizes	22", 18", 15", or 12" diameters
Light	2,800 lumens total 800-980 per ring LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 5% Electronic Low Voltage (see details)
Mounting	Standard junction box 29 lbs / 13 kg Sloped ceiling by request
Power	120V 105W (15W per ring) 240-277V available with remote driver
LED Drivers	Integrated in canopy, or remote
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Handmade in Colorado Patents pending Rush by request