TED BRADLEY STUDIO

Constellation 2 Sconce

Exceptional craftsmanship. Unlike anything else.

The Constellation Two Ring Sconce provides a unique and visually captivating aesthetic, well suited for large walls, such as on either side of a doorway or fireplace.

AS SHOWN ON WEBSITE



Constellation 2 Sconce

Dimensions	39”H x 20”W as shown
Ring Sizes	22”, 18”, 15”, 12” possible diameters
Light	1,500 lumens (550-980 per ring) LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 0.1% Electronic Low Voltage (details)
Mounting	16 lbs / 7 kg Mounting brackets provided Junction box is load bearing
Junction box	Maximum width 4.25” (including diagonal) Must fit transformer 3.25” x 1.1” x 1.4” (example) Or use remote driver (attic, basement, closet)
Power	120V | 15W per ring (27W as shown) 240-277V available with remote driver
LED Drivers	Integrated in junction box
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Rush by request Handmade in Colorado, Patents pending



Constellation 2 Sconce

Dimensions	44”H x 26”W as shown
Ring Sizes	22”, 18”, 15”, 12” possible diameters
Light	1,500 lumens (550-980 per ring) LED color accuracy 95+ CRI 2,400-5,000K color by request Bulb life 50,000 hours (17yrs at 8hrs/day) Relamping kits available
Dimming	Minimum dimming range 0.1% Electronic Low Voltage (details)
Mounting	16 lbs / 7 kg Mounting brackets provided Junction box is load bearing
Junction box	Maximum width 4.25” (including diagonal) Must fit transformer 3.25” x 1.1” x 1.4” (example) Or use remote driver (attic, basement, closet)
Power	120V | 15W per ring (27W as shown) 240-277V available with remote driver
LED Drivers	Integrated in junction box
UL Certification	Light ring design is UL certified; sculpture not certified
Production	Rush by request Handmade in Colorado, Patents pending