


TED BRADLEY STUDIO



Constellation & Vertical Mono Five Rings - Invisible

Exceptional craftsmanship. Unlike anything else.




Five porcelain rings of varying sizes are displayed in horizontal and vertical orientation.

The sculpture is inspired by a constellation, where each porcelain ring is like a star in the night sky. When looking at the rings individually, they appear random and disconnected - the eyes dance without coming to rest on a single focal point. But stepping back and viewing the sculpture as a whole, it comes together into something cohesive and beautiful.

The sculpture can cast gentle candlelight on a dining table or brighten an entire room.

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.

AS SHOWN ON WEBSITE



Constellation & Vertical Mono Five Rings - Invisible

Ring Diameter	Light Output	Weight	Power
12"	530 lumens	6 lbs	10W
15"	670 lumens	8 lbs	13W
18"	800 lumens	10 lbs	15W
22"	980 lumens	12 lbs	18W

Dimensions Dimensions & ring counts are customizable.
Drop height made to order.

Light LED color accuracy 90+ CRI ([see details](#)).
Premium 95+ CRI LED by request.
2,200-5,000K available.
Bulb life 50,000 hours (17yrs at 8hrs/day).
Relamping kits available.

Dimming Minimum dimming range 1% ([see details](#)).
Electronic Low Voltage.

Mounting Standard junction box ([see details](#)).
Cabinet-grade wood canopy painted white.
Sloped ceiling by request.




Power 120-277V ([see details](#)).

LED Drivers Remote, Combination, Integrated ([see details](#)).

UL Certification Light ring design is UL certified.
Sculpture not certified.

Production Handmade in Colorado.
Rush by request. Patents pending.

We recommend that Constellation sculptures be mounted 70" AFF or higher, to show the beautiful underside of the rings rather than straight on the side profile.



Constellation & Vertical Mono Five Rings - Invisible

Ring Diameter	Light Output	Weight	Power
12"	530 lumens	6 lbs	10W
15"	670 lumens	8 lbs	13W
18"	800 lumens	10 lbs	15W
22"	980 lumens	12 lbs	18W

Dimensions Dimensions & ring counts are customizable.
Drop height made to order.

Light LED color accuracy 90+ CRI ([see details](#)).
Premium 95+ CRI LED by request.
2,200-5,000K available.
Bulb life 50,000 hours (17yrs at 8hrs/day).
Relamping kits available.

Dimming Minimum dimming range 1% ([see details](#)).
Electronic Low Voltage.

Mounting Standard junction box ([see details](#)).
Cabinet-grade wood canopy painted white.
Sloped ceiling by request.

Power 120-277V ([see details](#)).

LED Drivers Remote, Combination, Integrated ([see details](#)).

UL Certification Light ring design is UL certified.
Sculpture not certified.

Production Handmade in Colorado.
Rush by request. Patents pending.