


TED BRADLEY STUDIO



Mono Pendants Column 5 Invisible



Exceptional craftsmanship. Unlike anything else.

Five rings of the same diameter cascade downward in a tight column. The number of rings, height, and spacing can be adjusted to fill a space of any size.

The essence of Ted Bradley's sculptures are the porcelain rings. The sculptures shown here are celebrations of the rings, highlighting their form and character in their most essential state. Each ring hangs from an ultra-thin near invisible silver or brass cabling.

The sculpture can cast gentle candlelight on a dining table or brighten an entire room.


AS SHOWN ON WEBSITE



Column Five Invisible

Ring Diameter	Light Output	Weight	Power
12"	530 lumens	6 lbs	10W
15"	670 lumens	8 lbs	13W
18"	800 lumens	10 lbs	15W
22"	980 lumens	12 lbs	18W

Dimensions	Dimensions & ring counts are customizable. Drop height made to order.
Light	LED color accuracy 90+ CRI (see details). Premium 95+ CRI LED by request. 2,200-5,000K available. Bulb life 50,000 hours (17yrs at 8hrs/day). Relamping kits available.
Dimming	Minimum dimming range 1% (see details). Electronic Low Voltage.
Mounting	Standard junction box (see details). Cabinet-grade wood canopy painted white. Sloped ceiling by request.
Power	120-277V (see details).
LED Drivers	Remote, Combination, Integrated (see details).
UL Certification	Light ring design is UL certified. Sculpture not certified.
Production	Handmade in Colorado. Rush by request. Patents pending.



Column Five Invisible

Ring Diameter	Light Output	Weight	Power
12"	530 lumens	6 lbs	10W
15"	670 lumens	8 lbs	13W
18"	800 lumens	10 lbs	15W
22"	980 lumens	12 lbs	18W

Dimensions	Dimensions & ring counts are customizable. Drop height made to order.
Light	LED color accuracy 90+ CRI (see details). Premium 95+ CRI LED by request. 2,200-5,000K available. Bulb life 50,000 hours (17yrs at 8hrs/day). Relamping kits available.
Dimming	Minimum dimming range 1% (see details). Electronic Low Voltage.
Mounting	Standard junction box (see details). Cabinet-grade wood canopy painted white. Sloped ceiling by request.
Power	120-277V (see details).
LED Drivers	Remote, Combination, Integrated (see details).
UL Certification	Light ring design is UL certified. Sculpture not certified.
Production	Handmade in Colorado. Rush by request. Patents pending.