


TECHNICAL DATA SHEET



LED Linear Strip Fixture

SZ-LS64W-8FT-ACP


Advantage:

- UL & DLC certificate
- 2835 Chip, CRI 80
- Input voltage 120-277VAC
- Easy to install and operate
- Energy saving, long lifespan
- Adjustable CCT and power
- Green and eco-friendly without mercury.



Application:

Office, Supermarkets, Meeting rooms School, Hospital, Warehouse.





TECHNICAL DATA SHEET

Product Specifications

Product Name	LED Linear Strip Fixture
Light Type	SZ-LS64W-8FT-ACP
Dimension	95. 98*2. 91*3. 27"

Technical Characteristic

Color temperature	Adjustable CCT:3500K/4000K/5000K			
CRI	>80			
Lumen Efficacy	140LM/W			
Input Power	Adjustable Power:40W/50W/64W			
Viewing Angle	120 Degree			
Input Voltage	120-277V 50/60Hz			
Driver model	China Brand driver, (0-10Vdc Dimmer)			
PF	>0.9			
	Sensor:Motion sensor			
Optional Accessory	Emergency Driver:Max 8W, Recharge time: ≥24Hrs, Discharge			
	time :90minutes			

Materials

LED Type	2835
LED QTY	1056PCS
Housing	IRON
Housing color	White
Cover	PC Milky
Operating Temperature	-4° F [~] 113F,
Operating Humidity	10%-90% RH
Storage Temperature	−22° F [~] 140° F

Others

Storage Humidity	10%-95%
Safety Certification	UL & DLC
Warranty Time	5 Years

Package


Model	Net Weight	Size	Qty/Carton	Weight/Carton
SZ-LS64W-8FT-ACP	16.8KG	96. 85*9. 33*7. 52 <i>″</i>	6	19KG





TECHNICAL DATA SHEET


Installation manual


A. Surface-mounted installation
















B. Suspending installation

