

SAFETY DATA SHEET

SECTION 1: Identification

Products: FLOOR+ HP Timber & Non Porous Primer, FLOOR+ CP Concrete & Porous Primer, FLOOR+ PO280, FLOOR+ HydroGuard Primer

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Primer

Details of Manufacturer or Importer:

VBL IMPORT PTY LTD

WH2, 87 ALLINGHAM ST

CONDELL PARK 2200

02 8527 8707

Emergency telephone number: National Poison Information Centre: 13 11 26

SECTION 2: Hazard(s) Identification

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The product is not classified, according to the Globally Harmonised System (GHS).

Signal Word: None

Hazard Statements: None

Precautionary Statements: None

SECTION 3: Material Compositions

Hazardous Components: None

Chemical Characterization: Mixtures

Description:

This mixture does not contain any notifiable substances.

This product contains ethyl vinyl acetate copolymer, natural resins, conductive pigments and inorganic fillers. This product is solvent free.

SECTION 4: First Aid Measures

Symptoms Caused by Exposure: No adverse health effects expected.

Inhalation:

If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

Remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

Rinse cautiously with water for several minutes. Seek medical attention if symptoms occur.

Ingestion:

Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

SECTION 5: Fire Fighting Measures

Suitable Extinguishing Media:

Use extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

This product is not flammable or combustible.

Containers close to fire should be removed only if safe to do so.

Protective Equipment for Fire Fighters:

Self-contained breathing apparatus and protective equipment.

SECTION 6: Accidental Release Measures

Person-related safety precautions:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting:

Stop leak if safe to do so and sweep into a pile and shovel into drums for subsequent disposal.

Avoid generating dust.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents.

Additional information: See Section 7 for information on safe handling.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use outdoors or in a well-ventilated area. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep the container tightly closed when not in use. Protect from frost.

SECTION 8: Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls:

Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Skin Protection:

Rubber or PVC gloves are recommended for prolonged exposure. Barrier creams may also be used. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

SECTION 9: Physical and Chemical Properties

Appearance:

Form: Paste
Colour: Light grey
Odour: Slight
pH: ~7
Odour Threshold: No information
Melting/Freezing Point: No information
Boiling Point: No information
Flash Point: Not applicable
Flammability: Not flammable
Auto-ignition Temperature: Not applicable
Decomposition Temp: No information
Explosion Limits: Not applicable
Vapour Pressure (20°C): 23 hPa
Density (20°C): 1.2 g/cm³
Vapour Density: No information
Evaporation Rate: No information
Solubility: Dispersible in water
Partition Coefficient: No information
Viscosity: ~45 mPas (Brookfield RV7, 20 min-1)
Solids Content: 0.2%

SECTION 10: Chemical Stability and Reactivity Information

Chemical Stability: Stable under ambient conditions.

Conditions to Avoid: Cold temperatures.

Incompatible Materials: None known.

Hazardous Reactions: Will not polymerise.

Decomposition Products: None known.

SECTION 11: Toxicological Information

Acute Health Effects:

- Inhalation: No adverse effects expected
- Skin: No adverse effects expected
- Eye: No adverse effects expected
- Ingestion: No adverse effects expected

LD50/LC50 Values:

- Oral LD50: 5660 mg/kg (rat)

- Dermal LD50: 4000 mg/kg (rabbit)

Chronic Effects:

Prolonged exposure may cause skin and eye irritation.

Sensitisation / Mutagenicity / Carcinogenicity / Reproductive Effects:

Not expected based on classification principles.

Contains no IARC listed carcinogens.

SECTION 12: Ecological Information

No aquatic toxicity information available.

No data on persistence, degradability, or mobility.

Not expected to bioaccumulate.

SECTION 13: Disposal Consideration

Dispose according to local and state regulations.

Consult state waste authority for landfill/incineration requirements.

SECTION 14: Transportation Information

Not regulated for transport by any mode.

SECTION 15: Regulatory Information

Poison Schedule: Not Scheduled

AICS: All ingredients listed

Component:

- CAS 24937-78-8 Ethyl vinyl acetate copolymer

SECTION 16: Other Information

The contents and format of this MSDS/SDS are in accordance with 29 CFR 1910.1200(g)

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

----- End of Safety Data Sheet -----