



4K UHD6 AUSTRALIA MOBILE UNIT INFORMATION

Updated 08/03/2026

NEPGROUP.COM



Single Expanding Side Trailer | Single Trailer Unit

4K UHD6: TECHNICAL SPECIFICATIONS

VEHICLE-SPECIFIC INFORMATION

- DIMENSIONS: TRUCK - 13.8M LONG X 2.5M WIDE X 4.1M HIGH; EXPANDER - 11.7M LONG X 1.4M WIDE

PRODUCTION

- SONY MVS7000X, 60 INPUTS / 48 OUTPUTS, 3.5 ME

COMMUNICATIONS

- REIDEL INTERCOM SYSTEM - 128 PORTS
- 3 UHF DUPLEX BASE STATIONS
- 1 UHF SIMPLEX BASE STATIONS
- 2 TELEPHONE HYBRID

CAMERAS

- 16 CAMERAS , 4 CCU POSITIONS PLUS TD
- WIRED FOR RADIO AND SPECIALTY CAMERAS

SUPPORT EQUIPMENT

- EVERTZ ROUTER
- HD VIDEO - 128 INPUTS X 288 OUTPUTS
- MADI 768 INPUTS X 768 OUTPUTS
- EQUIPPED WITH LAWO VSM CONTROL & MONITORING SYSTEM

AUDIO

- CALREC ARTEMIS BEAM DIGITAL AUDIO CONSOLE
- BLUEFIN 2 HIGH DENSITY SIGNAL PROCESSING
- 340 CHANNELS WITH FULL SIGNAL PROCESSING
- 128 MIX BUSSES FOR GROUP AND MAIN OUTPUTS
- 64 MULTI-TRACK BUSSES
- 32 AUX BUSSES
- 48 FADER, A/B LAYERS
- 340 DSP CHANNELS
- HYDRA 2 FIBRE REMOTE STAGE BOX INTERFACING

RECORD & PLAYBACK

- UP TO 6 EVS MACHINES
- UP TO 3 VTR MACHINES



4k UHD6

FLOORPLAN

