



IRISUN® ACRYLIC TEXTILES

## Solids

G170



$g_{TOT}$	TS	TV	UPF
0,09	1	1	50+

G460



$g_{TOT}$	TS	TV	UPF
0,05	4	1	50+

Z647




$g_{TOT}$	TS	TV	UPF
0,12	9	6	50+

G246



$g_{TOT}$	TS	TV	UPF
0,16	14	8	50+

G245



$g_{TOT}$	TS	TV	UPF
0,11	3	1	50+

G481




$g_{TOT}$	TS	TV	UPF
0,08	7	4	50+

G209



$g_{TOT}$	TS	TV	UPF
0,11	5	1	50+

G211



$g_{TOT}$	TS	TV	UPF
0,13	16	2	50+

G101



$g_{TOT}$	TS	TV	UPF
0,10	5	1	50+

R022



$g_{TOT}$	TS	TV	UPF
0,10	3	1	50+

G235



$g_{TOT}$	TS	TV	UPF
0,10	6	1	50+

## Textures

G469




$g_{TOT}$	TS	TV	UPF
0,11	8	3	50+

G226



$g_{TOT}$	TS	TV	UPF
0,15	12	8	50+

G083




$g_{TOT}$	TS	TV	UPF
0,18	18	14	50+

G636




$g_{TOT}$	TS	TV	UPF
0,12	9	6	50+

G467



$g_{TOT}$	TS	TV	UPF
0,09	7	3	50+

G674



$g_{TOT}$	TS	TV	UPF
0,09	4	1	50+

G267



$g_{TOT}$	TS	TV	UPF
0,17	16	5	50+

G583



$g_{TOT}$	TS	TV	UPF
0,11	5	1	50+

G471




$g_{TOT}$	TS	TV	UPF
0,09	5	3	50+

G702




$g_{TOT}$	TS	TV	UPF
0,11	4	3	50+

G168




$g_{TOT}$	TS	TV	UPF
0,08	3	1	50+

G582



$g_{TOT}$	TS	TV	UPF
0,08	2	1	50+

G364




$g_{TOT}$	TS	TV	UPF
0,12	8	5	50+

G643




$g_{TOT}$	TS	TV	UPF
0,11	8	6	50+

G148



$g_{TOT}$	TS	TV	UPF
0,09	6	3	50+

G365



$g_{TOT}$	TS	TV	UPF
0,12	14	13	50+

G602




$g_{TOT}$	TS	TV	UPF
0,09	3	1	50+

## Pin Stripes & Stripes


### SAN BARNABA

G918




$g_{TOT}$	TS	TV	UPF
0,09	8	5	50+

G917



$g_{TOT}$	TS	TV	UPF
0,06	6	2	50+


G729



$g_{TOT}$	TS	TV	UPF
0,08	7	4	50+

### RUSINE

G721




$g_{TOT}$	TS	TV	UPF
0,08	6	2	50+

G723



$g_{TOT}$	TS	TV	UPF
0,11	12	8	50+


G787



$g_{TOT}$	TS	TV	UPF
0,09	9	4	50+

### FANTASIES

G634



$g_{TOT}$	TS	TV	UPF
0,17	17	14	50+

G332



$g_{TOT}$	TS	TV	UPF
0,17	16	13	50+

G428



$g_{TOT}$	TS	TV	UPF
0,14	20	16	50+


IRISUN® ACRYLIC TEXTILES  
 Pin Stripes & Stripes  
 FANTASIES

R254



$g_{TOT}$	TS	TV	UPF
0,13	17	13	50+

R079



$g_{TOT}$	TS	TV	UPF
0,13	16	14	50+

G427



$g_{TOT}$	TS	TV	UPF
0,12	15	13	50+

G756



$g_{TOT}$	TS	TV	UPF
0,16	23	22	50+

G347



$g_{TOT}$	TS	TV	UPF
0,14	20	17	50+

G432



$g_{TOT}$	TS	TV	UPF
0,13	17	14	50+

R257



$g_{TOT}$	TS	TV	UPF
0,13	18	14	50+

G770



$g_{TOT}$	TS	TV	UPF
0,16	23	19	50+

G424



$g_{TOT}$	TS	TV	UPF
0,12	16	14	50+

# Pin Stripes & Stripes

## FANTASIES

G269




$g_{TOT}$	TS	TV	UPF
0,14	18	13	50+

G686



$g_{TOT}$	TS	TV	UPF
0,10	12	7	50+

R498




$g_{TOT}$	TS	TV	UPF
0,11	14	11	50+

G435




$g_{TOT}$	TS	TV	UPF
0,11	13	9	50+

G270



$g_{TOT}$	TS	TV	UPF
0,12	16	14	50+

G803




$g_{TOT}$	TS	TV	UPF
0,12	15	11	50+

G811




$g_{TOT}$	TS	TV	UPF
0,14	19	16	50+

R228



$g_{TOT}$	TS	TV	UPF
0,14	20	17	50+

R541




$g_{TOT}$	TS	TV	UPF
0,17	16	14	50+

## IRISUN® ACRYLIC TEXTILES

## Pin Stripes &amp; Stripes


## FANTASIES

G632




$g_{TOT}$	TS	TV	UPF
0,17	16	13	50+

Z516




$g_{TOT}$	TS	TV	UPF
0,15	21	19	50+

G117



$g_{TOT}$	TS	TV	UPF
0,14	20	17	50+


G307



$g_{TOT}$	TS	TV	UPF
0,16	15	12	50+

## KA-TRAME

R197



$g_{TOT}$	TS	TV	UPF
0,12	13	8	50+



## SPECIFICATION

<b>Thickness</b>	0,55 mm
<b>Weight (ISO 2286-2)</b>	290 g/m <sup>2</sup>
<b>Roll width</b>	120 cm



<b>Composition</b>	100% solution dyed acrylic
<b>Finishing</b>	Water repellent
<b>Treatment</b>	Mold resistant Stain resistant
<b>Biocides</b>	OIT
<b>Yarn</b>	PC 2/34 Nm 2/34 Nm
<b>Construction</b>	30 yarn/cm 15 yarn/cm
<b>Roll Length</b>	60m
<b>Breaking Strength</b>	140 daN/5cm 90 daN/5cm
<b>Tear Strength</b>	3,5 daN 2,5 daN
<b>Water Column</b>	350mm
<b>Spray Test (ISO 24920)</b>	5/5
<b>Oil repellency</b>	5
<b>UV Colour Fastness</b>	7-8/8

## TOPOLOGY

› 100% solution dyed, outdoor acrylic.

## FEATURES

› The solution dye assures a high resistance of the colours to UV. Duraclean treatment for high water-repellence and strong anti-dirt.

## CARE AND CLEANING

Remove heavy dirt with running water. Use a soft cloth or brush and avoid abrasive facilities and strong rubbing. Cleaning with IRISUN® APCO FAST CLEANER is recommended.

Do not use aggressive detergents, alkaline or acid substances, oxidizers like hypochlorite or hydrogen peroxide.

For mould removal, white vinegar is advised and then rinse with abundant water. Allow the textile to dry, before rolling up. It is advisable to treat the material periodically with a protective product (IRISUN® APCO PROTECTANT), strengthening the fabric and renovating its water-repellence properties.

## APPLICATIONS

Textiles are recommended for retractable awnings, canopies and café barriers. Also suitable for marine applications.