

QuietOffice

2025



and ideas begin.



QuietOffice Phone

Soundproof phone booth for one person

6.500,00 EUR*

o solo work



QuietOffice Phone Premium

Spacious soundproof phone booth for one person with electrically height-adjustable table

7.000,00 EUR*

o solo work



QuietOffice Meet

Soundproof meeting booth for up to four people

10.000,00 EUR*

O) team work



QuietOffice Phone

QuietOffice Phone

6.500,00 EUR*



Class A soundproofing

Speech level reduction >31 dB(A) according to ISO 23351-1:2020



Adjustable ventilation

Low-noise, anti-vibration fans controllable via the touch display



Moving-Kit (optional)

Castors to easily move the booth within minutes



Optimized light (CRI > 90)

Adjustable LED panel that offers natural light that helps concentration without tiring the eyes



Built-in table in birch plywood, wrapped in soft acoustic PET felt.



Simonswerk 3D-Tectus hinges

Quality invisible door hinges



500 LUX illumination

Tabletop is properly illuminated, ensuring compliance with workplace regulations




Height adjustable chair (optional)

Wool-upholstered seat with adjustable height from 52 to 77cm.

$\begin{bmatrix} 1 & 1 & 1 \\ T & 1 & T \end{bmatrix}$ Touch Control

Smart interface for lighting and ventilation with advanced features such as time display and fully customizable airflow modes.



·III QuietOffice

QuietOffice Phone

Soundproof phone booth for one person

6.500,00 EUR*

Add-ons



Moving-Kit +350,00 EUR*



Chair +400,00 EUR*

Dimensions	External	100 x 99 x 220 cm (w, d, h)	
	Internal	80 x 93 x 200 cm (w, d, h)	
	Doorway	86 x 200 cm (w, h)	
	Weight	370 kg	
Glass	Special 5+5mm acoustic VSG glass panels		
Exterior		Powder coated metal sheet in white color. Front: white HPL on birch plywood, 10mm soundproof laminated glass	

Interior colors and materials





Coffee version



PET acoustic felt



















Exterior metal plate

HPL



Acoustic glass





Power	1x socket Type F, 2x USB-C, 1x USB-A	
Light	LED panel with color temperature 4000 K, CRI > 90, 1700lm, desktop illuminance up to 500lux.	
Ventilation	Adjustable ventilation up to 5 m³/minute	
Control panel	High-resolution touch display enables precise control of ventilation and lighting parameters. Ceiling and video call lighting can be configured independently. Real-time clock is displayed on screen.	
Presence detector	PIR active infrared sensor for presence detection	
Ocupancy indication	LED indicator to showcase whether booth is free (green) or booked (red)	
Moving-Kit (optional)	Integrated castors that enable relocation without deinstallation	
Table	Table size	77x 46 cm (w,d)
	Table height	103 cm
	Max load for table	50 kg
Chair (optional)	Seat size	39 x 39 cm
	Seat height	52-77 cm
	Max load for seat	135 kg







QuietOffice Phone Premium

QuietOffice Phone Premium

7.000,00 EUR*



Class A soundproofing

Speech level reduction >31 dB(A) according to ISO 23351-1:2020



Adjustable ventilation

Low-noise, anti-vibration fans controllable via the touch display



Moving-Kit (optional)

Castors to easily move the booth within minutes



Optimized light (CRI > 90)

Adjustable LED panel that offers natural light that helps concentration without tiring the eyes



Occupancy indication

Colorful LED shows occupancy status from a distance



Simonswerk 3D-Tectus hinges

Quality invisible door hinges



500 LUX illumination

Tabletop is properly illuminated, ensuring compliance with workplace regulations




Height adjustable chair (optional)

Wool-upholstered seat in size 39 x 39cm with comfortable foot rest



Height-adjustable table

Electrically height-adjustable table, size 52 x 77 cm



·III QuietOffice

QuietOffice Phone Premium

Soundproof phone booth for one person

7.000,00 EUR*

Add-ons



Moving-Kit +350,00 EUR*



Chair +400,00 EUR*

Dimensions	External	120 x 99 x 220 cm (w, d, h)	
	Internal	100 x 93 x 200 cm (w, d, h)	
	Doorway	100 x 200 cm (w, h)	
	Weight	405 kg	
Glass	Special 5+5mm acoustic VSG glass panels		
Exterior		Powder coated metal sheet in white color. Front: white HPL on birch plywood, 10mm soundproof laminated glass	

Interior colors and materials

Standard grey version



Coffee version



PET acoustic felt

















Exterior colors and materials

Exterior metal plate

HPL

Birch plywood

Acoustic glass





Max load for seat

Intuitive Touch Control

The high-resolution touchscreen allows easy control of ventilation and lighting, with options to schedule automatic airflow to ensure fresh air throughout the day.











135 kg

1x socket Type F, 2x USB-C, 1x USB-A, 1x Ethernet **Power** LED panel with color temperature 4000 K, CRI > 90, 3400lm, desktop illuminance up to 500lux. Light Ventilation Adjustable ventilation up to 5 m³/minute High-resolution touch display enables precise control of ventilation and lighting parameters. Ceiling and Control panel video call lighting can be configured independently. Real-time clock is displayed on screen. PIR active infrared sensor for presence detection **Presence detector** LED indicator to showcase whether booth is free (green) or booked (red) Ocupancy indication Integrated castors that enable relocation without deinstallation Moving-Kit (optional) Table size 77x 46 cm (w,d) **Table** (electrically 76-116 cm Table height height-adjustable) Max load for table 50 kg 39 x 39 cm Seat size **Chair (optional)** Seat height 52-77 cm







QuietOffice Meet

QuietOffice Meet

10.000 EUR*



()) Class A soundproofing

>31 dB(A) speech level reduction according to ISO 23351-1:2020



Adjustable ventilation

Anti-vibration fans controllable using touch display



Moving-Kit

Castors to easily move the meeting booth within minutes



Optimized light (CRI > 90)

Adjustable LED panel that offers natrual light that help concentration without tiring the eyes



Occupancy indication

Colorful LED indication occupancy from the distance



Simonswerk 3D-Tectus hinges

Quality door hinges that are invisible to see



500 LUX illumination

Table top is properly illuminated making it conform to workplace regulation




Comfortable sofa

Ergonomic sofa with integrated power supply



$\begin{bmatrix} 1 & 1 & 1 \\ T & 1 & T \end{bmatrix}$ Touch Control

Smart control unit for light and ventilation featuring detailed settings as time display and custom ventilation modes



·III QuietOffice

QuietOffice Meet

Soundproof meeting booth for up to four people

10.000,00 EUR*

Add-ons




Moving-Kit +450,00 EUR*



Sofa (set of 2) +600,00 EUR*

Dimensions	External	220 x 120 x 220 cm (w, d, h)	
	Internal	200 x 111 x 200 cm (w, d, h)	
	Doorway	100 x 200 cm (w, h)	
	Weight	620 kg	
Glass	Special 5+5mm acoustic VSG glas	Special 5+5mm acoustic VSG glass panels	
Exterior		Powder coated metal sheet in white color. Front: white HPL on birch plywood, 10mm soundproof laminated glass	

Interior colors and materials





Coffee version



PET acoustic felt







Carpet









Exterior colors and materials

Exterior metal plate

HPL

Birch plywood

Acoustic glass








Table height

Seat size

Seat height

Max load for seat

Sofa

Intuitive Touch Control

The high-resolution touchscreen allows easy control of ventilation and lighting, with options to schedule automatic airflow to ensure fresh air throughout the day.











64 cm

46 cm

250kg

110 x 48 cm (w, d)

Power Power in sofas 2x socket Type F, 4x USB-C, 2x USB-A, 2x Ethernet integrated into the sofas 2x socket Type F, 2x Ethernet integrated into the left and right wall Power option without sofas Power consumption 32W (default settings) / 44W (highest settings) / 6W (standby mode) Color temperature 4000 K, CRI > 90, 3400lm, desktop illuminance over 500lux. Light Adjustable via touchscreen. Adjustable ventilation up to 10 m³ / minute Ventilation Highresolution touchdisplay enables adjustment of ventilation and lighting. Time is displayed on the screen. Control panel PIR active infrared sensor for presence detection Presence detector LED indicator to showcase whether booth is free (green) or booked (red) Ocupancy indication Integrated castors that enable relocation without deinstallation Moving-Kit Table size 70 x 53 cm (w, d) **Table**



