



**Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO)**

**2025 Formulary**

List of Covered Drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN

Formulary ID#: 25405

This formulary was updated on 9/30/2025. For more recent information or other questions, please contact Troy Medicare for Pharmacy Member Service at 1-866-423-8065 (TTY users should call 711), Monday through Sunday, 24 hours a day, or visit <http://www.troymedicare.com>.

**Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information.

**Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on. You won't pay more than \$10 for a one-month supply of generic insulin products covered by our plan on Tier 1.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to “we,” “us,” or “our,” it means Troy Health, Inc. When it refers to “plan” or “our plan,” it means Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO). This document includes a list of the drugs (formulary) for our plan which is current as of October 2025. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

### **What is Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) Formulary?**

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

### **Can the Formulary (Drug List) change?**

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: [www.troymedicare.com/prescription-drugs](http://www.troymedicare.com/prescription-drugs)

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions. We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological

product by a pharmacy without a new prescription). If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made. If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled **“How do I request an exception to the Troy Medicare’s Formulary?”** Some of these drug types may be new to you. For more information, see the section below titled **“What are original biological products and how are they related to biosimilars?”**

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change. If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled **“How do I request an exception to the Troy Medicare’s Formulary?”**

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of October 2025. To get updated information about the drugs covered by Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO), please contact us. Our contact information appears on the front and

back cover pages. We will update the printable formularies each month and they will be available at <http://www.troymedicare.com/prescription-drugs>.

### **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

#### **Medical Condition**

The formulary begins on Page 10. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents - Treatment Of Conditions Affecting The Heart And Blood Vessels". If you know what your drug is used for, look for the category name in the list that begins on Page 10. Then look under the category name for your drug.

#### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on Page 119. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

### **What are generic drugs?**

Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

### **What are original biological products and how are they related to biosimilars?**

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered."]

### **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization (PA):** Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you do not get approval, we may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) limits the amount of the drug that we will cover. For example, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) provides up to twelve (12) capsules per prescription for *gabapentin oral capsule 300 mg* per day. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy (ST):** In some cases, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on Page 10. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “**How do I request an exception to the Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) Formulary?**” on Page 6 for information about how to request an exception.

### **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Pharmacy Member Services and ask if your drug is covered.

If you learn that Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP).

- You can ask Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) to make an exception and cover your drug. See below for information about how to request an exception.

### **How do I request an exception to the Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) Formulary?**

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You or your prescriber should contact us to ask for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

### **What can I do if my drug is not on the formulary or has a restriction?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

### For More Information

For more detailed information about your Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day / 7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

### Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy Medicare Formulary

The formulary below provides coverage information about the drugs covered by Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP). If you have trouble finding your drug in the list, turn to the Index that begins on Page 119.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 UNIT/ML) and generic drugs are listed in lower-case italics (e.g., *insulin lispro (1 unit dial) subcutaneous solution pen-injector 100 unit/ml*).

The information in the Requirements/Limits column tells you if Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) has special requirements for coverage of your drug.

- **Prior Authorization (PA):** Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you do not get approval, we may not cover the drug.
- **Quantity Limits (QL):** For certain drugs, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) limits the amount of the drug that the plan will cover. Each quantity limit is defined in our formulary below as a quantity of each (EA) dosage form (e.g., capsule, patch, tablet, etc.) or milliliters (mL) for solutions or

suspensions that we will cover within a specific time period. For example, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) provides 360 per prescription for *gabapentin oral capsule 300 mg* every 30 days.

- **Step Therapy (ST):** In some cases, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- **Medicare Part B or Part D (B/D):** Depending on how this drug is used, it may be covered by either Medicare Part B (doctor and outpatient health care) or Medicare Part D (prescription drugs). Your doctor may need to provide the plan with more information about how this drug will be used to make sure it is correctly covered by Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP).
- **Morphine Milligram Equivalent (MME):** Additional quantity limits may apply across all drugs in the opioid class used for the treatment of pain. This additional limit is called a cumulative morphine milligram equivalent (MME) and is designed to monitor safe dosing levels of opioids for individuals who may be taking more than 1 opioid drug for pain management. If your prescriber prescribes more than this amount or thinks the limit is not right for your situation, you or your prescriber can ask the plan to cover the additional quantity.



Plans are offered through Troy Medicare, a Medicare Advantage HMO and HMO D-SNP organization with a Medicare contract. Enrollment in these plans depends on the plan's contract renewal with Medicare. Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP) also has a contract with state Medicaid.

The Formulary may change at any time. You will receive notice when necessary.

Benefits, formulary, pharmacy network, provider network, premium and/or copay/coinsurance may change on January 1 of each year. Member premiums, copays, coinsurance, and deductibles may vary based on the level of "Extra Help" you receive. Please contact the plan for further details.

This information is available for free in other languages and other formats, such as Braille and large print. Please call our Member Services number at 1-888-494-TROY (8769). TTY users should call 711. During the months of April through September, we are available from 8:00 am to 8:00 pm (ET), Monday through Friday. During the months of October through March, we are available from 8:00 am to 8:00 pm (ET), seven (7) days a week. Member Services also has free language interpreter services available for non-English speakers.

You must generally use network pharmacies to use your prescription drug benefit.

Troy does not discriminate or exclude people because of their race, color, national origin, ancestry, age, disability, ethnicity, sex, sexual orientation, gender, gender identity or expression, marital status, religion, or language.

**2025 Troy Medicare****2025 Member Formulary**

Formulary ID 25405

**CURRENT AS OF 10/1/2025**

| <b>Name of Drug</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------|------------------|----------------------------|
| <b>Analgesics - Treatment Of Pain</b>                                    |                  |                            |
| <b>Analgesics</b>                                                        |                  |                            |
| BAC (BUTALBITAL-ACETAMIN-CAFF)<br>ORAL TABLET 50-325-40 MG               | 2                | PA                         |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>                    | 2                | PA                         |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i>             | 2                | PA; MME                    |
| <i>butalbital-apap-caffeine oral capsule 50-325-40 mg</i>                | 2                | PA                         |
| <i>butalbital-apap-caffeine oral solution 50-325-40 mg/15ml</i>          | 2                | PA                         |
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>                 | 2                | PA                         |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>          | 2                | PA; MME                    |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>             | 2                | PA                         |
| <i>nalbuphine hcl injection solution 10 mg/ml</i>                        | 2                | MME                        |
| <b>Nonsteroidal Anti-Inflammatory Drugs</b>                              |                  |                            |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>              | 1                |                            |
| <i>diclofenac epolamine external patch 1.3 %</i>                         | 2                |                            |
| <i>diclofenac potassium oral tablet 50 mg</i>                            | 2                |                            |
| <i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>  | 1                |                            |
| <i>diclofenac sodium external gel 3 %</i>                                | 2                |                            |
| <i>diclofenac sodium external solution 1.5 %</i>                         | 2                |                            |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i> | 1                |                            |
| <i>diflunisal oral tablet 500 mg</i>                                     | 2                |                            |
| <i>ec-naproxen oral tablet delayed release 375 mg</i>                    | 2                |                            |

| Name of Drug                                                                                                  | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i>                                | 2         |                               |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                                   | 2         |                               |
| <i>etodolac oral tablet 400 mg, 500 mg</i>                                                                    | 2         |                               |
| <i>flurbiprofen oral tablet 100 mg</i>                                                                        | 2         |                               |
| <b>IBU ORAL TABLET 400 MG, 600 MG, 800 MG</b>                                                                 | 1         |                               |
| <i>ibuprofen oral suspension 100 mg/5ml</i>                                                                   | 1         |                               |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                                                           | 1         |                               |
| <i>indomethacin er oral capsule extended release 75 mg</i>                                                    | 2         |                               |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                                                 | 2         | PA                            |
| <i>ketorolac tromethamine oral tablet 10 mg</i>                                                               | 2         | PA; QL (20 EA per 30 days)    |
| <i>meclofenamate sodium oral capsule 100 mg, 50 mg</i>                                                        | 2         |                               |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                                                    | 1         |                               |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                                                  | 2         |                               |
| <i>naproxen dr oral tablet delayed release 500 mg</i>                                                         | 2         |                               |
| <i>naproxen oral suspension 125 mg/5ml</i>                                                                    | 4         |                               |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>                                                            | 1         |                               |
| <i>naproxen oral tablet delayed release 375 mg, 500 mg</i>                                                    | 2         |                               |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>                                                             | 2         |                               |
| <i>piroxicam oral capsule 10 mg, 20 mg</i>                                                                    | 2         |                               |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                                    | 2         |                               |
| <b>Opioid Analgesics, Long-Acting</b>                                                                         |           |                               |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 20 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i>           | 2         | QL (4 EA per 28 days)         |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 2         | MME; QL (10 EA per 30 days)   |
| <i>fentanyl transdermal patch 72 hour 62.5 mcg/hr, 87.5 mcg/hr</i>                                            | 4         | MME; QL (10 EA per 30 days)   |
| <i>methadone hcl oral solution 10 mg/5ml</i>                                                                  | 2         | MME; QL (1200 ML per 30 days) |
| <i>methadone hcl oral solution 5 mg/5ml</i>                                                                   | 2         | MME; QL (2400 ML per 30 days) |
| <i>methadone hcl oral tablet 10 mg</i>                                                                        | 2         | MME; QL (240 EA per 30 days)  |
| <i>methadone hcl oral tablet 5 mg</i>                                                                         | 2         | MME; QL (180 EA per 30 days)  |

| Name of Drug                                                                                      | Drug Tier | Requirements/Limits              |
|---------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>morphine sulfate er oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i>       | 2         | MME; QL (60 EA per 30 days)      |
| <i>oxycodone hcl er oral tablet er 12 hour abuse-deterrent 10 mg, 20 mg</i>                       | 4         | PA; MME                          |
| <i>oxycodone hcl er oral tablet er 12 hour abuse-deterrent 40 mg, 80 mg</i>                       | 2         | PA; MME                          |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 10 MG, 15 MG, 20 MG, 30 MG, 40 MG                | 4         | PA; MME; QL (90 EA per 30 days)  |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 60 MG, 80 MG                                     | 4         | PA; MME; QL (60 EA per 30 days)  |
| <b>Opioid Analgesics, Short-Acting</b>                                                            |           |                                  |
| <i>acetaminophen-codeine oral solution 120-12 mg/5ml, 300-30 mg/12.5ml</i>                        | 2         | MME                              |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i>                          | 2         | MME                              |
| <i>butorphanol tartrate nasal solution 10 mg/ml</i>                                               | 2         | MME; QL (5 ML per 30 days)       |
| ENDOCET ORAL TABLET 10-325 MG, 2.5-325 MG, 5-325 MG, 7.5-325 MG                                   | 2         | MME                              |
| <i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 600 mcg, 800 mcg</i>           | 5         | PA; MME; QL (120 EA per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg, 400 mcg</i>                               | 4         | PA; MME; QL (120 EA per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>                      | 2         | MME                              |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>                          | 2         | MME                              |
| <i>hydromorphone hcl oral tablet 2 mg, 4 mg, 8 mg</i>                                             | 2         | MME; QL (120 EA per 30 days)     |
| <i>hydromorphone hcl pf injection solution 1 mg/ml, 10 mg/ml, 4 mg/ml, 50 mg/5ml, 500 mg/50ml</i> | 2         | MME                              |
| <i>morphine sulfate (concentrate) oral solution 10 mg/0.5ml, 100 mg/5ml, 20 mg/ml</i>             | 2         | MME                              |
| <i>morphine sulfate oral tablet 15 mg, 30 mg</i>                                                  | 2         | MME; QL (120 EA per 30 days)     |
| <i>oxycodone hcl oral solution 5 mg/5ml</i>                                                       | 2         | MME; QL (5400 ML per 30 days)    |
| <i>oxycodone hcl oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>                                 | 2         | MME; QL (120 EA per 30 days)     |
| <i>oxycodone hcl oral tablet abuse-deterrent 15 mg</i>                                            | 2         | MME; QL (120 EA per 30 days)     |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>                        | 3         | MME                              |

| <b>Name of Drug</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|-------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg</i>                                           | 2                | MME                          |
| <i>pentazocine-naloxone hcl oral tablet 50-0.5 mg</i>                                           | 2                | MME                          |
| <i>tramadol hcl oral tablet 100 mg, 25 mg</i>                                                   | 2                | MME; QL (120 EA per 30 days) |
| <i>tramadol hcl oral tablet 50 mg</i>                                                           | 2                | MME; QL (240 EA per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                           | 2                | MME                          |
| <b>Anesthetics - Local Treatment Of Pain</b>                                                    |                  |                              |
| <b>Local Anesthetics</b>                                                                        |                  |                              |
| <i>lidocaine external ointment 5 %</i>                                                          | 2                |                              |
| <i>lidocaine external patch 5 %</i>                                                             | 2                | PA; QL (90 EA per 30 days)   |
| <i>lidocaine hcl external solution 4 %</i>                                                      | 2                |                              |
| <i>lidocaine viscous hcl mouth/throat solution 2 %</i>                                          | 2                |                              |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i>                                            | 2                |                              |
| ZTLIDO EXTERNAL PATCH 1.8 %                                                                     | 4                | PA; QL (90 EA per 30 days)   |
| <b>Anti-Addiction/ Substance Abuse Treatment Agents</b>                                         |                  |                              |
| <b>Opioid Dependence</b>                                                                        |                  |                              |
| <i>lofexidine hcl oral tablet 0.18 mg</i>                                                       | 5                | PA; QL (224 EA per 14 days)  |
| <b>Anti-Addiction/Substance Abuse Treatment Agents - Treatment Of Substance Abuse Disorders</b> |                  |                              |
| <b>Alcohol Deterrents/Anti-Craving</b>                                                          |                  |                              |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i>                                   | 2                |                              |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                                    | 2                |                              |
| <b>Opioid Dependence</b>                                                                        |                  |                              |
| <i>buprenorphine hcl sublingual tablet sublingual 2 mg, 8 mg</i>                                | 2                |                              |
| <i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i>         | 2                |                              |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i>             | 2                |                              |
| <i>naloxone hcl injection solution prefilled syringe 0.4 mg/ml</i>                              | 1                |                              |
| <i>naltrexone hcl oral tablet 50 mg</i>                                                         | 1                |                              |
| <b>Opioid Reversal Agents</b>                                                                   |                  |                              |

| Name of Drug                                                                                                                     | Drug Tier | Requirements/Limits    |
|----------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------|
| KLOXXADO NASAL LIQUID 8 MG/0.1ML                                                                                                 | 3         |                        |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i>                                                                      | 1         |                        |
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>                                                                       | 1         |                        |
| <i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i>                                                                | 1         |                        |
| OPVEE NASAL SOLUTION 2.7 MG/0.1ML                                                                                                | 3         |                        |
| REXTOVY NASAL LIQUID 4 MG/0.25ML                                                                                                 | 3         |                        |
| <b>Smoking Cessation Agents</b>                                                                                                  |           |                        |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i>                                                | 1         |                        |
| NICOTROL INHALATION INHALER 10 MG                                                                                                | 4         |                        |
| NICOTROL NS NASAL SOLUTION 10 MG/ML                                                                                              | 4         |                        |
| <i>varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 &amp; 1 mg x 42</i>                                       | 2         | QL (56 EA per 28 days) |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg, 1 mg (56 pack)</i>                                                             | 2         | QL (56 EA per 28 days) |
| <i>varenicline tartrate(continue) oral tablet 1 mg</i>                                                                           | 2         | QL (56 EA per 28 days) |
| <b>Antibacterials - Treatment Of Bacterial Infections</b>                                                                        |           |                        |
| <b>Aminoglycosides</b>                                                                                                           |           |                        |
| <i>amikacin sulfate injection solution 500 mg/2ml</i>                                                                            | 2         |                        |
| ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML                                                                                      | 5         | PA                     |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%, 2-0.9 mg/ml-%</i> | 2         |                        |
| <i>gentamicin sulfate injection solution 40 mg/ml</i>                                                                            | 2         |                        |
| <i>neomycin sulfate oral tablet 500 mg</i>                                                                                       | 2         |                        |
| <i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i>                                                            | 4         |                        |
| <i>tobramycin sulfate injection solution 1.2 gm/30ml, 10 mg/ml, 2 gm/50ml, 80 mg/2ml</i>                                         | 2         |                        |
| <i>tobramycin sulfate injection solution reconstituted 1.2 gm</i>                                                                | 2         |                        |

| Name of Drug                                                                                                      | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Antibacterials, Other</b>                                                                                      |           |                     |
| <i>aztreonam injection solution reconstituted 1 gm, 2 gm</i>                                                      | 2         |                     |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>                                                         | 1         |                     |
| <i>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</i>                                            | 2         |                     |
| <i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>                    | 2         |                     |
| <i>clindamycin phosphate in nacl intravenous solution 300-0.9 mg/50ml-%, 600-0.9 mg/50ml-%, 900-0.9 mg/50ml-%</i> | 2         |                     |
| <i>clindamycin phosphate injection solution 300 mg/2ml, 900 mg/6ml</i>                                            | 2         |                     |
| <i>clindamycin phosphate vaginal cream 2 %</i>                                                                    | 2         |                     |
| <i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i>                                        | 2         |                     |
| <i>daptomycin intravenous solution reconstituted 350 mg</i>                                                       | 2         |                     |
| <i>daptomycin intravenous solution reconstituted 500 mg</i>                                                       | 4         |                     |
| <i>linezolid in sodium chloride intravenous solution 600-0.9 mg/300ml-%</i>                                       | 2         |                     |
| <i>linezolid intravenous solution 600 mg/300ml</i>                                                                | 2         |                     |
| <i>linezolid oral suspension reconstituted 100 mg/5ml</i>                                                         | 5         |                     |
| <i>linezolid oral tablet 600 mg</i>                                                                               | 2         |                     |
| <i>methenamine hippurate oral tablet 1 gm</i>                                                                     | 2         |                     |
| <i>metronidazole intravenous solution 500 mg/100ml</i>                                                            | 2         |                     |
| <i>metronidazole oral capsule 375 mg</i>                                                                          | 2         |                     |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                                                                   | 1         |                     |
| <i>metronidazole vaginal gel 0.75 %</i>                                                                           | 2         |                     |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>                                              | 2         |                     |
| <i>nitrofurantoin monohyd macro oral capsule 100 mg</i>                                                           | 2         |                     |

| Name of Drug                                                                                                                                     | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>polymyxin b sulfate injection solution reconstituted 500000 unit</i>                                                                          | 2         |                     |
| PRIMAXIN IV INTRAVENOUS SOLUTION RECONSTITUTED 500-500 MG                                                                                        | 4         |                     |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5ml</i>                                                                          | 2         |                     |
| <i>tigecycline intravenous solution reconstituted 50 mg</i>                                                                                      | 5         | PA                  |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                                                                                                     | 2         |                     |
| <i>trimethoprim oral tablet 100 mg</i>                                                                                                           | 1         |                     |
| <i>vancomycin hcl in dextrose intravenous solution 1-5 gm/200ml-%, 1.25-5 gm/250ml-%, 1.5-5 gm/300ml-%, 500-5 mg/100ml-%, 750-5 mg/150ml-%</i>   | 2         |                     |
| <i>vancomycin hcl in nacl intravenous solution 1-0.9 gm/200ml-%, 500-0.9 mg/100ml-%, 750-0.9 mg/150ml-%</i>                                      | 2         |                     |
| <i>vancomycin hcl intravenous solution 1000 mg/200ml, 1250 mg/250ml, 1500 mg/300ml, 1750 mg/350ml, 2000 mg/400ml, 500 mg/100ml, 750 mg/150ml</i> | 2         |                     |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 1.25 gm, 1.5 gm, 1.75 gm, 10 gm, 100 gm, 2 gm, 5 gm, 500 mg, 750 mg</i>               | 2         |                     |
| <i>vancomycin hcl oral capsule 125 mg, 250 mg</i>                                                                                                | 2         |                     |
| ZOSYN INTRAVENOUS SOLUTION 2-0.25 GM/50ML, 3-0.375 GM/50ML, 4-0.5 GM/100ML                                                                       | 4         |                     |
| <b>Beta-Lactam, Cephalosporins</b>                                                                                                               |           |                     |
| <i>cefaclor er oral tablet extended release 12 hour 500 mg</i>                                                                                   | 2         |                     |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>                                                                                                      | 2         |                     |
| <i>cefadroxil oral capsule 500 mg</i>                                                                                                            | 1         |                     |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>                                                                           | 2         |                     |
| <i>cefadroxil oral tablet 1 gm</i>                                                                                                               | 2         |                     |
| <i>cefazolin sodium injection solution reconstituted 1 gm, 2 gm, 3 gm, 500 mg</i>                                                                | 2         |                     |

| <b>Name of Drug</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cefazolin sodium intravenous solution reconstituted 1 gm, 2 gm, 3 gm</i>                                        | 2                |                            |
| <i>cefazolin sodium-dextrose intravenous solution 1-4 gm/50ml-%, 2-4 gm/100ml-%, 3-4 gm/150ml-%</i>                | 2                |                            |
| <i>cefazolin sodium-dextrose intravenous solution reconstituted 1-4 gm-%(50ml), 2-3 gm-%(50ml), 3-2 gm-%(50ml)</i> | 2                |                            |
| <i>cefdinir oral capsule 300 mg</i>                                                                                | 1                |                            |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                                               | 2                |                            |
| <i>cefepime hcl injection solution reconstituted 1 gm</i>                                                          | 2                |                            |
| <i>cefepime hcl intravenous solution 1 gm/50ml, 2 gm/100ml</i>                                                     | 2                |                            |
| <i>cefepime hcl intravenous solution reconstituted 2 gm</i>                                                        | 2                |                            |
| <i>cefepime-dextrose intravenous solution reconstituted 1-5 gm-%(50ml), 2-5 gm-%(50ml)</i>                         | 2                |                            |
| <i>cefixime oral capsule 400 mg</i>                                                                                | 2                |                            |
| <i>cefotaxime sodium injection solution reconstituted 1 gm</i>                                                     | 2                |                            |
| <i>cefoxitin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>                                       | 2                |                            |
| <i>cefoxitin sodium-dextrose intravenous solution reconstituted 1-4 gm-%(50ml), 2-2.2 gm-%(50ml)</i>               | 2                |                            |
| <i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i>                                    | 2                |                            |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>                                                             | 2                |                            |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                                              | 2                |                            |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                                                        | 2                |                            |
| <i>ceftazidime injection solution reconstituted 1 gm, 6 gm</i>                                                     | 2                |                            |
| <i>ceftazidime intravenous solution reconstituted 2 gm</i>                                                         | 2                |                            |
| <i>ceftriaxone sodium in dextrose intravenous solution 20 mg/ml, 40 mg/ml</i>                                      | 2                |                            |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 100 gm, 2 gm, 250 mg, 500 mg</i>                      | 2                |                            |

| Name of Drug                                                                                                                      | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>ceftriaxone sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>                                                    | 2         |                     |
| <i>ceftriaxone sodium-dextrose intravenous solution reconstituted 1-3.74 gm-%(50ml), 2-2.22 gm-%(50ml)</i>                        | 2         |                     |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                                                                               | 2         |                     |
| <i>cefuroxime sodium injection solution reconstituted 750 mg</i>                                                                  | 2         |                     |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>                                                                | 2         |                     |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                                                                     | 1         |                     |
| <i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                                                            | 1         |                     |
| <i>cephalexin oral tablet 250 mg, 500 mg</i>                                                                                      | 2         |                     |
| TAZICEF INJECTION SOLUTION RECONSTITUTED 1 GM                                                                                     | 4         |                     |
| TAZICEF INTRAVENOUS SOLUTION RECONSTITUTED 1 GM, 2 GM, 6 GM                                                                       | 4         |                     |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG                                                                         | 5         | PA                  |
| <b>Beta-Lactam, Penicillins</b>                                                                                                   |           |                     |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>                                                                                    | 1         |                     |
| <i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>                                   | 1         |                     |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>                                                                                     | 1         |                     |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>                                                                            | 1         |                     |
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg</i>                                           | 2         |                     |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 2         |                     |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>                                                 | 2         |                     |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg</i>                                                               | 2         |                     |
| <i>ampicillin oral capsule 500 mg</i>                                                                                             | 1         |                     |
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg, 2 gm</i>                                                      | 2         |                     |

| <b>Name of Drug</b>                                                                                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>ampicillin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>                                                                                                           | 2                |                            |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>                                                                                          | 2                |                            |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 15 (10-5) gm, 3 (2-1) gm</i>                                                                          | 2                |                            |
| <b>BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML</b>                                                                       | 4                |                            |
| <i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>                                                                                                                                 | 2                |                            |
| <i>nafcillin sodium in dextrose intravenous solution 1 gm/50ml</i>                                                                                                                      | 2                |                            |
| <i>nafcillin sodium in dextrose intravenous solution 2 gm/100ml</i>                                                                                                                     | 4                |                            |
| <i>nafcillin sodium injection solution reconstituted 1 gm</i>                                                                                                                           | 2                |                            |
| <i>nafcillin sodium injection solution reconstituted 2 gm</i>                                                                                                                           | 4                |                            |
| <i>oxacillin sodium in dextrose intravenous solution 2 gm/50ml</i>                                                                                                                      | 2                |                            |
| <i>penicillin g pot in dextrose intravenous solution 40000 unit/ml, 60000 unit/ml</i>                                                                                                   | 2                |                            |
| <i>penicillin g sodium injection solution reconstituted 5000000 unit</i>                                                                                                                | 2                |                            |
| <i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>                                                                                                        | 2                |                            |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>                                                                                                                                | 1                |                            |
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 13.5 (12-1.5) gm, 2.25 (2-0.25) gm, 3-0.375 gm, 3.375 (3-0.375) gm, 4-0.5 gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm</i> | 2                |                            |
| <b>Carbapenems</b>                                                                                                                                                                      |                  |                            |
| <i>ertapenem sodium injection solution reconstituted 1 gm</i>                                                                                                                           | 4                |                            |
| <i>imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg</i>                                                                                                            | 2                |                            |
| <i>meropenem intravenous solution reconstituted 1 gm, 2 gm, 500 mg</i>                                                                                                                  | 2                |                            |

| Name of Drug                                                                               | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>meropenem-sodium chloride intravenous solution reconstituted 1 gm/50ml, 500 mg/50ml</i> | 2         |                     |
| <b>Macrolides</b>                                                                          |           |                     |
| <i>azithromycin intravenous solution reconstituted 500 mg</i>                              | 2         |                     |
| <i>azithromycin oral packet 1 gm</i>                                                       | 2         |                     |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>                   | 2         |                     |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i>   | 1         |                     |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>                       | 2         |                     |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                 | 2         |                     |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                           | 2         |                     |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML                                             | 5         | PA                  |
| DIFICID ORAL TABLET 200 MG                                                                 | 5         | PA                  |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG                          | 4         |                     |
| ERYTHROCIN STEARATE ORAL TABLET 250 MG                                                     | 2         |                     |
| <i>erythromycin base oral tablet 250 mg, 500 mg</i>                                        | 2         |                     |
| <i>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml</i>                | 2         |                     |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i>                                      | 2         |                     |
| <i>fidaxomicin oral tablet 200 mg</i>                                                      | 5         | PA                  |
| ZITHROMAX INTRAVENOUS SOLUTION RECONSTITUTED 500 MG                                        | 4         |                     |
| <b>Quinolones</b>                                                                          |           |                     |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>                                | 1         |                     |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml, 400 mg/200ml</i>                | 2         |                     |
| <i>levofloxacin in d5w intravenous solution 250 mg/50ml, 500 mg/100ml, 750 mg/150ml</i>    | 2         |                     |
| <i>levofloxacin intravenous solution 25 mg/ml</i>                                          | 2         |                     |

| Name of Drug                                                                        | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>levofloxacin oral solution 25 mg/ml</i>                                          | 2         |                         |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                              | 1         |                         |
| <i>moxifloxacin hcl in nacl intravenous solution 400 mg/250ml</i>                   | 2         |                         |
| <i>moxifloxacin hcl intravenous solution 400 mg/250ml</i>                           | 2         |                         |
| <i>moxifloxacin hcl oral tablet 400 mg</i>                                          | 2         |                         |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i>                                         | 2         |                         |
| <b>Sulfonamides</b>                                                                 |           |                         |
| <i>sulfacetamide sodium (acne) external lotion 10 %</i>                             | 2         |                         |
| <i>sulfadiazine oral tablet 500 mg</i>                                              | 2         |                         |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml, 800-160 mg/20ml</i> | 2         |                         |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>              | 1         |                         |
| <b>Tetracyclines</b>                                                                |           |                         |
| DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED 100 MG                                  | 2         |                         |
| <i>doxycycline hyclate intravenous solution reconstituted 100 mg</i>                | 2         |                         |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>                               | 2         |                         |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>                                | 2         |                         |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>                           | 1         |                         |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>             | 2         |                         |
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>                            | 1         |                         |
| <i>minocycline hcl oral tablet 100 mg, 50 mg, 75 mg</i>                             | 2         |                         |
| <i>tetracycline hcl oral capsule 250 mg, 500 mg</i>                                 | 2         |                         |
| <b>Anticonvulsants - Treatment Of Seizures</b>                                      |           |                         |
| <b>Anticonvulsants, Other</b>                                                       |           |                         |
| BRIVIACT ORAL SOLUTION 10 MG/ML                                                     | 5         | QL (600 ML per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                             | 5         | QL (60 EA per 30 days)  |
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG                                                | 5         | PA                      |

| Name of Drug                                                                                            | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| DIACOMIT ORAL PACKET 250 MG, 500 MG                                                                     | 5         | PA                          |
| <i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>                         | 2         |                             |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>                                   | 2         |                             |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>                             | 2         |                             |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                                       | 5         | PA                          |
| EPRONTIA ORAL SOLUTION 25 MG/ML                                                                         | 4         | PA                          |
| <i>felbamate oral suspension 600 mg/5ml</i>                                                             | 2         |                             |
| <i>felbamate oral tablet 400 mg, 600 mg</i>                                                             | 2         |                             |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                                        | 5         | PA                          |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML                                                                       | 5         | ST; QL (720 ML per 30 days) |
| <i>lamotrigine er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | 2         |                             |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>                                            | 1         |                             |
| <i>lamotrigine oral tablet chewable 25 mg, 5 mg</i>                                                     | 2         |                             |
| <i>lamotrigine starter kit-blue oral kit 35 x 25 mg</i>                                                 | 2         |                             |
| <i>lamotrigine starter kit-green oral kit 84 x 25 mg &amp; 14x100 mg</i>                                | 4         |                             |
| <i>lamotrigine starter kit-orange oral kit 42 x 25 mg &amp; 7 x 100 mg</i>                              | 2         |                             |
| <i>levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg</i>                             | 2         |                             |
| <i>levetiracetam oral solution 100 mg/ml, 500 mg/5ml</i>                                                | 1         |                             |
| <i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>                                        | 1         |                             |
| <i>perampanel oral tablet 10 mg, 12 mg, 4 mg, 6 mg, 8 mg</i>                                            | 5         | ST; QL (30 EA per 30 days)  |
| <i>perampanel oral tablet 2 mg</i>                                                                      | 4         | ST; QL (30 EA per 30 days)  |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 250 MG, 500 MG                                               | 4         | ST; QL (60 EA per 30 days)  |
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg, 50 mg</i>                                             | 2         |                             |
| <i>topiramate oral solution 25 mg/ml</i>                                                                | 2         | PA                          |

| Name of Drug                                                                                                   | Drug Tier | Requirements/Limits        |
|----------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>                                                     | 1         |                            |
| <i>valproic acid oral capsule 250 mg</i>                                                                       | 2         |                            |
| <i>valproic acid oral solution 250 mg/5ml</i>                                                                  | 2         |                            |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG                                               | 4         | ST                         |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG                                               | 4         | ST                         |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG                                                        | 4         | ST                         |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG, 14 X 150 MG & 14 X 200 MG, 14 X 50 MG & 14 X 100 MG | 4         | ST                         |
| <b>Calcium Channel Modifying Agents</b>                                                                        |           |                            |
| <i>ethosuximide oral capsule 250 mg</i>                                                                        | 2         |                            |
| <i>ethosuximide oral solution 250 mg/5ml</i>                                                                   | 2         |                            |
| <i>methsuximide oral capsule 300 mg</i>                                                                        | 2         |                            |
| <b>Gamma-Aminobutyric Acid (Gaba) Augmenting Agents</b>                                                        |           |                            |
| <i>clobazam oral suspension 2.5 mg/ml</i>                                                                      | 2         | QL (480 ML per 30 days)    |
| <i>clobazam oral tablet 10 mg, 20 mg</i>                                                                       | 2         | QL (60 EA per 30 days)     |
| <i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>                                                                | 2         |                            |
| <i>gabapentin oral capsule 100 mg, 400 mg</i>                                                                  | 1         | QL (270 EA per 30 days)    |
| <i>gabapentin oral capsule 300 mg</i>                                                                          | 1         | QL (360 EA per 30 days)    |
| <i>gabapentin oral solution 250 mg/5ml, 300 mg/6ml</i>                                                         | 2         | QL (2160 ML per 30 days)   |
| <i>gabapentin oral tablet 600 mg</i>                                                                           | 1         | QL (180 EA per 30 days)    |
| <i>gabapentin oral tablet 800 mg</i>                                                                           | 1         | QL (120 EA per 30 days)    |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                                      | 5         | PA; QL (10 EA per 30 days) |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML                                                                             | 4         | PA; QL (10 EA per 30 days) |
| <i>phenobarbital oral elixir 20 mg/5ml</i>                                                                     | 2         | PA                         |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>               | 2         | PA                         |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>                                     | 1         | QL (90 EA per 30 days)     |
| <i>pregabalin oral capsule 225 mg, 300 mg</i>                                                                  | 1         | QL (60 EA per 30 days)     |
| <i>pregabalin oral solution 20 mg/ml</i>                                                                       | 1         | QL (900 ML per 30 days)    |

| Name of Drug                                                                         | Drug Tier | Requirements/Limits         |
|--------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>primidone oral tablet 250 mg, 50 mg</i>                                           | 2         |                             |
| SYMPAZAN ORAL FILM 10 MG, 20 MG                                                      | 5         | ST; QL (60 EA per 30 days)  |
| SYMPAZAN ORAL FILM 5 MG                                                              | 4         | ST; QL (60 EA per 30 days)  |
| <i>tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                            | 2         |                             |
| VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML                                          | 4         | PA; QL (10 EA per 30 days)  |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML                        | 4         | PA; QL (10 EA per 30 days)  |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML                         | 4         | PA; QL (10 EA per 30 days)  |
| VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML                                            | 4         | PA; QL (10 EA per 30 days)  |
| <i>vigabatrin oral packet 500 mg</i>                                                 | 5         | PA; QL (180 EA per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i>                                                 | 5         | PA; QL (180 EA per 30 days) |
| VIGAFYDE ORAL SOLUTION 100 MG/ML                                                     | 5         | PA                          |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                      | 5         | PA                          |
| <b>Sodium Channel Agents</b>                                                         |           |                             |
| <i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i> | 2         |                             |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>  | 2         |                             |
| <i>carbamazepine oral suspension 100 mg/5ml</i>                                      | 2         |                             |
| <i>carbamazepine oral tablet 200 mg</i>                                              | 1         |                             |
| <i>carbamazepine oral tablet chewable 100 mg, 200 mg</i>                             | 2         |                             |
| DILANTIN ORAL CAPSULE 100 MG, 30 MG                                                  | 4         |                             |
| EPITOL ORAL TABLET 200 MG                                                            | 3         |                             |
| <i>eslicarbazepine acetate oral tablet 200 mg, 400 mg</i>                            | 2         | QL (30 EA per 30 days)      |
| <i>eslicarbazepine acetate oral tablet 600 mg, 800 mg</i>                            | 2         | QL (60 EA per 30 days)      |
| <i>lacosamide oral solution 10 mg/ml, 100 mg/10ml, 50 mg/5ml</i>                     | 2         | QL (1200 ML per 30 days)    |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                          | 2         | QL (60 EA per 30 days)      |
| <i>oxcarbazepine er oral tablet extended release 24 hour 150 mg, 300 mg</i>          | 2         |                             |

| Name of Drug                                                         | Drug Tier | Requirements/Limits          |
|----------------------------------------------------------------------|-----------|------------------------------|
| <i>oxcarbazepine er oral tablet extended release 24 hour 600 mg</i>  | 5         |                              |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i>                      | 2         |                              |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>              | 1         |                              |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG                                 | 4         |                              |
| PHENYTOIN INFATABS ORAL TABLET CHEWABLE 50 MG                        | 2         |                              |
| <i>phenytoin oral suspension 100 mg/4ml, 125 mg/5ml</i>              | 2         |                              |
| <i>phenytoin oral tablet chewable 50 mg</i>                          | 2         |                              |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i> | 2         |                              |
| <i>rufinamide oral suspension 40 mg/ml</i>                           | 2         | PA; QL (2400 ML per 30 days) |
| <i>rufinamide oral tablet 200 mg, 400 mg</i>                         | 2         | PA; QL (240 EA per 30 days)  |
| ZONISADE ORAL SUSPENSION 100 MG/5ML                                  | 4         | ST                           |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>                  | 2         |                              |

## Antidementia Agents - Management Of Dementia

### Antidementia Agents, Other

|                                                                                                       |   |  |
|-------------------------------------------------------------------------------------------------------|---|--|
| <i>ergoloid mesylates oral tablet 1 mg</i>                                                            | 2 |  |
| <i>memantine hcl-donepezil hcl oral capsule extended release 24 hour 14-10 mg, 21-10 mg, 28-10 mg</i> | 2 |  |
| NAMZARIC ORAL CAPSULE ER 24 HOUR THERAPY PACK 7 & 14 & 21 & 28 -10 MG                                 | 4 |  |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 7-10 MG                                                | 4 |  |

### Cholinesterase Inhibitors

|                                                                                             |   |  |
|---------------------------------------------------------------------------------------------|---|--|
| <i>donepezil hcl oral tablet 10 mg, 5 mg</i>                                                | 1 |  |
| <i>donepezil hcl oral tablet 23 mg</i>                                                      | 2 |  |
| <i>donepezil hcl oral tablet dispersible 10 mg, 5 mg</i>                                    | 1 |  |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i> | 1 |  |
| <i>galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg</i>                               | 1 |  |

| Name of Drug                                                                                              | Drug Tier | Requirements/Limits    |
|-----------------------------------------------------------------------------------------------------------|-----------|------------------------|
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                      | 1         | QL (60 EA per 30 days) |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr</i>                      | 2         | QL (30 EA per 30 days) |
| <b>N-Methyl-D-Aspartate (Nmda) Receptor Antagonist</b>                                                    |           |                        |
| <i>memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg</i>                   | 2         | QL (30 EA per 30 days) |
| <i>memantine hcl oral tablet 10 mg, 28 x 5 mg &amp; 21 x 10 mg, 5 mg</i>                                  | 1         |                        |
| <b>Antidepressants - Treatment Of Depression</b>                                                          |           |                        |
| <b>Antidepressants, Other</b>                                                                             |           |                        |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG                                                           | 5         | PA                     |
| <i>bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg</i>                  | 1         |                        |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg, 450 mg</i>                  | 1         |                        |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>                                                            | 1         |                        |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>                                                | 1         |                        |
| <i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>                                            | 2         |                        |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>                 | 2         | PA                     |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG                                                                 | 5         | PA                     |
| <b>Monoamine Oxidase Inhibitors</b>                                                                       |           |                        |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR                                          | 5         | PA                     |
| MARPLAN ORAL TABLET 10 MG                                                                                 | 4         |                        |
| <i>phenelzine sulfate oral tablet 15 mg</i>                                                               | 2         |                        |
| <i>tranylcypromine sulfate oral tablet 10 mg</i>                                                          | 2         |                        |
| <b>Ssri/Snri (Selective Serotonin Reuptake Inhibitor/Serotonin And Norepinephrine Reuptake Inhibitor)</b> |           |                        |

| <b>Name of Drug</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>citalopram hydrobromide oral solution 10 mg/5ml, 20 mg/10ml</i>                           | 2                |                            |
| <i>citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg</i>                               | 1                |                            |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg</i> | 2                |                            |
| <i>escitalopram oxalate oral solution 10 mg/10ml, 5 mg/5ml</i>                               | 2                |                            |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>                                   | 1                |                            |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG                    | 4                | ST                         |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG                            | 4                | ST                         |
| <i>fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg</i>                                       | 1                |                            |
| <i>fluoxetine hcl oral capsule delayed release 90 mg</i>                                     | 2                |                            |
| <i>fluoxetine hcl oral solution 20 mg/5ml</i>                                                | 1                |                            |
| <i>fluoxetine hcl oral tablet 10 mg, 20 mg</i>                                               | 2                |                            |
| <i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i>                                  | 2                |                            |
| <i>nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                      | 2                |                            |
| <i>paroxetine hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg</i>        | 2                |                            |
| <i>paroxetine hcl oral suspension 10 mg/5ml</i>                                              | 2                |                            |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>                                 | 1                |                            |
| RALDESY ORAL SOLUTION 10 MG/ML                                                               | 4                |                            |
| <i>sertraline hcl oral concentrate 20 mg/ml</i>                                              | 2                |                            |
| <i>sertraline hcl oral tablet 100 mg, 25 mg, 50 mg</i>                                       | 1                |                            |
| <i>trazodone hcl oral tablet 100 mg, 150 mg, 50 mg</i>                                       | 1                |                            |
| <i>trazodone hcl oral tablet 300 mg</i>                                                      | 2                |                            |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                                    | 3                |                            |
| <i>venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg</i>       | 2                |                            |

| <b>Name of Drug</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 225 mg, 37.5 mg, 75 mg</i> | 2                |                            |
| <i>venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                       | 2                |                            |
| <i>vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg</i>                                         | 2                |                            |
| <b>Tricyclics</b>                                                                             |                  |                            |
| <i>amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>               | 2                |                            |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                     | 2                |                            |
| <i>clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg</i>                                      | 2                |                            |
| <i>desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                 | 2                |                            |
| <i>doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                    | 2                |                            |
| <i>doxepin hcl oral concentrate 10 mg/ml</i>                                                  | 2                |                            |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                         | 2                |                            |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>                          | 2                |                            |
| <i>nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>                              | 1                |                            |
| <i>nortriptyline hcl oral solution 10 mg/5ml</i>                                              | 2                |                            |
| <i>protriptyline hcl oral tablet 10 mg, 5 mg</i>                                              | 2                |                            |
| <i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i>                                 | 2                |                            |
| <b>Antiemetics - Treatment Of Vomiting Or Nausea</b>                                          |                  |                            |
| <b>Antiemetics, Other</b>                                                                     |                  |                            |
| <i>chlorpromazine hcl oral concentrate 100 mg/ml, 30 mg/ml</i>                                | 2                |                            |
| <i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>                     | 2                |                            |
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i>                                               | 2                |                            |
| <i>metoclopramide hcl oral solution 10 mg/10ml, 5 mg/5ml</i>                                  | 2                |                            |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>                                             | 1                |                            |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                       | 2                |                            |

| Name of Drug                                                               | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------|-----------|---------------------|
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>                    | 1         |                     |
| <i>prochlorperazine rectal suppository 25 mg</i>                           | 2         |                     |
| <i>promethazine hcl oral solution 6.25 mg/5ml</i>                          | 2         | PA                  |
| <i>promethazine hcl oral syrup 6.25 mg/5ml</i>                             | 2         | PA                  |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>                  | 2         | PA                  |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                  | 2         | PA                  |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5ml</i>                 | 2         | PA                  |
| PROMETHEGAN RECTAL SUPPOSITORY 50 MG                                       | 2         | PA                  |
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i>                    | 2         |                     |
| <i>trimethobenzamide hcl oral capsule 300 mg</i>                           | 2         |                     |
| <b>Emetogenic Therapy Adjuncts</b>                                         |           |                     |
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 &amp; 125 mg, 80 mg</i>       | 2         | B/D                 |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>                         | 2         | B/D                 |
| EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML                             | 4         | B/D                 |
| <i>granisetron hcl oral tablet 1 mg</i>                                    | 2         | B/D                 |
| <i>ondansetron hcl oral solution 4 mg/5ml</i>                              | 2         | B/D                 |
| <i>ondansetron hcl oral tablet 24 mg</i>                                   | 2         | B/D                 |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                              | 1         | B/D                 |
| <i>ondansetron oral tablet dispersible 4 mg, 8 mg</i>                      | 2         | B/D                 |
| <b>Antifungals - Treatment Of Fungal Or Yeast Infections</b>               |           |                     |
| <b>Antifungals</b>                                                         |           |                     |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML                                     | 4         | B/D                 |
| <i>amphotericin b intravenous solution reconstituted 50 mg</i>             | 2         | B/D                 |
| <i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i>  | 5         | B/D                 |
| <i>caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg</i> | 4         | PA                  |

| <b>Name of Drug</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>clotrimazole external cream 1 %</i>                                                                      | 2                |                            |
| <i>clotrimazole external solution 1 %</i>                                                                   | 2                |                            |
| <i>clotrimazole mouth/throat troche 10 mg</i>                                                               | 2                |                            |
| <i>econazole nitrate external cream 1 %</i>                                                                 | 2                |                            |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i>           | 2                |                            |
| <i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>                                         | 2                |                            |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                                                | 2                |                            |
| <i>flucytosine oral capsule 250 mg, 500 mg</i>                                                              | 5                | PA                         |
| <i>griseofulvin microsize oral suspension 125 mg/5ml</i>                                                    | 2                |                            |
| <i>itraconazole oral capsule 100 mg</i>                                                                     | 2                |                            |
| <i>itraconazole oral solution 10 mg/ml</i>                                                                  | 2                |                            |
| <i>ketoconazole external cream 2 %</i>                                                                      | 2                |                            |
| <i>ketoconazole external shampoo 2 %</i>                                                                    | 1                |                            |
| <i>ketoconazole oral tablet 200 mg</i>                                                                      | 2                |                            |
| KLAYESTA EXTERNAL POWDER 100000 UNIT/GM                                                                     | 1                |                            |
| <i>micafungin sodium intravenous solution reconstituted 100 mg</i>                                          | 4                |                            |
| <i>micafungin sodium intravenous solution reconstituted 50 mg</i>                                           | 2                |                            |
| <i>micafungin sodium-nacl intravenous solution 100-0.9 mg/100ml-%, 150-0.9 mg/150ml-%, 50-0.9 mg/50ml-%</i> | 2                |                            |
| NYAMYC EXTERNAL POWDER 100000 UNIT/GM                                                                       | 1                |                            |
| <i>nystatin external cream 100000 unit/gm</i>                                                               | 1                |                            |
| <i>nystatin external ointment 100000 unit/gm</i>                                                            | 1                |                            |
| <i>nystatin external powder 100000 unit/gm</i>                                                              | 1                |                            |
| <i>nystatin mouth/throat suspension 100000 unit/ml</i>                                                      | 2                |                            |
| <i>nystatin oral tablet 500000 unit</i>                                                                     | 2                |                            |
| NYSTOP EXTERNAL POWDER 100000 UNIT/GM                                                                       | 1                |                            |
| <i>posaconazole intravenous solution 300 mg/16.7ml</i>                                                      | 2                |                            |

| Name of Drug                                                             | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------|-----------|----------------------------|
| <i>posaconazole oral suspension 40 mg/ml</i>                             | 5         | PA                         |
| <i>posaconazole oral tablet delayed release 100 mg</i>                   | 2         | PA                         |
| <i>terbinafine hcl oral tablet 250 mg</i>                                | 1         |                            |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                            | 2         |                            |
| <i>terconazole vaginal suppository 80 mg</i>                             | 2         |                            |
| <i>voriconazole intravenous solution reconstituted 200 mg</i>            | 4         | PA                         |
| <i>voriconazole oral suspension reconstituted 40 mg/ml</i>               | 5         |                            |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                            | 2         |                            |
| <b>Antigout Agents - Treatment Or Prevention Of Gouty Arthritis</b>      |           |                            |
| <b>Antigout Agents</b>                                                   |           |                            |
| <i>allopurinol oral tablet 100 mg, 300 mg</i>                            | 1         |                            |
| <i>colchicine oral capsule 0.6 mg</i>                                    | 2         |                            |
| <i>colchicine oral tablet 0.6 mg</i>                                     | 2         |                            |
| <i>colchicine-probenecid oral tablet 0.5-500 mg</i>                      | 2         |                            |
| <i>febuxostat oral tablet 40 mg, 80 mg</i>                               | 2         | ST                         |
| <i>probenecid oral tablet 500 mg</i>                                     | 2         |                            |
| <b>Antimigraine Agents - Treatment Of Migraine Headaches</b>             |           |                            |
| <b>Antimigraine Agents</b>                                               |           |                            |
| NURTEC ORAL TABLET DISPERSIBLE 75 MG                                     | 5         | PA; QL (18 EA per 30 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG                                        | 3         | PA; QL (16 EA per 30 days) |
| ZAVZPRET NASAL SOLUTION 10 MG/ACT                                        | 5         | PA; QL (8 EA per 30 days)  |
| <b>Ergot Alkaloids</b>                                                   |           |                            |
| <i>dihydroergotamine mesylate nasal solution 4 mg/ml</i>                 | 5         | PA; QL (8 ML per 30 days)  |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i>                          | 2         | PA                         |
| <b>Prophylactic</b>                                                      |           |                            |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML          | 3         | PA                         |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 3         | PA                         |

| Name of Drug                                                                                   | Drug Tier | Requirements/Limits    |
|------------------------------------------------------------------------------------------------|-----------|------------------------|
| EMGALITY SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 120 MG/ML                                      | 3         | PA                     |
| EMGALITY SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 120 MG/ML                                  | 3         | PA                     |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60<br>MG                                                     | 3         | PA                     |
| <b>Serotonin (5-Ht) Receptor Agonist</b>                                                       |           |                        |
| <i>naratriptan hcl oral tablet 1 mg, 2.5 mg</i>                                                | 2         | QL (9 EA per 28 days)  |
| <i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i>                                            | 2         | QL (12 EA per 30 days) |
| <i>rizatriptan benzoate oral tablet dispersible 10 mg,<br/>5 mg</i>                            | 2         | QL (12 EA per 30 days) |
| <i>sumatriptan nasal solution 20 mg/act, 5 mg/act</i>                                          | 2         | QL (12 EA per 30 days) |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg,<br/>50 mg</i>                              | 2         | QL (9 EA per 30 days)  |
| <i>sumatriptan succinate refill subcutaneous<br/>solution cartridge 4 mg/0.5ml, 6 mg/0.5ml</i> | 2         | QL (4 ML per 30 days)  |
| <i>sumatriptan succinate subcutaneous solution 6<br/>mg/0.5ml</i>                              | 2         | QL (4 ML per 30 days)  |
| <i>sumatriptan succinate subcutaneous solution<br/>auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i>    | 2         | QL (4 ML per 30 days)  |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>                                                   | 2         | QL (9 EA per 28 days)  |
| <i>zolmitriptan oral tablet dispersible 2.5 mg, 5 mg</i>                                       | 2         | QL (9 EA per 28 days)  |
| <b>Antimyasthenic Agents - Treatment Of<br/>Myasthenia</b>                                     |           |                        |
| <b>Parasympathomimetics</b>                                                                    |           |                        |
| <i>pyridostigmine bromide er oral tablet extended<br/>release 180 mg</i>                       | 2         |                        |
| <i>pyridostigmine bromide er oral tablet extended<br/>release 24 hour 105 mg</i>               | 2         |                        |
| <i>pyridostigmine bromide oral tablet 60 mg</i>                                                | 1         |                        |
| <b>Antimycobacterials - Treatment For<br/>Infections By Tuberculosis-Type<br/>Organisms</b>    |           |                        |
| <b>Antimycobacterials, Other</b>                                                               |           |                        |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                                       | 2         |                        |
| <i>rifabutin oral capsule 150 mg</i>                                                           | 4         |                        |
| <b>Antituberculars</b>                                                                         |           |                        |

| Name of Drug                                                              | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------------|-----------|-----------------------------|
| <i>ethambutol hcl oral tablet 100 mg, 400 mg</i>                          | 2         |                             |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                               | 1         |                             |
| <i>pretomanid oral tablet 200 mg</i>                                      | 4         | PA                          |
| PRIFTIN ORAL TABLET 150 MG                                                | 4         |                             |
| <i>pyrazinamide oral tablet 500 mg</i>                                    | 2         |                             |
| <i>rifampin intravenous solution reconstituted 600 mg</i>                 | 4         |                             |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                               | 2         |                             |
| SIRTURO ORAL TABLET 100 MG, 20 MG                                         | 5         | PA                          |
| <b>Antineoplastics - Treatment Of Cancer</b>                              |           |                             |
| <b>Alkylating Agents</b>                                                  |           |                             |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                         | 2         | B/D                         |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                          | 2         | B/D                         |
| GLEOSTINE ORAL CAPSULE 10 MG, 40 MG                                       | 3         |                             |
| GLEOSTINE ORAL CAPSULE 100 MG                                             | 5         |                             |
| LEUKERAN ORAL TABLET 2 MG                                                 | 5         | PA                          |
| MATULANE ORAL CAPSULE 50 MG                                               | 5         |                             |
| VALCHLOR EXTERNAL GEL 0.016 %                                             | 5         | PA                          |
| <b>Antiandrogens</b>                                                      |           |                             |
| <i>abiraterone acetate oral tablet 250 mg</i>                             | 2         | PA                          |
| <i>abiraterone acetate oral tablet 500 mg</i>                             | 5         | PA                          |
| ABIRTEGA ORAL TABLET 250 MG                                               | 4         | PA; QL (120 EA per 30 days) |
| <i>bicalutamide oral tablet 50 mg</i>                                     | 1         |                             |
| ERLEADA ORAL TABLET 240 MG, 60 MG                                         | 5         | PA                          |
| EULEXIN ORAL CAPSULE 125 MG                                               | 5         | PA                          |
| <i>nilutamide oral tablet 150 mg</i>                                      | 5         | PA                          |
| NUBEQA ORAL TABLET 300 MG                                                 | 5         | PA                          |
| XTANDI ORAL CAPSULE 40 MG                                                 | 5         | PA                          |
| XTANDI ORAL TABLET 40 MG, 80 MG                                           | 5         | PA                          |
| YONSA ORAL TABLET 125 MG                                                  | 5         | PA                          |
| <b>Antiangiogenic Agents</b>                                              |           |                             |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> | 5         | PA                          |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                              | 5         | PA                          |

| Name of Drug                                                       | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------|-----------|----------------------------|
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG     | 5         | PA                         |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG                | 5         | PA                         |
| <b>Antiestrogens/Modifiers</b>                                     |           |                            |
| SOLTAMOX ORAL SOLUTION 10 MG/5ML                                   | 5         | PA                         |
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>                  | 1         |                            |
| <i>toremifene citrate oral tablet 60 mg</i>                        | 5         | PA                         |
| <b>Antimetabolites</b>                                             |           |                            |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG                         | 4         |                            |
| <i>hydroxyurea oral capsule 500 mg</i>                             | 2         |                            |
| INQOVI ORAL TABLET 35-100 MG                                       | 5         | PA                         |
| <i>mercaptopurine oral suspension 2000 mg/100ml</i>                | 5         | PA                         |
| <i>mercaptopurine oral tablet 50 mg</i>                            | 2         |                            |
| ONUREG ORAL TABLET 200 MG, 300 MG                                  | 5         | PA                         |
| SIKLOS ORAL TABLET 100 MG, 1000 MG                                 | 4         |                            |
| TABLOID ORAL TABLET 40 MG                                          | 4         | PA                         |
| XROMI ORAL SOLUTION 100 MG/ML                                      | 4         |                            |
| <b>Antineoplastics, Other</b>                                      |           |                            |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                           | 5         | PA                         |
| AVMAPKI FAKZYNJA CO-PACK ORAL THERAPY PACK 0.8 & 200 MG            | 5         | PA; QL (66 EA per 28 days) |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML         | 5         | PA                         |
| BORUZU INJECTION SOLUTION 3.5 MG/1.4ML                             | 5         | PA                         |
| DANZITEN ORAL TABLET 71 MG, 95 MG                                  | 5         | PA                         |
| GOMEKLI ORAL CAPSULE 1 MG, 2 MG                                    | 5         | PA                         |
| GOMEKLI ORAL TABLET SOLUBLE 1 MG                                   | 5         | PA                         |
| IDHIFA ORAL TABLET 100 MG, 50 MG                                   | 5         | PA                         |
| IWILFIN ORAL TABLET 192 MG                                         | 5         | PA                         |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                      | 4         | PA                         |
| KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 5         | PA                         |

| <b>Name of Drug</b>                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 5                | PA                         |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 5                | PA                         |
| KRAZATI ORAL TABLET 200 MG                                         | 5                | PA                         |
| LAZCLUZE ORAL TABLET 240 MG, 80 MG                                 | 5                | PA                         |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG                         | 5                | PA                         |
| LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG                        | 5                | PA                         |
| LYSODREN ORAL TABLET 500 MG                                        | 5                |                            |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                            | 5                | PA                         |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                         | 5                | PA                         |
| OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600-10000 MG-UT/5ML           | 5                | PA                         |
| ORSERDU ORAL TABLET 345 MG, 86 MG                                  | 5                | PA                         |
| REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG                         | 5                | PA                         |
| REZLIDHIA ORAL CAPSULE 150 MG                                      | 5                | PA                         |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG                          | 5                | PA; QL (8 EA per 28 days)  |
| RYLAZE INTRAMUSCULAR SOLUTION 10 MG/0.5ML                          | 5                | PA                         |
| TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1875-30000 MG-UT/15ML      | 5                | PA                         |
| TIBSOVO ORAL TABLET 250 MG                                         | 5                | PA                         |
| TICE BCG INTRAVESICAL SUSPENSION RECONSTITUTED 50 MG               | 3                |                            |
| VORANIGO ORAL TABLET 10 MG, 40 MG                                  | 5                | PA                         |
| WELIREG ORAL TABLET 40 MG                                          | 5                | PA                         |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                     | 4                | PA                         |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG         | 5                | PA                         |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG, 40 MG   | 5                | PA                         |

| Name of Drug                                               | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------|---------------------|
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 5         | PA                  |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG  | 5         | PA                  |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 5         | PA                  |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG  | 5         | PA                  |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 5         | PA                  |
| ZOLINZA ORAL CAPSULE 100 MG                                | 5         | PA                  |
| <b>Aromatase Inhibitors, 3Rd Generation</b>                |           |                     |
| <i>anastrozole oral tablet 1 mg</i>                        | 1         |                     |
| <i>exemestane oral tablet 25 mg</i>                        | 2         |                     |
| <i>letrozole oral tablet 2.5 mg</i>                        | 1         |                     |
| <b>Molecular Target Inhibitors</b>                         |           |                     |
| ALECENSA ORAL CAPSULE 150 MG                               | 5         | PA                  |
| ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG                  | 5         | PA                  |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG              | 5         | PA                  |
| AUGTYRO ORAL CAPSULE 160 MG, 40 MG                         | 5         | PA                  |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG   | 5         | PA                  |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG                      | 5         | PA                  |
| BOSULIF ORAL CAPSULE 100 MG, 50 MG                         | 5         | PA                  |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG                 | 5         | PA                  |
| BRAFTOVI ORAL CAPSULE 75 MG                                | 5         | PA                  |
| BRUKINSA ORAL CAPSULE 80 MG                                | 5         | PA                  |
| BRUKINSA ORAL TABLET 160 MG                                | 5         | PA                  |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG                  | 5         | PA                  |
| CALQUENCE ORAL TABLET 100 MG                               | 5         | PA                  |
| CAPRELSA ORAL TABLET 100 MG, 300 MG                        | 5         | PA                  |

| <b>Name of Drug</b>                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------|------------------|----------------------------|
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG                        | 5                | PA                         |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG                 | 5                | PA                         |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG                              | 5                | PA                         |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                      | 5                | PA                         |
| COTELLIC ORAL TABLET 20 MG                                              | 5                | PA                         |
| <i>dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg</i> | 5                | PA                         |
| DAURISMO ORAL TABLET 100 MG, 25 MG                                      | 5                | PA                         |
| ERIVEDGE ORAL CAPSULE 150 MG                                            | 5                | PA                         |
| <i>erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg</i>                  | 5                | PA                         |
| <i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>               | 5                | PA                         |
| <i>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</i>                  | 5                | PA                         |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                   | 5                | PA                         |
| FRUZAQLA ORAL CAPSULE 1 MG, 5 MG                                        | 5                | PA                         |
| GAVRETO ORAL CAPSULE 100 MG                                             | 5                | PA                         |
| <i>gefitinib oral tablet 250 mg</i>                                     | 5                | PA                         |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                                | 5                | PA                         |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                              | 5                | PA                         |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                               | 5                | PA                         |
| IBTROZI ORAL CAPSULE 200 MG                                             | 5                | PA                         |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG                          | 5                | PA                         |
| <i>imatinib mesylate oral tablet 100 mg, 400 mg</i>                     | 2                | PA                         |
| IMBRUVICA ORAL CAPSULE 140 MG, 70 MG                                    | 5                | PA                         |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                      | 5                | PA                         |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG                            | 5                | PA                         |
| <i>imkeldi oral solution 80 mg/ml</i>                                   | 5                | PA                         |
| INLYTA ORAL TABLET 1 MG, 5 MG                                           | 5                | PA                         |

| Name of Drug                                                          | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|-----------|---------------------|
| INREBIC ORAL CAPSULE 100 MG                                           | 5         | PA                  |
| ITOVEBI ORAL TABLET 3 MG, 9 MG                                        | 5         | PA                  |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                   | 5         | PA                  |
| JAYPIRCA ORAL TABLET 100 MG, 50 MG                                    | 5         | PA                  |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                 | 5         | PA                  |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                 | 5         | PA                  |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                 | 5         | PA                  |
| KOSELUGO ORAL CAPSULE 10 MG, 25 MG                                    | 5         | PA                  |
| <i>lapatinib ditosylate oral tablet 250 mg</i>                        | 5         | PA                  |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG            | 5         | PA                  |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG         | 5         | PA                  |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG        | 5         | PA                  |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | 5         | PA                  |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG        | 5         | PA                  |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | 5         | PA                  |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG              | 5         | PA                  |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG          | 5         | PA                  |
| LORBRENA ORAL TABLET 100 MG, 25 MG                                    | 5         | PA                  |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                   | 5         | PA                  |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG              | 5         | PA                  |
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG              | 5         | PA                  |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG              | 5         | PA                  |

| <b>Name of Drug</b>                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|
| MEKINIST ORAL SOLUTION<br>RECONSTITUTED 0.05 MG/ML                 | 5                | PA                         |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG                                  | 5                | PA                         |
| MEKTOVI ORAL TABLET 15 MG                                          | 5                | PA                         |
| NERLYNX ORAL TABLET 40 MG                                          | 5                | PA                         |
| <i>nilotinib d-tartrate oral capsule 150 mg, 200 mg,<br/>50 mg</i> | 5                | PA                         |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg, 50 mg</i>            | 5                | PA                         |
| ODOMZO ORAL CAPSULE 200 MG                                         | 5                | PA                         |
| OGSIVEO ORAL TABLET 100 MG, 150 MG,<br>50 MG                       | 5                | PA                         |
| OJEMDA ORAL SUSPENSION<br>RECONSTITUTED 25 MG/ML                   | 5                | PA                         |
| OJEMDA ORAL TABLET 100 MG, 100 MG (16<br>PACK), 100 MG (24 PACK)   | 5                | PA                         |
| <i>pazopanib hcl oral tablet 200 mg</i>                            | 5                | PA                         |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG,<br>9 MG                      | 5                | PA                         |
| PIQRAY (200 MG DAILY DOSE) ORAL<br>TABLET THERAPY PACK 200 MG      | 5                | PA                         |
| PIQRAY (250 MG DAILY DOSE) ORAL<br>TABLET THERAPY PACK 200 & 50 MG | 5                | PA                         |
| PIQRAY (300 MG DAILY DOSE) ORAL<br>TABLET THERAPY PACK 2 X 150 MG  | 5                | PA                         |
| QINLOCK ORAL TABLET 50 MG                                          | 5                | PA                         |
| RETEVMO ORAL CAPSULE 40 MG, 80 MG                                  | 5                | PA                         |
| RETEVMO ORAL TABLET 120 MG, 160 MG,<br>40 MG, 80 MG                | 5                | PA                         |
| ROZLYTREK ORAL CAPSULE 100 MG, 200<br>MG                           | 5                | PA                         |
| ROZLYTREK ORAL PACKET 50 MG                                        | 5                | PA                         |
| RUBRACA ORAL TABLET 200 MG, 250 MG,<br>300 MG                      | 5                | PA                         |
| RYDAPT ORAL CAPSULE 25 MG                                          | 5                | PA                         |
| SCSEMBLIX ORAL TABLET 100 MG, 20 MG,<br>40 MG                      | 5                | PA                         |
| <i>sorafenib tosylate oral tablet 200 mg</i>                       | 5                | PA                         |
| STIVARGA ORAL TABLET 40 MG                                         | 5                | PA                         |

| <b>Name of Drug</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------|------------------|----------------------------|
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>   | 5                | PA                         |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                   | 5                | PA                         |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                    | 5                | PA                         |
| TAFINLAR ORAL TABLET SOLUBLE 10 MG                                    | 5                | PA                         |
| TAGRISSE ORAL TABLET 40 MG, 80 MG                                     | 5                | PA                         |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 5                | PA                         |
| TAZVERIK ORAL TABLET 200 MG                                           | 5                | PA                         |
| TEPMETKO ORAL TABLET 225 MG                                           | 5                | PA                         |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                     | 5                | PA                         |
| TRUQAP ORAL TABLET THERAPY PACK 160 MG, 200 MG                        | 5                | PA                         |
| TUKYSA ORAL TABLET 150 MG, 50 MG                                      | 5                | PA                         |
| TURALIO ORAL CAPSULE 125 MG                                           | 5                | PA                         |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                 | 5                | PA                         |
| VENCLEXTA ORAL TABLET 10 MG                                           | 4                | PA                         |
| VENCLEXTA ORAL TABLET 100 MG, 50 MG                                   | 5                | PA                         |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG     | 5                | PA                         |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                    | 5                | PA                         |
| VIJOICE ORAL PACKET 50 MG                                             | 5                | PA                         |
| VIJOICE ORAL TABLET THERAPY PACK 125 MG, 200 & 50 MG, 50 MG           | 5                | PA                         |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG                                   | 5                | PA                         |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                       | 5                | PA                         |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                              | 5                | PA                         |
| VONJO ORAL CAPSULE 100 MG                                             | 5                | PA                         |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                                   | 5                | PA                         |
| XALKORI ORAL CAPSULE SPRINKLE 150 MG, 20 MG, 50 MG                    | 5                | PA                         |
| XOSPATA ORAL TABLET 40 MG                                             | 5                | PA                         |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                             | 5                | PA                         |

| Name of Drug                                                                 | Drug Tier | Requirements/Limits        |
|------------------------------------------------------------------------------|-----------|----------------------------|
| ZELBORAF ORAL TABLET 240 MG                                                  | 5         | PA                         |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                           | 5         | PA                         |
| ZYKADIA ORAL TABLET 150 MG                                                   | 5         | PA                         |
| <b>Retinoids</b>                                                             |           |                            |
| <i>bexarotene external gel 1 %</i>                                           | 5         | PA                         |
| <i>bexarotene oral capsule 75 mg</i>                                         | 5         | PA                         |
| PANRETIN EXTERNAL GEL 0.1 %                                                  | 5         | PA                         |
| <i>tretinoin oral capsule 10 mg</i>                                          | 5         | PA                         |
| <b>Treatment Adjuncts</b>                                                    |           |                            |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>              | 2         |                            |
| <i>mesna oral tablet 400 mg</i>                                              | 2         |                            |
| MESNEX ORAL TABLET 400 MG                                                    | 4         |                            |
| <b>Antiparasitics - Treatment Of Infections From Parasites</b>               |           |                            |
| <b>Anthelmintics</b>                                                         |           |                            |
| <i>albendazole oral tablet 200 mg</i>                                        | 2         |                            |
| <i>ivermectin oral tablet 3 mg</i>                                           | 1         |                            |
| <i>praziquantel oral tablet 600 mg</i>                                       | 2         |                            |
| <b>Antiprotozoals</b>                                                        |           |                            |
| <i>atovaquone oral suspension 750 mg/5ml</i>                                 | 2         |                            |
| <i>atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg</i>           | 2         |                            |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                      | 2         |                            |
| COARTEM ORAL TABLET 20-120 MG                                                | 4         |                            |
| <i>hydroxychloroquine sulfate oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i> | 1         |                            |
| IMPAVIDO ORAL CAPSULE 50 MG                                                  | 5         | PA; QL (84 EA per 28 days) |
| <i>mefloquine hcl oral tablet 250 mg</i>                                     | 2         |                            |
| <i>nitazoxanide oral tablet 500 mg</i>                                       | 4         |                            |
| <i>pentamidine isethionate inhalation solution reconstituted 300 mg</i>      | 2         | B/D                        |
| <i>pentamidine isethionate injection solution reconstituted 300 mg</i>       | 4         | PA                         |

| Name of Drug                                                                                                                                      | Drug Tier | Requirements/Limits    |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------|
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i>                                                                                         | 2         |                        |
| <i>pyrimethamine oral tablet 25 mg</i>                                                                                                            | 5         | QL (90 EA per 30 days) |
| <i>quinine sulfate oral capsule 324 mg</i>                                                                                                        | 2         |                        |
| <b>Antiparkinson Agents - Treatment Of Parkinson's Disease</b>                                                                                    |           |                        |
| <b>Anticholinergics</b>                                                                                                                           |           |                        |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                        | 1         | PA                     |
| <i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>                                                                                                | 2         | PA                     |
| <i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>                                                                                                 | 1         | PA                     |
| <b>Antiparkinson Agents, Other</b>                                                                                                                |           |                        |
| <i>amantadine hcl oral capsule 100 mg</i>                                                                                                         | 1         |                        |
| <i>amantadine hcl oral solution 50 mg/5ml</i>                                                                                                     | 1         |                        |
| <i>amantadine hcl oral tablet 100 mg</i>                                                                                                          | 1         |                        |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 2         |                        |
| <i>entacapone oral tablet 200 mg</i>                                                                                                              | 2         |                        |
| GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 137 MG, 68.5 MG                                                                                     | 5         | PA                     |
| ONGENTYS ORAL CAPSULE 25 MG, 50 MG                                                                                                                | 4         | ST                     |
| <b>Dopamine Agonists</b>                                                                                                                          |           |                        |
| <i>apomorphine hcl subcutaneous solution cartridge 30 mg/3ml</i>                                                                                  | 5         | PA                     |
| <i>bromocriptine mesylate oral capsule 5 mg</i>                                                                                                   | 2         |                        |
| <i>bromocriptine mesylate oral tablet 2.5 mg</i>                                                                                                  | 2         |                        |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR                                                 | 4         |                        |
| <i>pramipexole dihydrochloride er oral tablet extended release 24 hour 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i>              | 2         |                        |
| <i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>                                                   | 1         |                        |

| Name of Drug                                                                                           | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>ropinirole hcl er oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>            | 2         |                     |
| <i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>                        | 1         |                     |
| <b>Dopamine Precursors And/Or L-Amino Acid Decarboxylase Inhibitors</b>                                |           |                     |
| <i>carbidopa oral tablet 25 mg</i>                                                                     | 2         |                     |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>                         | 1         |                     |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>                                  | 1         |                     |
| <i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i>                      | 1         |                     |
| <b>Monoamine Oxidase B (Mao-B) Inhibitors</b>                                                          |           |                     |
| <i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i>                                                    | 2         |                     |
| <i>selegiline hcl oral capsule 5 mg</i>                                                                | 2         |                     |
| <i>selegiline hcl oral tablet 5 mg</i>                                                                 | 2         |                     |
| <b>Antipsychotics - Treatment Of Behavioral And Emotional Disorders</b>                                |           |                     |
| <b>1St Generation/Typical</b>                                                                          |           |                     |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>                                              | 2         |                     |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>                                                   | 4         |                     |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>                                                       | 2         |                     |
| <i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>                                                         | 2         |                     |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>                                          | 2         |                     |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml, 50 mg/ml(1ml)</i> | 2         |                     |
| <i>haloperidol lactate injection solution 5 mg/ml</i>                                                  | 2         |                     |
| <i>haloperidol lactate oral concentrate 10 mg/5ml, 2 mg/ml</i>                                         | 1         |                     |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                  | 1         |                     |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                                       | 2         |                     |

| Name of Drug                                                              | Drug Tier | Requirements/Limits          |
|---------------------------------------------------------------------------|-----------|------------------------------|
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>                       | 4         |                              |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                    | 2         |                              |
| <i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>           | 2         |                              |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                   | 2         |                              |
| <i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>            | 2         |                              |
| <b>2Nd Generation/Atypical</b>                                            |           |                              |
| ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 720 MG/2.4ML            | 3         | QL (2.4 ML per 56 days)      |
| ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 960 MG/3.2ML            | 3         | QL (3.2 ML per 56 days)      |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG           | 3         | QL (1 EA per 28 days)        |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG | 3         | QL (1 EA per 28 days)        |
| <i>aripiprazole oral solution 1 mg/ml</i>                                 | 2         | QL (900 ML per 30 days)      |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>    | 2         | QL (30 EA per 30 days)       |
| <i>aripiprazole oral tablet dispersible 10 mg, 15 mg</i>                  | 4         | QL (60 EA per 30 days)       |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML              | 5         | PA                           |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML                    | 5         | PA; QL (3.9 ML per 56 days)  |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 441 MG/1.6ML                     | 5         | PA; QL (1.6 ML per 28 days)  |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 662 MG/2.4ML                     | 5         | PA; QL (2.4 ML per 28 days)  |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 882 MG/3.2ML                     | 5         | PA; QL (3.2 ML per 28 days)  |
| <i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i> | 2         | QL (60 EA per 30 days)       |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG                                | 5         | PA                           |
| ERZOFRI INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML          | 5         | PA; QL (0.75 ML per 28 days) |
| ERZOFRI INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 156 MG/ML              | 5         | PA; QL (1 ML per 28 days)    |

| <b>Name of Drug</b>                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--------------------------------------------------------------------------------|------------------|------------------------------|
| ERZOFRI INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 234 MG/1.5ML             | 5                | PA; QL (1.5 ML per 28 days)  |
| ERZOFRI INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 351 MG/2.25ML            | 5                | PA; QL (2.25 ML per 28 days) |
| ERZOFRI INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 39 MG/0.25ML             | 4                | PA; QL (0.25 ML per 28 days) |
| ERZOFRI INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 78 MG/0.5ML              | 5                | PA; QL (0.5 ML per 28 days)  |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12<br>MG, 2 MG, 4 MG, 6 MG, 8 MG               | 5                | PA; QL (60 EA per 30 days)   |
| FANAPT TITRATION PACK A ORAL<br>TABLET 1 & 2 & 4 & 6 MG                        | 4                | PA                           |
| FANAPT TITRATION PACK B ORAL<br>TABLET 1 & 2 & 6 & 8 MG                        | 4                | PA                           |
| FANAPT TITRATION PACK C ORAL<br>TABLET 1 & 2 & 6 MG                            | 4                | PA                           |
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 117<br>MG/0.75ML | 5                | PA; QL (0.75 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 156<br>MG/ML     | 5                | PA; QL (1 ML per 28 days)    |
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 234<br>MG/1.5ML  | 5                | PA; QL (1.5 ML per 28 days)  |
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 39<br>MG/0.25ML  | 4                | PA; QL (0.25 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 78<br>MG/0.5ML   | 5                | PA; QL (0.5 ML per 28 days)  |
| INVEGA TRINZA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 273<br>MG/0.88ML   | 5                | PA; QL (0.88 ML per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 410<br>MG/1.32ML   | 5                | PA; QL (1.32 ML per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 546<br>MG/1.75ML   | 5                | PA; QL (1.75 ML per 84 days) |

| Name of Drug                                                                                                | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 819 MG/2.63ML                                      | 5         | PA; QL (2.63 ML per 84 days) |
| <i>lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>                                               | 2         | QL (30 EA per 30 days)       |
| <i>lurasidone hcl oral tablet 80 mg</i>                                                                     | 2         | QL (60 EA per 30 days)       |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG                                                   | 5         | PA                           |
| NUPLAZID ORAL CAPSULE 34 MG                                                                                 | 5         | PA; QL (30 EA per 30 days)   |
| NUPLAZID ORAL TABLET 10 MG                                                                                  | 5         | PA; QL (30 EA per 30 days)   |
| <i>olanzapine intramuscular solution reconstituted 10 mg</i>                                                | 4         | QL (90 EA per 30 days)       |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>                                     | 1         | QL (30 EA per 30 days)       |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>                                         | 2         | QL (30 EA per 30 days)       |
| OPIPZA ORAL FILM 10 MG, 5 MG                                                                                | 5         | PA; QL (90 EA per 30 days)   |
| OPIPZA ORAL FILM 2 MG                                                                                       | 5         | PA; QL (30 EA per 30 days)   |
| <i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i>                              | 2         | QL (30 EA per 30 days)       |
| <i>paliperidone er oral tablet extended release 24 hour 6 mg</i>                                            | 2         | QL (60 EA per 30 days)       |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG                                                       | 5         | PA; QL (1 EA per 28 days)    |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg</i>                           | 2         | QL (30 EA per 30 days)       |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 300 mg, 400 mg, 50 mg</i>                    | 2         | QL (60 EA per 30 days)       |
| <i>quetiapine fumarate oral tablet 100 mg, 150 mg, 200 mg, 300 mg, 400 mg</i>                               | 1         | QL (60 EA per 30 days)       |
| <i>quetiapine fumarate oral tablet 25 mg, 50 mg</i>                                                         | 1         | QL (90 EA per 30 days)       |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                                 | 5         | PA; QL (30 EA per 30 days)   |
| <i>risperidone microspheres er intramuscular suspension reconstituted er 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 2         | QL (2 EA per 28 days)        |
| <i>risperidone oral solution 1 mg/ml</i>                                                                    | 2         | QL (480 ML per 30 days)      |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                                                  | 1         | QL (60 EA per 30 days)       |

| Name of Drug                                                                                                                                         | Drug Tier | Requirements/Limits        |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>risperidone oral tablet 3 mg, 4 mg</i>                                                                                                            | 1         | QL (120 EA per 30 days)    |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                                                                               | 2         | QL (60 EA per 30 days)     |
| <i>risperidone oral tablet dispersible 3 mg, 4 mg</i>                                                                                                | 2         | QL (120 EA per 30 days)    |
| RYKINDO INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 25 MG, 37.5 MG, 50 MG                                                                              | 5         | PA                         |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR                                                                              | 5         | PA; QL (30 EA per 30 days) |
| UZEDY SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 100 MG/0.28ML, 125 MG/0.35ML, 150 MG/0.42ML, 200 MG/0.56ML, 250 MG/0.7ML, 50 MG/0.14ML, 75 MG/0.21ML | 5         | PA                         |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG                                                                                                      | 5         | PA; QL (30 EA per 30 days) |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>                                                                                       | 2         | QL (60 EA per 30 days)     |
| <i>ziprasidone mesylate intramuscular solution reconstituted 20 mg</i>                                                                               | 2         | QL (6 EA per 3 days)       |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG                                                                                       | 4         | PA; QL (2 EA per 28 days)  |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 300 MG                                                                                       | 5         | PA; QL (2 EA per 28 days)  |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 405 MG                                                                                       | 5         | PA; QL (1 EA per 28 days)  |
| <b>Treatment-Resistant</b>                                                                                                                           |           |                            |
| <i>clozapine oral tablet 100 mg</i>                                                                                                                  | 2         | QL (270 EA per 30 days)    |
| <i>clozapine oral tablet 200 mg</i>                                                                                                                  | 2         | QL (120 EA per 30 days)    |
| <i>clozapine oral tablet 25 mg, 50 mg</i>                                                                                                            | 2         | QL (90 EA per 30 days)     |
| <i>clozapine oral tablet dispersible 100 mg</i>                                                                                                      | 2         | QL (270 EA per 30 days)    |
| <i>clozapine oral tablet dispersible 12.5 mg</i>                                                                                                     | 2         |                            |
| <i>clozapine oral tablet dispersible 150 mg</i>                                                                                                      | 2         | QL (180 EA per 30 days)    |
| <i>clozapine oral tablet dispersible 200 mg</i>                                                                                                      | 2         | QL (120 EA per 30 days)    |
| <i>clozapine oral tablet dispersible 25 mg</i>                                                                                                       | 2         | QL (90 EA per 30 days)     |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML                                                                                                                   | 4         | QL (540 ML per 30 days)    |

| Name of Drug                                                   | Drug Tier | Requirements/Limits     |
|----------------------------------------------------------------|-----------|-------------------------|
| <b>Antispasticity Agents - Treatment Of Muscle Spasms</b>      |           |                         |
| <b>Antispasticity Agents</b>                                   |           |                         |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>                 | 1         |                         |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg</i>     | 2         |                         |
| <i>tizanidine hcl oral tablet 2 mg, 4 mg</i>                   | 1         |                         |
| <b>Antivirals - Treatment Of Infections By Viruses</b>         |           |                         |
| <b>Anti-Cytomegalovirus (Cmv) Agents</b>                       |           |                         |
| LIVTENCITY ORAL TABLET 200 MG                                  | 5         | PA                      |
| PREVYMIS ORAL PACKET 120 MG, 20 MG                             | 5         | PA                      |
| PREVYMIS ORAL TABLET 240 MG, 480 MG                            | 5         | PA                      |
| <i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i> | 5         |                         |
| <i>valganciclovir hcl oral tablet 450 mg</i>                   | 2         |                         |
| <b>Anti-Hepatitis B (Hbv) Agents</b>                           |           |                         |
| <i>adefovir dipivoxil oral tablet 10 mg</i>                    | 4         | QL (30 EA per 30 days)  |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML                             | 4         |                         |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i>                      | 2         |                         |
| <i>lamivudine oral solution 10 mg/ml, 300 mg/30ml</i>          | 2         | QL (960 ML per 30 days) |
| <i>lamivudine oral tablet 100 mg, 300 mg</i>                   | 2         | QL (30 EA per 30 days)  |
| <i>lamivudine oral tablet 150 mg</i>                           | 2         | QL (60 EA per 30 days)  |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i>        | 2         | QL (30 EA per 30 days)  |
| VEMLIDY ORAL TABLET 25 MG                                      | 5         | PA                      |
| VIREAD ORAL POWDER 40 MG/GM                                    | 5         | QL (240 GM per 30 days) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                      | 5         | QL (30 EA per 30 days)  |
| <b>Anti-Hepatitis C (Hcv) Agents</b>                           |           |                         |
| MAVYRET ORAL PACKET 50-20 MG                                   | 5         | PA                      |
| MAVYRET ORAL TABLET 100-40 MG                                  | 5         | PA                      |
| <i>ribavirin oral capsule 200 mg</i>                           | 2         |                         |
| <i>ribavirin oral tablet 200 mg</i>                            | 2         |                         |
| <i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>           | 5         | PA                      |
| VOSEVI ORAL TABLET 400-100-100 MG                              | 5         | PA                      |

| Name of Drug                                                                    | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------------------------------|-----------|--------------------------|
| <b>Antitherpetic Agents</b>                                                     |           |                          |
| <i>acyclovir oral capsule 200 mg</i>                                            | 1         |                          |
| <i>acyclovir oral suspension 200 mg/5ml</i>                                     | 1         |                          |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                                     | 1         |                          |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>                           | 2         | B/D                      |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                           | 2         |                          |
| <i>trifluridine ophthalmic solution 1 %</i>                                     | 2         |                          |
| <i>valacyclovir hcl oral tablet 1 gm, 500 mg</i>                                | 2         |                          |
| <b>Anti-Hiv Agents, Integrase Inhibitors (Insti)</b>                            |           |                          |
| ISENTRESS HD ORAL TABLET 600 MG                                                 | 5         | QL (60 EA per 30 days)   |
| ISENTRESS ORAL PACKET 100 MG                                                    | 4         | QL (60 EA per 30 days)   |
| ISENTRESS ORAL TABLET 400 MG                                                    | 5         | QL (120 EA per 30 days)  |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG, 25 MG                                    | 4         | QL (180 EA per 30 days)  |
| TIVICAY ORAL TABLET 10 MG                                                       | 4         | QL (120 EA per 30 days)  |
| TIVICAY ORAL TABLET 25 MG                                                       | 5         | QL (30 EA per 30 days)   |
| TIVICAY ORAL TABLET 50 MG                                                       | 5         | QL (60 EA per 30 days)   |
| TIVICAY PD ORAL TABLET SOLUBLE 5 MG                                             | 4         | QL (180 EA per 30 days)  |
| VOCABRIA ORAL TABLET 30 MG                                                      | 4         | QL (30 EA per 30 days)   |
| <b>Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti)</b> |           |                          |
| EDURANT ORAL TABLET 25 MG                                                       | 5         | QL (30 EA per 30 days)   |
| EDURANT PED ORAL TABLET SOLUBLE 2.5 MG                                          | 4         | QL (180 EA per 30 days)  |
| <i>efavirenz oral tablet 600 mg</i>                                             | 2         | QL (30 EA per 30 days)   |
| <i>etravirine oral tablet 100 mg</i>                                            | 2         | QL (120 EA per 30 days)  |
| <i>etravirine oral tablet 200 mg</i>                                            | 5         | QL (60 EA per 30 days)   |
| INTELENCE ORAL TABLET 25 MG                                                     | 4         | QL (120 EA per 30 days)  |
| <i>nevirapine er oral tablet extended release 24 hour 400 mg</i>                | 2         | QL (30 EA per 30 days)   |
| <i>nevirapine oral suspension 50 mg/5ml</i>                                     | 2         | QL (1200 ML per 30 days) |
| <i>nevirapine oral tablet 200 mg</i>                                            | 1         | QL (60 EA per 30 days)   |
| PIFELTRO ORAL TABLET 100 MG                                                     | 5         | QL (30 EA per 30 days)   |

| Name of Drug                                                                                 | Drug Tier | Requirements/Limits      |
|----------------------------------------------------------------------------------------------|-----------|--------------------------|
| <b>Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti)</b>    |           |                          |
| <i>abacavir sulfate oral solution 20 mg/ml</i>                                               | 2         | QL (960 ML per 30 days)  |
| <i>abacavir sulfate oral tablet 300 mg</i>                                                   | 2         | QL (60 EA per 30 days)   |
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>                                    | 2         | QL (30 EA per 30 days)   |
| CIMDUO ORAL TABLET 300-300 MG                                                                | 5         | QL (30 EA per 30 days)   |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG                                                     | 5         | QL (30 EA per 30 days)   |
| <i>emtricitabine oral capsule 200 mg</i>                                                     | 2         | QL (30 EA per 30 days)   |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> | 2         | QL (30 EA per 30 days)   |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                                               | 4         |                          |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                                          | 2         | QL (60 EA per 30 days)   |
| <i>zidovudine oral capsule 100 mg</i>                                                        | 2         | QL (180 EA per 30 days)  |
| <i>zidovudine oral syrup 50 mg/5ml</i>                                                       | 2         | QL (1920 ML per 30 days) |
| <i>zidovudine oral tablet 300 mg</i>                                                         | 2         | QL (60 EA per 30 days)   |
| <b>Anti-Hiv Agents, Other</b>                                                                |           |                          |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                                              | 5         | QL (30 EA per 30 days)   |
| DELSTRIGO ORAL TABLET 100-300-300 MG                                                         | 5         | QL (30 EA per 30 days)   |
| DOVATO ORAL TABLET 50-300 MG                                                                 | 5         | QL (30 EA per 30 days)   |
| <i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</i>                             | 2         | QL (30 EA per 30 days)   |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i>             | 5         | QL (30 EA per 30 days)   |
| <i>emtricitab-rilpivir-tenofovf df oral tablet 200-25-300 mg</i>                             | 5         | QL (30 EA per 30 days)   |
| EVOTAZ ORAL TABLET 300-150 MG                                                                | 5         | QL (30 EA per 30 days)   |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG                                             | 5         |                          |
| GENVOYA ORAL TABLET 150-150-200-10 MG                                                        | 5         | QL (30 EA per 30 days)   |
| JULUCA ORAL TABLET 50-25 MG                                                                  | 5         | QL (30 EA per 30 days)   |
| <i>maraviroc oral tablet 150 mg</i>                                                          | 5         | QL (60 EA per 30 days)   |
| <i>maraviroc oral tablet 300 mg</i>                                                          | 5         | QL (120 EA per 30 days)  |

| Name of Drug                                            | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------|-----------|--------------------------|
| ODEFSEY ORAL TABLET 200-25-25 MG                        | 5         | QL (30 EA per 30 days)   |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG            | 5         | QL (30 EA per 30 days)   |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG     | 5         | QL (60 EA per 30 days)   |
| SELZENTRY ORAL SOLUTION 20 MG/ML                        | 3         | QL (1840 ML per 30 days) |
| SELZENTRY ORAL TABLET 25 MG                             | 3         | QL (240 EA per 30 days)  |
| SELZENTRY ORAL TABLET 75 MG                             | 3         | QL (120 EA per 30 days)  |
| STRIBILD ORAL TABLET 150-150-200-300 MG                 | 5         | QL (30 EA per 30 days)   |
| SUNLENCA ORAL TABLET 300 MG                             | 5         | QL (10 EA per 365 days)  |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG            | 5         | QL (8 EA per 365 days)   |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG            | 5         | QL (10 EA per 365 days)  |
| SUNLENCA SUBCUTANEOUS SOLUTION 463.5 MG/1.5ML           | 5         | QL (6 ML per 365 days)   |
| SYMTUZA ORAL TABLET 800-150-200-10 MG                   | 5         | QL (30 EA per 30 days)   |
| TRIUMEQ ORAL TABLET 600-50-300 MG                       | 5         | QL (30 EA per 30 days)   |
| <i>triumeq pd oral tablet soluble 60-5-30 mg</i>        | 2         | QL (180 EA per 30 days)  |
| TYBOST ORAL TABLET 150 MG                               | 3         | QL (30 EA per 30 days)   |
| <b>Anti-Hiv Agents, Protease Inhibitors (Pi)</b>        |           |                          |
| APTIVUS ORAL CAPSULE 250 MG                             | 5         | QL (120 EA per 30 days)  |
| <i>atazanavir sulfate oral capsule 150 mg, 300 mg</i>   | 2         | QL (30 EA per 30 days)   |
| <i>atazanavir sulfate oral capsule 200 mg</i>           | 2         | QL (60 EA per 30 days)   |
| <i>darunavir oral tablet 600 mg</i>                     | 2         | QL (60 EA per 30 days)   |
| <i>darunavir oral tablet 800 mg</i>                     | 2         | QL (30 EA per 30 days)   |
| <i>fosamprenavir calcium oral tablet 700 mg</i>         | 5         | QL (120 EA per 30 days)  |
| KALETRA ORAL SOLUTION 400-100 MG/5ML                    | 4         | QL (390 ML per 30 days)  |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i> | 2         | QL (390 ML per 30 days)  |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i>        | 2         | QL (300 EA per 30 days)  |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i>        | 2         | QL (120 EA per 30 days)  |
| NORVIR ORAL PACKET 100 MG                               | 4         | QL (360 EA per 30 days)  |
| PREZISTA ORAL SUSPENSION 100 MG/ML                      | 5         | QL (400 ML per 30 days)  |

| Name of Drug                                                                 | Drug Tier | Requirements/Limits      |
|------------------------------------------------------------------------------|-----------|--------------------------|
| PREZISTA ORAL TABLET 150 MG                                                  | 4         | QL (180 EA per 30 days)  |
| PREZISTA ORAL TABLET 75 MG                                                   | 4         | QL (300 EA per 30 days)  |
| REYATAZ ORAL PACKET 50 MG                                                    | 4         |                          |
| <i>ritonavir oral tablet 100 mg</i>                                          | 2         | QL (360 EA per 30 days)  |
| VIRACEPT ORAL TABLET 250 MG                                                  | 5         | QL (300 EA per 30 days)  |
| VIRACEPT ORAL TABLET 625 MG                                                  | 5         | QL (120 EA per 30 days)  |
| <b>Anti-Influenza Agents</b>                                                 |           |                          |
| <i>oseltamivir phosphate oral capsule 30 mg</i>                              | 2         | QL (84 EA per 180 days)  |
| <i>oseltamivir phosphate oral capsule 45 mg, 75 mg</i>                       | 2         | QL (42 EA per 180 days)  |
| <i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i>           | 2         | QL (540 ML per 180 days) |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT        | 4         | QL (60 EA per 180 days)  |
| <i>rimantadine hcl oral tablet 100 mg</i>                                    | 2         |                          |
| <b>Antiviral, Coronavirus Agents</b>                                         |           |                          |
| PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG         | 1         | QL (20 EA per 5 days)    |
| PAXLOVID (300/100 & 150/100) ORAL TABLET THERAPY PACK 6 X 150 MG & 5 X 100MG | 1         | QL (11 EA per 5 days)    |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG         | 1         | QL (30 EA per 5 days)    |
| <b>Antivirals</b>                                                            |           |                          |
| LAGEVRIO ORAL CAPSULE 200 MG                                                 | 1         | QL (40 EA per 5 days)    |
| <b>Anxiolytics - Treatment Of Anxiety Or Nervousness</b>                     |           |                          |
| <b>Anxiolytics, Other</b>                                                    |           |                          |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>           | 1         |                          |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>                 | 2         |                          |
| <b>Benzodiazepines</b>                                                       |           |                          |
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML                                 | 2         | QL (300 ML per 30 days)  |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>                          | 2         | QL (120 EA per 30 days)  |

| Name of Drug                                                              | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------------------------|-----------|--------------------------|
| <i>alprazolam oral tablet 2 mg</i>                                        | 2         | QL (150 EA per 30 days)  |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i>                                | 2         | QL (90 EA per 30 days)   |
| <i>clonazepam oral tablet 2 mg</i>                                        | 2         | QL (300 EA per 30 days)  |
| <i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2         | QL (90 EA per 30 days)   |
| <i>clonazepam oral tablet dispersible 2 mg</i>                            | 2         | QL (300 EA per 30 days)  |
| <i>clorazepate dipotassium oral tablet 15 mg</i>                          | 2         | QL (180 EA per 30 days)  |
| <i>clorazepate dipotassium oral tablet 3.75 mg, 7.5 mg</i>                | 2         | QL (90 EA per 30 days)   |
| DIAZEPAM INTENSOL ORAL CONCENTRATE 5 MG/ML                                | 2         | QL (240 ML per 30 days)  |
| <i>diazepam oral concentrate 5 mg/ml</i>                                  | 2         | QL (240 ML per 30 days)  |
| <i>diazepam oral solution 5 mg/5ml</i>                                    | 2         | QL (1200 ML per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>                             | 2         | QL (120 EA per 30 days)  |
| LORAZEPAM INTENSOL ORAL CONCENTRATE 2 MG/ML                               | 2         | QL (150 ML per 30 days)  |
| <i>lorazepam oral concentrate 2 mg/ml</i>                                 | 2         | QL (150 ML per 30 days)  |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i>                                 | 2         | QL (90 EA per 30 days)   |
| <i>lorazepam oral tablet 2 mg</i>                                         | 2         | QL (150 EA per 30 days)  |

## Bipolar Agents - Treatment For Bipolar Illnesses

### Mood Stabilizers

|                                                                         |   |  |
|-------------------------------------------------------------------------|---|--|
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 300 MG    | 4 |  |
| <i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i> | 2 |  |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>            | 2 |  |
| <i>lithium carbonate oral tablet 300 mg</i>                             | 2 |  |
| <i>lithium oral solution 8 meq/5ml</i>                                  | 2 |  |

## Blood Glucose Regulators - Control Of Diabetes

### Antidiabetic Agents

|                                                  |   |                         |
|--------------------------------------------------|---|-------------------------|
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | QL (90 EA per 30 days)  |
| FARXIGA ORAL TABLET 10 MG, 5 MG                  | 3 | QL (30 EA per 30 days)  |
| <i>glimepiride oral tablet 1 mg</i>              | 1 | QL (240 EA per 30 days) |

| <b>Name of Drug</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|-----------------------------------------------------------------------|------------------|-----------------------------|
| <i>glimepiride oral tablet 2 mg</i>                                   | 1                | QL (120 EA per 30 days)     |
| <i>glimepiride oral tablet 4 mg</i>                                   | 1                | QL (60 EA per 30 days)      |
| <i>glipizide er oral tablet extended release 24 hour 10 mg</i>        | 1                | QL (60 EA per 30 days)      |
| <i>glipizide er oral tablet extended release 24 hour 2.5 mg</i>       | 1                | QL (240 EA per 30 days)     |
| <i>glipizide er oral tablet extended release 24 hour 5 mg</i>         | 1                | QL (120 EA per 30 days)     |
| <i>glipizide oral tablet 10 mg</i>                                    | 1                | QL (120 EA per 30 days)     |
| <i>glipizide oral tablet 2.5 mg</i>                                   | 1                | QL (60 EA per 30 days)      |
| <i>glipizide oral tablet 5 mg</i>                                     | 1                | QL (240 EA per 30 days)     |
| <i>glipizide xl oral tablet extended release 24 hour 10 mg</i>        | 1                | QL (60 EA per 30 days)      |
| <i>glipizide xl oral tablet extended release 24 hour 2.5 mg</i>       | 1                | QL (240 EA per 30 days)     |
| <i>glipizide xl oral tablet extended release 24 hour 5 mg</i>         | 1                | QL (120 EA per 30 days)     |
| <i>glipizide-metformin hcl oral tablet 2.5-250 mg</i>                 | 1                | QL (240 EA per 30 days)     |
| <i>glipizide-metformin hcl oral tablet 2.5-500 mg, 5-500 mg</i>       | 1                | QL (120 EA per 30 days)     |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg</i>                  | 1                | PA; QL (90 EA per 30 days)  |
| <i>glyburide micronized oral tablet 6 mg</i>                          | 1                | PA; QL (60 EA per 30 days)  |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg</i>                          | 1                | PA; QL (60 EA per 30 days)  |
| <i>glyburide oral tablet 5 mg</i>                                     | 1                | PA; QL (120 EA per 30 days) |
| <i>glyburide-metformin oral tablet 1.25-250 mg</i>                    | 2                | PA; QL (240 EA per 30 days) |
| <i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>           | 2                | PA; QL (120 EA per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG                                 | 3                | QL (30 EA per 30 days)      |
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG                             | 3                | QL (60 EA per 30 days)      |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG           | 3                | QL (30 EA per 30 days)      |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG | 3                | QL (60 EA per 30 days)      |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                              | 3                | QL (30 EA per 30 days)      |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                    | 3                | QL (30 EA per 30 days)      |

| Name of Drug                                                                                                                 | Drug Tier | Requirements/Limits        |
|------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG                                                                   | 3         | QL (60 EA per 30 days)     |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG                                                               | 3         | QL (60 EA per 30 days)     |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 5-1000 MG                                                                 | 3         | QL (30 EA per 30 days)     |
| <i>metformin hcl er oral tablet extended release 24 hour 500 mg</i>                                                          | 1         | QL (120 EA per 30 days)    |
| <i>metformin hcl er oral tablet extended release 24 hour 750 mg</i>                                                          | 1         | QL (60 EA per 30 days)     |
| <i>metformin hcl oral tablet 1000 mg</i>                                                                                     | 1         | QL (75 EA per 30 days)     |
| <i>metformin hcl oral tablet 500 mg</i>                                                                                      | 1         | QL (150 EA per 30 days)    |
| <i>metformin hcl oral tablet 850 mg</i>                                                                                      | 1         | QL (90 EA per 30 days)     |
| MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML | 3         | PA; QL (2 ML per 28 days)  |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                                 | 2         | QL (90 EA per 30 days)     |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML                                                    | 3         | PA; QL (3 ML per 28 days)  |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML                                                              | 3         | PA; QL (3 ML per 28 days)  |
| OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML                                                              | 3         | PA; QL (3 ML per 28 days)  |
| <i>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</i>                                                                      | 2         | QL (30 EA per 30 days)     |
| <i>pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg</i>                                                       | 2         | QL (90 EA per 30 days)     |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                                                  | 2         | QL (120 EA per 30 days)    |
| <i>repaglinide oral tablet 2 mg</i>                                                                                          | 2         | QL (240 EA per 30 days)    |
| RYBELSUS (FORMULATION R2) ORAL TABLET 1.5 MG, 4 MG, 9 MG                                                                     | 3         | PA; QL (30 EA per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG                                                                                       | 3         | PA; QL (30 EA per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML                                                              | 5         | PA                         |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML                                                               | 5         | PA                         |

| Name of Drug                                                                                        | Drug Tier | Requirements/Limits       |
|-----------------------------------------------------------------------------------------------------|-----------|---------------------------|
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG                                 | 3         | QL (60 EA per 30 days)    |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 12.5-1000 MG, 5-1000 MG                | 3         | QL (60 EA per 30 days)    |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 25-1000 MG                                         | 3         | QL (30 EA per 30 days)    |
| TRADJENTA ORAL TABLET 5 MG                                                                          | 3         | QL (30 EA per 30 days)    |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 25-5-1000 MG                         | 3         | QL (30 EA per 30 days)    |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-2.5-1000 MG, 5-2.5-1000 MG                    | 3         | QL (60 EA per 30 days)    |
| TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML | 3         | PA; QL (2 ML per 28 days) |
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18 MG/3ML                                                | 3         | PA; QL (9 ML per 30 days) |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG, 5-500 MG                      | 3         | QL (30 EA per 30 days)    |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG                               | 3         | QL (60 EA per 30 days)    |
| <b>Glycemic Agents</b>                                                                              |           |                           |
| BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE                                                             | 3         | QL (4 EA per 30 days)     |
| BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE                                                             | 3         | QL (4 EA per 30 days)     |
| <i>diazoxide oral suspension 50 mg/ml</i>                                                           | 2         |                           |
| GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED 1 MG                                              | 3         | QL (4 EA per 30 days)     |
| <i>glucagon emergency injection kit 1 mg</i>                                                        | 3         | QL (4 EA per 30 days)     |
| <i>glucagon emergency injection solution reconstituted 1 mg/ml</i>                                  | 3         | QL (4 EA per 30 days)     |
| <i>mifepristone oral tablet 300 mg</i>                                                              | 5         | PA                        |
| <b>Insulins</b>                                                                                     |           |                           |
| ADMELOG INJECTION SOLUTION 100 UNIT/ML                                                              | 3         |                           |

| <b>Name of Drug</b>                                                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ADMELOG SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                                | 3                |                            |
| AFREZZA INHALATION POWDER 12 UNIT, 4 UNIT, 60X4 & 60X8 & 60X12 UNIT, 8 UNIT, 90 X 4 UNIT & 90X8 UNIT, 90 X 8 UNIT & 90X12 UNIT | 3                |                            |
| APIDRA INJECTION SOLUTION 100 UNIT/ML                                                                                          | 3                |                            |
| APIDRA SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                                 | 3                |                            |
| FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                                 | 3                |                            |
| FIASP INJECTION SOLUTION 100 UNIT/ML                                                                                           | 3                |                            |
| FIASP PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML                                                                      | 3                |                            |
| HUMALOG INJECTION SOLUTION 100 UNIT/ML                                                                                         | 3                |                            |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                          | 3                |                            |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML                                                    | 3                |                            |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (50-50) 100 UNIT/ML                                             | 3                |                            |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (75-25) 100 UNIT/ML                                             | 3                |                            |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION (75-25) 100 UNIT/ML                                                                  | 3                |                            |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML                                                                            | 3                |                            |
| HUMALOG TEMPO PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                               | 3                |                            |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML                                                 | 3                |                            |
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                                                                      | 3                |                            |

| <b>Name of Drug</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML                                 | 3                |                            |
| HUMULIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML                                                      | 3                |                            |
| HUMULIN R INJECTION SOLUTION 100 UNIT/ML                                                           | 3                |                            |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML                                   | 3                |                            |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML                             | 3                |                            |
| <i>insulin asp prot &amp; asp flexpen subcutaneous suspension pen-injector (70-30) 100 unit/ml</i> | 2                |                            |
| <i>insulin aspart flexpen subcutaneous solution pen-injector 100 unit/ml</i>                       | 2                |                            |
| <i>insulin aspart injection solution 100 unit/ml</i>                                               | 2                |                            |
| <i>insulin aspart penfill subcutaneous solution cartridge 100 unit/ml</i>                          | 2                |                            |
| <i>insulin aspart prot &amp; aspart subcutaneous suspension (70-30) 100 unit/ml</i>                | 2                |                            |
| <i>insulin lispro (1 unit dial) subcutaneous solution pen-injector 100 unit/ml</i>                 | 2                |                            |
| <i>insulin lispro injection solution 100 unit/ml</i>                                               | 2                |                            |
| <i>insulin lispro junior kwikpen subcutaneous solution pen-injector 100 unit/ml</i>                | 2                |                            |
| <i>insulin lispro prot &amp; lispro subcutaneous suspension pen-injector (75-25) 100 unit/ml</i>   | 2                |                            |
| INSULIN SYRINGE 31G X 15/64" 0.3 ML, 31G X 15/64" 0.5 ML, 31G X 15/64" 1 ML                        | 1                |                            |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                     | 3                |                            |
| LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML                                                           | 3                |                            |
| NOVOLIN 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML              | 3                |                            |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML                     | 3                |                            |

| <b>Name of Drug</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| NOVOLIN 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                      | 3                |                            |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                             | 3                |                            |
| NOVOLIN N FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML             | 3                |                            |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML                    | 3                |                            |
| NOVOLIN N RELION SUBCUTANEOUS SUSPENSION 100 UNIT/ML                                  | 3                |                            |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML                                         | 3                |                            |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML                         | 3                |                            |
| NOVOLIN R FLEXPEN RELION INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML                  | 3                |                            |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML                                              | 3                |                            |
| NOVOLIN R RELION INJECTION SOLUTION 100 UNIT/ML                                       | 3                |                            |
| NOVOLOG 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3                |                            |
| NOVOLOG FLEXPEN RELION SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                 | 3                |                            |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                        | 3                |                            |
| NOVOLOG INJECTION SOLUTION 100 UNIT/ML                                                | 3                |                            |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML    | 3                |                            |
| NOVOLOG MIX 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                  | 3                |                            |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                         | 3                |                            |

| Name of Drug                                                                                                                                         | Drug Tier | Requirements/Limits    |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------|
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML                                                                                          | 3         |                        |
| NOVOLOG RELION INJECTION SOLUTION 100 UNIT/ML                                                                                                        | 3         |                        |
| REZVOGLAR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                                                     | 2         |                        |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML                                                                                         | 3         | QL (30 ML per 30 days) |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML                                                                                   | 3         |                        |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML                                                                                       | 3         |                        |
| XULTOPHY SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-3.6 UNIT-MG/ML                                                                                       | 3         | QL (15 ML per 30 days) |
| <b>Blood Products And Modifiers - Prevention Of Clotting And Increasing Blood Cell Production</b>                                                    |           |                        |
| <b>Anticoagulants</b>                                                                                                                                |           |                        |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG                                                                                            | 3         | QL (74 EA per 30 days) |
| ELIQUIS ORAL TABLET 2.5 MG                                                                                                                           | 3         | QL (60 EA per 30 days) |
| ELIQUIS ORAL TABLET 5 MG                                                                                                                             | 3         | QL (74 EA per 30 days) |
| <i>enoxaparin sodium injection solution 300 mg/3ml</i>                                                                                               | 2         |                        |
| <i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i> | 2         |                        |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>                                                               | 5         |                        |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>                                                                                        | 2         |                        |
| <i>heparin sodium (porcine) injection solution 10000 unit/ml, 5000 unit/ml</i>                                                                       | 2         |                        |
| <i>heparin sodium (porcine) pf injection solution 1000 unit/ml</i>                                                                                   | 2         |                        |
| JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG                                                                       | 1         |                        |
| <i>rivaroxaban oral tablet 2.5 mg</i>                                                                                                                | 2         | QL (60 EA per 30 days) |

| Name of Drug                                                                                                                                     | Drug Tier | Requirements/Limits         |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>                                                     | 1         |                             |
| XARELTO ORAL TABLET 10 MG, 20 MG                                                                                                                 | 3         | QL (30 EA per 30 days)      |
| XARELTO ORAL TABLET 15 MG, 2.5 MG                                                                                                                | 3         | QL (60 EA per 30 days)      |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG                                                                                         | 3         | QL (51 EA per 30 days)      |
| <b>Blood Products And Modifiers, Other</b>                                                                                                       |           |                             |
| <i>anagrelide hcl oral capsule 0.5 mg, 1 mg</i>                                                                                                  | 2         |                             |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML                                                                                 | 5         | PA                          |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML, 60 MCG/ML                                                                        | 4         | PA                          |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML, 25 MCG/0.42ML, 40 MCG/0.4ML                                            | 4         | PA                          |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 100 MCG/0.5ML, 150 MCG/0.3ML, 200 MCG/0.4ML, 300 MCG/0.6ML, 500 MCG/ML, 60 MCG/0.3ML | 5         | PA                          |
| <i>eltrombopag olamine oral packet 12.5 mg</i>                                                                                                   | 2         | PA; QL (360 EA per 30 days) |
| <i>eltrombopag olamine oral packet 25 mg</i>                                                                                                     | 2         | PA; QL (180 EA per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg, 25 mg</i>                                                                                            | 2         | PA; QL (30 EA per 30 days)  |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i>                                                                                              | 2         | PA; QL (60 EA per 30 days)  |
| EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML                                                 | 4         | PA                          |
| FULPHILA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                                      | 5         | PA                          |
| FYLNETRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                                      | 5         | PA                          |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG                                                                                                 | 4         | PA                          |
| NEULASTA ONPRO SUBCUTANEOUS PREFILLED SYRINGE KIT 6 MG/0.6ML                                                                                     | 5         | PA                          |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                                      | 5         | PA                          |

| Name of Drug                                                                                                                          | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML                                                                                 | 5         | PA                  |
| NIVESTYM INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML                                                            | 5         | PA                  |
| NYVEPRIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                           | 5         | PA                  |
| PIASKY INJECTION SOLUTION 340 MG/2ML                                                                                                  | 5         | PA                  |
| PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML                                                    | 4         | PA                  |
| PROCRIT INJECTION SOLUTION 20000 UNIT/ML, 40000 UNIT/ML                                                                               | 5         | PA                  |
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG                                                                                               | 5         | PA                  |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 5 MG, 7 X 20 MG & 7 X 5 MG, 7 X 50 MG & 7 X 20 MG                                        | 5         | PA                  |
| <i>releuko subcutaneous solution prefilled syringe 300 mcg/0.5ml, 480 mcg/0.8ml</i>                                                   | 4         | PA                  |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | 4         | PA                  |
| STIMUFEND SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                          | 5         | PA                  |
| TAVNEOS ORAL CAPSULE 10 MG                                                                                                            | 5         | PA                  |
| <i>tranexamic acid oral tablet 650 mg</i>                                                                                             | 2         |                     |
| UDENYCA ONBODY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                     | 5         | PA                  |
| UDENYCA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6 MG/0.6ML                                                                                | 5         | PA                  |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                            | 5         | PA                  |
| XOLREMDI ORAL CAPSULE 100 MG                                                                                                          | 5         | PA                  |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML                                                              | 5         | PA                  |
| ZIEXTENZO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML                                                                          | 5         | PA                  |

| Name of Drug                                                                                 | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Platelet Modifying Agents</b>                                                             |           |                     |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>               | 2         |                     |
| BRILINTA ORAL TABLET 90 MG                                                                   | 4         |                     |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                                  | 1         |                     |
| <i>clopidogrel bisulfate oral tablet 75 mg</i>                                               | 1         |                     |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>                                          | 2         | PA                  |
| DOPTELET ORAL TABLET 20 MG, 20 MG (10 PACK), 20 MG(15 PACK)                                  | 5         | PA                  |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i>                                                 | 2         |                     |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i>                                                   | 2         |                     |
| <b>Cardiovascular Agents - Treatment Of Conditions Affecting The Heart And Blood Vessels</b> |           |                     |
| <b>Alpha-Adrenergic Agonists</b>                                                             |           |                     |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                                      | 1         |                     |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>              | 2         |                     |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i>                                         | 2         |                     |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i>                                                 | 1         | PA                  |
| <i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>                                         | 2         |                     |
| <b>Alpha-Adrenergic Blocking Agents</b>                                                      |           |                     |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>                                 | 1         |                     |
| <i>phenoxybenzamine hcl oral capsule 10 mg</i>                                               | 5         | PA                  |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>                                            | 1         |                     |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                    | 1         |                     |
| <b>Angiotensin Ii Receptor Antagonists</b>                                                   |           |                     |
| <i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>                            | 2         |                     |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>                                          | 1         |                     |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>                                   | 1         |                     |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>                                   | 1         |                     |

| <b>Name of Drug</b>                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>                                     | 1                |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>                              | 1                |                            |
| <b>Angiotensin-Converting Enzyme (Ace) Inhibitors</b>                                  |                  |                            |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                            | 1                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                             | 2                |                            |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                        | 1                |                            |
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>                               | 1                |                            |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>                 | 1                |                            |
| <i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>                                         | 2                |                            |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                               | 2                |                            |
| <i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                             | 1                |                            |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>                              | 1                |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                       | 1                |                            |
| <b>Antiarrhythmics</b>                                                                 |                  |                            |
| <i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i>                               | 2                |                            |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>                              | 2                |                            |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>                               | 2                |                            |
| <i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>                            | 2                |                            |
| <i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i>                              | 2                |                            |
| MULTAQ ORAL TABLET 400 MG                                                              | 4                |                            |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 150 MG                        | 4                |                            |
| <i>propafenone hcl er oral capsule extended release 12 hour 225 mg, 325 mg, 425 mg</i> | 2                |                            |

| Name of Drug                                                                                     | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i>                                        | 2         |                     |
| <i>quinidine gluconate er oral tablet extended release 324 mg</i>                                | 2         |                     |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                                              | 2         |                     |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>                                        | 1         |                     |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                     | 1         |                     |
| <b>Beta-Adrenergic Blocking Agents</b>                                                           |           |                     |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i>                                                | 1         |                     |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>                                                 | 1         |                     |
| <i>betaxolol hcl oral tablet 10 mg, 20 mg</i>                                                    | 2         |                     |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>                                               | 1         |                     |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                  | 1         |                     |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>                                          | 2         |                     |
| <i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i> | 1         |                     |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                      | 1         |                     |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                                   | 2         |                     |
| <i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                                      | 1         |                     |
| <i>pindolol oral tablet 10 mg, 5 mg</i>                                                          | 2         |                     |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i>     | 2         |                     |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>                                        | 2         |                     |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                             | 1         |                     |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                            | 2         |                     |
| <b>Calcium Channel Blocking Agents, Dihydropyridines</b>                                         |           |                     |
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                       | 1         |                     |
| <i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>                    | 2         |                     |

| <b>Name of Drug</b>                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>                                                                          | 2                |                            |
| <i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>                                        | 1                |                            |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>                        | 1                |                            |
| <i>nifedipine oral capsule 10 mg, 20 mg</i>                                                                          | 2                | PA                         |
| <i>nimodipine oral capsule 30 mg</i>                                                                                 | 2                |                            |
| <b>Calcium Channel Blocking Agents, Nondihydropyridines</b>                                                          |                  |                            |
| <b>CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG</b>                                | 2                |                            |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>   | 2                |                            |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>    | 2                |                            |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                                   | 2                |                            |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                 | 2                |                            |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>                                                         | 1                |                            |
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                          | 2                |                            |
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg</i> | 2                |                            |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                          | 2                |                            |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>                                                                | 1                |                            |
| <b>Cardiovascular Agents, Other</b>                                                                                  |                  |                            |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                                                      | 2                |                            |
| <i>aliskiren fumarate oral tablet 150 mg, 300 mg</i>                                                                 | 2                |                            |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                                                             | 1                |                            |

| <b>Name of Drug</b>                                                                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>                                            | 1                |                             |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>                                                              | 1                |                             |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 2                |                             |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>                                                                          | 1                |                             |
| <i>amlodipine-valsartan-hctz oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>                                    | 2                |                             |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>                                                                                         | 1                |                             |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>                                                          | 2                |                             |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                                                                   | 1                |                             |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG                                                                                                        | 5                | PA; QL (30 EA per 30 days)  |
| <i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>                                                                         | 2                |                             |
| CORLANOR ORAL SOLUTION 5 MG/5ML                                                                                                                        | 4                | PA; QL (450 ML per 30 days) |
| <i>digoxin oral solution 0.05 mg/ml</i>                                                                                                                | 2                | QL (150 ML per 30 days)     |
| <i>digoxin oral tablet 125 mcg, 250 mcg</i>                                                                                                            | 1                | QL (30 EA per 30 days)      |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>                                                                                   | 1                |                             |
| ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG, 6-6 MG                                                                                                        | 3                | QL (240 EA per 30 days)     |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG                                                                                                     | 3                | QL (60 EA per 30 days)      |
| <i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>                                                                                       | 2                |                             |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>                                                                             | 1                |                             |
| <i>ivabradine hcl oral tablet 5 mg, 7.5 mg</i>                                                                                                         | 2                | PA                          |

| <b>Name of Drug</b>                                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG                                                                         | 4                | PA; QL (30 EA per 30 days) |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                               | 1                |                            |
| LODOCO ORAL TABLET 0.5 MG                                                                                        | 4                | PA                         |
| <i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>                                    | 1                |                            |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>                                 | 2                |                            |
| <i>metyrosine oral capsule 250 mg</i>                                                                            | 5                | PA                         |
| NEXLETOL ORAL TABLET 180 MG                                                                                      | 3                | PA; QL (30 EA per 30 days) |
| NEXLIZET ORAL TABLET 180-10 MG                                                                                   | 3                | PA; QL (30 EA per 30 days) |
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>                                    | 1                |                            |
| <i>olmesartan-amlodipine-hctz oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> | 2                |                            |
| <i>pentoxifylline er oral tablet extended release 400 mg</i>                                                     | 1                |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                                | 1                |                            |
| <i>ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg</i>                                        | 2                |                            |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>                                                                  | 2                |                            |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>                                   | 2                |                            |
| <i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>                                             | 2                |                            |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i>                                                                  | 1                |                            |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>                                                         | 1                |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>      | 1                |                            |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG                                                                          | 3                | QL (30 EA per 30 days)     |
| WEGOVY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.25 MG/0.5ML, 0.5 MG/0.5ML, 1 MG/0.5ML                               | 5                | PA; QL (2 ML per 28 days)  |

| Name of Drug                                                                  | Drug Tier | Requirements/Limits       |
|-------------------------------------------------------------------------------|-----------|---------------------------|
| WEGOVY SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 1.7 MG/0.75ML, 2.4<br>MG/0.75ML | 5         | PA; QL (3 ML per 28 days) |
| <b>Diuretics, Loop</b>                                                        |           |                           |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                              | 2         |                           |
| <i>furosemide injection solution 10 mg/ml, 10 mg/ml<br/>(4ml syringe)</i>     | 2         |                           |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>                             | 1         |                           |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>                             | 1         |                           |
| <i>torseamide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                      | 2         |                           |
| <b>Diuretics, Potassium-Sparing</b>                                           |           |                           |
| <i>amiloride hcl oral tablet 5 mg</i>                                         | 1         |                           |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                    | 2         |                           |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                        | 1         |                           |
| <b>Diuretics, Thiazide</b>                                                    |           |                           |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                | 1         |                           |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                               | 1         |                           |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg,<br/>50 mg</i>              | 1         |                           |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                 | 1         |                           |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                             | 2         |                           |
| <b>Dyslipidemics, Fibric Acid Derivatives</b>                                 |           |                           |
| <i>fenofibrate micronized oral capsule 134 mg, 200<br/>mg, 43 mg, 67 mg</i>   | 2         |                           |
| <i>fenofibrate oral capsule 134 mg, 200 mg, 67 mg</i>                         | 2         |                           |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54<br/>mg</i>               | 2         |                           |
| <i>fenofibric acid oral capsule delayed release 135<br/>mg, 45 mg</i>         | 2         |                           |
| <i>fenofibric acid oral tablet 35 mg</i>                                      | 2         |                           |
| <i>gemfibrozil oral tablet 600 mg</i>                                         | 1         |                           |
| <b>Dyslipidemics, Hmg Coa Reductase<br/>Inhibitors</b>                        |           |                           |
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40<br/>mg, 80 mg</i>        | 1         |                           |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                             | 1         |                           |

| Name of Drug                                                                               | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                           | 1         |                     |
| <i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                          | 1         |                     |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>                            | 1         |                     |
| <b>Dyslipidemics, Other</b>                                                                |           |                     |
| <i>cholestyramine light oral packet 4 gm</i>                                               | 2         |                     |
| <i>cholestyramine light oral powder 4 gm/dose</i>                                          | 2         |                     |
| <i>cholestyramine oral packet 4 gm</i>                                                     | 2         |                     |
| <i>cholestyramine oral powder 4 gm/dose</i>                                                | 2         |                     |
| <i>colesevelam hcl oral packet 3.75 gm</i>                                                 | 2         |                     |
| <i>colesevelam hcl oral tablet 625 mg</i>                                                  | 2         |                     |
| <i>colestipol hcl oral granules 5 gm</i>                                                   | 2         |                     |
| <i>colestipol hcl oral packet 5 gm</i>                                                     | 2         |                     |
| <i>colestipol hcl oral tablet 1 gm</i>                                                     | 2         |                     |
| <i>ezetimibe oral tablet 10 mg</i>                                                         | 1         |                     |
| <i>ezetimibe-rosuvastatin oral tablet 10-5 mg</i>                                          | 2         |                     |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>            | 2         |                     |
| <i>icosapent ethyl oral capsule 0.5 gm, 1 gm</i>                                           | 2         |                     |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i> | 2         |                     |
| <i>omega-3-acid ethyl esters oral capsule 1 gm</i>                                         | 2         |                     |
| PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 75 MG/ML                           | 3         | PA                  |
| PREVALITE ORAL PACKET 4 GM                                                                 | 2         |                     |
| PREVALITE ORAL POWDER 4 GM/DOSE                                                            | 2         |                     |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML                     | 3         | PA                  |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML                                  | 3         | PA                  |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML                            | 3         | PA                  |
| <b>Vasodilators, Direct-Acting Arterial</b>                                                |           |                     |

| Name of Drug                                                                                                     | Drug Tier | Requirements/Limits     |
|------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                   | 2         |                         |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i>                                                      | 2         |                         |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                                       | 2         |                         |
| <b>Vasodilators, Direct-Acting Arterial/Venous</b>                                                               |           |                         |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>                                                | 1         |                         |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i>                       | 1         |                         |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                                           | 1         |                         |
| NITRO-BID TRANSDERMAL OINTMENT 2 %                                                                               | 4         |                         |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR                                                         | 4         |                         |
| <i>nitroglycerin rectal ointment 0.4 %</i>                                                                       | 2         |                         |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>                                         | 2         |                         |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>                        | 2         |                         |
| <i>nitroglycerin translingual solution 0.4 mg/spray</i>                                                          | 2         |                         |
| <b>Central Nervous System Agents - Treatment Of Disorders Of The Brain And Spinal Column</b>                     |           |                         |
| <b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>                                             |           |                         |
| <i>amphetamine-dextroamphet er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 2         | QL (30 EA per 30 days)  |
| <i>amphetamine-dextroamphetamine oral tablet 10 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>                               | 2         | QL (60 EA per 30 days)  |
| <i>amphetamine-dextroamphetamine oral tablet 12.5 mg</i>                                                         | 2         | QL (120 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral tablet 15 mg</i>                                                           | 2         | QL (90 EA per 30 days)  |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg</i>                                  | 2         | QL (150 EA per 30 days) |

| <b>Name of Drug</b>                                                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg</i>                                              | 2                | QL (120 EA per 30 days)    |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 5 mg</i>                                               | 2                | QL (90 EA per 30 days)     |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>                                                                     | 2                | QL (180 EA per 30 days)    |
| <b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b>                                                     |                  |                            |
| <i>atomoxetine hcl oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>                                         | 2                |                            |
| <i>clonidine hcl er oral tablet extended release 12 hour 0.1 mg</i>                                                          | 2                | QL (120 EA per 30 days)    |
| <i>dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | 2                | QL (30 EA per 30 days)     |
| <i>dexmethylphenidate hcl oral tablet 10 mg</i>                                                                              | 2                | QL (60 EA per 30 days)     |
| <i>dexmethylphenidate hcl oral tablet 2.5 mg, 5 mg</i>                                                                       | 2                | QL (90 EA per 30 days)     |
| <i>guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i>                                         | 1                | PA                         |
| <i>methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>                    | 2                | QL (30 EA per 30 days)     |
| <i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 40 mg, 60 mg</i>                   | 2                | QL (30 EA per 30 days)     |
| <i>methylphenidate hcl er (osm) oral tablet extended release 18 mg</i>                                                       | 2                | QL (120 EA per 30 days)    |
| <i>methylphenidate hcl er (osm) oral tablet extended release 27 mg, 54 mg, 72 mg</i>                                         | 2                | QL (30 EA per 30 days)     |
| <i>methylphenidate hcl er (osm) oral tablet extended release 36 mg</i>                                                       | 2                | QL (60 EA per 30 days)     |
| <i>methylphenidate hcl er (xr) oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>     | 2                | QL (30 EA per 30 days)     |
| <i>methylphenidate hcl er oral tablet extended release 10 mg</i>                                                             | 2                | QL (30 EA per 30 days)     |
| <i>methylphenidate hcl er oral tablet extended release 20 mg</i>                                                             | 2                | QL (90 EA per 30 days)     |

| <b>Name of Drug</b>                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|-------------------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg</i>                              | 2                | QL (120 EA per 30 days)     |
| <i>methylphenidate hcl oral solution 10 mg/5ml</i>                                                    | 2                | QL (900 ML per 30 days)     |
| <i>methylphenidate hcl oral solution 5 mg/5ml</i>                                                     | 2                | QL (1800 ML per 30 days)    |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>                                             | 2                | QL (90 EA per 30 days)      |
| <i>methylphenidate hcl oral tablet chewable 10 mg</i>                                                 | 2                | QL (180 EA per 30 days)     |
| <i>methylphenidate hcl oral tablet chewable 2.5 mg, 5 mg</i>                                          | 2                | QL (90 EA per 30 days)      |
| <b>Central Nervous System, Other</b>                                                                  |                  |                             |
| AQNEURSA ORAL PACKET 1 GM                                                                             | 5                | PA; QL (120 EA per 30 days) |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG                                                                 | 5                | PA                          |
| AUSTEDO PATIENT TITRATION KIT ORAL TABLET THERAPY PACK 6 & 9 & 12 MG                                  | 5                | PA                          |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG | 5                | PA                          |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG           | 5                | PA                          |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                                                   | 5                | PA; QL (56 EA per 28 days)  |
| COBENFY STARTER PACK ORAL CAPSULE THERAPY PACK 50-20 & 100-20 MG                                      | 5                | PA; QL (56 EA per 28 days)  |
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML                                                        | 5                | PA                          |
| EVRYSDI ORAL TABLET 5 MG                                                                              | 5                | PA                          |
| FIRDAPSE ORAL TABLET 10 MG                                                                            | 5                | PA                          |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                                             | 5                | PA; QL (30 EA per 30 days)  |
| INGREZZA ORAL CAPSULE SPRINKLE 40 MG, 60 MG, 80 MG                                                    | 5                | PA; QL (30 EA per 30 days)  |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG                                                         | 5                | PA; QL (56 EA per 365 days) |
| NUEDEXTA ORAL CAPSULE 20-10 MG                                                                        | 5                | PA                          |
| RADICAVA ORS ORAL SUSPENSION 105 MG/5ML                                                               | 5                | PA                          |

| Name of Drug                                                                                     | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------------------------------|-----------|----------------------------|
| RADICAVA ORS STARTER KIT ORAL SUSPENSION 105 MG/5ML                                              | 5         | PA                         |
| <i>riluzole oral tablet 50 mg</i>                                                                | 2         |                            |
| <i>tetrabenazine oral tablet 12.5 mg</i>                                                         | 4         | PA                         |
| <i>tetrabenazine oral tablet 25 mg</i>                                                           | 5         | PA                         |
| VEOZAH ORAL TABLET 45 MG                                                                         | 4         | PA                         |
| <b>Fibromyalgia Agents</b>                                                                       |           |                            |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 30 MG, 60 MG                      | 4         |                            |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>                 | 2         |                            |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG                                                | 4         | ST                         |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG                                                    | 4         | ST                         |
| <b>Multiple Sclerosis Agents</b>                                                                 |           |                            |
| BAFIERTAM ORAL CAPSULE DELAYED RELEASE 95 MG                                                     | 5         | PA                         |
| BETASERON SUBCUTANEOUS KIT 0.3 MG                                                                | 5         | PA                         |
| <i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>                               | 2         | PA                         |
| <i>dimethyl fumarate oral capsule delayed release 120 mg</i>                                     | 2         | PA; QL (14 EA per 30 days) |
| <i>dimethyl fumarate oral capsule delayed release 240 mg</i>                                     | 2         | PA; QL (60 EA per 30 days) |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 &amp; 240 mg</i> | 2         | PA                         |
| <i>fingolimod hcl oral capsule 0.5 mg</i>                                                        | 4         | PA; QL (30 EA per 30 days) |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml</i>                       | 5         | PA; QL (30 ML per 30 days) |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml</i>                       | 5         | PA; QL (12 ML per 28 days) |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML                                         | 5         | PA; QL (30 ML per 30 days) |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML                                         | 5         | PA; QL (12 ML per 28 days) |

| <b>Name of Drug</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|------------------------------------------------------------------------------------|------------------|-----------------------------|
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML                           | 5                | PA                          |
| MAVENCLAD (10 TABS) ORAL TABLET THERAPY PACK 10 MG                                 | 5                | PA                          |
| MAVENCLAD (4 TABS) ORAL TABLET THERAPY PACK 10 MG                                  | 5                | PA                          |
| MAVENCLAD (5 TABS) ORAL TABLET THERAPY PACK 10 MG                                  | 5                | PA                          |
| MAVENCLAD (6 TABS) ORAL TABLET THERAPY PACK 10 MG                                  | 5                | PA                          |
| MAVENCLAD (7 TABS) ORAL TABLET THERAPY PACK 10 MG                                  | 5                | PA                          |
| MAVENCLAD (8 TABS) ORAL TABLET THERAPY PACK 10 MG                                  | 5                | PA                          |
| MAVENCLAD (9 TABS) ORAL TABLET THERAPY PACK 10 MG                                  | 5                | PA                          |
| MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG                                            | 5                | PA                          |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG, 7 X 0.25 MG            | 4                | PA                          |
| OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920-23000 MG-UT/23ML                          | 5                | PA; QL (23 ML per 180 days) |
| PONVORY ORAL TABLET 20 MG                                                          | 5                | PA                          |
| PONVORY STARTER PACK ORAL TABLET THERAPY PACK 2-3-4-5-6-7-8-9 & 10 MG              | 5                | PA                          |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML      | 5                | PA                          |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6X8.8 & 6X22 MCG | 5                | PA                          |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML           | 5                | PA                          |
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG      | 5                | PA                          |
| TASCENSO ODT ORAL TABLET DISPERSIBLE 0.25 MG, 0.5 MG                               | 5                | PA                          |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i>                                       | 2                | PA; QL (30 EA per 30 days)  |

| Name of Drug                                                                 | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------|-----------|---------------------|
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK 4 X 0.23MG & 3 X 0.46MG | 5         | PA                  |
| ZEPOSIA ORAL CAPSULE 0.92 MG                                                 | 5         | PA                  |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG 0.92MG(21)     | 5         | PA                  |
| <b>Dental And Oral Agents - Treatment Of Mouth And Gum Disorders</b>         |           |                     |
| <b>Dental And Oral Agents</b>                                                |           |                     |
| <i>cevimeline hcl oral capsule 30 mg</i>                                     | 2         |                     |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>                  | 1         |                     |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                              | 2         |                     |
| <i>triamcinolone acetonide mouth/throat paste 0.1 %</i>                      | 2         |                     |
| <b>Dermatological Agents - Treatment Of Skin Conditions</b>                  |           |                     |
| <b>Acne And Rosacea Agents</b>                                               |           |                     |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>                          | 2         | PA                  |
| <i>adapalene external gel 0.3 %</i>                                          | 2         |                     |
| <i>adapalene-benzoyl peroxide external gel 0.1-2.5 %</i>                     | 2         |                     |
| AMNESTEEM ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG                            | 2         |                     |
| <i>benzoyl peroxide-erythromycin external gel 5-3 %</i>                      | 2         |                     |
| CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG                             | 2         |                     |
| <i>clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-2.5 %, 1.2-5 %</i> | 2         |                     |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                  | 2         |                     |
| <i>tazarotene external cream 0.05 %, 0.1 %</i>                               | 2         |                     |
| <i>tazarotene external gel 0.05 %, 0.1 %</i>                                 | 2         |                     |
| <i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i>                       | 2         |                     |
| <i>tretinoin external gel 0.01 %, 0.025 %</i>                                | 2         |                     |
| ZENATANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG                             | 2         |                     |

| Name of Drug                                                   | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------|-----------|---------------------|
| <b>Dermatitis And Pruritus Agents</b>                          |           |                     |
| <i>alclometasone dipropionate external cream 0.05 %</i>        | 2         |                     |
| <i>alclometasone dipropionate external ointment 0.05 %</i>     | 2         |                     |
| <i>ammonium lactate external cream 12 %</i>                    | 2         |                     |
| <i>ammonium lactate external lotion 12 %</i>                   | 2         |                     |
| <i>betamethasone dipropionate aug external cream 0.05 %</i>    | 2         |                     |
| <i>betamethasone dipropionate aug external gel 0.05 %</i>      | 2         |                     |
| <i>betamethasone dipropionate aug external lotion 0.05 %</i>   | 2         |                     |
| <i>betamethasone dipropionate aug external ointment 0.05 %</i> | 2         |                     |
| <i>betamethasone dipropionate external cream 0.05 %</i>        | 2         |                     |
| <i>betamethasone dipropionate external lotion 0.05 %</i>       | 2         |                     |
| <i>betamethasone dipropionate external ointment 0.05 %</i>     | 2         |                     |
| <i>betamethasone valerate external cream 0.1 %</i>             | 2         |                     |
| <i>betamethasone valerate external lotion 0.1 %</i>            | 2         |                     |
| <i>betamethasone valerate external ointment 0.1 %</i>          | 2         |                     |
| <i>clobetasol prop emollient base external cream 0.05 %</i>    | 2         |                     |
| <i>clobetasol propionate e external cream 0.05 %</i>           | 2         |                     |
| <i>clobetasol propionate external cream 0.05 %</i>             | 2         |                     |
| <i>clobetasol propionate external gel 0.05 %</i>               | 2         |                     |
| <i>clobetasol propionate external ointment 0.05 %</i>          | 2         |                     |
| <i>clobetasol propionate external solution 0.05 %</i>          | 2         |                     |
| <i>desonide external cream 0.05 %</i>                          | 2         |                     |
| <i>desonide external lotion 0.05 %</i>                         | 2         |                     |
| <i>desonide external ointment 0.05 %</i>                       | 2         |                     |
| <i>desoximetasone external cream 0.05 %, 0.25 %</i>            | 2         |                     |
| <i>desoximetasone external gel 0.05 %</i>                      | 2         |                     |
| <i>desoximetasone external ointment 0.05 %, 0.25 %</i>         | 2         |                     |

| Name of Drug                                                 | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------|-----------|----------------------------|
| <i>doxepin hcl external cream 5 %</i>                        | 2         | PA; QL (45 GM per 30 days) |
| EUCRISA EXTERNAL OINTMENT 2 %                                | 4         | PA                         |
| <i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i> | 2         |                            |
| <i>fluocinolone acetonide external ointment 0.025 %</i>      | 2         |                            |
| <i>fluocinolone acetonide external solution 0.01 %</i>       | 2         |                            |
| <i>fluocinonide emulsified base external cream 0.05 %</i>    | 2         |                            |
| <i>fluocinonide external cream 0.05 %</i>                    | 2         |                            |
| <i>fluocinonide external gel 0.05 %</i>                      | 2         |                            |
| <i>fluocinonide external ointment 0.05 %</i>                 | 2         |                            |
| <i>fluocinonide external solution 0.05 %</i>                 | 2         |                            |
| <i>fluticasone propionate external cream 0.05 %</i>          | 2         |                            |
| <i>fluticasone propionate external lotion 0.05 %</i>         | 2         |                            |
| <i>fluticasone propionate external ointment 0.005 %</i>      | 2         |                            |
| <i>halobetasol propionate external cream 0.05 %</i>          | 2         |                            |
| <i>halobetasol propionate external ointment 0.05 %</i>       | 2         |                            |
| <i>hydrocortisone (perianal) external cream 1 %, 2.5 %</i>   | 1         |                            |
| <i>hydrocortisone butyr lipo base external cream 0.1 %</i>   | 2         |                            |
| <i>hydrocortisone butyrate external cream 0.1 %</i>          | 2         |                            |
| <i>hydrocortisone butyrate external ointment 0.1 %</i>       | 2         |                            |
| <i>hydrocortisone butyrate external solution 0.1 %</i>       | 2         |                            |
| <i>hydrocortisone external cream 1 %, 2.5 %</i>              | 1         |                            |
| <i>hydrocortisone external lotion 2.5 %</i>                  | 1         |                            |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i>           | 1         |                            |
| <i>hydrocortisone valerate external cream 0.2 %</i>          | 2         |                            |
| <i>hydrocortisone valerate external ointment 0.2 %</i>       | 2         |                            |
| HYFTOR EXTERNAL GEL 0.2 %                                    | 5         | PA                         |
| <i>mometasone furoate external cream 0.1 %</i>               | 2         |                            |
| <i>mometasone furoate external ointment 0.1 %</i>            | 2         |                            |
| <i>mometasone furoate external solution 0.1 %</i>            | 2         |                            |
| <i>pimecrolimus external cream 1 %</i>                       | 2         | ST                         |
| <i>selenium sulfide external lotion 2.5 %</i>                | 2         |                            |
| <i>tacrolimus external ointment 0.03 %, 0.1 %</i>            | 2         | ST                         |

| Name of Drug                                                                   | Drug Tier | Requirements/Limits    |
|--------------------------------------------------------------------------------|-----------|------------------------|
| <i>triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 %</i>            | 2         |                        |
| <i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i>                  | 2         |                        |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.05 %, 0.1 %, 0.5 %</i> | 2         |                        |
| <i>triamcinolone in absorbase external ointment 0.05 %</i>                     | 2         |                        |
| <b>Dermatological Agents, Other</b>                                            |           |                        |
| <i>calcipotriene external cream 0.005 %</i>                                    | 2         |                        |
| <i>calcipotriene external ointment 0.005 %</i>                                 | 2         |                        |
| <i>calcipotriene external solution 0.005 %</i>                                 | 2         |                        |
| <i>calcitriol external ointment 3 mcg/gm</i>                                   | 2         |                        |
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i>                      | 2         |                        |
| <i>clotrimazole-betamethasone external lotion 1-0.05 %</i>                     | 2         |                        |
| <i>fluorouracil external cream 0.5 %</i>                                       | 5         | PA                     |
| <i>fluorouracil external cream 5 %</i>                                         | 2         |                        |
| <i>fluorouracil external solution 2 %, 5 %</i>                                 | 2         |                        |
| <i>imiquimod external cream 5 %</i>                                            | 2         |                        |
| <i>methoxsalen rapid oral capsule 10 mg</i>                                    | 2         |                        |
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>              | 2         |                        |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i>           | 2         |                        |
| OTEZLA ORAL TABLET 20 MG, 30 MG                                                | 5         | PA                     |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG, 4 X 10 & 51 X20 MG            | 5         | PA                     |
| <i>podofilox external solution 0.5 %</i>                                       | 2         |                        |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM                                           | 3         | QL (90 GM per 30 days) |
| <i>silver sulfadiazine external cream 1 %</i>                                  | 2         |                        |
| <i>sodium chloride irrigation solution 0.9 %</i>                               | 2         |                        |
| <b>Pediculicides/Scabicides</b>                                                |           |                        |
| <i>malathion external lotion 0.5 %</i>                                         | 2         |                        |
| <i>permethrin external cream 5 %</i>                                           | 2         |                        |

| Name of Drug                                                                                                                                | Drug Tier | Requirements/Limits    |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------|
| <b>Topical Anti-Infectives</b>                                                                                                              |           |                        |
| <i>acyclovir external cream 5 %</i>                                                                                                         | 2         |                        |
| <i>acyclovir external ointment 5 %</i>                                                                                                      | 2         |                        |
| <i>ciclopirox external solution 8 %</i>                                                                                                     | 2         |                        |
| <i>ciclopirox olamine external cream 0.77 %</i>                                                                                             | 2         |                        |
| <i>ciclopirox olamine external suspension 0.77 %</i>                                                                                        | 2         |                        |
| <i>clindamycin phos (once-daily) external gel 1 %</i>                                                                                       | 2         |                        |
| <i>clindamycin phos (twice-daily) external gel 1 %</i>                                                                                      | 2         |                        |
| <i>clindamycin phosphate external lotion 1 %</i>                                                                                            | 2         |                        |
| <i>clindamycin phosphate external solution 1 %</i>                                                                                          | 2         |                        |
| <i>clindamycin phosphate external swab 1 %</i>                                                                                              | 2         |                        |
| <i>ery external pad 2 %</i>                                                                                                                 | 2         |                        |
| <i>erythromycin external gel 2 %</i>                                                                                                        | 2         |                        |
| <i>erythromycin external solution 2 %</i>                                                                                                   | 2         |                        |
| <i>gentamicin sulfate external cream 0.1 %</i>                                                                                              | 1         |                        |
| <i>gentamicin sulfate external ointment 0.1 %</i>                                                                                           | 1         |                        |
| <i>metronidazole external cream 0.75 %</i>                                                                                                  | 2         |                        |
| <i>metronidazole external gel 0.75 %, 1 %</i>                                                                                               | 2         |                        |
| <i>metronidazole external lotion 0.75 %</i>                                                                                                 | 2         |                        |
| <i>mupirocin external ointment 2 %</i>                                                                                                      | 2         | QL (88 GM per 30 days) |
| <i>penciclovir external cream 1 %</i>                                                                                                       | 2         |                        |
| <b>Electrolytes/Minerals/ Metals/ Vitamins<br/>- Products That Supplement Or Replace<br/>Electrolytes, Minerals, Metals Or<br/>Vitamins</b> |           |                        |
| <b>Electrolyte/ Mineral Replacement</b>                                                                                                     |           |                        |
| <i>carglumic acid oral tablet soluble 200 mg</i>                                                                                            | 5         | PA                     |
| ISOLYTE-S INTRAVENOUS SOLUTION                                                                                                              | 4         |                        |
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION                                                                                                       | 4         |                        |
| <i>kcl in dextrose-nacl intravenous solution 20-5-0.45 meq/l-%-%</i>                                                                        | 2         |                        |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ                                                                                             | 3         |                        |
| KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ                                                                                            | 2         |                        |

| Name of Drug                                                                                             | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE 15 MEQ                                                         | 2         |                     |
| KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ                                                         | 2         |                     |
| KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ                                                              | 3         |                     |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>                                    | 2         |                     |
| <i>potassium chloride crystals oral tablet extended release 10 meq, 15 meq, 20 meq</i>                   | 1         |                     |
| <i>potassium chloride oral capsule extended release 10 meq, 8 meq</i>                                    | 1         |                     |
| <i>potassium chloride oral tablet extended release 10 meq, 15 meq, 20 meq, 8 meq</i>                     | 1         |                     |
| <i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml), 40 meq/100ml</i>                  | 2         |                     |
| <i>potassium chloride oral solution 10 %, 20 meq/15ml (10%), 40 meq/15ml (20%)</i>                       | 2         |                     |
| <i>potassium citrate oral tablet extended release 10 meq (1080 mg), 15 meq (1620 mg), 5 meq (540 mg)</i> | 2         |                     |
| <i>sodium chloride (pf) injection solution 0.9 %</i>                                                     | 2         |                     |
| <i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %</i>                                           | 2         |                     |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i>                                                          | 2         |                     |
| <b>Electrolyte/Mineral/Metal Modifiers</b>                                                               |           |                     |
| CUVROR ORAL TABLET 300 MG                                                                                | 5         | PA                  |
| <i>deferasirox granules oral packet 180 mg, 360 mg, 90 mg</i>                                            | 5         | PA                  |
| <i>deferasirox oral packet 180 mg, 360 mg, 90 mg</i>                                                     | 5         | PA                  |
| <i>deferasirox oral tablet 180 mg</i>                                                                    | 4         | PA                  |
| <i>deferasirox oral tablet 360 mg, 90 mg</i>                                                             | 2         | PA                  |
| <i>deferasirox oral tablet soluble 125 mg</i>                                                            | 2         | PA                  |
| <i>deferasirox oral tablet soluble 250 mg, 500 mg</i>                                                    | 5         | PA                  |
| <i>deferiprone oral tablet 1000 mg, 500 mg</i>                                                           | 5         | PA                  |
| <i>penicillamine oral tablet 250 mg</i>                                                                  | 5         | PA                  |

| Name of Drug                                                                                                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>tolvaptan oral tablet 15 mg, 15 mg</i><br><i>tolvaptan (hyponatremia), 30 mg, 30 mg</i><br><i>tolvaptan (hyponatremia)</i> | 5         | PA                  |
| <i>tolvaptan oral tablet therapy pack 15 mg, 30 &amp; 15 mg, 45 &amp; 15 mg, 60 &amp; 30 mg, 90 &amp; 30 mg</i>               | 5         | PA                  |
| <i>trientine hcl oral capsule 250 mg</i>                                                                                      | 5         | PA                  |
| <b>Electrolytes/Minerals/Metals/Vitamins</b>                                                                                  |           |                     |
| CLINISOL SF INTRAVENOUS SOLUTION 15 %                                                                                         | 4         | B/D                 |
| <i>dextrose intravenous solution 10 %, 5 %</i>                                                                                | 2         |                     |
| <i>dextrose-sodium chloride intravenous solution 10-0.2 %, 10-0.45 %, 2.5-0.45 %, 5-0.2 %, 5-0.33 %, 5-0.45 %, 5-0.9 %</i>    | 2         |                     |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %                                                                                    | 4         | B/D                 |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION                                                                                         | 4         |                     |
| <i>levocarnitine oral solution 1 gm/10ml</i>                                                                                  | 2         |                     |
| <i>levocarnitine oral tablet 330 mg</i>                                                                                       | 2         |                     |
| <i>levocarnitine sf oral solution 1 gm/10ml</i>                                                                               | 2         |                     |
| NUTRILIPID INTRAVENOUS EMULSION 20 %                                                                                          | 4         | B/D                 |
| PLENAMINE INTRAVENOUS SOLUTION 15 %                                                                                           | 4         | B/D                 |
| <i>pnv 27-ca/fe/fa oral tablet 60-1 mg</i>                                                                                    | 2         |                     |
| <i>prenatal oral tablet 27-1 mg</i>                                                                                           | 2         |                     |
| <b>Phosphate Binders</b>                                                                                                      |           |                     |
| <i>calcium acetate (phos binder) oral capsule 667 mg</i>                                                                      | 2         |                     |
| <i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>                                                       | 2         |                     |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>                                                                         | 2         |                     |
| <i>sevelamer carbonate oral tablet 800 mg</i>                                                                                 | 2         |                     |
| <b>Potassium Binders</b>                                                                                                      |           |                     |
| LOKELMA ORAL PACKET 10 GM, 5 GM                                                                                               | 3         |                     |
| <i>sodium polystyrene sulfonate oral powder</i>                                                                               | 2         |                     |

| Name of Drug                                                                        | Drug Tier | Requirements/Limits    |
|-------------------------------------------------------------------------------------|-----------|------------------------|
| SPS (SODIUM POLYSTYRENE SULF)<br>COMBINATION SUSPENSION 15 GM/60ML                  | 2         |                        |
| SPS (SODIUM POLYSTYRENE SULF)<br>RECTAL SUSPENSION 30 GM/120ML                      | 2         |                        |
| VELTASSA ORAL PACKET 16.8 GM, 25.2 GM                                               | 5         | QL (30 EA per 30 days) |
| VELTASSA ORAL PACKET 8.4 GM                                                         | 5         | QL (90 EA per 30 days) |
| <b>Vitamins</b>                                                                     |           |                        |
| <i>trinatal rx 1 oral tablet 60-1 mg</i>                                            | 2         |                        |
| <b>Gastrointestinal Agents - Treatment Of Stomach And Intestinal Conditions</b>     |           |                        |
| <b>Anti-Constipation Agents</b>                                                     |           |                        |
| <i>constulose oral solution 10 gm/15ml</i>                                          | 2         |                        |
| <i>enulose oral solution 10 gm/15ml</i>                                             | 2         |                        |
| GAVILYTE-C ORAL SOLUTION<br>RECONSTITUTED 240 GM                                    | 2         |                        |
| GAVILYTE-G ORAL SOLUTION<br>RECONSTITUTED 236 GM                                    | 2         |                        |
| GAVILYTE-N WITH FLAVOR PACK ORAL<br>SOLUTION RECONSTITUTED 420 GM                   | 2         |                        |
| <i>generlac oral solution 10 gm/15ml</i>                                            | 2         |                        |
| <i>lactulose encephalopathy oral solution 10 gm/15ml</i>                            | 2         |                        |
| <i>lactulose oral solution 10 gm/15ml, 20 gm/30ml</i>                               | 2         |                        |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                                       | 3         | QL (30 EA per 30 days) |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i>                                      | 2         | QL (60 EA per 30 days) |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                                                 | 3         | QL (30 EA per 30 days) |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>               | 2         |                        |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>                     | 2         |                        |
| RELISTOR ORAL TABLET 150 MG                                                         | 4         | PA                     |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 12 MG/0.6ML (0.6ML SYRINGE), 8 MG/0.4ML | 5         | PA                     |
| <b>Anti-Diarrheal Agents</b>                                                        |           |                        |

| Name of Drug                                                            | Drug Tier | Requirements/Limits    |
|-------------------------------------------------------------------------|-----------|------------------------|
| <i>alosetron hcl oral tablet 0.5 mg</i>                                 | 2         | QL (60 EA per 30 days) |
| <i>alosetron hcl oral tablet 1 mg</i>                                   | 4         | QL (60 EA per 30 days) |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i>              | 2         | PA                     |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>                  | 2         | PA                     |
| <i>loperamide hcl oral capsule 2 mg</i>                                 | 2         |                        |
| XERMELO ORAL TABLET 250 MG                                              | 5         | PA                     |
| XIFAXAN ORAL TABLET 200 MG                                              | 4         | PA                     |
| XIFAXAN ORAL TABLET 550 MG                                              | 5         | PA                     |
| <b>Antispasmodics, Gastrointestinal</b>                                 |           |                        |
| <i>dicyclomine hcl oral capsule 10 mg</i>                               | 1         |                        |
| <i>dicyclomine hcl oral solution 10 mg/5ml</i>                          | 2         |                        |
| <i>dicyclomine hcl oral tablet 20 mg</i>                                | 1         |                        |
| <i>glycopyrrolate oral solution 1 mg/5ml</i>                            | 2         |                        |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>                            | 2         |                        |
| <b>Gastrointestinal Agents, Other</b>                                   |           |                        |
| GATTEX SUBCUTANEOUS KIT 5 MG                                            | 5         | PA                     |
| LIVMARLI ORAL SOLUTION 19 MG/ML, 9.5 MG/ML                              | 5         | PA                     |
| LIVMARLI ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG                         | 5         | PA                     |
| OALIVA ORAL TABLET 10 MG, 5 MG                                          | 5         | PA                     |
| <i>ursodiol oral capsule 300 mg</i>                                     | 2         |                        |
| <i>ursodiol oral tablet 250 mg, 500 mg</i>                              | 2         |                        |
| VOWST ORAL CAPSULE                                                      | 5         | PA                     |
| <b>Histamine2 (H2) Receptor Antagonists</b>                             |           |                        |
| <i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>            | 2         |                        |
| <i>famotidine oral tablet 20 mg, 40 mg</i>                              | 1         |                        |
| <b>Protectants</b>                                                      |           |                        |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i>                         | 2         |                        |
| <i>sucralfate oral tablet 1 gm</i>                                      | 1         |                        |
| <b>Proton Pump Inhibitors</b>                                           |           |                        |
| <i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i> | 1         |                        |

| Name of Drug                                                                                                                                          | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i>                                                                                         | 1         |                     |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>                                                                                    | 1         |                     |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>                                                                                   | 1         |                     |
| <b>Genetic Or Enzyme Or Protein Disorder: Replacement, Modifiers, Treatment - Products That Replace, Modify, Or Treat Genetic Or Enzyme Disorders</b> |           |                     |
| <b>Genetic Or Enzyme Or Protein Disorder: Replacement, Modifiers, Treatment</b>                                                                       |           |                     |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 500 MG                                                                                         | 5         | PA                  |
| <i>betaine oral powder</i>                                                                                                                            | 5         |                     |
| CERDELGA ORAL CAPSULE 84 MG                                                                                                                           | 5         | PA                  |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG                                                                                                                    | 5         | PA                  |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT                   | 3         |                     |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG                                                                                                                   | 4         | PA                  |
| <i>dichlorphenamide oral tablet 50 mg</i>                                                                                                             | 5         | PA                  |
| GALAFOLD ORAL CAPSULE 123 MG                                                                                                                          | 5         | PA                  |
| GLASSIA INTRAVENOUS SOLUTION 1000 MG/50ML                                                                                                             | 5         | PA                  |
| GLASSIA INTRAVENOUS SOLUTION 4 GM/200ML, 5 GM/250ML                                                                                                   | 4         | PA                  |
| <i>l-glutamine oral packet 5 gm</i>                                                                                                                   | 5         | PA                  |
| <i>miglustat oral capsule 100 mg</i>                                                                                                                  | 5         | PA                  |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i>                                                                                               | 5         | PA                  |
| ORFADIN ORAL SUSPENSION 4 MG/ML                                                                                                                       | 5         | PA                  |
| PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML                                                                                                         | 5         | PA                  |
| RAVICTI ORAL LIQUID 1.1 GM/ML                                                                                                                         | 5         | PA                  |

| Name of Drug                                                                                                                                                                                 | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i>                                                                                                                                | 5         | PA                  |
| <i>sapropterin dihydrochloride oral tablet 100 mg</i>                                                                                                                                        | 5         | PA                  |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i>                                                                                                                                            | 5         | PA                  |
| <i>sodium phenylbutyrate oral tablet 500 mg</i>                                                                                                                                              | 5         | PA                  |
| SUCRAID ORAL SOLUTION 8500 UNIT/ML                                                                                                                                                           | 5         | PA                  |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 4000 MG, 5000 MG                                                                                                                         | 5         | PA                  |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT | 3         |                     |

## Genitourinary Agents - Treatment Of Urinary Tract And Prostate Conditions

### Antispasmodics, Urinary

|                                                                                       |   |                         |
|---------------------------------------------------------------------------------------|---|-------------------------|
| <i>darifenacin hydrobromide er oral tablet extended release 24 hour 15 mg, 7.5 mg</i> | 2 | ST                      |
| <i>fesoterodine fumarate er oral tablet extended release 24 hour 4 mg, 8 mg</i>       | 2 | QL (30 EA per 30 days)  |
| <i>flavoxate hcl oral tablet 100 mg</i>                                               | 2 |                         |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML                                    | 3 | QL (300 ML per 30 days) |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG                           | 3 | QL (30 EA per 30 days)  |
| <i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i> | 1 |                         |
| <i>oxybutynin chloride oral solution 5 mg/5ml</i>                                     | 1 |                         |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                           | 1 |                         |
| <i>solifenacin succinate oral tablet 10 mg, 5 mg</i>                                  | 2 |                         |
| <i>tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg</i>       | 2 |                         |
| <i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>                                    | 2 |                         |
| <i>tropium chloride er oral capsule extended release 24 hour 60 mg</i>                | 2 | ST                      |
| <i>tropium chloride oral tablet 20 mg</i>                                             | 2 |                         |

### Benign Prostatic Hypertrophy Agents

| Name of Drug                                                                                                     | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>                                               | 1         |                     |
| <i>dutasteride oral capsule 0.5 mg</i>                                                                           | 2         |                     |
| <i>finasteride oral tablet 5 mg</i>                                                                              | 1         |                     |
| <i>tadalafil oral tablet 5 mg</i>                                                                                | 2         | PA                  |
| <i>tamsulosin hcl oral capsule 0.4 mg</i>                                                                        | 1         |                     |
| <b>Genitourinary Agents, Other</b>                                                                               |           |                     |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                                                | 2         |                     |
| ELMIRON ORAL CAPSULE 100 MG                                                                                      | 4         |                     |
| FILSPARI ORAL TABLET 200 MG, 400 MG                                                                              | 5         | PA                  |
| <i>tiopronin oral tablet 100 mg</i>                                                                              | 5         | PA                  |
| <i>tiopronin oral tablet delayed release 100 mg, 300 mg</i>                                                      | 5         | PA                  |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal) - Treatment Of Conditions Requiring Steroids</b> |           |                     |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b>                                              |           |                     |
| ACTHAR GEL SUBCUTANEOUS PEN-INJECTOR 40 UNIT/0.5ML, 80 UNIT/ML                                                   | 5         | PA                  |
| ACTHAR INJECTION GEL 80 UNIT/ML                                                                                  | 5         | PA                  |
| CORTROPHIN GEL SUBCUTANEOUS PREFILLED SYRINGE 40 UNIT/0.5ML, 80 UNIT/ML                                          | 5         | PA                  |
| CORTROPHIN INJECTION GEL 80 UNIT/ML                                                                              | 5         | PA                  |
| <i>dexamethasone oral solution 0.5 mg/5ml</i>                                                                    | 2         |                     |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                                 | 1         |                     |
| <i>fludrocortisone acetate oral tablet 0.1 mg</i>                                                                | 2         |                     |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>                                                             | 2         |                     |
| <i>hydrocortisone sod suc (pf) injection solution reconstituted 100 mg</i>                                       | 2         |                     |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>                                                   | 2         |                     |
| <i>methylprednisolone oral tablet therapy pack 4 mg</i>                                                          | 2         |                     |

| Name of Drug                                                                                                                | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>prednisolone oral solution 15 mg/5ml</i>                                                                                 | 2         |                     |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml, 5 mg/5ml</i>                                                      | 2         |                     |
| <b>Hormonal Agents, Stimulant/<br/>Replacement/ Modifying (Pituitary) -<br/>Treatment Of Pituitary Gland<br/>Conditions</b> |           |                     |
| <b>Hormonal Agents, Stimulant/<br/>Replacement/ Modifying (Pituitary)</b>                                                   |           |                     |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i>                                                                  | 2         |                     |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>                                                                      | 2         |                     |
| <i>desmopressin acetate spray nasal solution 0.01 %</i>                                                                     | 2         |                     |
| EGRIFTA SV SUBCUTANEOUS SOLUTION RECONSTITUTED 2 MG                                                                         | 5         | PA                  |
| EGRIFTA WR SUBCUTANEOUS KIT 11.6 MG                                                                                         | 5         | PA                  |
| GENOTROPIN MINIQUEICK SUBCUTANEOUS PREFILLED SYRINGE 0.2 MG                                                                 | 4         | PA                  |
| GENOTROPIN MINIQUEICK SUBCUTANEOUS PREFILLED SYRINGE 0.4 MG, 0.6 MG, 0.8 MG, 1 MG, 1.2 MG, 1.4 MG, 1.6 MG, 1.8 MG, 2 MG     | 5         | PA                  |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG                                                                                     | 5         | PA                  |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 5 MG                                                                                      | 4         | PA                  |
| HUMATROPE INJECTION CARTRIDGE 12 MG, 24 MG, 6 MG                                                                            | 5         | PA                  |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML                                                                                    | 5         | PA                  |
| NGENLA SUBCUTANEOUS SOLUTION PEN-INJECTOR 24 MG/1.2ML, 60 MG/1.2ML                                                          | 5         | PA                  |
| NORDITROPIN FLEXPPO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML, 15 MG/1.5ML, 30 MG/3ML, 5 MG/1.5ML                      | 5         | PA                  |
| NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/2ML                                                          | 5         | PA                  |

| Name of Drug                                                                                                                                                         | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR 20 MG/2ML                                                                                                   | 5         | PA                  |
| NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MG/2ML                                                                                                     | 5         | PA                  |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML, 5 MG/1.5ML                                                                                                    | 5         | PA                  |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG                                                                                                                 | 5         | PA                  |
| SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG                                                                                                        | 5         | PA                  |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG                                                                 | 5         | PA                  |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers) - For The Replacement Or Modification Of Sex Hormones</b>                            |           |                     |
| <b>Androgens</b>                                                                                                                                                     |           |                     |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                                                                                                    | 2         |                     |
| <i>methyltestosterone oral capsule 10 mg</i>                                                                                                                         | 5         | PA                  |
| <i>testosterone cypionate injection solution 200 mg/ml</i>                                                                                                           | 2         |                     |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i>                                                                          | 2         |                     |
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i>                                                                                                       | 2         |                     |
| <i>testosterone transdermal gel 1.62 %, 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 2         | PA                  |
| <i>testosterone transdermal solution 30 mg/act</i>                                                                                                                   | 2         | PA                  |
| <b>Estrogens</b>                                                                                                                                                     |           |                     |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                                                      | 1         | PA                  |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>                                              | 2         | PA                  |

| Name of Drug                                                                                                                    | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 2         | PA                  |
| <i>estradiol vaginal cream 0.1 mg/gm</i>                                                                                        | 2         |                     |
| <i>estradiol vaginal tablet 10 mcg</i>                                                                                          | 2         |                     |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>                                                        | 2         |                     |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG                                                                            | 4         | PA                  |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG                                                                 | 3         | PA                  |
| PREMARIN VAGINAL CREAM 0.625 MG/GM                                                                                              | 3         |                     |
| <b>Hormonal Agents, Stimulant/<br/>Replacement/ Modifying (Sex<br/>Hormones/ Modifiers)</b>                                     |           |                     |
| ABIGALE LO ORAL TABLET 0.5-0.1 MG                                                                                               | 2         |                     |
| AFIRMELLE ORAL TABLET 0.1-20 MG-MCG                                                                                             | 2         |                     |
| ALTAVERA ORAL TABLET 0.15-30 MG-MCG                                                                                             | 2         |                     |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>                                                                                     | 2         |                     |
| <i>alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                                           | 2         |                     |
| APRI ORAL TABLET 0.15-30 MG-MCG                                                                                                 | 2         |                     |
| ARANELLE ORAL TABLET 0.5/1/0.5-35 MG-MCG                                                                                        | 2         |                     |
| AUBRA EQ ORAL TABLET 0.1-20 MG-MCG                                                                                              | 2         |                     |
| AUROVELA 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                                       | 2         |                     |
| AUROVELA FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                                    | 2         |                     |
| AUROVELA FE 1/20 ORAL TABLET 1-20 MG-MCG                                                                                        | 2         |                     |
| AVIANE ORAL TABLET 0.1-20 MG-MCG                                                                                                | 2         |                     |
| AYUNA ORAL TABLET 0.15-30 MG-MCG                                                                                                | 2         |                     |
| BALZIVA ORAL TABLET 0.4-35 MG-MCG                                                                                               | 2         |                     |
| BLISOVI FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                                     | 2         |                     |
| BLISOVI FE 1/20 ORAL TABLET 1-20 MG-MCG                                                                                         | 2         |                     |

| <b>Name of Drug</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------|------------------|----------------------------|
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>                                    | 2                |                            |
| CHATEAL EQ ORAL TABLET 0.15-30 MG-MCG                                        | 2                |                            |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY | 4                |                            |
| CRYSSELLE-28 ORAL TABLET 0.3-30 MG-MCG                                       | 2                |                            |
| CYRED EQ ORAL TABLET 0.15-30 MG-MCG                                          | 2                |                            |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>       | 2                |                            |
| ELURYNG VAGINAL RING 0.12-0.015 MG/24HR                                      | 2                |                            |
| ENPRESSE-28 ORAL TABLET 50-30/75-40/125-30 MCG                               | 2                |                            |
| ENSKYCE ORAL TABLET 0.15-30 MG-MCG                                           | 2                |                            |
| ESTARYLLA ORAL TABLET 0.25-35 MG-MCG                                         | 2                |                            |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>         | 2                |                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>    | 2                |                            |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</i>        | 2                |                            |
| FALMINA ORAL TABLET 0.1-20 MG-MCG                                            | 2                |                            |
| FYAVOLV ORAL TABLET 0.5-2.5 MG-MCG, 1-5 MG-MCG                               | 2                |                            |
| HAILEY 24 FE ORAL TABLET 1-20 MG-MCG(24)                                     | 2                |                            |
| HAILEY FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                   | 2                |                            |
| HAILEY FE 1/20 ORAL TABLET 1-20 MG-MCG                                       | 2                |                            |
| INTROVALE ORAL TABLET 0.15-0.03 MG                                           | 2                |                            |
| ISIBLOOM ORAL TABLET 0.15-30 MG-MCG                                          | 2                |                            |
| JINTELI ORAL TABLET 1-5 MG-MCG                                               | 2                |                            |
| JULEBER ORAL TABLET 0.15-30 MG-MCG                                           | 2                |                            |
| JUNEL 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                       | 2                |                            |

| Name of Drug                                                                                                   | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| JUNEL 1/20 ORAL TABLET 1-20 MG-MCG                                                                             | 2         |                     |
| JUNEL FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                      | 2         |                     |
| JUNEL FE 1/20 ORAL TABLET 1-20 MG-MCG                                                                          | 2         |                     |
| KARIVA ORAL TABLET 0.15-0.02/0.01 MG (21/5)                                                                    | 2         |                     |
| KELNOR 1/35 ORAL TABLET 1-35 MG-MCG                                                                            | 2         |                     |
| KELNOR 1/50 ORAL TABLET 1-50 MG-MCG                                                                            | 2         |                     |
| KURVELO ORAL TABLET 0.15-30 MG-MCG                                                                             | 2         |                     |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 19.5 MG                                                               | 4         |                     |
| LARIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                         | 2         |                     |
| LARIN 1/20 ORAL TABLET 1-20 MG-MCG                                                                             | 2         |                     |
| LARIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                      | 2         |                     |
| LARIN FE 1/20 ORAL TABLET 1-20 MG-MCG                                                                          | 2         |                     |
| LESSINA ORAL TABLET 0.1-20 MG-MCG                                                                              | 2         |                     |
| LEVONEST ORAL TABLET 50-30/75-40/ 125-30 MCG                                                                   | 2         |                     |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 &amp; 0.01 mg, 0.15-0.03 &amp; 0.01 mg, 0.15-0.03 mg</i> | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i>                                 | 2         |                     |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i>                                       | 2         |                     |
| LEVORA 0.15/30 (28) ORAL TABLET 0.15-30 MG-MCG                                                                 | 2         |                     |
| LILETTA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20.1 MCG/DAY                                                  | 4         |                     |
| LOW-OGESTREL ORAL TABLET 0.3-30 MG-MCG                                                                         | 2         |                     |
| LUTERA ORAL TABLET 0.1-20 MG-MCG                                                                               | 2         |                     |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>                                                                     | 2         |                     |
| MICROGESTIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                                                   | 2         |                     |
| MICROGESTIN 1/20 ORAL TABLET 1-20 MG-MCG                                                                       | 2         |                     |

| Name of Drug                                                                 | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------|-----------|---------------------|
| MICROGESTIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                              | 2         |                     |
| MICROGESTIN FE 1/20 ORAL TABLET 1-20 MG-MCG                                  | 2         |                     |
| MILI ORAL TABLET 0.25-35 MG-MCG                                              | 2         |                     |
| MIMVEY ORAL TABLET 1-0.5 MG                                                  | 2         |                     |
| MIRENA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20 MCG/DAY                   | 4         |                     |
| NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG                                  | 2         |                     |
| NEXPLANON SUBCUTANEOUS IMPLANT 68 MG                                         | 3         |                     |
| <i>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</i> | 2         |                     |
| <i>norethin ace-eth estrad-fe oral tablet 1.5-30 mg-mcg</i>                  | 2         |                     |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 2         |                     |
| <i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>    | 2         |                     |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>                 | 2         |                     |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</i>  | 2         |                     |
| NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG                                | 2         |                     |
| NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG                                    | 2         |                     |
| NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG                                    | 2         |                     |
| NORTREL 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG                               | 2         |                     |
| NYLIA 1/35 ORAL TABLET 1-35 MG-MCG                                           | 2         |                     |
| NYLIA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG                                 | 2         |                     |
| OCELLA ORAL TABLET 3-0.03 MG                                                 | 2         |                     |
| PIMTREA ORAL TABLET 0.15-0.02/0.01 MG (21/5)                                 | 2         |                     |
| PORTIA-28 ORAL TABLET 0.15-30 MG-MCG                                         | 2         |                     |

| <b>Name of Drug</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------|------------------|----------------------------|
| PREMPHASE ORAL TABLET 0.625-5 MG                                      | 3                |                            |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 3                |                            |
| RECLIPSEN ORAL TABLET 0.15-30 MG-MCG                                  | 2                |                            |
| SETLAKIN ORAL TABLET 0.15-0.03 MG                                     | 2                |                            |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 13.5 MG                        | 3                |                            |
| SPRINTEC 28 ORAL TABLET 0.25-35 MG-MCG                                | 2                |                            |
| SRONYX ORAL TABLET 0.1-20 MG-MCG                                      | 2                |                            |
| TARINA FE 1/20 EQ ORAL TABLET 1-20 MG-MCG                             | 2                |                            |
| TRI FEMYNOR ORAL TABLET 0.18/0.215/0.25 MG-35 MCG                     | 2                |                            |
| TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG                   | 2                |                            |
| TRI-LEGEST FE ORAL TABLET 1-20/1-30/1-35 MG-MCG                       | 2                |                            |
| TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-35 MCG                        | 2                |                            |
| TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-35 MCG                    | 2                |                            |
| TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG                     | 2                |                            |
| VELIVET ORAL TABLET 0.1/0.125/0.15 -0.025 MG                          | 2                |                            |
| VIENVA ORAL TABLET 0.1-20 MG-MCG                                      | 2                |                            |
| VYFEMLA ORAL TABLET 0.4-35 MG-MCG                                     | 2                |                            |
| VYLIBRA ORAL TABLET 0.25-35 MG-MCG                                    | 2                |                            |
| XULANE TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR                       | 2                |                            |
| ZAFEMY TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR                       | 2                |                            |
| ZOVIA 1/35 (28) ORAL TABLET 1-35 MG-MCG                               | 2                |                            |
| <b>Progestins</b>                                                     |                  |                            |
| CAMILA ORAL TABLET 0.35 MG                                            | 2                |                            |

| Name of Drug                                                                                                                       | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| DEBLITANE ORAL TABLET 0.35 MG                                                                                                      | 2         |                     |
| DEPO-SUBQ PROVERA 104<br>SUBCUTANEOUS SUSPENSION PREFILLED<br>SYRINGE 104 MG/0.65ML                                                | 3         |                     |
| ERRIN ORAL TABLET 0.35 MG                                                                                                          | 2         |                     |
| INCASSIA ORAL TABLET 0.35 MG                                                                                                       | 2         |                     |
| LYZA ORAL TABLET 0.35 MG                                                                                                           | 2         |                     |
| <i>medroxyprogesterone acetate intramuscular<br/>suspension 150 mg/ml</i>                                                          | 2         |                     |
| <i>medroxyprogesterone acetate intramuscular<br/>suspension prefilled syringe 150 mg/ml</i>                                        | 2         |                     |
| <i>medroxyprogesterone acetate oral tablet 10 mg,<br/>2.5 mg, 5 mg</i>                                                             | 1         |                     |
| <i>megestrol acetate oral suspension 40 mg/ml, 400<br/>mg/10ml, 625 mg/5ml, 800 mg/20ml</i>                                        | 2         | PA                  |
| <i>megestrol acetate oral tablet 20 mg, 40 mg</i>                                                                                  | 2         | PA                  |
| MELEYA ORAL TABLET 0.35 MG                                                                                                         | 2         |                     |
| NORA-BE ORAL TABLET 0.35 MG                                                                                                        | 2         |                     |
| <i>norethindrone acetate oral tablet 5 mg</i>                                                                                      | 2         |                     |
| <i>norethindrone oral tablet 0.35 mg</i>                                                                                           | 2         |                     |
| NORLYROC ORAL TABLET 0.35 MG                                                                                                       | 2         |                     |
| ORQUIDEA ORAL TABLET 0.35 MG                                                                                                       | 2         |                     |
| <i>progesterone oral capsule 100 mg, 200 mg</i>                                                                                    | 2         |                     |
| SHAROBEL ORAL TABLET 0.35 MG                                                                                                       | 2         |                     |
| <b>Selective Estrogen Receptor Modifying<br/>Agents</b>                                                                            |           |                     |
| DUAVEE ORAL TABLET 0.45-20 MG                                                                                                      | 3         |                     |
| <i>raloxifene hcl oral tablet 60 mg</i>                                                                                            | 2         |                     |
| <b>Hormonal Agents, Stimulant/<br/>Replacement/ Modifying (Thyroid) -<br/>Treatment Of Thyroid Conditions</b>                      |           |                     |
| <b>Hormonal Agents, Stimulant/<br/>Replacement/ Modifying (Thyroid)</b>                                                            |           |                     |
| LEVO-T ORAL TABLET 100 MCG, 112 MCG,<br>125 MCG, 137 MCG, 150 MCG, 175 MCG, 200<br>MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG,<br>88 MCG | 4         |                     |

| Name of Drug                                                                                                                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1         |                     |
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG                              | 4         |                     |
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>                                                                                   | 2         |                     |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG                   | 4         |                     |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG                   | 4         |                     |

### Hormonal Agents, Suppressant (Pituitary) - Treatment Of Or Modification Of Pituitary Hormone Secretion

### Hormonal Agents, Suppressant (Pituitary)

|                                                                        |   |    |
|------------------------------------------------------------------------|---|----|
| <i>cabergoline oral tablet 0.5 mg</i>                                  | 2 |    |
| CAMCEVI SUBCUTANEOUS PREFILLED SYRINGE 42 MG                           | 4 | PA |
| ELIGARD SUBCUTANEOUS KIT 22.5 MG, 30 MG, 45 MG, 7.5 MG                 | 4 | PA |
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL | 5 | PA |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG                     | 4 | PA |
| <i>leuprolide acetate (3 month) intramuscular injectable 22.5 mg</i>   | 2 | PA |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i>                     | 4 |    |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG               | 5 | PA |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG             | 5 | PA |

| Name of Drug                                                                                | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------|-----------|---------------------|
| LUPRON DEPOT (4-MONTH)<br>INTRAMUSCULAR KIT 30 MG                                           | 5         | PA                  |
| LUPRON DEPOT (6-MONTH)<br>INTRAMUSCULAR KIT 45 MG                                           | 5         | PA                  |
| LUTRATE DEPOT INTRAMUSCULAR<br>INJECTABLE 22.5 MG                                           | 4         | PA                  |
| MYFEMBREE ORAL TABLET 40-1-0.5 MG                                                           | 5         | PA                  |
| <i>octreotide acetate injection solution 100 mcg/ml,<br/>200 mcg/ml, 50 mcg/ml</i>          | 2         | PA                  |
| <i>octreotide acetate injection solution 1000 mcg/ml,<br/>500 mcg/ml</i>                    | 5         | PA                  |
| <i>octreotide acetate intramuscular kit 10 mg, 20<br/>mg, 30 mg</i>                         | 1         | PA                  |
| <i>octreotide acetate subcutaneous solution prefilled<br/>syringe 100 mcg/ml, 50 mcg/ml</i> | 2         |                     |
| <i>octreotide acetate subcutaneous solution prefilled<br/>syringe 500 mcg/ml</i>            | 5         |                     |
| ORGOVYX ORAL TABLET 120 MG                                                                  | 5         | PA                  |
| ORIAHNN ORAL CAPSULE THERAPY PACK<br>300-1-0.5 & 300 MG                                     | 5         | PA                  |
| ORILISSA ORAL TABLET 150 MG, 200 MG                                                         | 5         | PA                  |
| RECORLEV ORAL TABLET 150 MG                                                                 | 5         | PA                  |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3<br>MG/ML, 0.6 MG/ML, 0.9 MG/ML                           | 5         | PA                  |
| SOMAVERT SUBCUTANEOUS SOLUTION<br>RECONSTITUTED 10 MG, 15 MG, 20 MG, 25<br>MG, 30 MG        | 5         | PA                  |
| SYNAREL NASAL SOLUTION 2 MG/ML                                                              | 5         | PA                  |
| TARPEYO ORAL CAPSULE DELAYED<br>RELEASE 4 MG                                                | 5         | PA                  |
| TRELSTAR MIXJECT INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED 11.25 MG,<br>22.5 MG, 3.75 MG    | 4         | PA                  |
| <b>Hormonal Agents, Suppressant<br/>(Thyroid) - Treatment For Overactive<br/>Thyroid</b>    |           |                     |
| <b>Antithyroid Agents</b>                                                                   |           |                     |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                  | 1         |                     |

| Name of Drug                                                                                          | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>propylthiouracil oral tablet 50 mg</i>                                                             | 2         |                     |
| <b>Immunological Agents - Medications That Alter The Immune System Including Vaccinations</b>         |           |                     |
| <b>Angioedema Agents</b>                                                                              |           |                     |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT                                                   | 5         | PA                  |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT, 3000 UNIT                                     | 5         | PA                  |
| <i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i>                            | 5         | PA                  |
| ORLADEYO ORAL CAPSULE 110 MG, 150 MG                                                                  | 5         | PA                  |
| <b>Immunoglobulins</b>                                                                                |           |                     |
| GAMMAGARD INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 30 GM/300ML, 5 GM/50ML | 5         | B/D                 |
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED 10 GM, 5 GM                                 | 5         | B/D                 |
| GAMMAKED INJECTION SOLUTION 1 GM/10ML                                                                 | 5         | B/D                 |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML                       | 5         | B/D                 |
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML                                                                | 5         | B/D                 |
| PRIVIGEN INTRAVENOUS SOLUTION 10 GM/100ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML                        | 5         | B/D                 |
| <b>Immunological Agents, Other</b>                                                                    |           |                     |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML                                       | 5         | PA                  |
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML                                          | 5         | PA                  |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG                                                   | 5         | PA                  |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML                                                | 5         | PA                  |

| <b>Name of Drug</b>                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------|------------------|----------------------------|
| BENLYSTA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 200 MG/ML                      | 5                | PA                         |
| CIBINQO ORAL TABLET 100 MG, 200 MG,<br>50 MG                                       | 5                | PA                         |
| COSENTYX (300 MG DOSE)<br>SUBCUTANEOUS SOLUTION PREFILLED<br>SYRINGE 150 MG/ML     | 5                | PA                         |
| COSENTYX INTRAVENOUS SOLUTION 125<br>MG/5ML                                        | 5                | PA                         |
| COSENTYX SENSOREADY (300 MG)<br>SUBCUTANEOUS SOLUTION AUTO-<br>INJECTOR 150 MG/ML  | 5                | PA                         |
| COSENTYX SENSOREADY PEN<br>SUBCUTANEOUS SOLUTION AUTO-<br>INJECTOR 150 MG/ML       | 5                | PA                         |
| COSENTYX SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 150 MG/ML, 75<br>MG/0.5ML      | 5                | PA                         |
| COSENTYX UNOREADY SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 300 MG/2ML                | 5                | PA                         |
| ENTYVIO PEN SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 108 MG/0.68ML                   | 5                | PA                         |
| FABHALTA ORAL CAPSULE 200 MG                                                       | 5                | PA                         |
| ILARIS SUBCUTANEOUS SOLUTION 150<br>MG/ML                                          | 5                | PA                         |
| ILUMYA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 100 MG/ML                        | 5                | PA                         |
| KEVZARA SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 150 MG/1.14ML, 200<br>MG/1.14ML     | 5                | PA                         |
| KEVZARA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 150 MG/1.14ML, 200<br>MG/1.14ML | 5                | PA                         |
| KINERET SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 100 MG/0.67ML                   | 5                | PA                         |
| LEQSELVI ORAL TABLET 8 MG                                                          | 5                | PA; QL (60 EA per 30 days) |
| LITFULO ORAL CAPSULE 50 MG                                                         | 5                | PA                         |
| ORENCIA CLICKJECT SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 125 MG/ML                 | 5                | PA                         |

| <b>Name of Drug</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------|------------------|----------------------------|
| ORENCIA INTRAVENOUS SOLUTION RECONSTITUTED 250 MG                                     | 5                | PA                         |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML, 50 MG/0.4ML, 87.5 MG/0.7ML | 5                | PA                         |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML                                                       | 5                | PA                         |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG, 45 MG                       | 5                | PA                         |
| SILIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 210 MG/1.5ML                            | 5                | PA                         |
| SKYRIZI INTRAVENOUS SOLUTION 600 MG/10ML                                              | 5                | PA                         |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML                             | 5                | PA                         |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML, 360 MG/2.4ML                    | 5                | PA                         |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML                             | 5                | PA                         |
| SOTYKTU ORAL TABLET 6 MG                                                              | 5                | PA                         |
| STELARA INTRAVENOUS SOLUTION 130 MG/26ML                                              | 5                | PA                         |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML                                             | 5                | PA                         |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML                 | 5                | PA                         |
| TALTZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/ML                                    | 5                | PA                         |
| TALTZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.25ML, 40 MG/0.5ML, 80 MG/ML     | 5                | PA                         |
| TREMFYA CROHNS INDUCTION SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML               | 5                | PA                         |
| TREMFYA ONE-PRESS SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML                       | 5                | PA                         |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML, 200 MG/2ML                 | 5                | PA                         |

| Name of Drug                                                                                          | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------|
| TREMFYA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 100 MG/ML, 200<br>MG/2ML                           | 5         | PA                  |
| XELJANZ ORAL SOLUTION 1 MG/ML                                                                         | 5         | PA                  |
| XELJANZ ORAL TABLET 10 MG, 5 MG                                                                       | 5         | PA                  |
| XELJANZ XR ORAL TABLET EXTENDED<br>RELEASE 24 HOUR 11 MG, 22 MG                                       | 5         | PA                  |
| ZILBRYSQ SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 16.6 MG/0.416ML, 23<br>MG/0.574ML, 32.4 MG/0.81ML | 5         | PA                  |
| <b>Immunostimulants</b>                                                                               |           |                     |
| ACTIMMUNE SUBCUTANEOUS SOLUTION<br>100 MCG/0.5ML                                                      | 5         |                     |
| PEGASYS SUBCUTANEOUS SOLUTION 180<br>MCG/ML                                                           | 5         | PA                  |
| PEGASYS SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 180 MCG/0.5ML                                      | 5         | PA                  |
| <b>Immunosuppressants</b>                                                                             |           |                     |
| ASTAGRAF XL ORAL CAPSULE EXTENDED<br>RELEASE 24 HOUR 0.5 MG, 1 MG                                     | 4         | B/D                 |
| ASTAGRAF XL ORAL CAPSULE EXTENDED<br>RELEASE 24 HOUR 5 MG                                             | 5         | B/D                 |
| <i>azathioprine oral tablet 50 mg</i>                                                                 | 2         | B/D                 |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS<br>PREFILLED SYRINGE KIT 200 MG/ML                                    | 5         | PA                  |
| CIMZIA SUBCUTANEOUS KIT 2 X 200 MG                                                                    | 5         | PA                  |
| CIMZIA-STARTER SUBCUTANEOUS<br>PREFILLED SYRINGE KIT 200 MG/ML                                        | 5         | PA                  |
| <i>cyclosporine modified oral capsule 100 mg, 25<br/>mg, 50 mg</i>                                    | 2         | B/D                 |
| <i>cyclosporine modified oral solution 100 mg/ml</i>                                                  | 2         | B/D                 |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>                                                        | 2         | B/D                 |
| ENBREL MINI SUBCUTANEOUS SOLUTION<br>CARTRIDGE 50 MG/ML                                               | 5         | PA                  |
| ENBREL SUBCUTANEOUS SOLUTION 25<br>MG/0.5ML                                                           | 5         | PA                  |
| ENBREL SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 25 MG/0.5ML, 50<br>MG/ML                            | 5         | PA                  |

| Name of Drug                                                                                             | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML                                            | 5         | PA                  |
| ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG                                          | 4         | B/D                 |
| ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG                                                   | 5         | B/D                 |
| <i>everolimus oral tablet 0.25 mg, 0.5 mg</i>                                                            | 2         | B/D                 |
| <i>everolimus oral tablet 0.75 mg, 1 mg</i>                                                              | 5         | B/D                 |
| GENGRAF ORAL CAPSULE 100 MG, 25 MG                                                                       | 2         | B/D                 |
| GENGRAF ORAL SOLUTION 100 MG/ML                                                                          | 2         | B/D                 |
| HADLIMA PUSH TOUCH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML                          | 5         | PA                  |
| HADLIMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML, 40 MG/0.8ML                                 | 5         | PA                  |
| HUMIRA (1 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML                                                | 5         | PA                  |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML, 80 MG/0.8ML                      | 5         | PA                  |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML | 5         | PA                  |
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML                                       | 5         | PA                  |
| HUMIRA-PED $\geq$ 40KG UC STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML                             | 5         | PA                  |
| HUMIRA-PSORIASIS/VEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML                    | 5         | PA                  |
| <i>leflunomide oral tablet 10 mg, 20 mg</i>                                                              | 2         |                     |
| LUPKYNIS ORAL CAPSULE 7.9 MG                                                                             | 5         | PA                  |
| <i>methotrexate sodium (pf) injection solution 50 mg/2ml</i>                                             | 2         |                     |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i>                                     | 2         |                     |

| <b>Name of Drug</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------|------------------|----------------------------|
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                     | 1                |                            |
| <i>mycophenolate mofetil oral capsule 250 mg</i>                                  | 2                | B/D                        |
| <i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i>              | 2                | B/D                        |
| <i>mycophenolate mofetil oral tablet 500 mg</i>                                   | 2                | B/D                        |
| <i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i>            | 2                | B/D                        |
| <i>mycophenolic acid oral tablet delayed release 180 mg, 360 mg</i>               | 2                | B/D                        |
| NULOJIX INTRAVENOUS SOLUTION RECONSTITUTED 250 MG                                 | 5                | B/D                        |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML                                              | 5                | B/D                        |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG                                                  | 4                | B/D                        |
| REZUROCK ORAL TABLET 200 MG                                                       | 5                | PA                         |
| SANDIMMUNE ORAL SOLUTION 100 MG/ML                                                | 4                | B/D                        |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML, 50 MG/0.5ML                | 5                | PA                         |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 50 MG/0.5ML            | 5                | PA                         |
| <i>sirolimus oral solution 1 mg/ml</i>                                            | 5                | B/D                        |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>                                   | 2                | B/D                        |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>                                 | 2                | B/D                        |
| <b>Vaccines</b>                                                                   |                  |                            |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML                        | 6                |                            |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED                                       | 6                |                            |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5 | 6                |                            |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML                       | 6                |                            |
| <i>bcg vaccine injection solution reconstituted 50 mg</i>                         | 6                |                            |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML                         | 6                |                            |

| <b>Name of Drug</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------|------------------|----------------------------|
| BEYFORTUS INTRAMUSCULAR SOLUTION<br>PREFILLED SYRINGE 100 MG/ML, 50<br>MG/0.5ML  | 6                |                            |
| BOOSTRIX INTRAMUSCULAR<br>SUSPENSION 5-2.5-18.5 LF-MCG/0.5                       | 6                |                            |
| BOOSTRIX INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 5-2.5-<br>18.5 LF-MCG/0.5 | 6                |                            |
| DAPTACEL INTRAMUSCULAR<br>SUSPENSION 23-15-5                                     | 6                |                            |
| ENFLONIA INTRAMUSCULAR SOLUTION<br>PREFILLED SYRINGE 105 MG/0.7ML                | 6                |                            |
| ENGERIX-B INJECTION SUSPENSION 20<br>MCG/ML                                      | 6                | B/D                        |
| ENGERIX-B INJECTION SUSPENSION<br>PREFILLED SYRINGE 10 MCG/0.5ML, 20<br>MCG/ML   | 6                | B/D                        |
| ERVEBO INTRAMUSCULAR SUSPENSION                                                  | 6                |                            |
| GARDASIL 9 INTRAMUSCULAR<br>SUSPENSION 0.5 ML                                    | 6                |                            |
| GARDASIL 9 INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 0.5 ML                  | 6                |                            |
| HAVRIX INTRAMUSCULAR SUSPENSION<br>1440 EL U/ML                                  | 6                |                            |
| HAVRIX INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 720 EL U/0.5ML              | 6                |                            |
| HEPLISAV-B INTRAMUSCULAR SOLUTION<br>PREFILLED SYRINGE 20 MCG/0.5ML              | 6                | B/D                        |
| HIBERIX INJECTION SOLUTION<br>RECONSTITUTED 10 MCG                               | 6                |                            |
| IMOVAX RABIES INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED 2.5<br>UNIT/ML           | 6                | B/D                        |
| INFANRIX INTRAMUSCULAR SUSPENSION<br>25-58-10                                    | 6                |                            |
| IPOL INJECTION INJECTABLE                                                        | 6                |                            |
| IXIARO INTRAMUSCULAR SUSPENSION                                                  | 6                |                            |
| JYNNEOS SUBCUTANEOUS SUSPENSION<br>0.5 ML                                        | 6                |                            |

| Name of Drug                                                                      | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|-----------|---------------------|
| KINRIX INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 0.5 ML                       | 6         |                     |
| MENACTRA INTRAMUSCULAR SOLUTION                                                   | 6         |                     |
| MENQUADFI INTRAMUSCULAR SOLUTION<br>0.5 ML                                        | 6         |                     |
| MENVEO INTRAMUSCULAR SOLUTION                                                     | 6         |                     |
| MENVEO INTRAMUSCULAR SOLUTION<br>RECONSTITUTED                                    | 6         |                     |
| M-M-R II INJECTION SOLUTION<br>RECONSTITUTED                                      | 6         |                     |
| MRESVIA INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 50 MCG/0.5ML                | 6         |                     |
| PEDIARIX INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE                            | 6         |                     |
| PEDVAX HIB INTRAMUSCULAR<br>SUSPENSION 7.5 MCG/0.5ML                              | 6         |                     |
| PENBRAYA INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED                                | 6         |                     |
| <i>penmenvay intramuscular suspension reconstituted</i>                           | 6         |                     |
| PENTACEL INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED                                | 6         |                     |
| PREHEVBRIO INTRAMUSCULAR<br>SUSPENSION 10 MCG/ML                                  | 6         | B/D                 |
| PRIORIX SUBCUTANEOUS SUSPENSION<br>RECONSTITUTED                                  | 6         |                     |
| PROQUAD SUBCUTANEOUS SUSPENSION<br>RECONSTITUTED                                  | 6         |                     |
| QUADRACEL INTRAMUSCULAR<br>SUSPENSION                                             | 6         |                     |
| QUADRACEL INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE 0.5 ML                    | 6         |                     |
| RABAERT INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED                                 | 6         | B/D                 |
| RECOMBIVAX HB INJECTION SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML           | 6         | B/D                 |
| RECOMBIVAX HB INJECTION SUSPENSION<br>PREFILLED SYRINGE 10 MCG/ML, 5<br>MCG/0.5ML | 6         | B/D                 |
| ROTARIX ORAL SUSPENSION                                                           | 6         |                     |

| Name of Drug                                                                                    | Drug Tier | Requirements/Limits    |
|-------------------------------------------------------------------------------------------------|-----------|------------------------|
| ROTATEQ ORAL SOLUTION                                                                           | 6         |                        |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML                                    | 6         | QL (2 EA per 999 days) |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)                                   | 6         | B/D                    |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML                | 6         |                        |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML                                      | 6         |                        |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML                            | 6         |                        |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML                                                   | 6         |                        |
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML                                 | 6         |                        |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML | 6         |                        |
| VARIVAX INJECTION SUSPENSION RECONSTITUTED 1350 PFU/0.5ML                                       | 6         |                        |
| VAXCHORA ORAL SUSPENSION RECONSTITUTED                                                          | 6         |                        |
| VAXELIS INTRAMUSCULAR SUSPENSION                                                                | 6         |                        |
| VAXELIS INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                              | 6         |                        |
| VIMKUNYA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 40 MCG/0.8ML                                | 6         |                        |
| YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE)                                 | 6         |                        |

### Inflammatory Bowel Disease Agents - Treatment Of Ulcerative Colitis Or Crohn's Disease

#### Aminosalicylates

|                                                                     |   |  |
|---------------------------------------------------------------------|---|--|
| <i>balsalazide disodium oral capsule 750 mg</i>                     | 2 |  |
| <i>mesalamine er oral capsule extended release 24 hour 0.375 gm</i> | 2 |  |
| <i>mesalamine oral capsule delayed release 400 mg</i>               | 2 |  |

| <b>Name of Drug</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>mesalamine oral tablet delayed release 1.2 gm</i>                                     | 2                |                            |
| <i>mesalamine rectal enema 4 gm</i>                                                      | 2                |                            |
| <i>mesalamine rectal suppository 1000 mg</i>                                             | 2                |                            |
| <i>mesalamine-cleanser rectal kit 4 gm</i>                                               | 2                |                            |
| <i>sulfasalazine oral tablet 500 mg</i>                                                  | 2                |                            |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>                                  | 2                |                            |
| <b>Glucocorticoids</b>                                                                   |                  |                            |
| <i>budesonide er oral tablet extended release 24 hour 9 mg</i>                           | 4                |                            |
| <i>budesonide oral capsule delayed release particles 3 mg</i>                            | 2                |                            |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE 1 MG/ML                                          | 2                |                            |
| <i>dexamethasone oral elixir 0.5 mg/5ml</i>                                              | 2                |                            |
| <i>dexamethasone sodium phosphate injection solution 120 mg/30ml, 20 mg/5ml, 4 mg/ml</i> | 2                |                            |
| <i>dexamethasone sodium phosphate injection solution prefilled syringe 4 mg/ml</i>       | 2                |                            |
| <i>hydrocortisone rectal enema 100 mg/60ml</i>                                           | 2                |                            |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>                | 2                |                            |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml</i>                             | 2                |                            |
| PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML                                             | 2                |                            |
| <i>prednisone oral solution 5 mg/5ml</i>                                                 | 2                |                            |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                    | 1                |                            |
| <i>prednisone oral tablet therapy pack 10 mg (21)</i>                                    | 1                |                            |
| <i>prednisone oral tablet therapy pack 10 mg (48), 5 mg (21), 5 mg (48)</i>              | 2                |                            |
| <b>Metabolic Bone Disease Agents - Treatment Of Bone Diseases Including Osteoporosis</b> |                  |                            |
| <b>Metabolic Bone Disease Agents</b>                                                     |                  |                            |
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 70 mg</i>                                | 1                |                            |

| <b>Name of Drug</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| BONSITY SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 560 MCG/2.24ML                                  | 5                | PA                         |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i>                                        | 2                |                            |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                              | 2                |                            |
| <i>calcitriol oral solution 1 mcg/ml</i>                                                      | 2                |                            |
| <i>cinacalcet hcl oral tablet 30 mg, 60 mg</i>                                                | 2                | QL (60 EA per 30 days)     |
| <i>cinacalcet hcl oral tablet 90 mg</i>                                                       | 2                | QL (120 EA per 30 days)    |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>                                   | 2                |                            |
| <i>ibandronate sodium oral tablet 150 mg</i>                                                  | 1                |                            |
| JUBBONTI SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 60 MG/ML                                  | 3                |                            |
| OSENVELT SUBCUTANEOUS SOLUTION<br>120 MG/1.7ML                                                | 5                | PA                         |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>                                          | 2                |                            |
| PROLIA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 60 MG/ML                                    | 3                |                            |
| <i>risedronate sodium oral tablet 150 mg, 35 mg, 35 mg (12 pack), 35 mg (4 pack), 5 mg</i>    | 2                |                            |
| <i>risedronate sodium oral tablet 30 mg</i>                                                   | 4                |                            |
| STOBOCLO SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 60 MG/ML                                  | 3                |                            |
| <i>teriparatide subcutaneous solution pen-injector 560 mcg/2.24ml</i>                         | 5                | PA                         |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML                                     | 5                | PA                         |
| WYOST SUBCUTANEOUS SOLUTION 120 MG/1.7ML                                                      | 5                | PA                         |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML                                                      | 5                | PA                         |
| YORVIPATH SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 168 MCG/0.56ML, 294 MCG/0.98ML, 420 MCG/1.4ML | 5                | PA                         |
| <b>Ophthalmic Agents - Treatment Of Eye Conditions</b>                                        |                  |                            |
| <b>Ophthalmic Agents, Other</b>                                                               |                  |                            |
| <i>atropine sulfate ophthalmic solution 1 %</i>                                               | 2                |                            |

| Name of Drug                                                             | Drug Tier | Requirements/Limits    |
|--------------------------------------------------------------------------|-----------|------------------------|
| <i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 %</i>        | 2         |                        |
| <i>cyclosporine ophthalmic emulsion 0.05 %</i>                           | 2         | QL (60 EA per 30 days) |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 %                                      | 5         | PA                     |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i>           | 2         |                        |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5 %</i>        | 2         |                        |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>     | 1         |                        |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>   | 1         |                        |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 2         |                        |
| OXERVATE OPHTHALMIC SOLUTION 0.002 %                                     | 5         | PA                     |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i>          | 2         |                        |
| TEPEZZA INTRAVENOUS SOLUTION RECONSTITUTED 500 MG                        | 5         | PA                     |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>          | 2         |                        |
| XDEMYVY OPHTHALMIC SOLUTION 0.25 %                                       | 5         | PA                     |
| <b>Ophthalmic Anti-Allergy Agents</b>                                    |           |                        |
| <i>azelastine hcl ophthalmic solution 0.05 %</i>                         | 1         |                        |
| <i>cromolyn sodium ophthalmic solution 4 %</i>                           | 1         |                        |
| <b>Ophthalmic Anti-Infectives</b>                                        |           |                        |
| <i>bacitracin ophthalmic ointment 500 unit/gm</i>                        | 2         |                        |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>      | 1         |                        |
| <i>ciprofloxacin hcl ophthalmic solution 0.3 %</i>                       | 2         |                        |
| <i>erythromycin ophthalmic ointment 5 mg/gm</i>                          | 1         |                        |
| <i>gentamicin sulfate ophthalmic solution 0.3 %</i>                      | 1         |                        |
| <i>moxifloxacin hcl ophthalmic solution 0.5 %</i>                        | 2         |                        |
| NATACYN OPHTHALMIC SUSPENSION 5 %                                        | 4         |                        |
| <i>ofloxacin ophthalmic solution 0.3 %</i>                               | 2         |                        |

| Name of Drug                                                            | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|-----------|---------------------|
| <i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i> | 1         |                     |
| <i>sulfacetamide sodium ophthalmic ointment 10 %</i>                    | 2         |                     |
| <i>sulfacetamide sodium ophthalmic solution 10 %</i>                    | 2         |                     |
| <i>tobramycin ophthalmic solution 0.3 %</i>                             | 1         |                     |
| <b>Ophthalmic Anti-Inflammatories</b>                                   |           |                     |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i>         | 2         |                     |
| <i>diclofenac sodium ophthalmic solution 0.1 %</i>                      | 2         |                     |
| <i>difluprednate ophthalmic emulsion 0.05 %</i>                         | 2         |                     |
| <i>fluorometholone ophthalmic suspension 0.1 %</i>                      | 2         |                     |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i>                   | 2         |                     |
| <i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>          | 2         |                     |
| <i>prednisolone acetate ophthalmic suspension 1 %</i>                   | 2         |                     |
| <i>prednisolone sodium phosphate ophthalmic solution 1 %</i>            | 2         |                     |
| <b>Ophthalmic Beta-Adrenergic Blocking Agents</b>                       |           |                     |
| <i>carteolol hcl ophthalmic solution 1 %</i>                            | 2         |                     |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i>                        | 1         |                     |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>                | 1         |                     |
| <b>Ophthalmic Intraocular Pressure Lowering Agents, Other</b>           |           |                     |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>    | 2         |                     |
| <i>brimonidine tartrate ophthalmic solution 0.1 %</i>                   | 2         |                     |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i>                   | 1         |                     |
| <i>brinzolamide ophthalmic suspension 1 %</i>                           | 2         | ST                  |
| <i>dorzolamide hcl ophthalmic solution 2 %</i>                          | 2         |                     |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                           | 2         |                     |
| <i>pilocarpine hcl ophthalmic solution 1 %, 1.25 %, 2 %, 4 %</i>        | 2         |                     |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02 %                                    | 3         | ST                  |

| Name of Drug                                                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------|-----------|---------------------|
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 %                                     | 3         | ST                  |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %                                        | 3         |                     |
| <b>Ophthalmic Prostaglandin And Prostanamide Analogs</b>                       |           |                     |
| <i>latanoprost ophthalmic solution 0.005 %</i>                                 | 1         |                     |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 %                                             | 3         |                     |
| <i>travoprost (bak free) ophthalmic solution 0.004 %</i>                       | 2         |                     |
| <b>Otic Agents - Treatment Of Ear Conditions</b>                               |           |                     |
| <b>Otic Agents</b>                                                             |           |                     |
| <i>acetic acid otic solution 2 %</i>                                           | 2         |                     |
| <i>hydrocortisone-acetic acid otic solution 1-2 %</i>                          | 2         |                     |
| <i>neomycin-polymyxin-hc otic solution 1 %, 3.5-10000-1</i>                    | 2         |                     |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>                       | 2         |                     |
| <i>ofloxacin otic solution 0.3 %</i>                                           | 2         |                     |
| <b>Respiratory Tract/ Pulmonary Agents - Treatment Of Breathing Conditions</b> |           |                     |
| <b>Antihistamines</b>                                                          |           |                     |
| <i>azelastine hcl nasal solution 0.1 %, 137 mcg/spray</i>                      | 1         |                     |
| <i>azelastine hcl nasal solution 0.15 %</i>                                    | 2         |                     |
| <i>cetirizine hcl oral solution 1 mg/ml, 5 mg/5ml</i>                          | 1         |                     |
| <i>clemastine fumarate oral tablet 2.68 mg</i>                                 | 2         |                     |
| <i>cyproheptadine hcl oral syrup 2 mg/5ml</i>                                  | 2         | PA                  |
| <i>cyproheptadine hcl oral tablet 4 mg</i>                                     | 2         | PA                  |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i>                                    | 2         | PA                  |
| <i>hydroxyzine hcl oral tablet 10 mg</i>                                       | 1         |                     |
| <i>hydroxyzine hcl oral tablet 25 mg, 50 mg</i>                                | 1         | PA                  |
| <i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i>                 | 2         |                     |
| <i>levocetirizine dihydrochloride oral tablet 5 mg</i>                         | 1         |                     |
| <i>promethazine hcl oral solution 6.25 mg/5ml</i>                              | 2         | PA                  |

| Name of Drug                                                                                                                                         | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                                                                                  |           |                     |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT                                                      | 3         |                     |
| <i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i>                                                                            | 2         | B/D                 |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>                                                                                                | 2         |                     |
| <i>fluticasone propionate diskus inhalation aerosol powder breath activated 100 mcg/act, 250 mcg/act, 50 mcg/act</i>                                 | 2         |                     |
| <i>fluticasone propionate hfa inhalation aerosol 110 mcg/act, 220 mcg/act, 44 mcg/act</i>                                                            | 2         |                     |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>                                                                                            | 2         |                     |
| <i>mometasone furoate nasal suspension 50 mcg/act</i>                                                                                                | 2         |                     |
| <b>Bronchodilators, Anticholinergic</b>                                                                                                              |           |                     |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT                                                                                                  | 4         |                     |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT                                                                              | 3         |                     |
| <i>ipratropium bromide inhalation solution 0.02 %</i>                                                                                                | 2         | B/D                 |
| <i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i>                                                                                             | 2         |                     |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT                                                                               | 3         |                     |
| <i>tiotropium bromide monohydrate inhalation capsule 18 mcg</i>                                                                                      | 2         |                     |
| <b>Bronchodilators, Sympathomimetic</b>                                                                                                              |           |                     |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act, 108 (90 base) mcg/act (nda020503), 108 (90 base) mcg/act (nda020983)</i> | 1         |                     |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, (5 mg/ml) 0.5%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i>                | 1         | B/D                 |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i>                                                                                                         | 1         |                     |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>                                                                                                      | 2         |                     |

| Name of Drug                                                                                    | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.15 mg/0.3ml, 0.3 mg/0.3ml</i> | 2         | QL (2 EA per 30 days)        |
| <i>formoterol fumarate inhalation nebulization solution 20 mcg/2ml</i>                          | 2         | B/D                          |
| <i>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/3ml</i>  | 2         | B/D                          |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT                           | 3         |                              |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>                                             | 2         |                              |
| VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT                                  | 3         |                              |
| <b>Cystic Fibrosis Agents</b>                                                                   |           |                              |
| ALYFTREK ORAL TABLET 10-50-125 MG, 4-20-50 MG                                                   | 5         | PA; QL (56 EA per 28 days)   |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG                                                 | 5         | PA                           |
| KALYDECO ORAL PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG                                       | 5         | PA                           |
| KALYDECO ORAL TABLET 150 MG                                                                     | 5         | PA                           |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG, 75-94 MG                                            | 5         | PA                           |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                                      | 5         | PA                           |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML                                                      | 5         | B/D                          |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG                                | 5         | PA                           |
| <i>tobramycin inhalation nebulization solution 300 mg/4ml</i>                                   | 3         | B/D                          |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i>                                   | 3         | B/D; QL (280 ML per 56 days) |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG, 50-25-37.5 & 75 MG                        | 5         | PA                           |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG, 80-40-60 & 59.5 MG                                | 5         | PA                           |
| <b>Mast Cell Stabilizers</b>                                                                    |           |                              |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>                               | 3         | B/D                          |

| Name of Drug                                                                                   | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>                                             | 2         |                             |
| <b>Phosphodiesterase Inhibitors, Airways Disease</b>                                           |           |                             |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i>                                                | 2         |                             |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i>     | 2         |                             |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>                     | 2         |                             |
| <i>theophylline oral elixir 80 mg/15ml</i>                                                     | 2         |                             |
| <i>theophylline oral solution 80 mg/15ml</i>                                                   | 2         |                             |
| <b>Pulmonary Antihypertensives</b>                                                             |           |                             |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                                         | 5         | PA                          |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>                                                     | 5         | PA                          |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i>                                                    | 5         | PA                          |
| OPSUMIT ORAL TABLET 10 MG                                                                      | 5         | PA; QL (30 EA per 30 days)  |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                               | 4         | PA; QL (720 ML per 30 days) |
| <i>sildenafil citrate oral tablet 20 mg</i>                                                    | 2         | PA                          |
| <i>tadalafil (pah) oral tablet 20 mg</i>                                                       | 2         | PA                          |
| TADLIQ ORAL SUSPENSION 20 MG/5ML                                                               | 5         | PA                          |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG                    | 5         | PA                          |
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG                                    | 5         | PA                          |
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | 5         | PA                          |
| UPTRAVI TITRATION ORAL TABLET THERAPY PACK 200 & 800 MCG                                       | 5         | PA                          |
| VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML                                              | 5         | PA                          |
| YUTREPIA INHALATION CAPSULE 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG                                | 5         | PA                          |
| <b>Pulmonary Fibrosis Agents</b>                                                               |           |                             |
| OFEV ORAL CAPSULE 100 MG, 150 MG                                                               | 5         | PA                          |

| Name of Drug                                                                                                                                                           | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>pirfenidone oral capsule 267 mg</i>                                                                                                                                 | 5         | PA                  |
| <i>pirfenidone oral tablet 267 mg</i>                                                                                                                                  | 2         | PA                  |
| <i>pirfenidone oral tablet 534 mg, 801 mg</i>                                                                                                                          | 5         | PA                  |
| <b>Respiratory Tract Agents, Other</b>                                                                                                                                 |           |                     |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>                                                                                                                   | 2         | B/D                 |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT                                                                                            | 3         |                     |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT                                                                                               | 3         |                     |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT                                                                                                                    | 3         |                     |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH                                                                  | 3         |                     |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT                                                                                                                | 3         |                     |
| <i>budesonide-formoterol fumarate inhalation aerosol 160-4.5 mcg/act, 80-4.5 mcg/act</i>                                                                               | 2         |                     |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT                                                                                                          | 4         |                     |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/1.14ML, 300 MG/2ML                                                                                                 | 5         | PA                  |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML, 200 MG/1.14ML, 300 MG/2ML                                                                              | 5         | PA                  |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML                                                                                                               | 5         | PA                  |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML, 30 MG/ML                                                                                                  | 5         | PA                  |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 113-14 mcg/act, 232-14 mcg/act, 250-50 mcg/act, 500-50 mcg/act, 55-14 mcg/act</i> | 2         |                     |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>                                                                                                    | 2         | B/D                 |
| <i>montelukast sodium oral packet 4 mg</i>                                                                                                                             | 2         |                     |

| <b>Name of Drug</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--------------------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>montelukast sodium oral tablet 10 mg</i>                                                            | 1                |                             |
| <i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>                                              | 1                |                             |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML                                                   | 5                | PA                          |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 40 MG/0.4ML                                  | 5                | PA                          |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100 MG                                                      | 5                | PA                          |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT                                           | 3                |                             |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT    | 3                |                             |
| WIXELA INHUB INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 250-50 MCG/ACT, 500-50 MCG/ACT | 2                |                             |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML                          | 5                | PA                          |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML                      | 5                | PA                          |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG                                                      | 5                | PA                          |
| <b>Skeletal Muscle Relaxants - Treatment Of Muscle Tightness</b>                                       |                  |                             |
| <b>Skeletal Muscle Relaxants</b>                                                                       |                  |                             |
| <i>carisoprodol oral tablet 250 mg, 350 mg</i>                                                         | 2                | PA; QL (90 EA per 30 days)  |
| <i>chlorzoxazone oral tablet 500 mg</i>                                                                | 2                | PA; QL (180 EA per 30 days) |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i>                                                     | 1                | QL (90 EA per 30 days)      |
| <i>metaxalone oral tablet 800 mg</i>                                                                   | 2                | PA; QL (120 EA per 30 days) |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                                                        | 1                | PA                          |
| <i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i>                             | 2                | PA                          |
| <b>Sleep Disorder Agents - Treatment Of Insomnia</b>                                                   |                  |                             |

| Name of Drug                                                                                                                 | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <b>Sleep Promoting Agents</b>                                                                                                |           |                             |
| <i>doxepin hcl oral tablet 3 mg, 6 mg</i>                                                                                    | 2         | QL (30 EA per 30 days)      |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>                                                                              | 2         | PA; QL (30 EA per 30 days)  |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML                                                                                           | 5         | PA                          |
| <i>ramelteon oral tablet 8 mg</i>                                                                                            | 2         | QL (30 EA per 30 days)      |
| <i>tasimelteon oral capsule 20 mg</i>                                                                                        | 5         | PA                          |
| <i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg</i>                                                                  | 2         | PA; QL (30 EA per 30 days)  |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                                                                     | 2         | PA; QL (30 EA per 30 days)  |
| ZEPBOUND SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML | 5         | PA; QL (2 ML per 28 days)   |
| <i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i>                                                    | 2         | PA; QL (30 EA per 30 days)  |
| <i>zolpidem tartrate oral tablet 10 mg</i>                                                                                   | 2         | PA; QL (30 EA per 30 days)  |
| <i>zolpidem tartrate oral tablet 5 mg</i>                                                                                    | 2         | QL (30 EA per 30 days)      |
| <b>Wakefulness Promoting Agents</b>                                                                                          |           |                             |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>                                                                 | 2         | PA                          |
| <i>modafinil oral tablet 100 mg, 200 mg</i>                                                                                  | 2         | PA                          |
| <i>sodium oxybate oral solution 500 mg/ml</i>                                                                                | 5         | PA; QL (540 ML per 30 days) |
| XYWAV ORAL SOLUTION 500 MG/ML                                                                                                | 5         | PA                          |

## Index

|                                        |                               |                                        |                               |                                       |                      |    |
|----------------------------------------|-------------------------------|----------------------------------------|-------------------------------|---------------------------------------|----------------------|----|
| <b>A</b>                               | <i>abacavir sulfate</i> ..... | 50                                     | <i>alfuzosin hcl er</i> ..... | 87                                    | APIDRA SOLOSTAR..... | 57 |
| <i>abacavir sulfate-lamivudine</i> ... | 50                            | <i>aliskiren fumarate</i> .....        | 66                            | <i>apomorphine hcl</i> .....          | 42                   |    |
| ABELCET .....                          | 29                            | <i>allopurinol</i> .....               | 31                            | <i>aprepitant</i> .....               | 29                   |    |
| ABIGALE LO .....                       | 90                            | <i>alosetron hcl</i> .....             | 84                            | APRI .....                            | 90                   |    |
| ABILIFY ASIMTUFII .....                | 44                            | <i>alprazolam</i> .....                | 52, 53                        | APTIVUS .....                         | 51                   |    |
| ABILIFY MAINTENA.....                  | 44                            | ALPRAZOLAM INTENSOL                    | 52                            | AQNEURSA .....                        | 73                   |    |
| <i>abiraterone acetate</i> .....       | 33                            | ALTAVERA .....                         | 90                            | ARALAST NP.....                       | 85                   |    |
| ABIRTEGA.....                          | 33                            | ALUNBRIG .....                         | 36                            | ARANELLE .....                        | 90                   |    |
| ABRYSVO.....                           | 103                           | <i>alyacen 1/35</i> .....              | 90                            | ARANESP (ALBUMIN FREE)                |                      |    |
| <i>acamprosate calcium</i> .....       | 13                            | <i>alyacen 7/7/7</i> .....             | 90                            | .....                                 | 61                   |    |
| <i>acarbose</i> .....                  | 53                            | ALYFTREK .....                         | 113                           | ARCALYST .....                        | 98                   |    |
| <i>acebutolol hcl</i> .....            | 65                            | <i>amantadine hcl</i> .....            | 42                            | AREXVY .....                          | 103                  |    |
| <i>acetaminophen-codeine</i> .....     | 12                            | <i>ambrisentan</i> .....               | 114                           | ARIKAYCE .....                        | 14                   |    |
| <i>acetazolamide</i> .....             | 66                            | <i>amikacin sulfate</i> .....          | 14                            | <i>aripiprazole</i> .....             | 44                   |    |
| <i>acetazolamide er</i> .....          | 110                           | <i>amiloride hcl</i> .....             | 69                            | ARISTADA.....                         | 44                   |    |
| <i>acetic acid</i> .....               | 111                           | <i>amiloride-hydrochlorothiazide</i>   |                               | ARISTADA INITIO.....                  | 44                   |    |
| <i>acetylcysteine</i> .....            | 115                           | .....                                  | 66                            | <i>armodafinil</i> .....              | 117                  |    |
| <i>acitretin</i> .....                 | 76                            | <i>amiodarone hcl</i> .....            | 64                            | ARNUITY ELLIPTA.....                  | 112                  |    |
| ACTEMRA .....                          | 98                            | <i>amitriptyline hcl</i> .....         | 28                            | <i>asenapine maleate</i> .....        | 44                   |    |
| ACTEMRA ACTPEN.....                    | 98                            | <i>amlodipine besy-benazepril hcl</i>  |                               | <i>aspirin-dipyridamole er</i> .....  | 63                   |    |
| ACTHAR .....                           | 87                            | .....                                  | 67                            | ASTAGRAF XL.....                      | 101                  |    |
| ACTHAR GEL.....                        | 87                            | <i>amlodipine besylate</i> .....       | 65                            | <i>atazanavir sulfate</i> .....       | 51                   |    |
| ACTHIB.....                            | 103                           | <i>amlodipine besylate-valsartan</i>   | 67                            | <i>atenolol</i> .....                 | 65                   |    |
| ACTIMMUNE .....                        | 101                           | <i>amlodipine-atorvastatin</i> .....   | 67                            | <i>atenolol-chlorthalidone</i> .....  | 67                   |    |
| <i>acyclovir</i> .....                 | 49, 80                        | <i>amlodipine-olmesartan</i> .....     | 67                            | <i>atomoxetine hcl</i> .....          | 72                   |    |
| <i>acyclovir sodium</i> .....          | 49                            | <i>amlodipine-valsartan-hctz</i> ..... | 67                            | <i>atorvastatin calcium</i> .....     | 69                   |    |
| ADACEL.....                            | 103                           | <i>ammonium lactate</i> .....          | 77                            | <i>atovaquone</i> .....               | 41                   |    |
| <i>adapalene</i> .....                 | 76                            | AMNESTEEM .....                        | 76                            | <i>atovaquone-proguanil hcl</i> ..... | 41                   |    |
| <i>adapalene-benzoyl peroxide</i> ...  | 76                            | <i>amoxapine</i> .....                 | 28                            | <i>atropine sulfate</i> .....         | 108                  |    |
| <i>adefovir dipivoxil</i> .....        | 48                            | <i>amoxicillin</i> .....               | 18                            | ATROVENT HFA.....                     | 112                  |    |
| ADEMPAS.....                           | 114                           | <i>amoxicillin-pot clavulanate</i> ... | 18                            | AUBRA EQ.....                         | 90                   |    |
| ADMELOG.....                           | 56                            | <i>amoxicillin-pot clavulanate er</i>  | 18                            | AUGTYRO.....                          | 36                   |    |
| ADMELOG SOLOSTAR .....                 | 57                            | <i>amphetamine-dextroamphet er</i>     |                               | AUROVELA 1.5/30 .....                 | 90                   |    |
| ADVAIR HFA .....                       | 115                           | .....                                  | 71                            | AUROVELA FE 1.5/30 .....              | 90                   |    |
| AFIRMELLE .....                        | 90                            | <i>amphetamine-</i>                    |                               | AUROVELA FE 1/20 .....                | 90                   |    |
| AFREZZA .....                          | 57                            | <i>dextroamphetamine</i> .....         | 71                            | AUSTEDO .....                         | 73                   |    |
| AIMOVIG .....                          | 31                            | <i>amphotericin b</i> .....            | 29                            | AUSTEDO PATIENT                       |                      |    |
| AKEEGA .....                           | 34                            | <i>amphotericin b liposome</i> .....   | 29                            | TITRATION KIT .....                   | 73                   |    |
| <i>albendazole</i> .....               | 41                            | <i>ampicillin</i> .....                | 18                            | AUSTEDO XR.....                       | 73                   |    |
| <i>albuterol sulfate</i> .....         | 112                           | <i>ampicillin sodium</i> .....         | 18, 19                        | AUSTEDO XR PATIENT                    |                      |    |
| <i>albuterol sulfate hfa</i> .....     | 112                           | <i>ampicillin-sulbactam sodium</i> .   | 19                            | TITRATION.....                        | 73                   |    |
| <i>alclometasone dipropionate</i> ...  | 77                            | <i>anagrelide hcl</i> .....            | 61                            | AUVELITY .....                        | 26                   |    |
| ALECENSA .....                         | 36                            | <i>anastrozole</i> .....               | 36                            | AVIANE.....                           | 90                   |    |
| <i>alendronate sodium</i> .....        | 107                           | ANORO ELLIPTA.....                     | 115                           | AVMAPKI FAKZYNJA CO-                  |                      |    |
|                                        |                               | APIDRA .....                           | 57                            | PACK .....                            | 34                   |    |

|                                                |          |
|------------------------------------------------|----------|
| AYUNA .....                                    | 90       |
| AYVAKIT .....                                  | 36       |
| <i>azathioprine</i> .....                      | 101      |
| <i>azelastine hcl</i> .....                    | 109, 111 |
| <i>azithromycin</i> .....                      | 20       |
| <i>aztreonam</i> .....                         | 15       |
| <b>B</b>                                       |          |
| BAC (BUTALBITAL-<br>ACETAMIN-CAFF) .....       | 10       |
| <i>bacitracin</i> .....                        | 109      |
| <i>bacitracin-polymyxin b</i> .....            | 109      |
| <i>baclofen</i> .....                          | 48       |
| BAFIERTAM .....                                | 74       |
| <i>balsalazide disodium</i> .....              | 106      |
| BALVERSA .....                                 | 36       |
| BALZIVA .....                                  | 90       |
| BAQSIMI ONE PACK .....                         | 56       |
| BAQSIMI TWO PACK .....                         | 56       |
| BARACLUDE .....                                | 48       |
| <i>bcg vaccine</i> .....                       | 103      |
| <i>benazepril hcl</i> .....                    | 64       |
| <i>benazepril-hydrochlorothiazide</i><br>..... | 67       |
| BENLYSTA .....                                 | 98, 99   |
| <i>benzoyl peroxide-erythromycin</i><br>.....  | 76       |
| <i>benztropine mesylate</i> .....              | 42       |
| BESREMI .....                                  | 34       |
| <i>betaine</i> .....                           | 85       |
| <i>betamethasone dipropionate</i> ..           | 77       |
| <i>betamethasone dipropionate aug</i><br>..... | 77       |
| <i>betamethasone valerate</i> .....            | 77       |
| BETASERON .....                                | 74       |
| <i>betaxolol hcl</i> .....                     | 65       |
| <i>bethanechol chloride</i> .....              | 87       |
| BEVESPI AEROSPHERE... 115                      |          |
| <i>bexarotene</i> .....                        | 41       |
| BEXSERO .....                                  | 103      |
| BEYFORTUS .....                                | 104      |
| <i>bicalutamide</i> .....                      | 33       |
| BICILLIN L-A .....                             | 19       |
| BIKTARVY .....                                 | 50       |
| <i>bisoprolol fumarate</i> .....               | 65       |
| <i>bisoprolol-hydrochlorothiazide</i><br>..... | 67       |
| BLISOVI FE 1.5/30 .....                        | 90       |
| BLISOVI FE 1/20 .....                          | 90       |

H4676\_25DCF\_C V21

|                                                |          |
|------------------------------------------------|----------|
| BONSITY .....                                  | 108      |
| BOOSTRIX .....                                 | 104      |
| BORUZU .....                                   | 34       |
| <i>bosentan</i> .....                          | 114      |
| BOSULIF .....                                  | 36       |
| BRAFTOVI .....                                 | 36       |
| BREO ELLIPTA .....                             | 115      |
| BREZTRI AEROSPHERE... 115                      |          |
| <i>briellyn</i> .....                          | 91       |
| BRILINTA .....                                 | 63       |
| <i>brimonidine tartrate</i> .....              | 110      |
| <i>brimonidine tartrate-timolol</i> ..         | 109      |
| <i>brinzolamide</i> .....                      | 110      |
| BRIVIACT .....                                 | 21       |
| <i>bromocriptine mesylate</i> .....            | 42       |
| BRUKINSA .....                                 | 36       |
| <i>budesonide</i> .....                        | 107, 112 |
| <i>budesonide er</i> .....                     | 107      |
| <i>budesonide-formoterol fumarate</i><br>..... | 115      |
| <i>bumetanide</i> .....                        | 69       |
| <i>buprenorphine</i> .....                     | 11       |
| <i>buprenorphine hcl</i> .....                 | 13       |
| <i>buprenorphine hcl-naloxone hcl</i><br>..... | 13       |
| <i>bupropion hcl</i> .....                     | 26       |
| <i>bupropion hcl er (smoking det)</i><br>..... | 14       |
| <i>bupropion hcl er (sr)</i> .....             | 26       |
| <i>bupropion hcl er (xl)</i> .....             | 26       |
| <i>buspirone hcl</i> .....                     | 52       |
| <i>butalbital-acetaminophen</i> .....          | 10       |
| <i>butalbital-apap-caff-cod</i> .....          | 10       |
| <i>butalbital-apap-caffeine</i> .....          | 10       |
| <i>butalbital-asa-caff-codeine</i> ...         | 10       |
| <i>butalbital-aspirin-caffeine</i> .....       | 10       |
| <i>butorphanol tartrate</i> .....              | 12       |
| <b>C</b>                                       |          |
| <i>cabergoline</i> .....                       | 96       |
| CABOMETYX .....                                | 36       |
| <i>calcipotriene</i> .....                     | 79       |
| <i>calcitonin (salmon)</i> .....               | 108      |
| <i>calcitriol</i> .....                        | 79, 108  |
| <i>calcium acetate (phos binder)</i> ..        | 82       |
| CALQUENCE .....                                | 36       |
| CAMCEVI .....                                  | 96       |
| CAMILA .....                                   | 94       |
| CAMZYOS .....                                  | 67       |

Formulary ID 25405, Version 21

Page 119

|                                                |        |
|------------------------------------------------|--------|
| <i>candesartan cilexetil</i> .....             | 63     |
| <i>candesartan cilexetil-hctz</i> .....        | 67     |
| CAPLYTA .....                                  | 44     |
| CAPRELSA .....                                 | 36     |
| <i>captopril</i> .....                         | 64     |
| <i>carbamazepine</i> .....                     | 24     |
| <i>carbamazepine er</i> .....                  | 24     |
| <i>carbidopa</i> .....                         | 43     |
| <i>carbidopa-levodopa</i> .....                | 43     |
| <i>carbidopa-levodopa er</i> .....             | 43     |
| <i>carbidopa-levodopa-entacapone</i><br>.....  | 42     |
| <i>carglumic acid</i> .....                    | 80     |
| <i>carisoprodol</i> .....                      | 116    |
| <i>carteolol hcl</i> .....                     | 110    |
| CARTIA XT .....                                | 66     |
| <i>carvedilol</i> .....                        | 65     |
| <i>caspofungin acetate</i> .....               | 29     |
| CAYSTON .....                                  | 113    |
| <i>cefaclor</i> .....                          | 16     |
| <i>cefaclor er</i> .....                       | 16     |
| <i>cefadroxil</i> .....                        | 16     |
| <i>cefazolin sodium</i> .....                  | 16, 17 |
| <i>cefazolin sodium-dextrose</i> .....         | 17     |
| <i>cefdinir</i> .....                          | 17     |
| <i>cefepime hcl</i> .....                      | 17     |
| <i>cefepime-dextrose</i> .....                 | 17     |
| <i>cefixime</i> .....                          | 17     |
| <i>cefotaxime sodium</i> .....                 | 17     |
| <i>cefoxitin sodium</i> .....                  | 17     |
| <i>cefoxitin sodium-dextrose</i> .....         | 17     |
| <i>cefpodoxime proxetil</i> .....              | 17     |
| <i>cefprozil</i> .....                         | 17     |
| <i>ceftazidime</i> .....                       | 17     |
| <i>ceftriaxone sodium</i> .....                | 17, 18 |
| <i>ceftriaxone sodium in dextrose</i><br>..... | 17     |
| <i>ceftriaxone sodium-dextrose</i> ... 18      |        |
| <i>cefuroxime axetil</i> .....                 | 18     |
| <i>cefuroxime sodium</i> .....                 | 18     |
| <i>celecoxib</i> .....                         | 10     |
| <i>cephalexin</i> .....                        | 18     |
| CERDELGA .....                                 | 85     |
| <i>cetirizine hcl</i> .....                    | 111    |
| <i>cevimeline hcl</i> .....                    | 76     |
| CHATEAL EQ .....                               | 91     |
| <i>chlorhexidine gluconate</i> .....           | 76     |
| <i>chloroquine phosphate</i> .....             | 41     |

Last Updated 9/2025

|                                             |         |                                         |               |                                             |          |
|---------------------------------------------|---------|-----------------------------------------|---------------|---------------------------------------------|----------|
| <i>chlorpromazine hcl</i> .....             | 28      | <i>clotrimazole</i> .....               | 30            | <i>danazol</i> .....                        | 89       |
| <i>chlorthalidone</i> .....                 | 69      | <i>clotrimazole-betamethasone</i> ...   | 79            | <i>dantrolene sodium</i> .....              | 48       |
| <i>chlorzoxazone</i> .....                  | 116     | <i>clozapine</i> .....                  | 47            | DANZITEN.....                               | 34       |
| CHOLBAM.....                                | 85      | COARTEM .....                           | 41            | <i>dapsone</i> .....                        | 32       |
| <i>cholestyramine</i> .....                 | 70      | COBENFY .....                           | 73            | DAPTACEL .....                              | 104      |
| <i>cholestyramine light</i> .....           | 70      | COBENFY STARTER PACK .....              | 73            | <i>daptomycin</i> .....                     | 15       |
| CIBINQO .....                               | 99      | <i>colchicine</i> .....                 | 31            | <i>darifenacin hydrobromide er</i> ..       | 86       |
| <i>ciclopirox</i> .....                     | 80      | <i>colchicine-probenecid</i> .....      | 31            | <i>darunavir</i> .....                      | 51       |
| <i>ciclopirox olamine</i> .....             | 80      | <i>colesevelam hcl</i> .....            | 70            | <i>dasatinib</i> .....                      | 37       |
| <i>cilostazol</i> .....                     | 63      | <i>colestipol hcl</i> .....             | 70            | DAURISMO.....                               | 37       |
| CIMDUO.....                                 | 50      | <i>colistimethate sodium (cba)</i> .... | 15            | DEBLITANE.....                              | 95       |
| <i>cimetidine</i> .....                     | 84      | COMBIPATCH.....                         | 91            | <i>deferasirox</i> .....                    | 81       |
| CIMZIA.....                                 | 101     | COMBIVENT RESPIMAT .                    | 115           | <i>deferasirox granules</i> .....           | 81       |
| CIMZIA (2 SYRINGE).....                     | 101     | COMETRIQ (100 MG DAILY DOSE) .....      | 37            | <i>deferiprone</i> .....                    | 81       |
| CIMZIA-STARTER.....                         | 101     | COMETRIQ (140 MG DAILY DOSE) .....      | 37            | DELSTRIGO .....                             | 50       |
| <i>cinacalcet hcl</i> .....                 | 108     | COMETRIQ (60 MG DAILY DOSE) .....       | 37            | DEPO-SUBQ PROVERA 104 .....                 | 95       |
| CINRYZE.....                                | 98      | <i>constulose</i> .....                 | 83            | DESCOVY .....                               | 50       |
| <i>ciprofloxacin hcl</i> .....              | 20, 109 | COPIKTRA .....                          | 37            | <i>desipramine hcl</i> .....                | 28       |
| <i>ciprofloxacin in d5w</i> .....           | 20      | CORLANOR.....                           | 67            | <i>desmopressin ace spray refrig</i>        | 88       |
| <i>citalopram hydrobromide</i> .....        | 27      | CORTROPHIN .....                        | 87            | <i>desmopressin acetate</i> .....           | 88       |
| CLARAVIS.....                               | 76      | CORTROPHIN GEL.....                     | 87            | <i>desmopressin acetate spray</i> ....      | 88       |
| <i>clarithromycin</i> .....                 | 20      | COSENTYX.....                           | 99            | <i>desonide</i> .....                       | 77       |
| <i>clarithromycin er</i> .....              | 20      | COSENTYX (300 MG DOSE) .....            | 99            | <i>desoximetasone</i> .....                 | 77       |
| <i>clemastine fumarate</i> .....            | 111     | COSENTYX SENSOREADY (300 MG).....       | 99            | <i>desvenlafaxine succinate er</i> ....     | 27       |
| <i>clindamycin hcl</i> .....                | 15      | COSENTYX SENSOREADY PEN .....           | 99            | <i>dexamethasone</i> .....                  | 87, 107  |
| <i>clindamycin palmitate hcl</i> .....      | 15      | COSENTYX UNOREADY ...                   | 99            | DEXAMETHASONE INTENSOL.....                 | 107      |
| <i>clindamycin phos (once-daily)</i>        | 80      | COTELLIC.....                           | 37            | <i>dexamethasone sodium phosphate</i> ..... | 107, 110 |
| <i>clindamycin phos (twice-daily)</i> ..... | 80      | CREON .....                             | 85            | <i>dexmethylphenidate hcl</i> .....         | 72       |
| <i>clindamycin phos-benzoyl perox</i> ..... | 76      | <i>cromolyn sodium</i> ..               | 109, 113, 114 | <i>dexmethylphenidate hcl er</i> .....      | 72       |
| <i>clindamycin phosphate</i> .....          | 15, 80  | CRYSELLE-28 .....                       | 91            | <i>dextroamphetamine sulfate</i> ....       | 72       |
| <i>clindamycin phosphate in d5w</i>         | 15      | CUVRIOR.....                            | 81            | <i>dextroamphetamine sulfate er</i>         | 71, 72   |
| <i>clindamycin phosphate in nacl</i> .....  | 15      | <i>cyclobenzaprine hcl</i> .....        | 116           | <i>dextrose</i> .....                       | 82       |
| CLINISOL SF .....                           | 82      | <i>cyclophosphamide</i> .....           | 33            | <i>dextrose-sodium chloride</i> .....       | 82       |
| <i>clobazam</i> .....                       | 23      | <i>cyclosporine</i> .....               | 101, 109      | DIACOMIT .....                              | 21, 22   |
| <i>clobetasol prop emollient base</i> ..... | 77      | <i>cyclosporine modified</i> .....      | 101           | <i>diazepam</i> .....                       | 23, 53   |
| <i>clobetasol propionate</i> .....          | 77      | <i>cyproheptadine hcl</i> .....         | 111           | DIAZEPAM INTENSOL.....                      | 53       |
| <i>clobetasol propionate e</i> .....        | 77      | CYRED EQ .....                          | 91            | <i>diazoxide</i> .....                      | 56       |
| <i>clomipramine hcl</i> .....               | 28      | CYSTAGON .....                          | 85            | <i>dichlorphenamide</i> .....               | 85       |
| <i>clonazepam</i> .....                     | 53      | CYSTARAN .....                          | 109           | <i>diclofenac epolamine</i> .....           | 10       |
| <i>clonidine</i> .....                      | 63      | <b>D</b>                                |               | <i>diclofenac potassium</i> .....           | 10       |
| <i>clonidine hcl</i> .....                  | 63      | <i>dalfampridine er</i> .....           | 74            | <i>diclofenac sodium</i> .....              | 10, 110  |
| <i>clonidine hcl er</i> .....               | 72      |                                         |               | <i>diclofenac sodium er</i> .....           | 10       |
| <i>clopidogrel bisulfate</i> .....          | 63      |                                         |               | <i>dicloxacillin sodium</i> .....           | 19       |
| <i>clorazepate dipotassium</i> .....        | 53      |                                         |               | <i>dicyclomine hcl</i> .....                | 84       |

H4676\_25DCF\_C V21

Formulary ID 25405, Version 21

Last Updated 9/2025

|                                      |             |
|--------------------------------------|-------------|
| DIFICID .....                        | 20          |
| diflunisal .....                     | 10          |
| difluprednate .....                  | 110         |
| digoxin .....                        | 67          |
| dihydroergotamine mesylate ..        | 31          |
| DILANTIN .....                       | 24          |
| diltiazem hcl .....                  | 66          |
| diltiazem hcl er .....               | 66          |
| diltiazem hcl er beads .....         | 66          |
| diltiazem hcl er coated beads ..     | 66          |
| dilt-xr .....                        | 66          |
| dimethyl fumarate .....              | 74          |
| dimethyl fumarate starter pack ..... | 74          |
| diphenoxylate-atropine .....         | 84          |
| dipyridamole .....                   | 63          |
| disopyramide phosphate .....         | 64          |
| disulfiram .....                     | 13          |
| divalproex sodium .....              | 22          |
| divalproex sodium er .....           | 22          |
| dofetilide .....                     | 64          |
| donepezil hcl .....                  | 25          |
| DOPTELET .....                       | 63          |
| dorzolamide hcl .....                | 110         |
| dorzolamide hcl-timolol mal ..       | 109         |
| dorzolamide hcl-timolol mal pf ..    | 109         |
| DOVATO .....                         | 50          |
| doxazosin mesylate .....             | 63          |
| doxepin hcl .....                    | 28, 78, 117 |
| doxercalciferol .....                | 108         |
| DOXY 100 .....                       | 21          |
| doxycycline hyclate .....            | 21          |
| doxycycline monohydrate .....        | 21          |
| DRIZALMA SPRINKLE .....              | 74          |
| dronabinol .....                     | 29          |
| drospirenone-ethinyl estradiol ..    | 91          |
| DROXIA .....                         | 34          |
| droxidopa .....                      | 63          |
| DUAVEE .....                         | 95          |
| duloxetine hcl .....                 | 74          |
| DUPIXENT .....                       | 115         |
| dutasteride .....                    | 87          |
| <b>E</b>                             |             |
| ec-naproxen .....                    | 10          |
| econazole nitrate .....              | 30          |
| EDURANT .....                        | 49          |
| EDURANT PED .....                    | 49          |

H4676\_25DCF\_C V21

|                                   |     |
|-----------------------------------|-----|
| efavirenz .....                   | 49  |
| efavirenz-emtricitab-tenofo df .. | 50  |
| efavirenz-lamivudine-tenofovir .. | 50  |
| EGRIFTA SV .....                  | 88  |
| EGRIFTA WR .....                  | 88  |
| ELIGARD .....                     | 96  |
| ELIQUIS .....                     | 60  |
| ELIQUIS DVT/PE STARTER PACK ..    | 60  |
| ELMIRON .....                     | 87  |
| eltrombopag olamine .....         | 61  |
| ELURYNG .....                     | 91  |
| EMEND .....                       | 29  |
| EMGALITY .....                    | 32  |
| EMGALITY (300 MG DOSE) .....      | 31  |
| EMSAM .....                       | 26  |
| emtricitabine .....               | 50  |
| emtricitabine-tenofovir df .....  | 50  |
| emtricitab-rilpivir-tenofov df .. | 50  |
| EMTRIVA .....                     | 50  |
| enalapril maleate .....           | 64  |
| enalapril-hydrochlorothiazide ..  | 67  |
| ENBREL .....                      | 101 |
| ENBREL MINI .....                 | 101 |
| ENBREL SURECLICK .....            | 102 |
| ENDOCET .....                     | 12  |
| ENFLONSIA .....                   | 104 |
| ENGERIX-B .....                   | 104 |
| enoxaparin sodium .....           | 60  |
| ENPRESSE-28 .....                 | 91  |
| ENSKYCE .....                     | 91  |
| entacapone .....                  | 42  |
| entecavir .....                   | 48  |
| ENTRESTO .....                    | 67  |
| ENTYVIO PEN .....                 | 99  |
| enulose .....                     | 83  |
| ENVARUS XR .....                  | 102 |
| EPIDIOLEX .....                   | 22  |
| epinephrine .....                 | 113 |
| EPITOL .....                      | 24  |
| eplerenone .....                  | 69  |
| EPOGEN .....                      | 61  |
| EPRONTIA .....                    | 22  |
| EQUETRO .....                     | 53  |
| ergoloid mesylates .....          | 25  |
| ergotamine-caffeine .....         | 31  |

Formulary ID 25405, Version 21

Page 121

|                                   |         |
|-----------------------------------|---------|
| ERIVEDGE .....                    | 37      |
| ERLEADA .....                     | 33      |
| erlotinib hcl .....               | 37      |
| ERRIN .....                       | 95      |
| ertapenem sodium .....            | 19      |
| ERVEBO .....                      | 104     |
| ery .....                         | 80      |
| ERYTHROCIN                        |         |
| LACTOBIONATE .....                | 20      |
| ERYTHROCIN STEARATE .....         | 20      |
| erythromycin .....                | 80, 109 |
| erythromycin base .....           | 20      |
| erythromycin ethylsuccinate ..    | 20      |
| ERZOFRI .....                     | 44, 45  |
| escitalopram oxalate .....        | 27      |
| eslicarbazepine acetate .....     | 24      |
| esomeprazole magnesium .....      | 84      |
| ESTARYLLA .....                   | 91      |
| estradiol .....                   | 89, 90  |
| estradiol valerate .....          | 90      |
| estradiol-norethindrone acet ..   | 91      |
| eszopiclone .....                 | 117     |
| ethambutol hcl .....              | 33      |
| ethosuximide .....                | 23      |
| ethynodiol diac-eth estradiol ..  | 91      |
| etodolac .....                    | 11      |
| etodolac er .....                 | 11      |
| etonogestrel-ethinyl estradiol .. | 91      |
| etravirine .....                  | 49      |
| EUCRISA .....                     | 78      |
| EULEXIN .....                     | 33      |
| everolimus .....                  | 37, 102 |
| EVOTAZ .....                      | 50      |
| EVRYSDI .....                     | 73      |
| exemestane .....                  | 36      |
| ezetimibe .....                   | 70      |
| ezetimibe-rosuvastatin .....      | 70      |
| ezetimibe-simvastatin .....       | 70      |
| <b>F</b>                          |         |
| FABHALTA .....                    | 99      |
| FALMINA .....                     | 91      |
| famciclovir .....                 | 49      |
| famotidine .....                  | 84      |
| FANAPT .....                      | 45      |
| FANAPT TITRATION PACK             |         |
| A .....                           | 45      |
| FANAPT TITRATION PACK             |         |
| B .....                           | 45      |

Last Updated 9/2025

|                                 |             |                                |        |
|---------------------------------|-------------|--------------------------------|--------|
| FANAPT TITRATION PACK           |             | GLATOPA .....                  | 74     |
| C .....                         | 45          | GLEOSTINE .....                | 33     |
| FARXIGA .....                   | 53          | glimepiride.....               | 53, 54 |
| FASENRA.....                    | 115         | glipizide .....                | 54     |
| FASENRA PEN .....               | 115         | glipizide er .....             | 54     |
| febuxostat .....                | 31          | glipizide xl .....             | 54     |
| felbamate .....                 | 22          | glipizide-metformin hcl.....   | 54     |
| felodipine er.....              | 65          | GLUCAGEN HYPOKIT.....          | 56     |
| fenofibrate .....               | 69          | glucagon emergency .....       | 56     |
| fenofibrate micronized.....     | 69          | glyburide.....                 | 54     |
| fenofibric acid .....           | 69          | glyburide micronized .....     | 54     |
| fentanyl .....                  | 11          | glyburide-metformin .....      | 54     |
| fentanyl citrate.....           | 12          | glycopyrrolate.....            | 84     |
| fesoterodine fumarate er .....  | 86          | GLYXAMBI.....                  | 54     |
| FETZIMA.....                    | 27          | GOCOVRI.....                   | 42     |
| FETZIMA TITRATION .....         | 27          | GOMEKLI.....                   | 34     |
| FIASP.....                      | 57          | granisetron hcl.....           | 29     |
| FIASP FLEXTOUCH .....           | 57          | griseofulvin microsize.....    | 30     |
| FIASP PENFILL .....             | 57          | guanfacine hcl .....           | 63     |
| fidaxomicin .....               | 20          | guanfacine hcl er .....        | 72     |
| FILSPARI.....                   | 87          | <b>H</b>                       |        |
| finasteride.....                | 87          | HADLIMA .....                  | 102    |
| fingolimod hcl.....             | 74          | HADLIMA PUSHTOUCH ..           | 102    |
| FINTEPLA .....                  | 22          | HAEGARDA.....                  | 98     |
| FIRDAPSE .....                  | 73          | HAILEY 24 FE.....              | 91     |
| FIRMAGON.....                   | 96          | HAILEY FE 1.5/30 .....         | 91     |
| FIRMAGON (240 MG DOSE)          |             | HAILEY FE 1/20 .....           | 91     |
| .....                           | 96          | halobetasol propionate .....   | 78     |
| flavoxate hcl .....             | 86          | haloperidol .....              | 43     |
| flecainide acetate.....         | 64          | haloperidol decanoate .....    | 43     |
| fluconazole .....               | 30          | haloperidol lactate.....       | 43     |
| fluconazole in sodium chloride  |             | HAVRIX.....                    | 104    |
| .....                           | 30          | heparin sodium (porcine) ..... | 60     |
| flucytosine.....                | 30          | heparin sodium (porcine) pf .. | 60     |
| fludrocortisone acetate.....    | 87          | HEPLISAV-B.....                | 104    |
| flunisolide .....               | 112         | HETLIOZ LQ.....                | 117    |
| fluocinolone acetonide .....    | 78          | HIBERIX.....                   | 104    |
| fluocinonide .....              | 78          | HUMALOG.....                   | 57     |
| fluocinonide emulsified base .. | 78          | HUMALOG JUNIOR                 |        |
| fluorometholone .....           | 110         | KWIKPEN.....                   | 57     |
| fluorouracil.....               | 79          | HUMALOG KWIKPEN .....          | 57     |
| fluoxetine hcl .....            | 27          | HUMALOG MIX 50/50              |        |
| fluphenazine decanoate .....    | 43          | KWIKPEN.....                   | 57     |
| fluphenazine hcl.....           | 43          | HUMALOG MIX 75/25.....         | 57     |
| flurbiprofen.....               | 11          | HUMALOG MIX 75/25              |        |
| flurbiprofen sodium .....       | 110         | KWIKPEN.....                   | 57     |
| fluticasone propionate ....     | 78, 112     | HUMALOG TEMPO PEN.....         | 57     |
|                                 |             | HUMATROPE .....                | 88     |
|                                 |             |                                |        |
| fluticasone propionate diskus   |             |                                |        |
| .....                           | 112         |                                |        |
| fluticasone propionate hfa .... | 112         |                                |        |
| fluticasone-salmeterol .....    | 115         |                                |        |
| fluvoxamine maleate.....        | 27          |                                |        |
| fondaparinux sodium .....       | 60          |                                |        |
| formoterol fumarate .....       | 113         |                                |        |
| fosamprenavir calcium .....     | 51          |                                |        |
| fosinopril sodium .....         | 64          |                                |        |
| fosinopril sodium-hctz .....    | 67          |                                |        |
| FOTIVDA .....                   | 37          |                                |        |
| FRUZAQLA.....                   | 37          |                                |        |
| FULPHILA.....                   | 61          |                                |        |
| furosemide .....                | 69          |                                |        |
| FUZEON .....                    | 50          |                                |        |
| FYAVOLV .....                   | 91          |                                |        |
| FYCOMPA.....                    | 22          |                                |        |
| FYLNETRA .....                  | 61          |                                |        |
| <b>G</b>                        |             |                                |        |
| gabapentin .....                | 23          |                                |        |
| GALAFOLD .....                  | 85          |                                |        |
| galantamine hydrobromide ....   | 25          |                                |        |
| galantamine hydrobromide er     | 25          |                                |        |
| GAMMAGARD.....                  | 98          |                                |        |
| GAMMAGARD S/D LESS IGA          |             |                                |        |
| .....                           | 98          |                                |        |
| GAMMAKED.....                   | 98          |                                |        |
| GAMMAPLEX .....                 | 98          |                                |        |
| GAMUNEX-C.....                  | 98          |                                |        |
| GARDASIL 9.....                 | 104         |                                |        |
| GATTEX .....                    | 84          |                                |        |
| GAVILYTE-C.....                 | 83          |                                |        |
| GAVILYTE-G.....                 | 83          |                                |        |
| GAVILYTE-N WITH FLAVOR          |             |                                |        |
| PACK .....                      | 83          |                                |        |
| GAVRETO .....                   | 37          |                                |        |
| gefitinib.....                  | 37          |                                |        |
| gemfibrozil.....                | 69          |                                |        |
| generlac .....                  | 83          |                                |        |
| GENGRAF .....                   | 102         |                                |        |
| GENOTROPIN .....                | 88          |                                |        |
| GENOTROPIN MINISQUICK           | 88          |                                |        |
| gentamicin in saline.....       | 14          |                                |        |
| gentamicin sulfate.....         | 14, 80, 109 |                                |        |
| GENVOYA .....                   | 50          |                                |        |
| GILOTRIF .....                  | 37          |                                |        |
| GLASSIA .....                   | 85          |                                |        |
| glatiramer acetate .....        | 74          |                                |        |

|                                         |             |
|-----------------------------------------|-------------|
| HUMIRA (1 PEN) .....                    | 102         |
| HUMIRA (2 PEN) .....                    | 102         |
| HUMIRA (2 SYRINGE).....                 | 102         |
| HUMIRA-CD/UC/HS                         |             |
| STARTER .....                           | 102         |
| HUMIRA-PED>/=40KG UC                    |             |
| STARTER .....                           | 102         |
| HUMIRA-PSORIASIS/UEIT                   |             |
| STARTER .....                           | 102         |
| HUMULIN 70/30 .....                     | 57          |
| HUMULIN 70/30 KWIKPEN                   | 57          |
| HUMULIN N .....                         | 58          |
| HUMULIN N KWIKPEN.....                  | 58          |
| HUMULIN R .....                         | 58          |
| HUMULIN R U-500                         |             |
| (CONCENTRATED) .....                    | 58          |
| HUMULIN R U-500                         |             |
| KWIKPEN .....                           | 58          |
| <i>hydralazine hcl</i> .....            | 71          |
| <i>hydrochlorothiazide</i> .....        | 69          |
| <i>hydrocodone-acetaminophen</i> .      | 12          |
| <i>hydrocodone-ibuprofen</i> .....      | 12          |
| <i>hydrocortisone</i> .....             | 78, 87, 107 |
| <i>hydrocortisone (perianal)</i> .....  | 78          |
| <i>hydrocortisone butyr lipo base</i>   |             |
| .....                                   | 78          |
| <i>hydrocortisone butyrate</i> .....    | 78          |
| <i>hydrocortisone sod suc (pf)</i> .... | 87          |
| <i>hydrocortisone valerate</i> .....    | 78          |
| <i>hydrocortisone-acetic acid</i> ...   | 111         |
| <i>hydromorphone hcl</i> .....          | 12          |
| <i>hydromorphone hcl pf</i> .....       | 12          |
| <i>hydroxychloroquine sulfate</i> ....  | 41          |
| <i>hydroxyurea</i> .....                | 34          |
| <i>hydroxyzine hcl</i> .....            | 111         |
| <i>hydroxyzine pamoate</i> .....        | 52          |
| HYFTOR.....                             | 78          |
| <b>I</b>                                |             |
| <i>ibandronate sodium</i> .....         | 108         |
| IBRANCE .....                           | 37          |
| IBTROZI .....                           | 37          |
| IBU .....                               | 11          |
| <i>ibuprofen</i> .....                  | 11          |
| <i>icatibant acetate</i> .....          | 98          |
| ICLUSIG .....                           | 37          |
| <i>icosapent ethyl</i> .....            | 70          |
| IDHIFA .....                            | 34          |
| ILARIS .....                            | 99          |

H4676\_25DCF\_C V21

|                                               |        |
|-----------------------------------------------|--------|
| ILUMYA .....                                  | 99     |
| <i>imatinib mesylate</i> .....                | 37     |
| IMBRUVICA .....                               | 37     |
| <i>imipenem-cilastatin</i> .....              | 19     |
| <i>imipramine hcl</i> .....                   | 28     |
| <i>imipramine pamoate</i> .....               | 28     |
| <i>imiquimod</i> .....                        | 79     |
| <i>imkeldi</i> .....                          | 37     |
| IMOVAX RABIES .....                           | 104    |
| IMPAVIDO .....                                | 41     |
| INCASSIA.....                                 | 95     |
| INCRELEX .....                                | 88     |
| INCRUSE ELLIPTA.....                          | 112    |
| <i>indapamide</i> .....                       | 69     |
| <i>indomethacin</i> .....                     | 11     |
| <i>indomethacin er</i> .....                  | 11     |
| INFANRIX .....                                | 104    |
| INGREZZA .....                                | 73     |
| INLYTA .....                                  | 37     |
| INQOVI.....                                   | 34     |
| INREBIC .....                                 | 38     |
| <i>insulin asp prot &amp; asp flexpen</i>     | 58     |
| <i>insulin aspart</i> .....                   | 58     |
| <i>insulin aspart flexpen</i> .....           | 58     |
| <i>insulin aspart penfill</i> .....           | 58     |
| <i>insulin aspart prot &amp; aspart</i> ...   | 58     |
| <i>insulin lispro</i> .....                   | 58     |
| <i>insulin lispro (1 unit dial)</i> .....     | 58     |
| <i>insulin lispro junior kwikpen</i> ..       | 58     |
| <i>insulin lispro prot &amp; lispro</i> ..... | 58     |
| INSULIN SYRINGE.....                          | 58     |
| INTELENCE .....                               | 49     |
| INTRALIPID.....                               | 82     |
| INTROVALE .....                               | 91     |
| INVEGA SUSTENNA.....                          | 45     |
| INVEGA TRINZA .....                           | 45, 46 |
| IPOL .....                                    | 104    |
| <i>ipratropium bromide</i> .....              | 112    |
| <i>ipratropium-albuterol</i> .....            | 115    |
| irbesartan .....                              | 63     |
| <i>irbesartan-hydrochlorothiazide</i>         |        |
| .....                                         | 67     |
| ISENTRESS .....                               | 49     |
| ISENTRESS HD .....                            | 49     |
| ISIBLOOM.....                                 | 91     |
| ISOLYTE-P IN D5W .....                        | 82     |
| ISOLYTE-S.....                                | 80     |
| ISOLYTE-S PH 7.4.....                         | 80     |

Formulary ID 25405, Version 21

Page 123

|                                        |         |
|----------------------------------------|---------|
| <i>isoniazid</i> .....                 | 33      |
| <i>isosorb dinitrate-hydralazine</i> . | 71      |
| <i>isosorbide dinitrate</i> .....      | 71      |
| <i>isosorbide mononitrate</i> .....    | 71      |
| <i>isosorbide mononitrate er</i> ..... | 71      |
| <i>isotretinoin</i> .....              | 76      |
| <i>isradipine</i> .....                | 66      |
| ITOVEBI .....                          | 38      |
| <i>itraconazole</i> .....              | 30      |
| <i>ivabradine hcl</i> .....            | 67      |
| <i>ivermectin</i> .....                | 41      |
| IWILFIN .....                          | 34      |
| IXIARO .....                           | 104     |
| <b>J</b>                               |         |
| JAKAFI .....                           | 38      |
| JANTOVEN .....                         | 60      |
| JANUMET .....                          | 54      |
| JANUMET XR.....                        | 54      |
| JANUVIA.....                           | 54      |
| JARDIANCE.....                         | 54      |
| JAYPIRCA.....                          | 38      |
| JENTADUETO .....                       | 55      |
| JENTADUETO XR.....                     | 55      |
| JINTELI.....                           | 91      |
| JUBBONTI.....                          | 108     |
| JULEBER .....                          | 91      |
| JULUCA.....                            | 50      |
| JUNEL 1.5/30.....                      | 91      |
| JUNEL 1/20.....                        | 92      |
| JUNEL FE 1.5/30 .....                  | 92      |
| JUNEL FE 1/20 .....                    | 92      |
| JYLAMVO .....                          | 34      |
| JYNNEOS .....                          | 104     |
| <b>K</b>                               |         |
| KALETRA .....                          | 51      |
| KALYDECO .....                         | 113     |
| KARIVA.....                            | 92      |
| <i>kcl in dextrose-nacl</i> .....      | 80      |
| KELNOR 1/35.....                       | 92      |
| KELNOR 1/50.....                       | 92      |
| KERENDIA.....                          | 68      |
| KESIMPTA .....                         | 75      |
| <i>ketoconazole</i> .....              | 30      |
| <i>ketorolac tromethamine</i> ..       | 11, 110 |
| KEVZARA .....                          | 99      |
| KINERET .....                          | 99      |
| KINRIX .....                           | 105     |
| KISQALI (200 MG DOSE)....              | 38      |

Last Updated 9/2025

|                                            |                                                |                                           |
|--------------------------------------------|------------------------------------------------|-------------------------------------------|
| KISQALI (400 MG DOSE) ...38                | LENVIMA (12 MG DAILY DOSE) .....38             | <i>linezolid in sodium chloride</i> ...15 |
| KISQALI (600 MG DOSE) ...38                | LENVIMA (14 MG DAILY DOSE) .....38             | LINZESS .....83                           |
| KISQALI FEMARA (200 MG DOSE) .....34       | LENVIMA (18 MG DAILY DOSE) .....38             | <i>liothyronine sodium</i> .....96        |
| KISQALI FEMARA (400 MG DOSE) .....35       | LENVIMA (20 MG DAILY DOSE) .....38             | <i>lisinopril</i> .....64                 |
| KISQALI FEMARA (600 MG DOSE) .....35       | LENVIMA (24 MG DAILY DOSE) .....38             | <i>lisinopril-hydrochlorothiazide</i> 68  |
| KLAYESTA .....30                           | LENVIMA (4 MG DAILY DOSE) .....38              | LITFULO .....99                           |
| KLOR-CON .....81                           | LENVIMA (8 MG DAILY DOSE) .....38              | <i>lithium</i> .....53                    |
| KLOR-CON 10 .....80                        | LEQSELVI .....99                               | <i>lithium carbonate</i> .....53          |
| KLOR-CON M10 .....80                       | LESSINA .....92                                | <i>lithium carbonate er</i> .....53       |
| KLOR-CON M15 .....81                       | <i>letrozole</i> .....36                       | LIVMARLI .....84                          |
| KLOR-CON M20 .....81                       | <i>leucovorin calcium</i> .....41              | LIVTENCITY .....48                        |
| KLOXXADO .....14                           | LEUKERAN .....33                               | LODOCO .....68                            |
| KOSELUGO .....38                           | LEUKINE .....61                                | <i>lofexidine hcl</i> .....13             |
| KRAZATI .....35                            | <i>leuprolide acetate</i> .....96              | LOKELMA .....82                           |
| KURVELO .....92                            | <i>leuprolide acetate (3 month)</i> ..96       | LONSURF .....35                           |
| KYLEENA .....92                            | <i>levalbuterol hcl</i> .....113               | <i>loperamide hcl</i> .....84             |
| <b>L</b>                                   | <i>levetiracetam</i> .....22                   | <i>lopinavir-ritonavir</i> .....51        |
| <i>labetalol hcl</i> .....65               | <i>levetiracetam er</i> .....22                | <i>lorazepam</i> .....53                  |
| <i>lacosamide</i> .....24                  | <i>levobunolol hcl</i> .....110                | LORAZEPAM INTENSOL ...53                  |
| <i>lactulose</i> .....83                   | <i>levocarnitine</i> .....82                   | LORBRENA .....38                          |
| <i>lactulose encephalopathy</i> .....83    | <i>levocarnitine sf</i> .....82                | <i>losartan potassium</i> .....63         |
| LAGEVRIO .....52                           | <i>levocetirizine dihydrochloride</i> .....111 | <i>losartan potassium-hctz</i> .....68    |
| <i>lamivudine</i> .....48                  | <i>levofloxacin</i> .....20, 21                | <i>lovastatin</i> .....69                 |
| <i>lamivudine-zidovudine</i> .....50       | <i>levofloxacin in d5w</i> .....20             | LOW-OGESTREL .....92                      |
| <i>lamotrigine</i> .....22                 | LEVONEST .....92                               | <i>loxapine succinate</i> .....43         |
| <i>lamotrigine er</i> .....22              | <i>levonorgest-eth estrad 91-day</i> 92        | <i>lubiprostone</i> .....83               |
| <i>lamotrigine starter kit-blue</i> ....22 | <i>levonorgestrel-ethinyl estrad</i> ..92      | LUMAKRAS .....35                          |
| <i>lamotrigine starter kit-green</i> ..22  | <i>levonorg-eth estrad triphasic</i> .92       | LUMIGAN .....111                          |
| <i>lamotrigine starter kit-orange</i> 22   | LEVORA 0.15/30 (28) .....92                    | LUPKYNIS .....102                         |
| <i>lansoprazole</i> .....85                | LEVO-T .....95                                 | LUPRON DEPOT (1-MONTH) .....96            |
| <i>lanthanum carbonate</i> .....82         | <i>levothyroxine sodium</i> .....96            | LUPRON DEPOT (3-MONTH) .....96            |
| LANTUS .....58                             | LEVOXYL .....96                                | LUPRON DEPOT (4-MONTH) .....97            |
| LANTUS SOLOSTAR .....58                    | <i>l-glutamine</i> .....85                     | LUPRON DEPOT (6-MONTH) .....97            |
| <i>lapatinib ditosylate</i> .....38        | LIBERVANT .....23                              | <i>lurasidone hcl</i> .....46             |
| LARIN 1.5/30 .....92                       | <i>lidocaine</i> .....13                       | LUTERA .....92                            |
| LARIN 1/20 .....92                         | <i>lidocaine hcl</i> .....13                   | LUTRATE DEPOT .....97                     |
| LARIN FE 1.5/30 .....92                    | <i>lidocaine viscous hcl</i> .....13           | LYBALVI .....46                           |
| LARIN FE 1/20 .....92                      | <i>lidocaine-prilocaine</i> .....13            | LYNPARZA .....38                          |
| <i>latanoprost</i> .....111                | LILETTA (52 MG) .....92                        | LYSODREN .....35                          |
| LAZCLUZE .....35                           | <i>linezolid</i> .....15                       | LYTGOBI (12 MG DAILY DOSE) .....38        |
| <i>leflunomide</i> .....102                |                                                | LYTGOBI (16 MG DAILY DOSE) .....38        |
| <i>lenalidomide</i> .....33                |                                                |                                           |
| LENVIMA (10 MG DAILY DOSE) .....38         |                                                |                                           |

|                                          |          |
|------------------------------------------|----------|
| LYTGOBI (20 MG DAILY DOSE) .....         | 38       |
| LYZA .....                               | 95       |
| <b>M</b>                                 |          |
| <i>magnesium sulfate</i> .....           | 81       |
| <i>malathion</i> .....                   | 79       |
| <i>maraviroc</i> .....                   | 50       |
| <i>marlissa</i> .....                    | 92       |
| MARPLAN .....                            | 26       |
| MATULANE .....                           | 33       |
| MAVENCLAD (10 TABS) ...                  | 75       |
| MAVENCLAD (4 TABS) .....                 | 75       |
| MAVENCLAD (5 TABS) .....                 | 75       |
| MAVENCLAD (6 TABS) .....                 | 75       |
| MAVENCLAD (7 TABS) .....                 | 75       |
| MAVENCLAD (8 TABS) .....                 | 75       |
| MAVENCLAD (9 TABS) .....                 | 75       |
| MAVYRET .....                            | 48       |
| MAYZENT .....                            | 75       |
| MAYZENT STARTER PACK .....               | 75       |
| <i>meclizine hcl</i> .....               | 28       |
| <i>meclofenamate sodium</i> .....        | 11       |
| <i>medroxyprogesterone acetate</i> ..... | 95       |
| <i>mefloquine hcl</i> .....              | 41       |
| <i>megestrol acetate</i> .....           | 95       |
| MEKINIST .....                           | 39       |
| MEKTOVI .....                            | 39       |
| MELEYA .....                             | 95       |
| <i>meloxicam</i> .....                   | 11       |
| <i>memantine hcl</i> .....               | 26       |
| <i>memantine hcl er</i> .....            | 26       |
| <i>memantine hcl-donepezil hcl</i> ..    | 25       |
| MENACTRA .....                           | 105      |
| MENEST .....                             | 90       |
| MENQUADFI .....                          | 105      |
| MENVEO .....                             | 105      |
| <i>mercaptopurine</i> .....              | 34       |
| <i>meropenem</i> .....                   | 19       |
| <i>meropenem-sodium chloride</i> ..      | 20       |
| <i>mesalamine</i> .....                  | 106, 107 |
| <i>mesalamine er</i> .....               | 106      |
| <i>mesalamine-cleanser</i> .....         | 107      |
| <i>mesna</i> .....                       | 41       |
| MESNEX .....                             | 41       |
| <i>metaxalone</i> .....                  | 116      |
| <i>metformin hcl</i> .....               | 55       |
| <i>metformin hcl er</i> .....            | 55       |

H4676\_25DCF\_C V21

|                                          |          |
|------------------------------------------|----------|
| <i>methadone hcl</i> .....               | 11       |
| <i>methazolamide</i> .....               | 110      |
| <i>methenamine hippurate</i> .....       | 15       |
| <i>methimazole</i> .....                 | 97       |
| <i>methocarbamol</i> .....               | 116      |
| <i>methotrexate sodium</i> .....         | 102, 103 |
| <i>methotrexate sodium (pf)</i> .....    | 102      |
| <i>methoxsalen rapid</i> .....           | 79       |
| <i>methsuximide</i> .....                | 23       |
| <i>methylphenidate hcl</i> .....         | 73       |
| <i>methylphenidate hcl er</i> .....      | 72, 73   |
| <i>methylphenidate hcl er (cd)</i> ...   | 72       |
| <i>methylphenidate hcl er (la)</i> ..... | 72       |
| <i>methylphenidate hcl er (osm)</i> ..   | 72       |
| <i>methylphenidate hcl er (xr)</i> ...   | 72       |
| <i>methylprednisolone</i> .....          | 87       |
| <i>methylprednisolone acetate</i> ..     | 107      |
| <i>methyldosterone</i> .....             | 89       |
| <i>metoclopramide hcl</i> .....          | 28       |
| <i>metolazone</i> .....                  | 69       |
| <i>metoprolol succinate er</i> .....     | 65       |
| <i>metoprolol tartrate</i> .....         | 65       |
| <i>metoprolol-hydrochlorothiazide</i> .. | 68       |
| <i>metronidazole</i> .....               | 15, 80   |
| <i>metyrosine</i> .....                  | 68       |
| <i>mexiletine hcl</i> .....              | 64       |
| <i>micafungin sodium</i> .....           | 30       |
| <i>micafungin sodium-nacl</i> .....      | 30       |
| MICROGESTIN 1.5/30 .....                 | 92       |
| MICROGESTIN 1/20 .....                   | 92       |
| MICROGESTIN FE 1.5/30 ...                | 93       |
| MICROGESTIN FE 1/20 .....                | 93       |
| <i>midodrine hcl</i> .....               | 63       |
| <i>mifepristone</i> .....                | 56       |
| <i>miglustat</i> .....                   | 85       |
| MILI .....                               | 93       |
| MIMVEY .....                             | 93       |
| <i>minocycline hcl</i> .....             | 21       |
| <i>minoxidil</i> .....                   | 71       |
| MIRENA (52 MG) .....                     | 93       |
| <i>mirtazapine</i> .....                 | 26       |
| <i>misoprostol</i> .....                 | 84       |
| M-M-R II .....                           | 105      |
| <i>modafinil</i> .....                   | 117      |
| <i>moexipril hcl</i> .....               | 64       |
| <i>molindone hcl</i> .....               | 44       |
| <i>mometasone furoate</i> .....          | 78, 112  |

Formulary ID 25405, Version 21

Page 125

|                                          |          |
|------------------------------------------|----------|
| <i>montelukast sodium</i> .....          | 115, 116 |
| <i>morphine sulfate</i> .....            | 12       |
| <i>morphine sulfate (concentrate)</i> .. | 12       |
| <i>morphine sulfate er</i> .....         | 12       |
| MOUNJARO .....                           | 55       |
| MOVANTIK .....                           | 83       |
| <i>moxifloxacin hcl</i> .....            | 21, 109  |
| <i>moxifloxacin hcl in nacl</i> .....    | 21       |
| MRESVIA .....                            | 105      |
| MULTAQ .....                             | 64       |
| <i>mupirocin</i> .....                   | 80       |
| <i>mycophenolate mofetil</i> .....       | 103      |
| <i>mycophenolate sodium</i> .....        | 103      |
| <i>mycophenolic acid</i> .....           | 103      |
| MYFEMBREE .....                          | 97       |
| MYRBETRIQ .....                          | 86       |
| <b>N</b>                                 |          |
| <i>nabumetone</i> .....                  | 11       |
| <i>nadolol</i> .....                     | 65       |
| <i>nafcillin sodium</i> .....            | 19       |
| <i>nafcillin sodium in dextrose</i> ..   | 19       |
| <i>nalbuphine hcl</i> .....              | 10       |
| <i>naloxone hcl</i> .....                | 13, 14   |
| <i>naltrexone hcl</i> .....              | 13       |
| NAMZARIC .....                           | 25       |
| <i>naproxen</i> .....                    | 11       |
| <i>naproxen dr</i> .....                 | 11       |
| <i>naproxen sodium</i> .....             | 11       |
| <i>naratriptan hcl</i> .....             | 32       |
| NATACYN .....                            | 109      |
| <i>nateglinide</i> .....                 | 55       |
| NAYZILAM .....                           | 23       |
| <i>nebivolol hcl</i> .....               | 65       |
| NECON 0.5/35 (28) .....                  | 93       |
| <i>nefazodone hcl</i> .....              | 27       |
| <i>neomycin sulfate</i> .....            | 14       |
| <i>neomycin-polymyxin-dexameth</i> ..    | 109      |
| <i>neomycin-polymyxin-gramicidin</i> ..  | 109      |
| <i>neomycin-polymyxin-hc</i> .....       | 111      |
| NERLYNX .....                            | 39       |
| NEULASTA .....                           | 61       |
| NEULASTA ONPRO .....                     | 61       |
| NEUPRO .....                             | 42       |
| <i>nevirapine</i> .....                  | 49       |
| <i>nevirapine er</i> .....               | 49       |

Last Updated 9/2025

|                                   |    |                             |              |                                  |        |
|-----------------------------------|----|-----------------------------|--------------|----------------------------------|--------|
| NEXLETOL .....                    | 68 | NOVOLIN N FLEXPEN .....     | 59           | OGSIVEO.....                     | 39     |
| NEXLIZET .....                    | 68 | NOVOLIN N FLEXPEN           |              | OJEMDA.....                      | 39     |
| NEXPLANON .....                   | 93 | RELION .....                | 59           | OJJAARA.....                     | 35     |
| NGENLA .....                      | 88 | NOVOLIN N RELION .....      | 59           | olanzapine.....                  | 46     |
| niacin er (antihyperlipidemic) 70 |    | NOVOLIN R .....             | 59           | olmesartan medoxomil.....        | 63     |
| NICOTROL.....                     | 14 | NOVOLIN R FLEXPEN.....      | 59           | olmesartan medoxomil-hctz ....   | 68     |
| NICOTROL NS.....                  | 14 | NOVOLIN R FLEXPEN           |              | olmesartan-amlodipine-hctz ...   | 68     |
| nifedipine .....                  | 66 | RELION .....                | 59           | omega-3-acid ethyl esters .....  | 70     |
| nifedipine er.....                | 66 | NOVOLIN R RELION .....      | 59           | omeprazole .....                 | 85     |
| nifedipine er osmotic release..   | 66 | NOVOLOG .....               | 59           | OMNITROPE.....                   | 89     |
| nilotinib d-tartrate.....         | 39 | NOVOLOG 70/30 FLEXPEN       |              | ondansetron .....                | 29     |
| nilotinib hcl .....               | 39 | RELION .....                | 59           | ondansetron hcl .....            | 29     |
| nilutamide.....                   | 33 | NOVOLOG FLEXPEN.....        | 59           | ONGENTYS.....                    | 42     |
| nimodipine.....                   | 66 | NOVOLOG FLEXPEN             |              | ONUREG .....                     | 34     |
| NINLARO.....                      | 35 | RELION .....                | 59           | OPDIVO QVANTIG.....              | 35     |
| nitazoxanide .....                | 41 | NOVOLOG MIX 70/30 .....     | 59           | OPIPZA .....                     | 46     |
| nitisinone .....                  | 85 | NOVOLOG MIX 70/30           |              | OPSUMIT.....                     | 114    |
| NITRO-BID .....                   | 71 | FLEXPEN .....               | 59           | OPVEE .....                      | 14     |
| NITRO-DUR.....                    | 71 | NOVOLOG MIX 70/30           |              | ORENCIA .....                    | 100    |
| nitrofurantoin macrocrystal ...   | 15 | RELION .....                | 59           | ORENCIA CLICKJECT .....          | 99     |
| nitrofurantoin monohyd macro      |    | NOVOLOG PENFILL .....       | 60           | ORFADIN .....                    | 85     |
| .....                             | 15 | NOVOLOG RELION.....         | 60           | ORGOVYX .....                    | 97     |
| nitroglycerin .....               | 71 | NUBEQA .....                | 33           | ORIAHNN.....                     | 97     |
| NIVESTYM .....                    | 62 | NUCALA .....                | 116          | ORILISSA .....                   | 97     |
| NORA-BE .....                     | 95 | NUEDEXTA .....              | 73           | ORKAMBI .....                    | 113    |
| NORDITROPIN FLEXPRO ..            | 88 | NULOJIX .....               | 103          | ORLADEYO .....                   | 98     |
| norelgestromin-eth estradiol ..   | 93 | NUPLAZID.....               | 46           | orphenadrine citrate er.....     | 116    |
| norethin ace-eth estrad-fe .....  | 93 | NURTEC .....                | 31           | ORQUIDEA .....                   | 95     |
| norethindrone .....               | 95 | NUTRILIPID.....             | 82           | ORSERDU .....                    | 35     |
| norethindrone acetate .....       | 95 | NUTROPIN AQ NUSPIN 10.88    |              | oseltamivir phosphate.....       | 52     |
| norethindrone acet-ethinyl est    | 93 | NUTROPIN AQ NUSPIN 20.89    |              | OSENVELT .....                   | 108    |
| norethindrone-eth estradiol....   | 93 | NUTROPIN AQ NUSPIN 5...89   |              | OTEZLA.....                      | 79     |
| norgestimate-eth estradiol.....   | 93 | NYAMYC .....                | 30           | oxacillin sodium in dextrose ... | 19     |
| norgestim-eth estrad triphasic    | 93 | NYLIA 1/35 .....            | 93           | oxcarbazepine .....              | 25     |
| NORLYROC.....                     | 95 | NYLIA 7/7/7 .....           | 93           | oxcarbazepine er .....           | 24, 25 |
| NORPACE CR.....                   | 64 | nystatin .....              | 30           | OXERVATE.....                    | 109    |
| NORTREL 0.5/35 (28).....          | 93 | nystatin-triamcinolone..... | 79           | oxybutynin chloride .....        | 86     |
| NORTREL 1/35 (21).....            | 93 | NYSTOP .....                | 30           | oxybutynin chloride er .....     | 86     |
| NORTREL 1/35 (28).....            | 93 | NYVEPRIA.....               | 62           | oxycodone hcl .....              | 12     |
| NORTREL 7/7/7 .....               | 93 | <b>O</b>                    |              | oxycodone hcl er .....           | 12     |
| nortriptyline hcl.....            | 28 | OALIVA .....                | 84           | oxycodone-acetaminophen          | 12, 13 |
| NORVIR.....                       | 51 | OCELLA .....                | 93           | OXYCONTIN .....                  | 12     |
| NOVOLIN 70/30.....                | 59 | OCREVUS ZUNOVO .....        | 75           | OZEMPIC (0.25 OR 0.5             |        |
| NOVOLIN 70/30 FLEXPEN .58         |    | octreotide acetate .....    | 97           | MG/DOSE).....                    | 55     |
| NOVOLIN 70/30 FLEXPEN             |    | ODEFSEY .....               | 51           | OZEMPIC (1 MG/DOSE).....         | 55     |
| RELION .....                      | 58 | ODOMZO .....                | 39           | OZEMPIC (2 MG/DOSE).....         | 55     |
| NOVOLIN 70/30 RELION....          | 59 | OFEV.....                   | 114          | <b>P</b>                         |        |
| NOVOLIN N.....                    | 59 | ofloxacin .....             | 21, 109, 111 | paliperidone er .....            | 46     |

H4676\_25DCF\_C V21

Formulary ID 25405, Version 21

Page 126

Last Updated 9/2025

|                                          |         |                                             |              |                                         |         |
|------------------------------------------|---------|---------------------------------------------|--------------|-----------------------------------------|---------|
| PANRETIN .....                           | 41      | <i>pioglitazone hcl-metformin hcl</i> ..... | 55           | PREVALITE .....                         | 70      |
| <i>pantoprazole sodium</i> .....         | 85      | <i>piperacillin sod-tazobactam so</i> ..... | 19           | PREVYMIS .....                          | 48      |
| <i>paricalcitol</i> .....                | 108     | PIQRAY (200 MG DAILY DOSE) .....            | 39           | PREZCOBIX .....                         | 51      |
| <i>paroxetine hcl</i> .....              | 27      | PIQRAY (250 MG DAILY DOSE) .....            | 39           | PREZISTA .....                          | 51, 52  |
| <i>paroxetine hcl er</i> .....           | 27      | PIQRAY (300 MG DAILY DOSE) .....            | 39           | PRIFTIN .....                           | 33      |
| PAXLOVID (150/100) .....                 | 52      | <i>pirfenidone</i> .....                    | 115          | <i>primaquine phosphate</i> .....       | 42      |
| PAXLOVID (300/100 & 150/100) .....       | 52      | <i>piroxicam</i> .....                      | 11           | PRIMAXIN IV .....                       | 16      |
| PAXLOVID (300/100) .....                 | 52      | PLENAMINE .....                             | 82           | <i>primidone</i> .....                  | 24      |
| <i>pazopanib hcl</i> .....               | 39      | <i>piv 27-ca/fe/fa</i> .....                | 82           | PRIORIX .....                           | 105     |
| PEDIARIX .....                           | 105     | <i>podofilox</i> .....                      | 79           | PRIVIGEN .....                          | 98      |
| PEDVAX HIB .....                         | 105     | <i>polymyxin b sulfate</i> .....            | 16           | <i>probenecid</i> .....                 | 31      |
| <i>peg 3350-kcl-na bicarb-nacl</i> ..    | 83      | <i>polymyxin b-trimethoprim</i> ....        | 110          | <i>prochlorperazine</i> .....           | 29      |
| <i>peg-3350/electrolytes</i> .....       | 83      | POMALYST .....                              | 33           | <i>prochlorperazine maleate</i> .....   | 29      |
| PEGASYS .....                            | 101     | PONVORY .....                               | 75           | PROCRT .....                            | 62      |
| PEMAZYRE .....                           | 39      | PONVORY STARTER PACK .....                  | 75           | <i>progesterone</i> .....               | 95      |
| PENBRAYA .....                           | 105     | PORTIA-28 .....                             | 93           | PROGRAF .....                           | 103     |
| <i>penciclovir</i> .....                 | 80      | <i>posaconazole</i> .....                   | 30, 31       | PROLASTIN-C .....                       | 85      |
| <i>penicillamine</i> .....               | 81      | <i>potassium chloride</i> .....             | 81           | PROLIA .....                            | 108     |
| <i>penicillin g pot in dextrose</i> .... | 19      | <i>potassium chloride crys er</i> ....      | 81           | <i>promethazine hcl</i> .....           | 29, 111 |
| <i>penicillin v potassium</i> .....      | 19      | <i>potassium chloride er</i> .....          | 81           | <i>promethazine-phenylephrine</i> ..    | 29      |
| <i>penmenvy</i> .....                    | 105     | <i>potassium citrate er</i> .....           | 81           | PROMETHEGAN .....                       | 29      |
| PENTACEL .....                           | 105     | PRALUENT .....                              | 70           | <i>propafenone hcl</i> .....            | 65      |
| <i>pentamidine isethionate</i> .....     | 41      | <i>pramipexole dihydrochloride</i> .42      |              | <i>propafenone hcl er</i> .....         | 64      |
| <i>pentazocine-naloxone hcl</i> .....    | 13      | <i>pramipexole dihydrochloride er</i> ..... | 42           | <i>propranolol hcl</i> .....            | 65      |
| <i>pentoxifylline er</i> .....           | 68      | <i>prasugrel hcl</i> .....                  | 63           | <i>propranolol hcl er</i> .....         | 65      |
| <i>perampanel</i> .....                  | 22      | <i>pravastatin sodium</i> .....             | 70           | <i>propylthiouracil</i> .....           | 98      |
| <i>perindopril erbumine</i> .....        | 64      | <i>praziquantel</i> .....                   | 41           | PROQUAD .....                           | 105     |
| <i>permethrin</i> .....                  | 79      | <i>prazosin hcl</i> .....                   | 63           | <i>protriptyline hcl</i> .....          | 28      |
| <i>perphenazine</i> .....                | 28      | <i>prednisolone</i> .....                   | 88           | PULMOZYME .....                         | 113     |
| <i>perphenazine-amitriptyline</i> ....   | 26      | <i>prednisolone acetate</i> .....           | 110          | <i>pyrazinamide</i> .....               | 33      |
| PERSERIS .....                           | 46      | <i>prednisolone sodium phosphate</i> .....  | 88, 107, 110 | <i>pyridostigmine bromide</i> .....     | 32      |
| <i>phenelzine sulfate</i> .....          | 26      | <i>prednisone</i> .....                     | 107          | <i>pyridostigmine bromide er</i> ....   | 32      |
| <i>phenobarbital</i> .....               | 23      | PREDNISON INTENSOL .....                    | 107          | <i>pyrimethamine</i> .....              | 42      |
| <i>phenoxybenzamine hcl</i> .....        | 63      | <i>pregabalin</i> .....                     | 23           | PYRUKYND .....                          | 62      |
| PHENYTEK .....                           | 25      | PREHEVBRIO .....                            | 105          | PYRUKYND TAPER PACK .....               | 62      |
| <i>phenytoin</i> .....                   | 25      | PREMARIN .....                              | 90           | <b>Q</b>                                |         |
| PHENYTOIN INFATABS ....                  | 25      | PREMPHASE .....                             | 94           | QINLOCK .....                           | 39      |
| PIASKY .....                             | 62      | PREMPRO .....                               | 94           | QUADRACEL .....                         | 105     |
| PIFELTRO .....                           | 49      | <i>prenatal</i> .....                       | 82           | <i>quetiapine fumarate</i> .....        | 46      |
| <i>pilocarpine hcl</i> .....             | 76, 110 | <i>pretomanid</i> .....                     | 33           | <i>quetiapine fumarate er</i> .....     | 46      |
| <i>pimecrolimus</i> .....                | 78      |                                             |              | <i>quinapril hcl</i> .....              | 64      |
| <i>pimozide</i> .....                    | 44      |                                             |              | <i>quinapril-hydrochlorothiazide</i> .. | 68      |
| PIMTREA .....                            | 93      |                                             |              | <i>quinidine gluconate er</i> .....     | 65      |
| <i>pindolol</i> .....                    | 65      |                                             |              | <i>quinidine sulfate</i> .....          | 65      |
| <i>pioglitazone hcl</i> .....            | 55      |                                             |              | <i>quinine sulfate</i> .....            | 42      |

H4676\_25DCF\_C V21

Formulary ID 25405, Version 21

Page 127

Last Updated 9/2025

|                                        |        |                                       |     |                                               |        |
|----------------------------------------|--------|---------------------------------------|-----|-----------------------------------------------|--------|
| RADICAVA ORS.....                      | 73     | <i>rivaroxaban</i> .....              | 60  | SIMPONI.....                                  | 103    |
| RADICAVA ORS STARTER<br>KIT .....      | 74     | <i>rivastigmine</i> .....             | 26  | <i>simvastatin</i> .....                      | 70     |
| RALDESY .....                          | 27     | <i>rivastigmine tartrate</i> .....    | 26  | <i>sirolimus</i> .....                        | 103    |
| <i>raloxifene hcl</i> .....            | 95     | <i>rizatriptan benzoate</i> .....     | 32  | SIRTURO .....                                 | 33     |
| <i>ramelteon</i> .....                 | 117    | ROCKLATAN .....                       | 111 | SKYLA.....                                    | 94     |
| <i>ramipril</i> .....                  | 64     | <i>roflumilast</i> .....              | 114 | SKYRIZI .....                                 | 100    |
| <i>ranolazine er</i> .....             | 68     | ROMVIMZA.....                         | 35  | SKYRIZI PEN.....                              | 100    |
| <i>rasagiline mesylate</i> .....       | 43     | <i>ropinirole hcl</i> .....           | 43  | SKYTROFA .....                                | 89     |
| RAVICTI.....                           | 85     | <i>ropinirole hcl er</i> .....        | 43  | <i>sodium chloride</i> .....                  | 79, 81 |
| REBIF.....                             | 75     | <i>rosuvastatin calcium</i> .....     | 70  | <i>sodium chloride (pf)</i> .....             | 81     |
| REBIF REBIDOSE .....                   | 75     | ROTARIX .....                         | 105 | <i>sodium fluoride</i> .....                  | 81     |
| REBIF REBIDOSE<br>TITRATION PACK.....  | 75     | ROTATEQ .....                         | 106 | <i>sodium oxybate</i> .....                   | 117    |
| REBIF TITRATION PACK..                 | 75     | ROZLYTREK .....                       | 39  | <i>sodium phenylbutyrate</i> .....            | 86     |
| RECLIPSEN.....                         | 94     | RUBRACA.....                          | 39  | <i>sodium polystyrene sulfonate</i> ..        | 82     |
| RECOMBIVAX HB .....                    | 105    | <i>rufinamide</i> .....               | 25  | <i>sofosbuvir-velpatasvir</i> .....           | 48     |
| RECORLEV .....                         | 97     | RUKOBIA.....                          | 51  | <i>solifenacin succinate</i> .....            | 86     |
| RELENZA DISKHALER.....                 | 52     | RYBELSUS.....                         | 55  | SOLQUA.....                                   | 60     |
| <i>releuko</i> .....                   | 62     | RYBELSUS (FORMULATION<br>R2).....     | 55  | SOLTAMOX.....                                 | 34     |
| RELISTOR.....                          | 83     | RYDAPT .....                          | 39  | SOMAVERT .....                                | 97     |
| <i>repaglinide</i> .....               | 55     | RYKINDO.....                          | 47  | <i>sorafenib tosylate</i> .....               | 39     |
| REPATHA .....                          | 70     | RYLAZE .....                          | 35  | <i>sotalol hcl</i> .....                      | 65     |
| REPATHA PUSHTRONEX<br>SYSTEM .....     | 70     | S                                     |     | <i>sotalol hcl (af)</i> .....                 | 65     |
| REPATHA SURECLICK .....                | 70     | SANDIMMUNE .....                      | 103 | SOTYKTU .....                                 | 100    |
| RETACRIT .....                         | 62     | SANTYL .....                          | 79  | SPIRIVA RESPIMAT.....                         | 112    |
| RETEVMO.....                           | 39     | <i>sapropterin dihydrochloride</i> .. | 86  | <i>spironolactone</i> .....                   | 69     |
| REVLIMID .....                         | 34     | SAVELLA.....                          | 74  | <i>spironolactone-hctz</i> .....              | 68     |
| REVUFORJ.....                          | 35     | SAVELLA TITRATION PACK<br>.....       | 74  | SPRINTEC 28 .....                             | 94     |
| REXTOVY.....                           | 14     | SCEMBLIX.....                         | 39  | SPRITAM.....                                  | 22     |
| REXULTI.....                           | 46     | <i>scopolamine</i> .....              | 29  | SPS (SODIUM<br>POLYSTYRENE SULF)....          | 83     |
| REYATAZ .....                          | 52     | SECUADO .....                         | 47  | SRONYX.....                                   | 94     |
| REZLIDHIA.....                         | 35     | <i>selegiline hcl</i> .....           | 43  | STELARA .....                                 | 100    |
| REZUROCK .....                         | 103    | <i>selenium sulfide</i> .....         | 78  | STIMUFEND .....                               | 62     |
| REZVOGLAR KWIKPEN ....                 | 60     | SELZENTRY .....                       | 51  | STIOLTO RESPIMAT.....                         | 116    |
| RHOPRESSA.....                         | 110    | SEREVENT DISKUS .....                 | 113 | STIVARGA .....                                | 39     |
| <i>ribavirin</i> .....                 | 48     | SEROSTIM .....                        | 89  | STOBOCLO .....                                | 108    |
| <i>rifabutin</i> .....                 | 32     | <i>sertraline hcl</i> .....           | 27  | <i>streptomycin sulfate</i> .....             | 14     |
| <i>rifampin</i> .....                  | 33     | SETLAKIN .....                        | 94  | STRIBILD .....                                | 51     |
| <i>riluzole</i> .....                  | 74     | <i>sevelamer carbonate</i> .....      | 82  | SUCRAID.....                                  | 86     |
| <i>rimantadine hcl</i> .....           | 52     | SHAROBEL.....                         | 95  | <i>sucrafate</i> .....                        | 84     |
| RINVOQ .....                           | 100    | SHINGRIX.....                         | 106 | <i>sulfacetamide sodium</i> .....             | 110    |
| RINVOQ LQ.....                         | 100    | SIGNIFOR.....                         | 97  | <i>sulfacetamide sodium (acne)</i> ..         | 21     |
| <i>risedronate sodium</i> .....        | 108    | SIKLOS.....                           | 34  | <i>sulfacetamide-prednisolone</i> ..          | 109    |
| <i>risperidone</i> .....               | 46, 47 | <i>sildenafil citrate</i> .....       | 114 | <i>sulfadiazine</i> .....                     | 21     |
| <i>risperidone microspheres er</i> ... | 46     | SILIQ.....                            | 100 | <i>sulfamethoxazole-trimethoprim</i><br>..... | 16, 21 |
| <i>ritonavir</i> .....                 | 52     | <i>silver sulfadiazine</i> .....      | 79  | <i>sulfasalazine</i> .....                    | 107    |
|                                        |        | SIMBRINZA .....                       | 111 | <i>sulindac</i> .....                         | 11     |

H4676\_25DCF\_C V21

Formulary ID 25405, Version 21

Last Updated 9/2025

Page 128

|                                          |         |                                      |          |                                       |        |
|------------------------------------------|---------|--------------------------------------|----------|---------------------------------------|--------|
| <i>sumatriptan</i> .....                 | 32      | <i>terconazole</i> .....             | 31       | TREMFYA .....                         | 101    |
| <i>sumatriptan succinate</i> .....       | 32      | <i>teriflunomide</i> .....           | 75       | TREMFYA CROHNS                        |        |
| <i>sumatriptan succinate refill</i> .... | 32      | <i>teriparatide</i> .....            | 108      | INDUCTION.....                        | 100    |
| <i>sunitinib malate</i> .....            | 40      | <i>testosterone</i> .....            | 89       | TREMFYA ONE-PRESS.....                | 100    |
| SUNLENCA.....                            | 51      | <i>testosterone cypionate</i> .....  | 89       | TREMFYA PEN .....                     | 100    |
| SYMDEKO .....                            | 113     | <i>testosterone enanthate</i> .....  | 89       | <i>tretinoin</i> .....                | 41, 76 |
| SYMLINPEN 120.....                       | 55      | <i>tetrabenazine</i> .....           | 74       | TRI FEMYNOR.....                      | 94     |
| SYMLINPEN 60.....                        | 55      | <i>tetracycline hcl</i> .....        | 21       | <i>triamcinolone acetonide</i> ...    | 76, 79 |
| SYMPAZAN.....                            | 24      | THALOMID.....                        | 34       | <i>triamcinolone in absorbase</i> ... | 79     |
| SYMTUZA.....                             | 51      | <i>theophylline</i> .....            | 114      | <i>triamterene-hctz</i> .....         | 68     |
| SYNJARDY .....                           | 97      | <i>theophylline er</i> .....         | 114      | <i>trientine hcl</i> .....            | 82     |
| SYNJARDY XR .....                        | 56      | <i>thioridazine hcl</i> .....        | 44       | TRI-ESTARYLLA .....                   | 94     |
| SYNTHROID.....                           | 96      | <i>thiothixene</i> .....             | 44       | <i>trifluoperazine hcl</i> .....      | 44     |
| <b>T</b>                                 |         | <i>tiagabine hcl</i> .....           | 24       | <i>trifluridine</i> .....             | 49     |
| TABLOID .....                            | 34      | TIBSOVO.....                         | 35       | <i>trihexyphenidyl hcl</i> .....      | 42     |
| TABRECTA.....                            | 40      | <i>ticagrelor</i> .....              | 63       | TRIJARDY XR .....                     | 56     |
| <i>tacrolimus</i> .....                  | 78, 103 | TICE BCG.....                        | 35       | TRIKAFTA .....                        | 113    |
| <i>tadalafil</i> .....                   | 87      | TICOVAC .....                        | 106      | TRI-LEGEST FE.....                    | 94     |
| <i>tadalafil (pah)</i> .....             | 114     | <i>tigecycline</i> .....             | 16       | <i>trimethobenzamide hcl</i> .....    | 29     |
| TADLIQ.....                              | 114     | <i>timolol maleate</i> .....         | 65, 110  | <i>trimethoprim</i> .....             | 16     |
| TAFINLAR.....                            | 40      | <i>tinidazole</i> .....              | 16       | TRI-MILI.....                         | 94     |
| TAGRISO .....                            | 40      | <i>tiopronin</i> .....               | 87       | <i>trimipramine maleate</i> .....     | 28     |
| TALTZ .....                              | 100     | <i>tiotropium bromide</i>            |          | <i>trinatal rx 1</i> .....            | 83     |
| TALZENNA.....                            | 40      | <i>monohydrate</i> .....             | 112      | TRINTELLIX.....                       | 27     |
| <i>tamoxifen citrate</i> .....           | 34      | TIVICAY.....                         | 49       | TRI-SPRINTEC .....                    | 94     |
| <i>tamsulosin hcl</i> .....              | 87      | TIVICAY PD .....                     | 49       | TRIUMEQ.....                          | 51     |
| TARINA FE 1/20 EQ.....                   | 94      | <i>tizanidine hcl</i> .....          | 48       | <i>triumeq pd</i> .....               | 51     |
| TARPEYO .....                            | 97      | <i>tobramycin</i> .....              | 110, 113 | TRI-VYLIBRA.....                      | 94     |
| TASCENSO ODT.....                        | 75      | <i>tobramycin sulfate</i> .....      | 14       | <i>trospium chloride</i> .....        | 86     |
| <i>tasimelteon</i> .....                 | 117     | <i>tobramycin-dexamethasone</i> ..   | 109      | <i>trospium chloride er</i> .....     | 86     |
| TAVNEOS .....                            | 62      | <i>tolterodine tartrate</i> .....    | 86       | TRULICITY .....                       | 56     |
| <i>tazarotene</i> .....                  | 76      | <i>tolterodine tartrate er</i> ..... | 86       | TRUMENBA.....                         | 106    |
| TAZICEF .....                            | 18      | <i>tolvaptan</i> .....               | 82       | TRUQAP .....                          | 40     |
| TAZVERIK.....                            | 40      | <i>topiramate</i> .....              | 22, 23   | TUKYSA.....                           | 40     |
| TECENTRIQ HYBREZA.....                   | 35      | <i>toremifene citrate</i> .....      | 34       | TURALIO.....                          | 40     |
| TEFLARO.....                             | 18      | <i>torsemide</i> .....               | 69       | TWINRIX.....                          | 106    |
| <i>telmisartan</i> .....                 | 64      | TOUJEO MAX SOLOSTAR.....             | 60       | TYBOST.....                           | 51     |
| <i>telmisartan-amlodipine</i> .....      | 68      | TOUJEO SOLOSTAR .....                | 60       | TYMLOS.....                           | 108    |
| <i>telmisartan-hctz</i> .....            | 68      | TRADJENTA.....                       | 56       | TYPHIM VI.....                        | 106    |
| <i>temazepam</i> .....                   | 117     | <i>tramadol hcl</i> .....            | 13       | TYVASO DPI                            |        |
| TENIVAC .....                            | 106     | <i>tramadol-acetaminophen</i> .....  | 13       | MAINTENANCE KIT .....                 | 114    |
| <i>tenofovir disoproxil fumarate</i> ..  | 48      | <i>trandolapril</i> .....            | 64       | TYVASO DPI TITRATION                  |        |
| TEPEZZA.....                             | 109     | <i>tranexamic acid</i> .....         | 62       | KIT .....                             | 114    |
| TEPMETKO.....                            | 40      | <i>tranylcypromine sulfate</i> ..... | 26       | <b>U</b>                              |        |
| <i>terazosin hcl</i> .....               | 63      | <i>travoprost (bak free)</i> .....   | 111      | UBRELVY .....                         | 31     |
| <i>terbinafine hcl</i> .....             | 31      | <i>trazodone hcl</i> .....           | 27       | UDENYCA.....                          | 62     |
| <i>terbutaline sulfate</i> .....         | 113     | TRELEGY ELLIPTA.....                 | 116      | UDENYCA ONBODY .....                  | 62     |
|                                          |         | TRELSTAR MIXJECT .....               | 97       | UNITHROID.....                        | 96     |

H4676\_25DCF\_C V21

Formulary ID 25405, Version 21

Last Updated 9/2025

|                                     |        |
|-------------------------------------|--------|
| UPTRAVI.....                        | 114    |
| UPTRAVI TITRATION .....             | 114    |
| ursodiol.....                       | 84     |
| UZEDY .....                         | 47     |
| <b>V</b>                            |        |
| valacyclovir hcl .....              | 49     |
| VALCHLOR .....                      | 33     |
| valganciclovir hcl .....            | 48     |
| valproic acid.....                  | 23     |
| valsartan.....                      | 64     |
| valsartan-hydrochlorothiazide ..... | 68     |
| VALTOCO 10 MG DOSE.....             | 24     |
| VALTOCO 15 MG DOSE.....             | 24     |
| VALTOCO 20 MG DOSE.....             | 24     |
| VALTOCO 5 MG DOSE.....              | 24     |
| vancomycin hcl .....                | 16     |
| vancomycin hcl in dextrose ....     | 16     |
| vancomycin hcl in nacl .....        | 16     |
| VANFLYTA .....                      | 40     |
| VAQTA.....                          | 106    |
| varenicline tartrate.....           | 14     |
| varenicline tartrate (starter) ..   | 14     |
| varenicline tartrate(continue)      | 14     |
| VARIVAX .....                       | 106    |
| VAXCHORA .....                      | 106    |
| VAXELIS.....                        | 106    |
| VELIVET .....                       | 94     |
| VELTASSA .....                      | 83     |
| VEMLIDY .....                       | 48     |
| VENCLEXTA.....                      | 40     |
| VENCLEXTA STARTING                  |        |
| PACK .....                          | 40     |
| venlafaxine hcl.....                | 28     |
| venlafaxine hcl er .....            | 27, 28 |
| VENTAVIS.....                       | 114    |
| VENTOLIN HFA.....                   | 113    |
| VEOZAH .....                        | 74     |
| verapamil hcl.....                  | 66     |
| verapamil hcl er .....              | 66     |
| VERQUVO .....                       | 68     |
| VERSACLOZ .....                     | 47     |
| VERZENIO .....                      | 40     |
| VICTOZA .....                       | 56     |
| VIENVA.....                         | 94     |
| vigabatrin .....                    | 24     |
| VIGAFYDE .....                      | 24     |
| VIJOICE.....                        | 40     |

H4676\_25DCF\_C V21

|                            |        |
|----------------------------|--------|
| vilazodone hcl.....        | 28     |
| VIMKUNYA.....              | 106    |
| VIRACEPT .....             | 52     |
| VIREAD.....                | 48     |
| VITRAKVI.....              | 40     |
| VIZIMPRO.....              | 40     |
| VOCABRIA .....             | 49     |
| VONJO.....                 | 40     |
| VORANIGO.....              | 35     |
| voriconazole .....         | 31     |
| VOSEVI .....               | 48     |
| VOWST .....                | 84     |
| VRAYLAR.....               | 47     |
| VYFEMLA.....               | 94     |
| VYLIBRA .....              | 94     |
| <b>W</b>                   |        |
| warfarin sodium .....      | 61     |
| WEGOVY .....               | 68, 69 |
| WELIREG .....              | 35     |
| WIXELA INHUB.....          | 116    |
| WYOST .....                | 108    |
| <b>X</b>                   |        |
| XALKORI.....               | 40     |
| XARELTO .....              | 61     |
| XARELTO STARTER PACK ..... | 61     |
| XATMEP.....                | 35     |
| XCOPRI .....               | 23     |
| XCOPRI (250 MG DAILY       |        |
| DOSE) .....                | 23     |
| XCOPRI (350 MG DAILY       |        |
| DOSE) .....                | 23     |
| XDEMVY .....               | 109    |
| XELJANZ .....              | 101    |
| XELJANZ XR.....            | 101    |
| XERMELO.....               | 84     |
| XGEVA.....                 | 108    |
| XIFAXAN.....               | 84     |
| XIGDUO XR.....             | 56     |
| XOLAIR.....                | 116    |
| XOLREMDI.....              | 62     |
| XOSPATA.....               | 40     |
| XPOVIO (100 MG ONCE        |        |
| WEEKLY).....               | 35     |
| XPOVIO (40 MG ONCE         |        |
| WEEKLY).....               | 35     |
| XPOVIO (40 MG TWICE        |        |
| WEEKLY).....               | 36     |

Formulary ID 25405, Version 21

Page 130

|                            |     |
|----------------------------|-----|
| XPOVIO (60 MG ONCE         |     |
| WEEKLY).....               | 36  |
| XPOVIO (60 MG TWICE        |     |
| WEEKLY).....               | 36  |
| XPOVIO (80 MG ONCE         |     |
| WEEKLY).....               | 36  |
| XPOVIO (80 MG TWICE        |     |
| WEEKLY).....               | 36  |
| XROMI.....                 | 34  |
| XTANDI.....                | 33  |
| XULANE.....                | 94  |
| XULTOPHY.....              | 60  |
| XYWAV.....                 | 117 |
| <b>Y</b>                   |     |
| YF-VAX.....                | 106 |
| YONSA .....                | 33  |
| YORVIPATH.....             | 108 |
| YUTREPIA .....             | 114 |
| <b>Z</b>                   |     |
| ZAFEMY .....               | 94  |
| zaleplon.....              | 117 |
| ZARXIO .....               | 62  |
| ZAVZPRET.....              | 31  |
| ZEJULA .....               | 40  |
| ZELBORAF .....             | 41  |
| ZEMAIRA.....               | 86  |
| ZENATANE.....              | 76  |
| ZENPEP .....               | 86  |
| ZEPBOUND.....              | 117 |
| ZEPOSIA.....               | 76  |
| ZEPOSIA 7-DAY STARTER      |     |
| PACK .....                 | 76  |
| ZEPOSIA STARTER KIT ....   | 76  |
| zidovudine.....            | 50  |
| ZIEXTENZO .....            | 62  |
| ZILBRYSQ.....              | 101 |
| ziprasidone hcl.....       | 47  |
| ziprasidone mesylate ..... | 47  |
| ZITHROMAX .....            | 20  |
| ZOLINZA.....               | 36  |
| zolmitriptan.....          | 32  |
| zolpidem tartrate .....    | 117 |
| zolpidem tartrate er ..... | 117 |
| ZONISADE .....             | 25  |
| zonisamide .....           | 25  |
| ZOSYN.....                 | 16  |
| ZOVIA 1/35 (28).....       | 94  |
| ZTALMY .....               | 24  |

Last Updated 9/2025

|                |    |              |    |                        |    |
|----------------|----|--------------|----|------------------------|----|
| ZTLIDO .....   | 13 | ZYDELIG..... | 41 | ZYPREXA RELPREVV ..... | 47 |
| ZURZUVAE ..... | 26 | ZYKADIA..... | 41 |                        |    |

**2025 Troy Medicare**  
**2025 Prior Authorization Criteria**  
CURRENT AS OF 10/01/2025

## ACITRETIN

### Products Affected

- acitretin*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                          |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | Prescriber must be a dermatologist or an oncologist.                                                                                                                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                               |
| Other Criteria               | For prophylaxis of skin cancer in patients with previously treated skin cancers who have undergone an organ transplantation the request will be approved. For psoriasis: the patient has documented trial of, contraindication to, or medical reason for not using at least 2 of the treatment options listed: topical steroids, tazarotene, methotrexate, and cyclosporine. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                          |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                           |

# ACL INHIBITORS

## Products Affected

- NEXLETOLE
- NEXLIZET

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Age Restrictions             | 18 years or older                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions      | Prescriber must be a cardiologist or specialist in the treatment of lipid disorders                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | New starts will be authorized for 4 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Other Criteria               | For new starts ALL of the following must be provided: 1) Documentation of baseline low density lipoprotein cholesterol (LDL-C), 2) Member has tried and failed a high-intensity statin (i.e. atorvastatin 40-80 mg, rosuvastatin 20-40 mg) at maximum tolerated dose for 3 months via claim history or chart notes OR documentation has been provided that the member is not able to tolerate a statin. In addition to the initial criteria above if the new start is for the diagnosis of hyperlipidemia, the following are required: 1) Member has a diagnosis of heterozygous familial hypercholesterolemia (FH) OR primary hyperlipidemia, 2) Member has tried ezetimibe at a maximum tolerated dose and LDL-C is not at goal, or documentation has been provided that the patient is not able to tolerate ezetimibe. In addition to the initial criteria above if the new start is for cardiovascular risk reduction, the following are required: 1) Member has established cardiovascular disease (documented history of coronary artery disease, symptomatic peripheral artery disease, and/or cerebrovascular atherosclerotic disease, 2) Member does not have established cardiovascular disease but is considered high risk (one of the following): Diabetes Mellitus (Type 1 or Type 2) in females over 65 years of age or males over 60 years of age OR a Reynolds Risk score greater than 30% or a SCORE Risk score greater than 7.5% over 10 years OR a coronary artery |

| <b>PA Criteria</b>             | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                | calcium score greater than 400 Agaston units at any time in the past, 3)<br>Member has a fasting LDL-C greater than or equal to 70 mg/dL. For<br>continuation of therapy or reauthorization requests for all indications:<br>Documentation provided that the member has obtained clinical benefit<br>from medication (e.g., LDL-C lowering from baseline) |
| <b>Indications</b>             | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                       |
| <b>Off-Label Uses</b>          | N/A                                                                                                                                                                                                                                                                                                                                                       |
| <b>Part B<br/>Prerequisite</b> | No                                                                                                                                                                                                                                                                                                                                                        |

# ACTEMRA

## Products Affected

- ACTEMRA ACTPEN
- ACTEMRA SUBCUTANEOUS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria               | For pJIA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For RA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq, or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For sJIA, Giant Cell Arteritis and Systemic Sclerosis-Associated Interstitial Lung Disease: Approve |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# ACTHAR

## Products Affected

- ACTHAR
- ACTHAR GEL SUBCUTANEOUS PEN-INJECTOR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | New starts for MS exacerbation, rheumatic disorders, collagen diseases, dermatologic diseases, serum sickness, edematous state (e.g. nephrotic syndrome without uremia), and respiratory diseases: trial of, contraindication to, or medical reason for not using 1) oral corticosteroids AND 2) Cortrophin. New starts for ophthalmic disease: trial of, contraindication to, or medical reason for not using 1) oral or ophthalmic corticosteroids AND 2) Cortrophin. Continuation of therapy or reauthorization for MS exacerbation: documentation of symptom improvement and current use of a multiple sclerosis disease modifying agent for maintenance therapy. Continuation of therapy or reauthorization for all other conditions: documented evidence of response to treatment and symptom improvement. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | MS exacerbation: 1 month. Other conditions: new start for 3 months and reauth end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# ADEMPAS

---

## Products Affected

- ADEMPAS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                    |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Concomitant use with PDE inhibitor or nitrate therapy                                                                                                                                                                               |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I and IV classification and PAH Functional Class. Reviewer will verify available patient claim history to confirm patient is not using PDE inhibitors or nitrates. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                 |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                                                                                                                                                 |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                      |
| Other Criteria               | N/A                                                                                                                                                                                                                                 |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                 |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                 |
| Part B Prerequisite          | No                                                                                                                                                                                                                                  |

# ALPHA-1 PROTEINASE INHIBITORS

## Products Affected

- ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 500 MG
- GLASSIA
- PROLASTIN-C INTRAVENOUS SOLUTION
- ZEMAIRA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                            |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                         |
| Required Medical Information | Documentation of hereditary alpha1-antitrypsin deficiency as evident by pretreatment serum AAT levels below 11 micromol/L and progressive FEV1 or FVC decline demonstrating symptomatic lung disease.                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                         |
| Prescriber Restrictions      | Prescriber must be a pulmonologist.                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                              |
| Other Criteria               | If the medication request is for Glassia or Aralast NP, the patient has a documented medical reason (such as trial, intolerance or contraindication) for not using Prolastin-C or Zemaira to treat their medical condition. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                          |

# ALYFTREK

---

## Products Affected

- ALYFTREK

| PA Criteria                  | Criteria Details                                                                                                                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Concurrent use with Trikafta, Kalydeco, Orkambi, or Symdeko. Patients with unknown CFTR gene mutations.                                                                                                           |
| Required Medical Information | Documentation of CFTR gene that is responsive to vanzacaftor-tezacaftor-deutivacaftor treatment.                                                                                                                  |
| Age Restrictions             | N/A                                                                                                                                                                                                               |
| Prescriber Restrictions      | Prescribed by or in consultation with a pulmonologist or a provider who specializes in treatment of CF.                                                                                                           |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                    |
| Other Criteria               | Cystic Fibrosis (CF) - Initial: patient must have at least one F508del mutation in the CFTR gene or a mutation in the CFTR gene that is responsive to the requested medication. Continuation of therapy: approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                                                                |

# AMBRISENTAN

---

## Products Affected

- *ambrisentan*

| PA Criteria                  | Criteria Details                                                                                            |
|------------------------------|-------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                         |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I classification and PAH Functional Class. |
| Age Restrictions             | N/A                                                                                                         |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                              |
| Other Criteria               | N/A                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                         |
| Off-Label Uses               | N/A                                                                                                         |
| Part B Prerequisite          | No                                                                                                          |

# APOMORPHINE

---

## Products Affected

- *apomorphine hcl subcutaneous*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                     |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Concomitant use with serotonin 5-HT3 receptor antagonists.                                                                                                                                                                                                           |
| Required Medical Information | Reviewer will verify available patient claim history to confirm patient is not using 5-HT3 receptor antagonists.                                                                                                                                                     |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions      | Prescribed by or in consultation with a neurologist.                                                                                                                                                                                                                 |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                       |
| Other Criteria               | If diagnosis is Parkinson's, the patient must have a documented trial of, contraindication to, or medical reason for not using two alternatives such as entacapone, tolcapone, rasagiline, selegiline, carbidopa/levodopa, bromocriptine, pramipexole or ropinirole. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                  |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                  |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                   |

# AQNEURSA

---

## Products Affected

- AQNEURSA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Other Criteria               | For new starts: 1) The member has a documented diagnosis of Niemann-Pick disease type C (NPC) AND 2) Documentation of genetic testing identifying disease-causing alleles in NPC1 or NPC2 AND 3) Documentation of disease-related neurological symptoms (e.g., developmental delay/regression, ataxia, cataplexy, seizures, motor-function decline, tremors, dysphagia) For reauthorization: Documentation that member has had positive response to therapy (e.g., improvement in neurological status, decrease in functional Scale for Assessment and Rating of Ataxia [fSARA] score). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

# ARCALYST

---

## Products Affected

- ARCALYST

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                 |
| Other Criteria               | For deficiency of interleukin-1 receptor antagonist, documented trial of, contraindication to, or medical reason for not using Kineret. For continuation of therapy or reauthorization: Documentation has been provided that patient has clinically benefited from medication. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                             |

# ARIKAYCE

---

## Products Affected

- ARIKAYCE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | Mycobacterium avium complex (MAC): (1) Documented diagnosis of MAC lung disease as verified by failure to achieve at least 2 negative sputum cultures following 6 consecutive months of a combination antibacterial drug regimen AND (2) Provider attestation that medication is being used as part of a combination antibacterial drug regimen. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Prescribed by or in consultation with a pulmonologist or an infectious disease specialist                                                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                   |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                               |

# ARISTADA

## Products Affected

- ARISTADA INITIO 441 MG/1.6ML, 662 MG/2.4ML, 882
- ARISTADA INTRAMUSCULAR MG/3.2ML
- PREFILLED SYRINGE 1064 MG/3.9ML,

| PA Criteria                  | Criteria Details                                                                                                                                                                                                          |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                       |
| Required Medical Information | The member has a documented history of receiving oral aripiprazole without any clinically significant side effects.                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                       |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                            |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperdion Microsphere ER. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                        |

# AUVELITY

---

## Products Affected

- AUVELITY

| PA Criteria                  | Criteria Details                                                                               |
|------------------------------|------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Seizure disorder                                                                               |
| Required Medical Information | N/A                                                                                            |
| Age Restrictions             | N/A                                                                                            |
| Prescriber Restrictions      | N/A                                                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                 |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using to two generic antidepressants. |
| Indications                  | All Medically-accepted Indications.                                                            |
| Off-Label Uses               | N/A                                                                                            |
| Part B Prerequisite          | No                                                                                             |

# AZTREONAM LYSINE

---

## Products Affected

- CAYSTON

| PA Criteria                  | Criteria Details                                                                                                     |
|------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                  |
| Required Medical Information | N/A                                                                                                                  |
| Age Restrictions             | N/A                                                                                                                  |
| Prescriber Restrictions      | Prescriber must be a pulmonologist, infectious disease specialist, or an expert in the treatment of cystic fibrosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                       |
| Other Criteria               | N/A                                                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                                                  |
| Off-Label Uses               | N/A                                                                                                                  |
| Part B Prerequisite          | No                                                                                                                   |

# BENLYSTA

## Products Affected

- BENLYSTA SUBCUTANEOUS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Prescriber must be a rheumatologist, nephrologist, or specialist in the treatment of autoimmune disorders.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria               | For new starts for systemic lupus erythematosus (SLE): concurrent use of two of the following or medical reason for not using glucocorticoids, azathioprine, methotrexate, mycophenolate, or hydroxychloroquine, chloroquine, and cyclophosphamide. For continuation of therapy or reauthorization for SLE: documentation of clinical response to therapy (i.e. fewer flares that required steroid treatment, lower average daily oral prednisone dose, improved daily function either as measured through a validated functional scale or through improved daily performance documented at clinic visits, etc.) For new starts for lupus nephritis (LN): concurrent use of or medical reason for not using background immunosuppressive therapy regimen. For continuation of therapy or reauthorization for LN: Documentation of improvement in renal function (i.e. reduction in UPCR). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# BESREMI

---

## Products Affected

- BESREMI

| PA Criteria                  | Criteria Details                                                                      |
|------------------------------|---------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                   |
| Required Medical Information | N/A                                                                                   |
| Age Restrictions             | N/A                                                                                   |
| Prescriber Restrictions      | Prescriber must be a hematologist, oncologist, or specialist for submitted diagnosis. |
| Coverage Duration            | The request will be authorized until the end of the contract year.                    |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using Pegasys                |
| Indications                  | All Medically-accepted Indications.                                                   |
| Off-Label Uses               | N/A                                                                                   |
| Part B Prerequisite          | No                                                                                    |

# BORUZU

---

## Products Affected

- BORUZU

| PA Criteria                  | Criteria Details                                                        |
|------------------------------|-------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                     |
| Required Medical Information | N/A                                                                     |
| Age Restrictions             | N/A                                                                     |
| Prescriber Restrictions      | Prescriber must be an oncologist or specialist for submitted diagnosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.          |
| Other Criteria               | N/A                                                                     |
| Indications                  | All Medically-accepted Indications.                                     |
| Off-Label Uses               | N/A                                                                     |
| Part B Prerequisite          | No                                                                      |

# BOSENTAN

---

## Products Affected

- *bosentan oral tablet*

| PA Criteria                  | Criteria Details                                                                                            |
|------------------------------|-------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                         |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I classification and PAH Functional Class. |
| Age Restrictions             | N/A                                                                                                         |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                              |
| Other Criteria               | N/A                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                         |
| Off-Label Uses               | N/A                                                                                                         |
| Part B Prerequisite          | No                                                                                                          |

# CAMZYOS

## Products Affected

- CAMZYOS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | Prescribed by or in consultation with a cardiologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Other Criteria               | For all new starts, ALL of the following must be provided: 1) Diagnosis of symptomatic New York Heart Association (NYHA) class II or III obstructive hypertrophic cardiomyopathy (oHCM) AND 2) Patient has a left ventricular ejection fraction (LVEF) greater than or equal to 55% AND 3) Assessment of Valsalva left ventricular outflow tract (LVOT) gradient AND 4) Trial of, medical reason for not using or contraindication to BOTH of the following: Beta blockers (i.e. metoprolol, propranolol, atenolol) AND Non-dihydropyridine calcium channel blockers (i.e. verapamil, diltiazem) AND 5) Prescriber attests that patient is not using moderate to strong CYP2C19 or CYP3A4 inhibitors or inducers. For continuation of therapy or reauthorization, all of the following must be provided: 1) Documentation of clinical benefit as evidenced by an improvement from baseline in oHCM symptoms (i.e., improvement in fatigue, chest pain, shortness of breath, LVOT, peak oxygen consumption, etc.) OR improvement or no worsening of NYHA functional class AND 2) Member must also have a left ventricular ejection fraction (LVEF) greater than or equal to 50%. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| <b>PA Criteria</b>             | <b>Criteria Details</b> |
|--------------------------------|-------------------------|
| <b>Off-Label Uses</b>          | N/A                     |
| <b>Part B<br/>Prerequisite</b> | No                      |

# CARGLUMIC ACID

---

## Products Affected

- *carglumic acid oral tablet soluble*

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# CASPOFUNGIN

---

## Products Affected

- *caspofungin acetate*

| PA Criteria                  | Criteria Details                                                       |
|------------------------------|------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                    |
| Required Medical Information | N/A                                                                    |
| Age Restrictions             | N/A                                                                    |
| Prescriber Restrictions      | Documentation of a consultation with an infectious disease specialist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.         |
| Other Criteria               | N/A                                                                    |
| Indications                  | All Medically-accepted Indications.                                    |
| Off-Label Uses               | N/A                                                                    |
| Part B Prerequisite          | No                                                                     |

# CERDELGA

---

## Products Affected

- CERDELGA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Patients with undetermined CYP2D6 metabolizer status.                                                                                                                                                                                                                                                                  |
| Required Medical Information | Patient's CYP2D6 metabolizer status, as determined by an FDA approved test. For reauthorization, documentation has been provided that patient has obtained clinical benefit from medication (e.g. increased platelet count, improvement in anemia, PFTs, improvement in radiographic scans, improved quality of life). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Prescribed by or in consultation with a specialist in treatment of Gaucher's disease.                                                                                                                                                                                                                                  |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                         |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                    |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                     |

# CGRP ANTAGONISTS

## Products Affected

- AIMOVIG
- EMGALITY
- EMGALITY (300 MG DOSE)
- NURTEC
- QULIPTA
- UBRELVY
- ZAVZPRET

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Other Criteria               | For acute migraine new starts - for Ubrelvy and Nurtec requests, must have trial of, contraindication to or medical reason for not using a triptan. For Zavzpret requests, must have trial of, contraindication to or medical reason for not using Ubrelvy or Nurtec. For migraine prophylaxis new starts - 1) at least 4 migraine days per month or one or more severe migraine attacks lasting for greater than 12 hours despite use of abortive therapy (e.g. triptans or NSAIDs) and 2) trial of, contraindication to, or medical reason for not using at least two of the following agents: a beta adrenergic blocker, an anti-epileptic agent, a tricyclic antidepressant, or a serotonin-norepinephrine reuptake inhibitor. For Emgality requests for episodic cluster headache new starts - must have trial of, contraindication to, or a medical reason for not using verapamil for at least 4 weeks at minimum effective doses. For continuation of therapy or reauthorization - For acute migraine (Nurtec, Ubrelvy, Zavzpret), must show documentation of improvement in migraine symptoms (pain, photophobia, phonophobia). For migraine prevention (Nurtec, Emgality, Qulipta, Aimovig), must show documentation of improvement in migraine symptoms. For episodic cluster |

| <b>PA Criteria</b>         | <b>Criteria Details</b>                                                             |
|----------------------------|-------------------------------------------------------------------------------------|
|                            | headache treatment, must show documentation of reduction in frequency of headaches. |
| <b>Indications</b>         | All Medically-accepted Indications.                                                 |
| <b>Off-Label Uses</b>      | N/A                                                                                 |
| <b>Part B Prerequisite</b> | No                                                                                  |

# CHOLBAM

---

## Products Affected

- CHOLBAM

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                           |
| Required Medical Information | For new starts: Patient has documented diagnosis of either: 1) bile acid synthesis disorder due to a single enzyme defect or 2) peroxisomal disorders. For continuation of therapy or reauthorization: prescriber attests: 1) the patient has clinical improvement with therapy (i.e. liver function tests) AND 2) there is no evidence of biliary obstruction or cholestasis |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                           |
| Prescriber Restrictions      | Prescriber must be a hepatologist, gastroenterologist, or metabolic specialist                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | New starts will be authorized for 3 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                             |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                           |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                            |

# CIBINQO

---

## Products Affected

- CIBINQO

| PA Criteria                  | Criteria Details                                                                             |
|------------------------------|----------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                          |
| Required Medical Information | N/A                                                                                          |
| Age Restrictions             | N/A                                                                                          |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                          |
| Coverage Duration            | Request will be authorized until the end of the contract year.                               |
| Other Criteria               | For atopic dermatitis: Trial of, contraindication to, or medical reason for not using Rinvoq |
| Indications                  | All Medically-accepted Indications.                                                          |
| Off-Label Uses               | N/A                                                                                          |
| Part B Prerequisite          | No                                                                                           |

# CIMZIA

## Products Affected

- CIMZIA (2 SYRINGE)
- CIMZIA SUBCUTANEOUS KIT 2 X 200 MG
- CIMZIA-STARTER

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Other Criteria               | For ankylosing spondylitis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For Crohns Disease: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Humira, Hadlima, Skyrizi or Stelara or 2) If utilized within the past 120 days, approve for continuation of therapy. For non-radiographic axial spondyloarthritis: approve. For psoriasis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Skyrizi, Tremfya, Stelara, Enbrel, Hadlima, or Humira 2) If utilized within the past 120 days, approve for continuation of therapy. For PsA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Xeljanz, Rinvoq, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For RA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy |

| <b>PA Criteria</b>             | <b>Criteria Details</b>             |
|--------------------------------|-------------------------------------|
| <b>Indications</b>             | All Medically-accepted Indications. |
| <b>Off-Label Uses</b>          | N/A                                 |
| <b>Part B<br/>Prerequisite</b> | No                                  |

# CORLANOR

## Products Affected

- CORLANOR ORAL SOLUTION
- ivabradine hcl*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                           |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                        |
| Required Medical Information | New starts for chronic heart failure must have all of the following: 1) LVEF of 35% or less 2) Sinus rhythm and have resting heart rate greater than or equal to 70 bpm. For pediatric patients with heart failure due to dilated cardiomyopathy: approve. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Prescriber must be a cardiologist.                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                             |
| Other Criteria               | Trial of, contraindication to, or medical reason for not receiving a beta blocker.                                                                                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                         |

# CORTROPHIN

## Products Affected

- CORTROPHIN
- CORTROPHIN GEL

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | New starts for MS exacerbation, rheumatic disorders, collagen diseases, dermatologic diseases, serum sickness, edematous state (e.g. nephrotic syndrome without uremia), and respiratory diseases: trial of, contraindication to, or medical reason for not using oral corticosteroids. New starts for ophthalmic disease: trial of, contraindication to, or medical reason for not using oral or ophthalmic corticosteroids. Continuation of therapy or reauthorization for MS exacerbation: documentation of symptom improvement and current use of a multiple sclerosis disease modifying agent for maintenance therapy. Continuation of therapy or reauthorization for all other conditions: documented evidence of response to treatment and symptom improvement. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | MS exacerbation: 1 month. Other conditions: new start for 3 months and reauth end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# COSENTYX

## Products Affected

- COSENTYX
- COSENTYX (300 MG DOSE)
- COSENTYX SENSOREADY (300 MG)
- COSENTYX SENSOREADY PEN
- COSENTYX UNOREADY

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Required Medical Information</b> | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Prescriber Restrictions</b>      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>               | For ankylosing spondylitis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz, or 2) If utilized within the past 120 days, approve for continuation of therapy. For non-radiographic axial spondyloarthritis: approve. For psoriasis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For PsA: Either 1) Trial of, medical reason for not using, or contraindication (e.g., safety concerns, not indicated for patients age) to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Xeljanz, Rinvoq, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For enthesitis-related arthritis: approve. For moderate to severe hidradenitis suppurativa (HS): Either 1) Trial of, medical reason for not using, or contraindication (e.g., safety concerns, not indicated for patients age) to 1 of the following therapies: Hadlima or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

| <b>PA Criteria</b>             | <b>Criteria Details</b> |
|--------------------------------|-------------------------|
| <b>Off-Label Uses</b>          | N/A                     |
| <b>Part B<br/>Prerequisite</b> | No                      |

# CYSTAGON

---

## Products Affected

- CYSTAGON

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# CYSTARAN

---

## Products Affected

- CYSTARAN

| PA Criteria                  | Criteria Details                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                       |
| Required Medical Information | Documentation of diagnosis for cystinosis with corneal cystine crystal accumulation.      |
| Age Restrictions             | N/A                                                                                       |
| Prescriber Restrictions      | Prescribed by or in consultation with an ophthalmologist or metabolic disease specialist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                            |
| Other Criteria               | N/A                                                                                       |
| Indications                  | All Medically-accepted Indications.                                                       |
| Off-Label Uses               | N/A                                                                                       |
| Part B Prerequisite          | No                                                                                        |

# DALFAMPRIDINE ER

## Products Affected

- dalfampridine er*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | History of seizure or moderate/severe renal impairment (CrCl less than or equal to 50 mL/min).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Required Medical Information</b> | For new starts: 1) Attestation that creatinine clearance (CrCl) greater than 50 mL/min was confirmed prior to initiation of therapy, AND 2) Documentation has been provided that member is ambulatory (able to walk at least 25 feet) and has a documented walking impairment, AND 3) For appropriate indications, member is currently being treated with a disease modifying agent (e.g. immunomodulator, interferon, etc.) or has a medical reason why member is unable to use a disease modifying agent for their condition. For continuation of therapy or re-authorization requests: 1) Member must experience improvement in walking from baseline due to use of dalfampridine ER. |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Prescriber Restrictions</b>      | Prescriber must be a neurologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

# DEFERASIROX

## Products Affected

- *deferasirox*
- *deferasirox granules*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Creatinine clearance less than 40 mL/min or platelet counts less than 50,000/mm <sup>3</sup> .                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | For all indications: platelet count greater than or equal to 50,000/mm <sup>3</sup> (within 30 days). For chronic iron overload due to transfusions: serum ferritin concentration greater than 1000 mcg/L (lab result within 30 days). For chronic iron overload in non-transfusion-dependent thalassemia syndromes: serum ferritin concentration greater than 300 mcg/L (lab result within 30 days). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                        |
| Other Criteria               | For deferasirox granules oral packets, the member must have medical reason for not using deferasirox tablets or oral soluble tablets.                                                                                                                                                                                                                                                                 |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                    |

# DEFERIPRONE

---

## Products Affected

- *deferiprone*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                               |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                 |
| Other Criteria               | For new starts: 1) serum ferritin level above 1,000 mcg/L and absolute neutrophil count (ANC) greater than $1.5 \times 10^9/L$ within 30 days of request, and 2) Trial of, contraindication to, or medical reason for not using deferasirox tablets. For continuation of therapy or reauthorization, decrease in serum ferritin from baseline. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                             |

# DIACOMIT

---

## Products Affected

- DIACOMIT

| PA Criteria                  | Criteria Details                                                                                                                                                                                 |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                                                                                              |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                                                                                                |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                   |
| Other Criteria               | For members 2 years and older: Trial of, contraindication to, or medical reason for not using one generic anticonvulsant for appropriate indications.<br>For members under 2 years old: Approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                               |

# DICHLORPHENAMIDE

---

## Products Affected

- dichlorphenamide*

| PA Criteria                  | Criteria Details                                                                                  |
|------------------------------|---------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                               |
| Required Medical Information | N/A                                                                                               |
| Age Restrictions             | N/A                                                                                               |
| Prescriber Restrictions      | Prescribed by or in consultation with a geneticist, neurologist, or endocrinologist.              |
| Coverage Duration            | New starts will be authorized for 2 months. Cont of therapy or reauth until end of contract year. |
| Other Criteria               | Continuation of therapy or reauthorization: documentation of clinical improvement with therapy.   |
| Indications                  | All Medically-accepted Indications.                                                               |
| Off-Label Uses               | N/A                                                                                               |
| Part B Prerequisite          | No                                                                                                |

# DIFICID

## Products Affected

- DIFICID
- fidaxomicin*

| PA Criteria                  | Criteria Details                        |
|------------------------------|-----------------------------------------|
| Exclusion Criteria           | N/A                                     |
| Required Medical Information | N/A                                     |
| Age Restrictions             | N/A                                     |
| Prescriber Restrictions      | N/A                                     |
| Coverage Duration            | Request will be authorized for 10 days. |
| Other Criteria               | N/A                                     |
| Indications                  | All Medically-accepted Indications.     |
| Off-Label Uses               | N/A                                     |
| Part B Prerequisite          | No                                      |

# DIHYDROERGOTAMINE NASAL

---

## Products Affected

- dihydroergotamine mesylate nasal*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                               |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | For new starts: Member has a diagnosis of migraine headaches with or without aura. Prescriber attestation that it will be used for the acute treatment of migraine. For continuation of therapy or reauthorization: Documentation or provider attestation of positive clinical response (e.g., improvement in pain, photophobia, phonophobia). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                            |
| Coverage Duration            | Requests will be authorized for 12 weeks.                                                                                                                                                                                                                                                                                                      |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using a triptan (e.g., rizatriptan, sumatriptan).                                                                                                                                                                            |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                             |

# DOTTELET

## Products Affected

- DOTTELET

| PA Criteria                  | Criteria Details                                                                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                               |
| Required Medical Information | For new starts for chronic liver disease and chronic immune thrombocytopenia (chronic ITP): documented baseline platelet count of less than 50,000/mcL.           |
| Age Restrictions             | N/A                                                                                                                                                               |
| Prescriber Restrictions      | Prescribed by or in consultation with hematologist, hepatologist or surgeon.                                                                                      |
| Coverage Duration            | For thrombocytopenia with CLD getting procedure: 5 days. For chronic ITP: remainder of contract year                                                              |
| Other Criteria               | For chronic ITP: trial of, contraindication to, or medical reason for not using a corticosteroid. For thrombocytopenia with chronic liver disease (CLD): approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                |

# DOXEPIN CREAM

---

## Products Affected

- doxepin hcl external*

| PA Criteria                  | Criteria Details                                                                                                          |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                       |
| Required Medical Information | N/A                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                       |
| Prescriber Restrictions      | N/A                                                                                                                       |
| Coverage Duration            | Request will be authorized for 1 month.                                                                                   |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using a topical corticosteroid or topical calcineurin inhibitor. |
| Indications                  | All Medically-accepted Indications.                                                                                       |
| Off-Label Uses               | N/A                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                        |

# DUPIXENT

## Products Affected

- DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Required Medical Information</b> | Chronic spontaneous urticaria (CSU) - Initial: patient has inadequate symptomatic relief despite trial of two weeks of a second-generation oral antihistamine (unless contraindicated). Continuation of therapy: patient has positive clinical response to treatment. Bullous pemphigoid - Initial: patient has had trial of, contraindication to, or medical reason for not using a topical corticosteroid, oral corticosteroid, or an immunosuppressive agent. Continuation of therapy: patient has positive clinical response to treatment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Prescriber Restrictions</b>      | Initial therapy only: prescribed by or in consultation with specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Coverage Duration</b>            | AD - Initial: 4 months, PN & CSU - Initial: 6 months, All others: end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Other Criteria</b>               | Atopic dermatitis (AD) in patients 6 months of age and older - Initial: (1) patient has diagnosis of moderate to severe AD, AND (2) has had trial of, contraindication to, or medical reason for not using either a topical corticosteroid or topical calcineurin inhibitor. Continuation of therapy: patient has positive clinical response to treatment. Asthma with eosinophilic phenotype - Initial: (1) patient has baseline blood eosinophil count greater than or equal to 150 cells per microliter, AND (2) asthma remains inadequately controlled despite current treatment with or medical reasons for not using BOTH (i) medium to high dose inhaled corticosteroid AND (ii) additional controller (i.e. leukotriene modifier, long acting beta-2-agonist, long acting muscarinic antagonist, and sustained released theophylline). Asthma, oral corticosteroid dependent - Initial: asthma remains inadequately controlled despite current treatment with or medical reasons for not using BOTH (i) high dose inhaled corticosteroid AND (ii) additional controller (i.e. leukotriene modifier, long acting beta-2-agonist, |

| PA Criteria                | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                            | <p>long acting muscarinic antagonist, and sustained released theophylline).<br/> Asthma with eosinophilic phenotype or oral corticosteroid dependent -<br/> Continuation of therapy: clinical improvement in asthma control (i.e. reduction in frequency and/or severity of exacerbations and symptoms OR reduction in daily maintenance oral corticosteroid dose). Chronic rhinosinusitis with nasal polyps (CRSwNP) - Initial: (1) Dupixent is used as add-on maintenance treatment, AND (2) patient has a trial of, contraindication to, or medical reason for not using nasal corticosteroids. Continuation of therapy: patient has positive clinical response to treatment. Prurigo nodularis (PN): attestation is provided confirming diagnosis. Eosinophilic esophagitis (EoE) - Initial: (1) diagnosis has been confirmed by esophageal biopsy AND (2) patient weighs at least 15 kilograms AND (3) patient experienced an inadequate treatment response, intolerance, or has a contraindication to a topical or oral corticosteroid (i.e. fluticasone propionate or budesonide). Continuation of therapy: patient has positive clinical response to treatment. Chronic Obstructive Pulmonary Disease (COPD) - Initial: (1) documented diagnosis of COPD with an eosinophilic phenotype, AND (2) Dupixent is used as an add-on maintenance treatment, AND (3) documentation that patient's COPD is inadequately controlled. Continuation of therapy: patient has positive clinical response to treatment.</p> |
| <b>Indications</b>         | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Off-Label Uses</b>      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# EGRIFTA

---

## Products Affected

- EGRIFTA SV
- EGRIFTA WR

| PA Criteria                  | Criteria Details                                                     |
|------------------------------|----------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                  |
| Required Medical Information | Documentation of active antiretroviral therapy for at least 8 weeks. |
| Age Restrictions             | N/A                                                                  |
| Prescriber Restrictions      | N/A                                                                  |
| Coverage Duration            | Request will be authorized until the end of the contract year.       |
| Other Criteria               | N/A                                                                  |
| Indications                  | All Medically-accepted Indications.                                  |
| Off-Label Uses               | N/A                                                                  |
| Part B Prerequisite          | No                                                                   |

# EMSAM

---

## Products Affected

- EMSAM

| PA Criteria                         | Criteria Details                                                                                                                                                                            |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | Concomitant use with SSRIs, SNRIs, clomipramine and imipramine, meperidine, tramadol, methadone, pentazocine, and propoxyphene, and the antitussive agent dextromethorphan or carbamazepine |
| <b>Required Medical Information</b> | N/A                                                                                                                                                                                         |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                         |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                         |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                              |
| <b>Other Criteria</b>               | For new starts: Trial of, contraindication to, or medical reason for not using two generic antidepressants.                                                                                 |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                         |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                         |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                          |

# ENBREL

## Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | For RA: Trial of, medical reason for not using, or contraindication to 1 disease modifying antirheumatic drug (DMARD) (methotrexate, leflunomide, or sulfasalazine). For pJIA: Trial of, medical reason for not using, or contraindication to 1 of the following DMARDs: methotrexate or leflunomide. For PsA or psoriasis: approve. For ankylosing spondylitis: Trial of, medical reason for not using, or contraindication to naproxen. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# ENDARI

---

## Products Affected

- *l-glutamine oral packet*

| PA Criteria                  | Criteria Details                                                                                      |
|------------------------------|-------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                   |
| Required Medical Information | Documentation that two or more painful sickle cell crises have occurred in the past 12 months.        |
| Age Restrictions             | N/A                                                                                                   |
| Prescriber Restrictions      | Prescriber must be a hematologist.                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                        |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using hydroxyurea for at least three months. |
| Indications                  | All Medically-accepted Indications.                                                                   |
| Off-Label Uses               | N/A                                                                                                   |
| Part B Prerequisite          | No                                                                                                    |

# ENTYVIO

---

## Products Affected

- ENTYVIO PEN

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                  |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                               |
| Required Medical Information | N/A                                                                                                                                                                                                                                               |
| Age Restrictions             | N/A                                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                               |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                    |
| Other Criteria               | For ulcerative colitis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Tremfya, Hadlima or Humira. 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                |

# EPIDIOLEX

---

## Products Affected

- EPIDIOLEX

| PA Criteria                  | Criteria Details                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                    |
| Required Medical Information | N/A                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                         |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using one generic anticonvulsant for appropriate indications. |
| Indications                  | All Medically-accepted Indications.                                                                                    |
| Off-Label Uses               | N/A                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                     |

# EPRONTIA

---

## Products Affected

- EPRONTIA
- topiramate oral solution*

| PA Criteria                  | Criteria Details                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                              |
| Required Medical Information | N/A                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                              |
| Prescriber Restrictions      | N/A                                                                                                                              |
| Coverage Duration            | The request will be authorized until the end of the contract year.                                                               |
| Other Criteria               | Documented trial of, contraindication to, or medical reason for not using topiramate sprinkle capsule or topiramate oral tablet. |
| Indications                  | All Medically-accepted Indications.                                                                                              |
| Off-Label Uses               | N/A                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                               |

# ERYTHROPOIETIN STIMULATING AGENTS

## Products Affected

- ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML
- ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE
- EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML
- PROCRIT
- RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information | For new starts for all indications: Hgb within compendia range for treatment of the requested medical condition. For continuation of therapy or re-authorization: Hgb must not exceed 10 g/dL (anemia related to cancer), 11 g/dL (anemia of CKD), 12 g/dL (zidovudine-related anemia in members with HIV and ribavirin-induced anemia), 13 g/dL (elective, noncardiac, nonvascular surgery needing red blood cell allogeneic transfusion reduction). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | Request will be authorized for 6 months.                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# ERZOFRI

## Products Affected

- ERZOFRI INTRAMUSCULAR MG/1.5ML, 351 MG/2.25ML, 39  
SUSPENSION PREFILLED SYRINGE MG/0.25ML, 78 MG/0.5ML  
117 MG/0.75ML, 156 MG/ML, 234

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                              |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                           |
| Required Medical Information | The member has a documented history of receiving oral paliperidone or oral risperidone without any clinically significant side effects.                                                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                           |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                           |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                |
| Other Criteria               | For schizophrenia: Trial and failure of, contraindication, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperidone Microsphere ER. For schizoaffective disorder: approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                            |

# EUCRISA

---

## Products Affected

- EUCRISA

| PA Criteria                  | Criteria Details                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                       |
| Required Medical Information | N/A                                                                                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                       |
| Prescriber Restrictions      | Prescriber must be a dermatologist, immunologist or an allergist.                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                            |
| Other Criteria               | For patients 2 years of age and older: Trial of, contraindication to, or medical reason for not using topical tacrolimus or pimecrolimus. For patients less than 2 years of age: approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                        |

# EVRYSDI

## Products Affected

- EVRYSDI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | For new starts, all of the following must be included: 1) Documentation of genetic testing confirming diagnosis AND 2) Documentation of baseline motor function or motor milestone achievement [e.g. CHOP Infant Test of Neuromuscular Disorders (CHOP-INTEND) or Hammersmith Infant Neurological Examination (HINE) for Type 1 or Hammersmith Functional Motor Scale Expanded Scores (HFMSE) for Type II and Type III, or 6 minute walk test in subjects able to walk]. For continuation of therapy or reauthorization, documentation of clinical response has been submitted (e.g. improvement in motor function/motor milestone achievement scores using CHOP-INTEND or HFMSE, 6 minute walk test or HINE improvement in more categories of motor milestones than worsening). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# FABHALTA

---

## Products Affected

- FABHALTA

| PA Criteria                  | Criteria Details                                                |
|------------------------------|-----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                             |
| Required Medical Information | N/A                                                             |
| Age Restrictions             | N/A                                                             |
| Prescriber Restrictions      | Prescriber must be a hematologist, nephrologist, or oncologist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.  |
| Other Criteria               | N/A                                                             |
| Indications                  | All Medically-accepted Indications.                             |
| Off-Label Uses               | N/A                                                             |
| Part B Prerequisite          | No                                                              |

# FASENRA

## Products Affected

- FASENRA
- FASENRA PEN

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Other Criteria               | New starts for severe asthma with an eosinophilic phenotype: 1)Baseline blood eosinophil count greater than or equal to 150 cells per microliter AND 2) symptoms persist with at least 1 exacerbation in the last 12 months requiring additional treatment (e.g. oral systemic steroids) while on a high dose inhaled corticosteroid with an additional controller medication (ie. long-acting B2 agonist). Continuation of therapy or re-authorization for severe asthma with an eosinophilic phenotype: clinical benefit from use of the drug. New starts for eosinophilic granulomatosis with polyangiitis (EGPA): trial of, contraindication to, or medical reason for not using one of the following medications: cyclophosphamide or methotrexate. Continuation of therapy or re-authorization for EGPA: clinical benefit from use of the drug. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# FENTANYL CITRATE TRANSMUCOSAL PRODUCTS

---

## Products Affected

- *fentanyl citrate buccal lozenge on a handle*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                 |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                              |
| Required Medical Information | Documentation must be provided for the all of the following: 1) fentanyl citrate oral transmucosal is being prescribed to treat cancer-related breakthrough pain AND 2) Patient has been taking opioids at a dose equal to 60 MME per day for at least one week. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                   |
| Other Criteria               | N/A                                                                                                                                                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                               |

# FILSPARI

## Products Affected

- FILSPARI

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | Coadministration with renin-angiotensin-aldosterone system (RAAS) inhibitors, endothelin receptor antagonists, or aliskiren                                                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b> | For new starts: Attestation that member has diagnosis of primary immunoglobulin A nephropathy (IgAN) at risk of rapid disease progression. Member has an estimated glomerular filtration rate (eGFR) greater than or equal to 30 mL/min/1.73 m(2) and proteinuria. For continuation of therapy or reauthorization: Documentation of positive clinical response (ie. decrease in urine protein-to-creatinine ratio (UPCR)). |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>      | Prescribed by or in consultation with a nephrologist.                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Coverage Duration</b>            | New starts will be authorized for 9 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                          |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                         |

# FINTEPLA

---

## Products Affected

- FINTEPLA

| PA Criteria                  | Criteria Details                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                    |
| Required Medical Information | N/A                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                         |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using one generic anticonvulsant for appropriate indications. |
| Indications                  | All Medically-accepted Indications.                                                                                    |
| Off-Label Uses               | N/A                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                     |

# FIRDAPSE

---

## Products Affected

- FIRDAPSE

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | History of seizures.                                           |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | Prescriber must be a neurologist.                              |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# FLUCYTOSINE

---

## Products Affected

- *flucytosine oral*

| PA Criteria                  | Criteria Details                                                 |
|------------------------------|------------------------------------------------------------------|
| Exclusion Criteria           | Complete dihydropyrimidine dehydrogenase (DPD) enzyme deficiency |
| Required Medical Information | Attestation member is taking in combination with amphotericin B. |
| Age Restrictions             | N/A                                                              |
| Prescriber Restrictions      | N/A                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.   |
| Other Criteria               | N/A                                                              |
| Indications                  | All Medically-accepted Indications.                              |
| Off-Label Uses               | N/A                                                              |
| Part B Prerequisite          | No                                                               |

# FLUOROURACIL

---

## Products Affected

- *fluorouracil external cream 0.5 %*

| PA Criteria                  | Criteria Details                                                     |
|------------------------------|----------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                  |
| Required Medical Information | N/A                                                                  |
| Age Restrictions             | N/A                                                                  |
| Prescriber Restrictions      | Prescribed by or in consultation with a dermatologist or oncologist. |
| Coverage Duration            | Request will be authorized for 12 weeks.                             |
| Other Criteria               | N/A                                                                  |
| Indications                  | All Medically-accepted Indications.                                  |
| Off-Label Uses               | N/A                                                                  |
| Part B Prerequisite          | No                                                                   |

# GALAFOLD

---

## Products Affected

- GALAFOLD

| PA Criteria                  | Criteria Details                                                                                                         |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                      |
| Required Medical Information | N/A                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                      |
| Prescriber Restrictions      | Prescribed must be a geneticist, cardiologist, nephrologist or specialist experienced in the treatment of Fabry disease. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                           |
| Other Criteria               | N/A                                                                                                                      |
| Indications                  | All Medically-accepted Indications.                                                                                      |
| Off-Label Uses               | N/A                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                       |

# GATTEX

---

## Products Affected

- GATTEX

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information | For new starts: attestation of 1) Colonoscopy of full colon with removal of polyps within six months prior to starting treatment for adults or 2) Fecal occult blood testing within six months prior to starting treatment for pediatric patients. For continuation of therapy or reauthorization: Documentation is provided that the member has obtained a clinical benefit (e.g. reduction in parenteral fluid volume, reduction in number of days receiving parenteral nutrition). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions      | Prescribed by or in consultation with a gastroenterologist.                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                     |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# GLP-1 AGONISTS

## Products Affected

- MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML
- OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML
- OZEMPIC (2 MG/DOSE)
- RYBELSUS
- RYBELSUS (FORMULATION R2)
- TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR

| PA Criteria                         | Criteria Details                                                             |
|-------------------------------------|------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | The member has an indication of weight loss/obesity only or type 1 diabetes. |
| <b>Required Medical Information</b> | The member has a diagnosis of type 2 diabetes.                               |
| <b>Age Restrictions</b>             | N/A                                                                          |
| <b>Prescriber Restrictions</b>      | N/A                                                                          |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.               |
| <b>Other Criteria</b>               | N/A                                                                          |
| <b>Indications</b>                  | All Medically-accepted Indications.                                          |
| <b>Off-Label Uses</b>               | N/A                                                                          |
| <b>Part B Prerequisite</b>          | No                                                                           |

# GNRH AGONISTS

## Products Affected

- CAMCEVI
- ELIGARD
- FIRMAGON (240 MG DOSE)
- FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG
- *leuprolide acetate (3 month)*
- LUPRON DEPOT (1-MONTH)
- LUPRON DEPOT (3-MONTH)
- LUPRON DEPOT (4-MONTH)
- LUPRON DEPOT (6-MONTH)
- LUTRATE DEPOT
- TRELSTAR MIXJECT

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                             |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                          |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                          |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                               |
| Other Criteria               | If the medication request is for the treatment of prostate cancer and if the request is for any other GnRH agonist other than Eligard or leuprolide, the patient must have a documented trial of, contraindication to, or medical reason for not using Eligard or leuprolide to treat their prostate cancer. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                          |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                           |

# GOCOVRI

---

## Products Affected

- GOCOVRI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                             |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                          |
| Required Medical Information | N/A                                                                                                                                                                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | Prescribed by or in consultation with a neurologist.                                                                                                                                                                                                         |
| Coverage Duration            | New starts will be authorized for 3 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                            |
| Other Criteria               | New starts: trial of, contraindication to, or medical reason for not using generic amantadine. Continuation of therapy or reauthorization: Member demonstrates clinical benefit (i.e. improvement in levodopa-induced dyskinesia or decreased off episodes). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                          |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                          |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                           |

# GROWTH HORMONES

## Products Affected

- GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE
- GENOTROPIN SUBCUTANEOUS CARTRIDGE
- HUMATROPE INJECTION CARTRIDGE
- NGENLA
- NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR
- NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE
- OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED
- SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | For new starts for growth hormone deficiency: Documentation showing bone age testing, height, weight, and Growth Hormone Stimulation Test results OR Insulin Growth Factor 1 level. For continuation of therapy or reauthorization for growth hormone deficiency: documentation (medical records) showing positive response to treatment. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Prescriber must be an endocrinologist or nephrologist.                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                         |
| Other Criteria               | For new starts for growth hormone deficiency: 1) If the request is not for Genotropin, trial of, contraindication to, or medical reason for not using Genotropin. For requests for all other medically accepted indications other than growth hormone deficiency, the request will be approved for products other than Skytrofa.          |

| <b>PA Criteria</b>             | <b>Criteria Details</b>             |
|--------------------------------|-------------------------------------|
| <b>Indications</b>             | All Medically-accepted Indications. |
| <b>Off-Label Uses</b>          | N/A                                 |
| <b>Part B<br/>Prerequisite</b> | No                                  |

# HADLIMA

## Products Affected

- HADLIMA
- HADLIMA PUSHTOUCH

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Other Criteria               | For ankylosing spondylitis: Trial of, medical reason for not using, or contraindication to naproxen. For Crohns Disease: Trial of, medical reason for not using (i.e. severe Crohns disease), or contraindication to 1 of the following: mercaptopurine, azathioprine, sulfasalazine, methotrexate or corticosteroid (e.g., prednisone, methylprednisolone). For pJIA: Trial of, medical reason for not using, or contraindication to 1 of the following DMARDs: methotrexate or leflunomide. For RA: Trial of, medical reason for not using, or contraindication to 1 disease modifying antirheumatic drug (DMARD) (methotrexate, leflunomide, or sulfasalazine). For UC: Trial of, medical reason for not using, or contraindication to 1 of the following conventional therapies: mercaptopurine, an aminosalicylate (i.e. mesalamine, sulfasalazine, azathioprine), or a corticosteroid (i.e. prednisone, methylprednisolone). For PsA, psoriasis, Hidradenitis Suppurativa, or Uveitis: approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# HEREDITARY ANGIOEDEMA AGENTS

---

## Products Affected

- CINRYZE
- HAEGARDA
- ORLADEYO

| PA Criteria                  | Criteria Details                                                                                                                       |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be an allergist, immunologist, rheumatologist or hematologist.                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                         |
| Other Criteria               | For continuation of therapy or reauthorization: Documentation has been provided that patient has clinically benefited from medication. |
| Indications                  | All Medically-accepted Indications.                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                     |

# HETLIOZ

## Products Affected

- HETLIOZ LQ
- tasimelteon*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | For new starts of non-24 hour sleep-wake cycle: 1) Member is totally blind with no perception of light, 2) diagnosis of non-24 confirmed by a physiologic circadian phase marker (ex: dim light melatonin onset, assessment of core body temp or measurement of urinary melatonin levels) OR actigraphy with evaluation of sleep logs. For continuation of therapy or reauthorization: documentation of clinical benefit from use of the drug. For night-time sleep disturbances in Smith-Magenis Syndrome (SMS): approve |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Provider is a sleep specialist or neurologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# HIGH RISK MEDICATION

## Products Affected

- *benztropine mesylate oral*
- *cypheptadine hcl oral*
- *diphenoxylate-atropine oral liquid*
- *diphenoxylate-atropine oral tablet 2.5-0.025 mg*
- *dipyridamole oral*
- *ergotamine-caffeine*
- *glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg*
- *glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg*
- *glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg*
- *glyburide-metformin oral tablet 5-500 mg*
- *guanfacine hcl er*
- *guanfacine hcl oral*
- *hydroxyzine hcl oral syrup*
- *hydroxyzine hcl oral tablet 25 mg, 50 mg*
- *indomethacin oral capsule 25 mg, 50 mg*
- *ketorolac tromethamine oral*
- *megestrol acetate oral suspension*
- *nifedipine oral*
- *promethazine hcl oral solution 6.25 mg/5ml*
- *promethazine hcl oral syrup*
- *promethazine hcl oral tablet*
- *promethazine hcl rectal suppository 12.5 mg, 25 mg*
- *promethazine-phenylephrine*
- **PROMETHEGAN RECTAL SUPPOSITORY 50 MG**
- *trihexyphenidyl hcl*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b> | For patients 65 years old and older the prescriber has documented: 1) the benefits of treatment with the drug outweigh the potential risks identified for people 65 years old and older, and 2) the risks and side effects have been discussed and will be monitored. |
| <b>Age Restrictions</b>             | Prior authorization only applies to members 65 years old or older.                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                   |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                   |

| <b>PA Criteria</b>             | <b>Criteria Details</b> |
|--------------------------------|-------------------------|
| <b>Off-Label Uses</b>          | N/A                     |
| <b>Part B<br/>Prerequisite</b> | No                      |

# HIGH RISK MEDICATION - PROTECTED CLASS DRUGS

## Products Affected

- *estradiol oral*
- *estradiol transdermal patch twice weekly*
- *estradiol transdermal patch weekly*
- *megestrol acetate oral tablet*
- MENEST
- *perphenazine-amitriptyline*
- *phenobarbital oral elixir 20 mg/5ml*
- *phenobarbital oral tablet*
- PREMARIN ORAL

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                      |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                   |
| Required Medical Information | For patients 65 years old and older the prescriber has documented: 1) the benefits of treatment with the drug outweigh the potential risks identified for people 65 years old and older, and 2) the risks and side effects have been discussed and will be monitored. |
| Age Restrictions             | Prior authorization only applies to members 65 years old or older.                                                                                                                                                                                                    |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                   |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                        |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                   |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                   |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                    |

# HIGH RISK MEDICATION, BUTALBITAL

## Products Affected

- BAC (BUTALBITAL-ACETAMIN-CAFF)
- *butalbital-acetaminophen oral tablet 50-325 mg*
- *butalbital-apap-caff-cod oral capsule 50-325-40-30 mg*
- *butalbital-apap-caffeine oral capsule 50-325-40 mg*
- *butalbital-apap-caffeine oral solution*
- *butalbital-apap-caffeine oral tablet 50-325-40 mg*
- *butalbital-asa-caff-codeine*
- *butalbital-aspirin-caffeine oral capsule*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b> | For patients 65 years old and older the prescriber has documented: 1) the benefits of treatment with the drug outweigh the potential risks identified for people 65 years old and older, and 2) the risks and side effects have been discussed and will be monitored. |
| <b>Age Restrictions</b>             | Prior authorization only applies to members 65 years old or older.                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | Trial of, contraindication to, or medical reason for not using an oral NSAID.                                                                                                                                                                                         |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                   |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                    |

# HIGH RISK MEDICATION, SHORT TERM MUSCLE RELAXANT

## Products Affected

- *carisoprodol oral*
- *chlorzoxazone oral tablet 500 mg*
- *metaxalone oral tablet 800 mg*
- *methocarbamol oral tablet 500 mg, 750 mg*
- *orphenadrine citrate er*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b> | For patients 65 years old and older the prescriber has documented: 1) the benefits of treatment with the drug outweigh the potential risks identified for people 65 years old and older, and 2) the risks and side effects have been discussed and will be monitored. |
| <b>Age Restrictions</b>             | Prior authorization only applies to members 65 years old or older.                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>            | New starts will be authorized for 30 days. Continuation of therapy or reauth will be for 90 days.                                                                                                                                                                     |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                   |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                   |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                    |

# HIGH RISK MEDICATION, SLEEP AGENTS

## Products Affected

- *eszopiclone*
- *temazepam*
- *zaleplon*
- *zolpidem tartrate er*
- *zolpidem tartrate oral tablet 10 mg*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Required Medical Information</b> | For patients 65 years old and older the prescriber has documented: 1) the benefits of treatment with the drug outweigh the potential risks identified for people 65 years old and older, and 2) the risks and side effects have been discussed and will be monitored. For zolpidem immediate release 10mg and zolpidem ER: trial of or medical reason for not using zolpidem immediate release 5mg. |
| <b>Age Restrictions</b>             | Prior authorization only applies to members 65 years old or older.                                                                                                                                                                                                                                                                                                                                  |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                      |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                  |

# HUMIRA

## Products Affected

- HUMIRA (1 PEN)
- HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML
- HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML
- HUMIRA-PED>=40KG UC STARTER SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA-PSORIASIS/UVEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria               | For ankylosing spondylitis: Trial of, medical reason for not using, or contraindication to naproxen. For Crohns Disease: Trial of, medical reason for not using (i.e. severe Crohns disease), or contraindication to 1 of the following: mercaptopurine, azathioprine, sulfasalazine, methotrexate or corticosteroid (e.g., prednisone, methylprednisolone). For pJIA: Trial of, medical reason for not using, or contraindication to 1 of the following DMARDs: methotrexate or leflunomide. For RA: Trial of, medical reason for not using, or contraindication to 1 disease modifying antirheumatic drug (DMARD) (methotrexate, leflunomide, or sulfasalazine). For UC: Trial of, medical reason for not using, or contraindication to 1 of the following conventional therapies: mercaptopurine, an aminosalicylate (i.e. mesalamine, sulfasalazine, azathioprine), or a corticosteroid (i.e. |

| <b>PA Criteria</b>         | <b>Criteria Details</b>                                                                             |
|----------------------------|-----------------------------------------------------------------------------------------------------|
|                            | prednisone, methylprednisolone). For PsA, psoriasis, Hidradenitis Suppurativa, or Uveitis: approve. |
| <b>Indications</b>         | All Medically-accepted Indications.                                                                 |
| <b>Off-Label Uses</b>      | N/A                                                                                                 |
| <b>Part B Prerequisite</b> | No                                                                                                  |

# HYFTOR

---

## Products Affected

- HYFTOR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                              |
| Required Medical Information | For new starts: documentation of diagnosis of tuberous sclerosis with facial angiofibroma. For continuation of therapy or reauthorization: documentation that the member has experienced a clinical benefit from treatment (e.g. improvement in size and color of angiofibroma). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Prescribed by or in consultation with a neurologist or provider who specializes in the treatment of genetic or dermatologic disorders.                                                                                                                                           |
| Coverage Duration            | New starts: 3 months. Cont. of therapy or reauthorization: until end of contract year.                                                                                                                                                                                           |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                               |

# ICATIBANT

---

## Products Affected

- *icatibant acetate subcutaneous solution  
prefilled syringe*

| PA Criteria                  | Criteria Details                                                                |
|------------------------------|---------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                             |
| Required Medical Information | N/A                                                                             |
| Age Restrictions             | N/A                                                                             |
| Prescriber Restrictions      | Prescriber must be an immunologist, allergist, rheumatologist, or hematologist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                  |
| Other Criteria               | N/A                                                                             |
| Indications                  | All Medically-accepted Indications.                                             |
| Off-Label Uses               | N/A                                                                             |
| Part B Prerequisite          | No                                                                              |

# ILARIS

---

## Products Affected

- ILARIS SUBCUTANEOUS SOLUTION

| PA Criteria                  | Criteria Details                                                                                                                   |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                |
| Required Medical Information | Documentation was submitted indicating that the member was evaluated for active or latent TB infection (i.e. tuberculin skin test) |
| Age Restrictions             | N/A                                                                                                                                |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                     |
| Other Criteria               | For sJIA: approve.                                                                                                                 |
| Indications                  | All Medically-accepted Indications.                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                 |

# ILUMYA

---

## Products Affected

- ILUMYA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                              |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                           |
| Required Medical Information | N/A                                                                                                                                                                                                                                                           |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                           |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                           |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                |
| Other Criteria               | For psoriasis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                            |

# IMBRUVICA

---

## Products Affected

- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Prescriber must be an oncologist or specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                             |
| Other Criteria               | For new starts for treatment of graft-versus-host disease (GVHD): Trial of, contraindication to, or medical reason for not using a systemic corticosteroid. For continuation of therapy of for treatment of GVHD: documentation of clinical benefit from use of the drug (i.e. symptom improvement, reduction in corticosteroid dose). For all other indications, approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                         |

# IMPAVIDO

---

## Products Affected

- IMPAVIDO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                            |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                         |
| Required Medical Information | Documentation of diagnosis with one of the following: (a) Visceral leishmaniasis due to <i>Leishmania donovani</i> , (b) Cutaneous leishmaniasis due to <i>Leishmania braziliensis</i> , <i>Leishmania guyanensis</i> , or <i>Leishmania panamensis</i> , (c) Mucosal leishmaniasis due to <i>Leishmania braziliensis</i> . |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized for 28 days.                                                                                                                                                                                                                                                                                     |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                          |

# INCRELEX

---

## Products Affected

- INCRELEX

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | Prescribed by or in consultation with an endocrinologist.      |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# JAKAFI

---

## Products Affected

- JAKAFI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Prescriber must be an oncologist or specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                             |
| Other Criteria               | For new starts for treatment of graft-versus-host disease (GVHD): Trial of, contraindication to, or medical reason for not using a systemic corticosteroid. For continuation of therapy of for treatment of GVHD: documentation of clinical benefit from use of the drug (i.e. symptom improvement, reduction in corticosteroid dose). For all other indications, approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                         |

# JYLAMVO

---

## Products Affected

- JYLAMVO

| PA Criteria                  | Criteria Details                                                                                     |
|------------------------------|------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                  |
| Required Medical Information | N/A                                                                                                  |
| Age Restrictions             | N/A                                                                                                  |
| Prescriber Restrictions      | Prescriber must be an oncologist, a rheumatologist, a dermatologist, or other appropriate specialist |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                       |
| Other Criteria               | N/A                                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                                  |
| Off-Label Uses               | N/A                                                                                                  |
| Part B Prerequisite          | No                                                                                                   |

# KALYDECO

---

## Products Affected

- KALYDECO

| PA Criteria                  | Criteria Details                                                                     |
|------------------------------|--------------------------------------------------------------------------------------|
| Exclusion Criteria           | Combination use with Orkambi, Symdeko, or Trikafta.                                  |
| Required Medical Information | Documentation of CFTR gene that is responsive to ivacaftor treatment.                |
| Age Restrictions             | N/A                                                                                  |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or an expert in the treatment of cystic fibrosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                       |
| Other Criteria               | N/A                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                  |
| Off-Label Uses               | N/A                                                                                  |
| Part B Prerequisite          | No                                                                                   |

# KERENDIA

## Products Affected

- KERENDIA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | New starts will be authorized for 3 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | For new starts: 1) Documentation of diagnosis of chronic kidney disease due to type 2 diabetes mellitus AND 2) Documentation of serum potassium levels less than or equal to 5 mEq/L AND 3) eGFR greater than or equal to 25ml/min/1.73 m2 AND 4) Documentation that member is taking Kerendia in combination with an angiotensin-converting enzyme inhibitor (ACEi) or angiotensin receptor blocker (ARB) at maximum tolerated doses or documentation has been provided that the member is unable to tolerate ACEi or ARB AND 4) Documented trial of, contraindication to, or medical reason for not using a sodium-glucose cotransporter-2 (SGLT2) inhibitor. For continuation of therapy or reauthorization: 1) Documentation of serum potassium levels less than or equal to 5.5 mEq/L AND 2) Documentation that member is taking Kerendia in combination with an ACEi or ARB at maximum tolerated doses or documentation has been provided that the member is unable to tolerate ACEi or ARB. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# KEVZARA

---

## Products Affected

- KEVZARA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other Criteria               | For RA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For polymyalgia rheumatica (PMR): Trial of, medical reason for not using, or contraindication to corticosteroids. For pJIA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# KINERET

---

## Products Affected

- KINERET SUBCUTANEOUS  
SOLUTION PREFILLED SYRINGE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                            |
| Other Criteria               | For RA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For cryopyrin-associated periodic syndromes or deficiency of interleukin-1 receptor antagonist: Approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                        |

# LEQSELVI

---

## Products Affected

- LEQSELVI

| PA Criteria                  | Criteria Details                                                                                                                    |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                 |
| Required Medical Information | Documentation was submitted indicating that the member was evaluated for active or latent TB infection (i.e. tuberculin skin test). |
| Age Restrictions             | N/A                                                                                                                                 |
| Prescriber Restrictions      | N/A                                                                                                                                 |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                      |
| Other Criteria               | Documentation of confirmed diagnosis and other causes of hair loss have been ruled out.                                             |
| Indications                  | All Medically-accepted Indications.                                                                                                 |
| Off-Label Uses               | N/A                                                                                                                                 |
| Part B Prerequisite          | No                                                                                                                                  |

# LIBERVANT

---

## Products Affected

- LIBERVANT

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | Patient is between 2 to 5 years of age.                        |
| Prescriber Restrictions      | Prescriber must be a neurologist.                              |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# LITFULO

---

## Products Affected

- LITFULO

| PA Criteria                  | Criteria Details                                                                                                                   |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                |
| Required Medical Information | Documentation was submitted indicating that the member was evaluated for active or latent TB infection (i.e. tuberculin skin test) |
| Age Restrictions             | N/A                                                                                                                                |
| Prescriber Restrictions      | N/A                                                                                                                                |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                     |
| Other Criteria               | Documentation of confirmed diagnosis and other causes of hair loss have been ruled out.                                            |
| Indications                  | All Medically-accepted Indications.                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                 |

# LIVMARLI

## Products Affected

- LIVMARLI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | Prescribed by or in consultation with a gastroenterologist or hepatologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | For new starts: 1) Trial of, contraindication to, or medical reason for not using both of the following: cholestyramine AND rifampin. 2) Prescriber attests that the member has cholestasis 3) Baseline serum bile acid level is provided. 4) Documentation of patients weight. For continuation of therapy or reauthorization: 1) Documentation submitted indicating the member has had all of the following: an improvement in pruritis (e.g. improved observed scratching, decreased sleep disturbances/nighttime awakenings due to scratching, etc.) AND reduction in serum bile acid level from baseline. 2) Prescriber attests that patient has had no evidence of hepatic decompensation (e.g. variceal hemorrhage, ascites, hepatic encephalopathy, portal hypertension, etc.). 3) Documentation of patients weight. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

# LIVTENSITY

---

## Products Affected

- LIVTENCITY

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                     |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                  |
| Required Medical Information | Cytomegalovirus (CMV): (1) Documented diagnosis of CMV infection AND (2) Member is a recipient of one of the following: (a) hematopoietic stem cell transplant, (b) solid organ transplant AND (3) patient has tried and failed treatment with valganciclovir, ganciclovir, cidofovir, or foscarnet. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions      | Prescribed by or in consultation with a transplant, oncologist, or infectious disease specialist.                                                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized for 8 weeks.                                                                                                                                                                                                                                                              |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                  |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                  |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                   |

# LODOCO

---

## Products Affected

- LODOCO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                     |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                  |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                  |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions      | Prescriber must be, or in consultation with a specialist in the treatment of cardiovascular disease, such as a cardiologist                                                                                                                                                                                                          |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                       |
| Other Criteria               | Documentation that patient has established atherosclerotic disease or multiple risk factors for cardiovascular disease AND documentation that patient does not have pre-existing blood dyscrasias (ex. leukopenia, thrombocytopenia) and patient does not have renal failure (CrCl less than 15 ml/min) or severe hepatic impairment |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                  |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                  |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                   |

# LUCEMYRA

---

## Products Affected

- *lofexidine hcl*

| PA Criteria                  | Criteria Details                                                                            |
|------------------------------|---------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                         |
| Required Medical Information | N/A                                                                                         |
| Age Restrictions             | N/A                                                                                         |
| Prescriber Restrictions      | N/A                                                                                         |
| Coverage Duration            | Request will be authorized for 14 days.                                                     |
| Other Criteria               | Patient must have trial of, contraindication to, or medical reason for not using clonidine. |
| Indications                  | All Medically-accepted Indications.                                                         |
| Off-Label Uses               | N/A                                                                                         |
| Part B Prerequisite          | No                                                                                          |

# LUPKYNIS

---

## Products Affected

- LUPKYNIS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Concurrent use with cyclophosphamide.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions      | Prescriber must be rheumatologist, nephrologist, or other specialist in the treatment of autoimmune disorders.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Other Criteria               | For new starts: 1) Documentation of urine protein/creatinine ratio (UPCR), 2) Documentation that the member has a baseline eGFR greater than 45 mL/min/1.73m <sup>2</sup> or that benefit outweighs risk of using this medication at current eGFR, and 3) Concurrent use of or medical reason for not using background immunosuppressive therapy regimen. For continuation of therapy or reauthorization: Documentation of improvement in renal function (i.e. reduction in UPCR or no confirmed decrease from baseline eGFR greater than or equal to 20%). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

# LYBALVI

---

## Products Affected

- LYBALVI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                         |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Concomitant use with opioids.                                                                                                                                                                                            |
| Required Medical Information | Attestation from the provider that the member has had an opioid-free period of a minimum of 7 days after last use of shorting-acting opioids and 14 days from last use of long-acting opioids before initiating Lybalvi. |
| Age Restrictions             | N/A                                                                                                                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                           |
| Other Criteria               | Documented trial of, contraindication to, or medical reason for not using at least two generic antipsychotics, one of which must be generic olanzapine.                                                                  |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                                       |

# MAVYRET

---

## Products Affected

- MAVYRET

| PA Criteria                  | Criteria Details                                                                                                                                                                                         |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                      |
| Required Medical Information | Detectable HCV RNA viral load prior to treatment within 6 months of request. In addition, documentation of treatment history, and if cirrhotic, documentation of compensated or decompensated cirrhosis. |
| Age Restrictions             | N/A                                                                                                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized for 8-16 weeks as per AASLD-IDSA guidance.                                                                                                                                    |
| Other Criteria               | N/A                                                                                                                                                                                                      |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                       |

# METHYLTESTOSTERONE

---

## Products Affected

- *methyltestosterone oral*

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# METYROSIONE

---

## Products Affected

- *metyrosine*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                        |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                     |
| Required Medical Information | Documentation of one of the following: 1) Concurrent use of alpha adrenergic blockers, 2) Medical reason for being unable to use an alpha adrenergic blocker, OR 3) Patient is not a candidate for surgical resection and requires long term treatment with metyrosine. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                     |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                          |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                     |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                      |

# MIFEPRISTONE

---

## Products Affected

- *mifepristone oral tablet 300 mg*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                          |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | For all members patient must not be currently on simvastatin, lovastatin, cyclosporine, dihydroergotamine, ergotamine, fentanyl, pimozide, quinidine, sirolimus, and tacrolimus.                                                          |
| <b>Required Medical Information</b> | Reviewer will verify available claim history to confirm member is not taking simvastatin, lovastatin, cyclosporine, dihydroergotamine, ergotamine, fentanyl, pimozide, quinidine, sirolimus or tacrolimus concurrently with mifepristone. |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                       |
| <b>Prescriber Restrictions</b>      | Prescriber must be an endocrinologist.                                                                                                                                                                                                    |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                            |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                       |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                       |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                       |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                        |

# MIGLUSTAT

---

## Products Affected

- *miglustat*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | For new starts, documentation of diagnosis for mild to moderate type 1 Gaucher disease. For continuation of therapy or reauthorization: documentation of clinical benefit from use of the drug (i.e. increased platelet count, improvement in anemia, PFT's, improvement in radiographic scans, improved quality of life). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Prescribed by or in consultation with a specialist in treatment of Gaucher's disease                                                                                                                                                                                                                                       |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                          |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                        |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                         |

# MULTIPLE SCLEROSIS AGENTS

## Products Affected

- BAFIERTAM
- BETASERON SUBCUTANEOUS KIT
- *dimethyl fumarate oral capsule delayed release 120 mg, 240 mg*
- *dimethyl fumarate starter pack oral capsule delayed release therapy pack*
- *fingolimod hcl*
- *glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml*
- GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML, 40 MG/ML
- KESIMPTA
- MAVENCLAD (10 TABS)
- MAVENCLAD (4 TABS)
- MAVENCLAD (5 TABS)
- MAVENCLAD (6 TABS)
- MAVENCLAD (7 TABS)
- MAVENCLAD (8 TABS)
- MAVENCLAD (9 TABS)
- MAYZENT
- MAYZENT STARTER PACK
- PONVORY
- PONVORY STARTER PACK
- REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- TASCENSO ODT
- *teriflunomide*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                  |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                               |
| Required Medical Information | N/A                                                                                                                                                                                                                               |
| Age Restrictions             | N/A                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                               |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                    |
| Other Criteria               | If the medication request is for glatiramer, Glatopa, or dimethyl fumarate, the request will be approved. If the member is over 17 years of age and the request is not for glatiramer, Glatopa, or dimethyl fumarate for multiple |

| <b>PA Criteria</b>         | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                            |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                            | sclerosis, the member must have a documented trial of, contraindication to or a medical reason for not using 2 of the following dimethyl fumarate, glatiramer, Glatopa, teriflunomide, or fingolimod. If the request is for fingolimod and the member is 17 years of age or younger, the request will be approved. |
| <b>Indications</b>         | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                |
| <b>Off-Label Uses</b>      | N/A                                                                                                                                                                                                                                                                                                                |
| <b>Part B Prerequisite</b> | No                                                                                                                                                                                                                                                                                                                 |

# MYFEMBREE

## Products Affected

- MYFEMBREE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Patient has history of osteoporosis or hepatic impairment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be an OB, gynecologist or reproductive endocrinologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Other Criteria               | For new starts for menorrhagia: Trial of, contraindication to, or medical reason for not using an estrogen-progestin contraceptive therapy. For new starts if one of the following drugs has been tried previously, a trial of estrogen-progestin contraceptive therapy is not required: gonadotropin-releasing hormone (GnRH) agonists or tranexamic acid. New starts for endometriosis: Trial of, contraindication to, or medical reason for not using the following concurrently for endometriosis: analgesic pain reliever (e.g. NSAIDs, COX-2 inhibitors) AND either combined estrogen-progestin oral contraceptive, progestin (e.g. medroxyprogesterone acetate, norethindrone), gonadotropin-releasing hormone (GnRH) agonists (e.g. Lupron Depot), OR danazol. For continuation of therapy or reauthorization both of the following are required: 1) Treatment does not exceed the eligible maximum lifetime treatment duration of 2 years, and 2) Documentation has been provided that the member has obtained clinical benefit from medication (e.g. reduced menstrual bleeding from baseline, pain relief). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# NASAL ANTISEIZURE AGENTS

## Products Affected

- NAYZILAM
- VALTOCO 10 MG DOSE
- VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML
- VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML
- VALTOCO 5 MG DOSE

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | Prescribed by or in consultation with a neurologist.           |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# NITISINONE

---

## Products Affected

- nitisinone*
- ORFADIN ORAL SUSPENSION

| PA Criteria                  | Criteria Details                                                                                     |
|------------------------------|------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                  |
| Required Medical Information | N/A                                                                                                  |
| Age Restrictions             | N/A                                                                                                  |
| Prescriber Restrictions      | Prescriber must be a geneticist, metabolic specialist, hepatologist, or liver transplant specialist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                       |
| Other Criteria               | N/A                                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                                  |
| Off-Label Uses               | N/A                                                                                                  |
| Part B Prerequisite          | No                                                                                                   |

# NON-AMPHETAMINE CENTRAL NERVOUS SYSTEM AGENTS

## Products Affected

- *armodafinil*
- *modafinil oral*

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# NUCALA

## Products Affected

- NUCALA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Other Criteria               | New starts for severe asthma: 1) Baseline blood eosinophil count greater than or equal to 150 cells per microliter AND 2) symptoms with equal to or greater than 1 exacerbations in the previous 12 months requiring additional medical treatment, (e.g. oral systemic steroids) while on a high-dose inhaled corticosteroid with an additional controller medication (ie. long-acting B2 agonist). New starts for eosinophilic granulomatosis with polyangiitis (EGPA): trial of, contraindication to, or medical reason for not using one of the following medications: cyclophosphamide or methotrexate. New starts for hypereosinophilic syndrome without an identifiable non-hematologic secondary cause: 1) 2 or more flares within the past 12 months AND 2) trial of, contraindication to, or medical reason for not using oral corticosteroids. New starts for chronic rhinosinusitis with nasal polyps: trial of, contraindication to, or medical reason for not using nasal corticosteroids OR member has had prior surgery for nasal polyps. Continuation of therapy or re-authorization for all indications: clinical benefit from use of the drug. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# NUEDEXTA

---

## Products Affected

- NUEDEXTA

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | Complete atrioventricular (AV) block without implanted pacemaker, or at high risk of complete AV block. History of heart failure. Concomitant use with MAOIs or use of MAOIs within 14 days. Concomitant use with drugs containing quinidine, quinine, or mefloquine. History of quinine-, mefloquine-, dextromethorphan/quinidine-, or quinidine-induced thrombocytopenia, hepatitis, bone marrow depression, or lupus-like syndrome. Non-Part D indications. |
| <b>Required Medical Information</b> | Confirmation diagnosis is for Part D indication.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Prescriber Restrictions</b>      | Prescribed by or in consultation with a neurologist or psychiatrist.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# NUPLAZID

---

## Products Affected

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | Patient has a history of dementia-related psychosis.           |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# OCALIVA

## Products Affected

- OCALIVA

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | Members with decompensated cirrhosis, a prior decompensation event, compensated cirrhosis who have evidence of portal hypertension, or complete biliary obstruction.                                                                                                                                                                                                                                                                                                                                            |
| <b>Required Medical Information</b> | For new starts: 1) Attestation that the member has failed at least a 12 month trial of ursodiol, or has a medical reason (e.g. intolerance, hypersensitivity) for being unable to tolerate ursodiol AND 2) lab results for baseline ALT/AST, alkaline phosphatase (ALP), and bilirubin within 90 days of request. For continuation of therapy or reauthorization: Documentation that that the member has responded to Ocaliva (e.g. improved biochemical markers (e.g., ALP, bilirubin, GGT, AST, ALT levels)). |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prescriber Restrictions</b>      | Prescriber must be a gastroenterologist, hepatologist, or transplant specialist.                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Coverage Duration</b>            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# OCREVUS

## Products Affected

- OCREVUS ZUNOVO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Age Restrictions             | 18 years of age and older.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Other Criteria               | For new starts for Clinically Isolated Syndrome (CIS), Relapsing Remitting Multiple Sclerosis (RRMS), or Secondary Progressive Multiple Sclerosis (SPMS): 1) Documentation of CIS, RRMS, or SPMS AND 2) The member must have a documented trial of, contraindication to, or medical reason for not using both dimethyl fumarate AND glatiramer or Glatopa. For new starts for Primary Progressive Multiple Sclerosis (PPMS): Documentation of PPMS. For all continuation of therapy or reauthorization: Documentation that the prescriber has evaluated the member and recommends continuation of therapy (clinical benefit). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# OCTREOTIDE

## Products Affected

- *octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml*
- *octreotide acetate intramuscular*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | For new starts for acromegaly: pt meets one of the following (1) inadequate response to surgery and/or radiotherapy OR (2) pt is not an appropriate candidate for surgery and/or radiotherapy OR (3) pt is experiencing negative effects due to tumor size (ex: optic nerve compression). Continuation of therapy or reauthorization: documentation of clinical improvement with therapy. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | Continuation of therapy or reauthorization: documentation of clinical improvement with therapy.                                                                                                                                                                                                                                                                                           |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                        |

# OFEV

## Products Affected

- OFEV

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or lung transplant specialist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | For a diagnosis of idiopathic pulmonary fibrosis: 1) Documentation of disease as demonstrated on a high resolution CT scan or through lung biopsy and 2) Documented trial of, contraindication to, or medical reason for not using pirfenidone. For a diagnosis of systemic sclerosis-associated interstitial lung disease (SSc-ILD): documented trial of, contraindication to, or medical reason for not using mycophenolate mofetil or cyclophosphamide. For a diagnosis of chronic fibrosing interstitial lung diseases (ILDs) with a progressive phenotype: documentation is provided confirming diagnosis. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# OPDIVO QVANTIG

---

## Products Affected

- OPDIVO QVANTIG

| PA Criteria                  | Criteria Details                                                        |
|------------------------------|-------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                     |
| Required Medical Information | N/A                                                                     |
| Age Restrictions             | N/A                                                                     |
| Prescriber Restrictions      | Prescriber must be an oncologist or specialist for submitted diagnosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.          |
| Other Criteria               | N/A                                                                     |
| Indications                  | All Medically-accepted Indications.                                     |
| Off-Label Uses               | N/A                                                                     |
| Part B Prerequisite          | No                                                                      |

# OPSUMIT

---

## Products Affected

- OPSUMIT

| PA Criteria                  | Criteria Details                                                                             |
|------------------------------|----------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                          |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I and PAH Functional Class. |
| Age Restrictions             | N/A                                                                                          |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                          |
| Coverage Duration            | Request will be authorized until the end of the contract year.                               |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using sildenafil.                   |
| Indications                  | All Medically-accepted Indications.                                                          |
| Off-Label Uses               | N/A                                                                                          |
| Part B Prerequisite          | No                                                                                           |

# ORAL ANTINEOPLASTIC AGENTS

---

## Products Affected

- *abiraterone acetate*
- ABIRTEGA
- AKEEGA
- ALECENSA
- ALUNBRIG
- AUGTYRO
- AVMAPKI FAKZYNJA CO-PACK
- AYVAKIT
- BALVERSA
- *bexarotene*
- BOSULIF
- BRAFTOVI ORAL CAPSULE 75 MG
- BRUKINSA
- CABOMETYX
- CALQUENCE ORAL TABLET
- CAPRELSA
- COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG
- COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG
- COMETRIQ (60 MG DAILY DOSE)
- COPIKTRA
- COTELLIC
- DANZITEN
- *dasatinib*
- DAURISMO
- ERIVEDGE
- ERLEADA
- *erlotinib hcl*
- EULEXIN
- *everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *everolimus oral tablet soluble*
- FOTIVDA
- FRUZAQLA
- GAVRETO
- *gefitinib*
- GILOTTRIF
- GOMEKLI
- IBRANCE
- IBTROZI
- ICLUSIG
- IDHIFA
- *imatinib mesylate oral*
- IMBRUVICA ORAL SUSPENSION
- *imkeldi*
- INLYTA
- INQOVI
- INREBIC
- ITOVEBI
- IWILFIN
- JAYPIRCA
- KISQALI (200 MG DOSE)
- KISQALI (400 MG DOSE)
- KISQALI (600 MG DOSE)
- KISQALI FEMARA (200 MG DOSE)
- KISQALI FEMARA (400 MG DOSE)
- KISQALI FEMARA (600 MG DOSE)
- KOSELUGO
- KRAZATI
- *lapatinib ditosylate*
- LAZCLUZE
- *lenalidomide*
- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)
- LENVIMA (18 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)
- LENVIMA (4 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)
- LEUKERAN
- LONSURF
- LORBRENA
- LUMAKRAS
- LYNPARZA ORAL TABLET
- LYTGobi (12 MG DAILY DOSE)
- LYTGobi (16 MG DAILY DOSE)

- LYTGOBI (20 MG DAILY DOSE)
- MEKINIST
- MEKTOVI
- *mercaptopurine oral suspension*
- NERLYNX
- *nilotinib d-tartrate*
- *nilotinib hcl*
- *nilutamide*
- NINLARO
- NUBEQA
- ODOMZO
- OGSIVEO
- OJEMDA
- OJJAARA
- ONUREG
- ORGOVYX
- ORSERDU
- *pazopanib hcl*
- PEMAZYRE
- PIQRAY (200 MG DAILY DOSE)
- PIQRAY (250 MG DAILY DOSE)
- PIQRAY (300 MG DAILY DOSE)
- POMALYST
- QINLOCK
- RETEVMO
- REVLIMID
- REVUFORJ
- REZLIDHIA
- ROMVIMZA
- ROZLYTREK
- RUBRACA
- RYDAPT
- SCEMBLIX
- SOLTAMOX
- *sorafenib tosylate*
- STIVARGA
- *sunitinib malate*
- TABLOID
- TABRECTA
- TAFINLAR
- TAGRISSO
- TALZENNA
- TAZVERIK
- TEPMETKO
- THALOMID
- TIBSOVO
- *toremifene citrate*
- *tretinoin oral*
- TRUQAP
- TUKYSA
- TURALIO ORAL CAPSULE 125 MG
- VANFLYTA
- VENCLEXTA
- VENCLEXTA STARTING PACK
- VERZENIO
- VITRAKVI
- VIZIMPRO
- VONJO
- VORANIGO
- WELIREG
- XALKORI
- XOSPATA
- XPOVIO (100 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 50 MG
- XPOVIO (40 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 10 MG, 40 MG
- XPOVIO (40 MG TWICE WEEKLY)  
ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (60 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 60 MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (80 MG TWICE WEEKLY)
- XTANDI
- YONSA
- ZEJULA ORAL TABLET
- ZELBORAF
- ZOLINZA
- ZYDELIG
- ZYKADIA ORAL TABLET

| <b>PA Criteria</b>                  | <b>Criteria Details</b>                                                 |
|-------------------------------------|-------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                     |
| <b>Required Medical Information</b> | N/A                                                                     |
| <b>Age Restrictions</b>             | N/A                                                                     |
| <b>Prescriber Restrictions</b>      | Prescriber must be an oncologist or specialist for submitted diagnosis. |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.          |
| <b>Other Criteria</b>               | N/A                                                                     |
| <b>Indications</b>                  | All Medically-accepted Indications.                                     |
| <b>Off-Label Uses</b>               | N/A                                                                     |
| <b>Part B Prerequisite</b>          | No                                                                      |

Please refer to our Evidence of Coverage for more information about this coverage. You can find information on what the symbols and abbreviations on this table mean by going to Pages 7-8.

# ORAL ANTIPSYCHOTICS

## Products Affected

- CAPLYTA
- COBENFY
- COBENFY STARTER PACK
- FANAPT
- FANAPT TITRATION PACK A
- FANAPT TITRATION PACK B ORAL TABLET
- FANAPT TITRATION PACK C ORAL TABLET
- OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG
- VRAYLAR ORAL CAPSULE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | For schizophrenia, manic or mixed episodes associated with bipolar I disorder, major depressive disorder associated with bipolar I or II disorder, adjunctive treatment of major depressive disorder, irritability associated with autistic disorder or treatment of Tourette's disorder: trial of, contraindication to, or medical reason for not using two generic antipsychotics. If the request is for Vraylar for major depressive disorder: provider attestation that the member is concurrently using an antidepressant. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# ORENCIA

## Products Affected

- ORENCIA CLICKJECT
- ORENCIA INTRAVENOUS
- ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b> | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prescriber Restrictions</b>      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | For pJIA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For PsA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Xeljanz, Rinvoq, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For RA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For acute graft versus host disease: Attestation member is taking in combination with a calcineurin inhibitor and methotrexate. |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# ORIAHNN

---

## Products Affected

- ORIAHNN

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Patient has history of osteoporosis or hepatic impairment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Prescriber must be an OB, gynecologist or reproductive endocrinologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other Criteria               | For new starts: Trial of, contraindication to, or medical reason for not using an estrogen-progestin contraceptive therapy. For new starts if one of the following drugs has been tried previously, a trial of estrogen-progestin contraceptive therapy is not required: gonadotropin-releasing hormone (GnRH) agonists or tranexamic acid. For continuation of therapy or reauthorization both of the following are required: 1) Treatment does not exceed the eligible maximum lifetime treatment duration of 2 years, and 2) Documentation has been provided that the member has obtained clinical benefit from medication (e.g. reduced menstrual bleeding from baseline). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# ORILISSA

## Products Affected

- ORILISSA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Patient has osteoporosis or severe hepatic impairment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Prescriber must be an OB or gynecologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using the following concurrently for endometriosis: analgesic pain reliever (e.g. NSAIDs, COX-2 inhibitors) AND either combined estrogen-progestin oral contraceptive, progestin (e.g. medroxyprogesterone acetate, norethindrone), gonadotropin-releasing hormone (GnRH) agonists (e.g. Lupron Depot), OR danazol. For continuation of therapy or reauthorization both of the following are required: 1) Treatment does not exceed the eligible maximum lifetime treatment duration of 2 years for 150mg tablet or 6 months for 200mg tablet, and 2) Documentation has been provided that the member has obtained clinical benefit from the medication. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# ORKAMBI

---

## Products Affected

- ORKAMBI

| PA Criteria                  | Criteria Details                                                                     |
|------------------------------|--------------------------------------------------------------------------------------|
| Exclusion Criteria           | Combination use with Kalydeco, Symdeko, or Trikafta.                                 |
| Required Medical Information | Documentation of CFTR gene that is responsive to lumacaftor-ivacaftor treatment.     |
| Age Restrictions             | N/A                                                                                  |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or an expert in the treatment of cystic fibrosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                       |
| Other Criteria               | N/A                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                  |
| Off-Label Uses               | N/A                                                                                  |
| Part B Prerequisite          | No                                                                                   |

# OTEZLA

## Products Affected

- OTEZLA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Other Criteria               | For moderate to severe psoriasis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For PsA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi Tremfya, Xeljanz, Rinvoq, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For Behcet's Syndrome or mild psoriasis: Approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

# OXERVATE

---

## Products Affected

- OXERVATE

| PA Criteria                  | Criteria Details                        |
|------------------------------|-----------------------------------------|
| Exclusion Criteria           | N/A                                     |
| Required Medical Information | N/A                                     |
| Age Restrictions             | N/A                                     |
| Prescriber Restrictions      | Prescriber must be an ophthalmologist.  |
| Coverage Duration            | Request will be authorized for 8 weeks. |
| Other Criteria               | N/A                                     |
| Indications                  | All Medically-accepted Indications.     |
| Off-Label Uses               | N/A                                     |
| Part B Prerequisite          | No                                      |

# OXYCODONE ER

## Products Affected

- *oxycodone hcl er oral tablet er 12 hour abuse-deterrent 10 mg, 20 mg, 40 mg, 80 mg*
- OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Other Criteria               | Members being treated for active cancer diagnoses, sickle cell diagnoses, those in hospice care, or receiving palliative care will be excluded from the concurrent benzodiazepine and muscle relaxant therapy requirement. For new starts, ALL of the following are required: (1) Member has documented history of receiving an immediate-release opioid, (2) Member has a documented trial of, contraindication to, or medical reason for not using long-acting morphine sulfate, (3) If member is on concurrent benzodiazepines and/or muscle relaxant therapy, the prescriber attests that concurrent therapy is medically necessary, (4) Member is not being treated for substance abuse with buprenorphine-containing products. For continuing therapy, ALL of the following are required: (1) Member's pain has been assessed within the last 6 months, (2) Member has demonstrated clinical improvement in pain and function on current medication regimen, (3) If member is on concurrent benzodiazepines and/or muscle relaxant therapy, the prescriber attests that concurrent therapy is medically necessary, (4) Member is not being treated for substance abuse with buprenorphine-containing products. |

| <b>PA Criteria</b>             | <b>Criteria Details</b>             |
|--------------------------------|-------------------------------------|
| <b>Indications</b>             | All Medically-accepted Indications. |
| <b>Off-Label Uses</b>          | N/A                                 |
| <b>Part B<br/>Prerequisite</b> | No                                  |

# PALIPERIDONE INJECTABLE

## Products Affected

- INVEGA SUSTENNA  
INTRAMUSCULAR SUSPENSION  
PREFILLED SYRINGE 117 MG/0.75ML,  
156 MG/ML, 234 MG/1.5ML, 39  
MG/0.25ML, 78 MG/0.5ML
- INVEGA TRINZA INTRAMUSCULAR  
SUSPENSION PREFILLED SYRINGE  
273 MG/0.88ML, 410 MG/1.32ML, 546  
MG/1.75ML, 819 MG/2.63ML

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                        |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                     |
| Required Medical Information | The member has a documented history of receiving oral risperidone or oral paliperidone without any clinically significant side effects. For requests for Invega Trinza, the member has documented treatment with Invega Sustenna for at least 4 months. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                     |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                     |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                          |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperdion Microsphere ER.                               |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                      |

# PCSK9 INHIBITORS

## Products Affected

- PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REPATHA
- REPATHA PUSHTRONEX SYSTEM
- REPATHA SURECLICK

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Prescriber must be a cardiologist, endocrinologist, or a specialist in treatment of lipid disorders.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Coverage Duration            | New starts will be authorized for 4 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other Criteria               | For ALL diagnoses (including primary hyperlipidemia) for new starts, attestations of the following: 1) Two fasting lipid panel reports within the past 12 months with abnormal LDL cholesterol results (above 70mg/dL) after treatment for a minimum of 3 months with a high potency statin (atorvastatin and rosuvastatin) and ezetimibe, or a medical reason (contraindication or intolerance) has been provided as to why the patient is unable to use these therapies, and 2) If patient experiences statin intolerance, trial of statin re-challenge with maximally tolerated dose of statins with continued abnormal LDL cholesterol results (above 70mg/dL) or with attestation of return of side effects. For familial hypercholesterolemia (FH), attestation of one of the following: 1) genetic testing confirming FH diagnosis, 2) a clinical diagnosis of 'definite' FH using the Dutch Lipid Clinic Diagnostic criteria, OR Simon-Broome Diagnostic criteria, OR American Heart Association criteria. For ASCVD, additional attestation of history of acute coronary syndromes, history of MI, stable or unstable angina, coronary or other arterial revascularization, stroke, TIA, or peripheral arterial disease presumed to be of atherosclerotic origin. For ALL diagnoses for continuation of therapy or reauthorization: attestation of improvement in LDL from new start. |

| <b>PA Criteria</b>             | <b>Criteria Details</b>             |
|--------------------------------|-------------------------------------|
| <b>Indications</b>             | All Medically-accepted Indications. |
| <b>Off-Label Uses</b>          | N/A                                 |
| <b>Part B<br/>Prerequisite</b> | No                                  |

# PEGINTERFERON

## Products Affected

- PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML
- PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                         |
| Required Medical Information | For Hepatitis C: 1) Labs within 3 months of request: liver function tests and detectable HCV RNA viral load. 2) Documentation of genotype, treatment history, and if cirrhotic, documentation of compensated or decompensated cirrhosis. For Hepatitis B: 1) Labs within 3 months of request: ALT/AST, and 2) HBeAg status. For polycythemia vera, approve. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions      | Prescriber must be a gastroenterologist, hepatologist, infectious disease doctor or transplant specialist.                                                                                                                                                                                                                                                  |
| Coverage Duration            | Request will be authorized for 24 to 48 weeks as defined by compendia.                                                                                                                                                                                                                                                                                      |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                          |

# PENICILLAMINE

---

## Products Affected

- *penicillamine oral tablet*

| PA Criteria                  | Criteria Details                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                                    |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                         |
| Other Criteria               | For RA: Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz. For other indications, approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                     |

# PENTAMIDINE SOLUTION FOR INJECTION

---

## Products Affected

- *pentamidine isethionate injection*

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# PERSERIS

---

## Products Affected

- PERSERIS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                        |
| Required Medical Information | The member has a documented history of receiving oral risperidone without any clinically significant side effects.                                                                                                         |
| Age Restrictions             | N/A                                                                                                                                                                                                                        |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                             |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperdicon Microsphere ER. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                         |

# PHENOXYBENZAMINE

---

## Products Affected

- *phenoxybenzamine hcl oral*

| PA Criteria                  | Criteria Details                                                          |
|------------------------------|---------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                       |
| Required Medical Information | N/A                                                                       |
| Age Restrictions             | N/A                                                                       |
| Prescriber Restrictions      | N/A                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.            |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using doxazosin. |
| Indications                  | All Medically-accepted Indications.                                       |
| Off-Label Uses               | N/A                                                                       |
| Part B Prerequisite          | No                                                                        |

# PIASKY

---

## Products Affected

- PIASKY

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Prescriber must be a hematologist or specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                       |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                              |
| Other Criteria               | For new starts: The member has a documented diagnosis of paroxysmal nocturnal hemoglobinuria (PNH) AND documentation of glycosylphosphatidylinositol-anchored proteins (GPI-APs) deficiency as demonstrated through flow cytometry. For continuation of therapy: Documentation that member has had positive response to therapy (e.g., improvement in hemoglobin levels, normalization of lactase dehydrogenase [LDH] levels). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                             |

# PIRFENIDONE

---

## Products Affected

- *pirfenidone*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                        |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                     |
| Required Medical Information | For idiopathic pulmonary fibrosis, documentaton of all of the following: 1) confirmation of diagnosis on high resolution CT scan or through lung biopsy AND 2) FVC greater than or equal to 50% of the predicted value. |
| Age Restrictions             | N/A                                                                                                                                                                                                                     |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or lung transplant specialist.                                                                                                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                          |
| Other Criteria               | N/A                                                                                                                                                                                                                     |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                                                                      |

# POSACONAZOLE

---

## Products Affected

- *posaconazole oral*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                 |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Documentation of a consultation with an infectious disease specialist, a transplant specialist, or an oncologist.                                                                                                                                                                                                |
| Coverage Duration            | 28 days for oropharyngeal candidiasis, end of contract year for other indications                                                                                                                                                                                                                                |
| Other Criteria               | For treatment of oropharyngeal candidiasis: trial of, contraindication to, or medical reason for not using fluconazole or itraconazole. For prophylaxis of invasive aspergillus infections due to being severely immunocompromised: trial of, contraindication to, or medical reason for not using voriconazole. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                               |

# PRETOMANID

---

## Products Affected

- *pretomanid*

| PA Criteria                  | Criteria Details                                                                                                         |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | MDR-TB that is not treatment-intolerant or nonresponsive to standard therapy                                             |
| Required Medical Information | Documentation of use in combination with bedaquiline and linezolid.                                                      |
| Age Restrictions             | N/A                                                                                                                      |
| Prescriber Restrictions      | Prescribed by or in consultation with an infectious disease specialist.                                                  |
| Coverage Duration            | Request will be authorized for 26 weeks.                                                                                 |
| Other Criteria               | Documentation of prior trial of or medical reason for not using first-line TB regimen containing isoniazid and rifampin. |
| Indications                  | All Medically-accepted Indications.                                                                                      |
| Off-Label Uses               | N/A                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                       |

# PREVYMIS

---

## Products Affected

- PREVYMIS ORAL

| PA Criteria                  | Criteria Details                                                                             |
|------------------------------|----------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                          |
| Required Medical Information | N/A                                                                                          |
| Age Restrictions             | N/A                                                                                          |
| Prescriber Restrictions      | Prescriber must be a hematologist, oncologist, infectious disease, or transplant specialist. |
| Coverage Duration            | Request will be authorized for 6 months.                                                     |
| Other Criteria               | N/A                                                                                          |
| Indications                  | All Medically-accepted Indications.                                                          |
| Off-Label Uses               | N/A                                                                                          |
| Part B Prerequisite          | No                                                                                           |

# PROMACTA

## Products Affected

- *eltrombopag olamine oral packet 12.5 mg, 25 mg*
- *eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Required Medical Information | For chronic immune (idiopathic) thrombocytopenia (ITP): Documented baseline platelet count less than 30,000 cells/ microL. For severe aplastic anemia: Documentation of baseline platelet count less than 20,000 cells/microL OR platelet count less than 30,000 cells/microL with bleeding OR reticulocyte count less than 20,000 cells/microL OR absolute neutrophil count less than 500 cells/microL. For thrombocytopenia in patients with Hepatitis C infection: documented baseline platelet count less than 75,000 cells/microL. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Criteria               | For chronic immune (idiopathic) thrombocytopenia (ITP): Trial of, contraindication to, or medical reason for not using glucocorticosteroids. For severe aplastic anemia: Trial of, contraindication to, or medical reason for not using at least one immunosuppressive agent.                                                                                                                                                                                                                                                           |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

# PYRUKYND

## Products Affected

- PYRUKYND
- PYRUKYND TAPER PACK

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                |
| Required Medical Information | For new starts: 1) documentation of diagnosis and 2) baseline hemoglobin level. For continuation of therapy or reauthorization: documentation of clinical improvement (e.g. reduction in number of blood transfusions, or increase or stabilization in hemoglobin level). If the criteria are not met, may authorize up to 14 days of a Pyrukynd Taper Pack to allow for tapering. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                |
| Prescriber Restrictions      | Prescribed by or in consultation with a hematologist.                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | New starts: 6 mo. Cont of therapy or reauth: end of contract yr. Denial: 14 days for dose tapering.                                                                                                                                                                                                                                                                                |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                 |

# RADICAVA

## Products Affected

- RADICAVA ORS
- RADICAVA ORS STARTER KIT

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | New starts: 6 months. Cont. of therapy or reauthorization: until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                              |
| Other Criteria               | For new starts: 1) documentation of ALS functional rating scale (ALSFRS-R) score and 2) documentation that the member has been on riluzole, is beginning therapy as an adjunct to treatment with Radicava, or provider has provided a medical reason why patient is unable to use riluzole. For continuation of therapy or reauthorization: documentation from provider of clinical stabilization in symptoms (e.g. stabilization of ALS functional rating scale (ALSFRS-R) score). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

# RAVICTI

---

## Products Affected

- RAVICTI

| PA Criteria                  | Criteria Details                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                               |
| Required Medical Information | N/A                                                                                                               |
| Age Restrictions             | N/A                                                                                                               |
| Prescriber Restrictions      | Provider is a geneticist, metabolic specialist, gastroenterologist, hepatologist, or liver transplant specialist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                    |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using sodium phenylbutyrate.                             |
| Indications                  | All Medically-accepted Indications.                                                                               |
| Off-Label Uses               | N/A                                                                                                               |
| Part B Prerequisite          | No                                                                                                                |

# RECORLEV

---

## Products Affected

- RECORLEV

| PA Criteria                  | Criteria Details                                                                     |
|------------------------------|--------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                  |
| Required Medical Information | N/A                                                                                  |
| Age Restrictions             | N/A                                                                                  |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                  |
| Coverage Duration            | Request will be authorized until the end of the contract year.                       |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using ketoconazole tablets. |
| Indications                  | All Medically-accepted Indications.                                                  |
| Off-Label Uses               | N/A                                                                                  |
| Part B Prerequisite          | No                                                                                   |

# RELISTOR

---

## Products Affected

- RELISTOR ORAL
- RELISTOR SUBCUTANEOUS SOLUTION

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                         |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                      |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                           |
| Other Criteria               | Patient must have documented trial of or medical reason for not using the following: 1) lubiprostone, AND 2) lactulose AND 3) Movantik. Additionally, patient must have a medical reason for not being able to use oral Relistor in order to receive Relistor injection. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                       |

# REXULTI

---

## Products Affected

- REXULTI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                            |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                         |
| Required Medical Information | N/A                                                                                                                                                                                                                                         |
| Age Restrictions             | N/A                                                                                                                                                                                                                                         |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                              |
| Other Criteria               | For schizophrenia: trial of, contraindication to, or medical reason for not using two generic antipsychotics. For major depressive disorder: trial of, contraindication to, or medical reason for not using to two generic antidepressants. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                                          |

# REZUROCK

---

## Products Affected

- REZUROCK

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Prescriber must be a hematologist, oncologist, or transplant specialist.                                                                                                                                                                                                                                                                                                                                                                                  |
| Coverage Duration            | New starts: 3 months. Cont. of therapy or reauthorization: until end of contract year.                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria               | For new starts: documented trial of, contraindication to, or medical reason for not using at least two lines of systemic immunosuppressive therapy (e.g. corticosteroids, tacrolimus, mycophenolate mofetil, Imbruvica, or Jakafi), one of which must be a systemic corticosteroid. For continuation of therapy or re-authorization: documentation of clinical benefit from use of the drug (i.e. symptom improvement, reduction in corticosteroid dose). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# RINVOQ

## Products Affected

- RINVOQ
- RINVOQ LQ

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Other Criteria               | For RA: Trial of, medical reason for not using, or contraindication to 1 disease modifying antirheumatic drug (DMARD) (methotrexate, leflunomide, or sulfasalazine) and 1 tumor necrosis factor (TNF) blocker (Enbrel, Hadlima, or Humira). For PsA: Trial of, medical reason for not using, or contraindication to 1 TNF blocker (Enbrel, Hadlima, or Humira). For atopic dermatitis: trial of, contraindication to, or medical reason for not using: 1) topical tacrolimus or pimecrolimus and 2) Eucrisa. For ankylosing spondylitis: Trial of, medical reason for not using, or contraindication to naproxen and 1 TNF blocker (Enbrel, Hadlima, or Humira). For UC: Trial of, medical reason for not using, or contraindication to Humira or Hadlima. For non radiographic axial spondyloarthritis: Trial of, medical reason for not using, or contraindication to naproxen. For Crohns Disease: trial of, medical reason for not using, or contraindication to 1 TNF blocker. For pJIA: Trial of, medical reason for not using, or contraindication to 1 TNF blocker (Enbrel, Hadlima, or Humira). For Giant cell arteritis: trial of, medical reason for not using, or contraindication to at least 1 corticosteroid (i.e. prednisone, methylprednisolone). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| <b>PA Criteria</b>             | <b>Criteria Details</b> |
|--------------------------------|-------------------------|
| <b>Off-Label Uses</b>          | N/A                     |
| <b>Part B<br/>Prerequisite</b> | No                      |

# RUFINAMIDE

---

## Products Affected

- rufinamide oral suspension*
- rufinamide oral tablet*

| PA Criteria                  | Criteria Details                                                                                                                   |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | History of familial Short QT syndrome                                                                                              |
| Required Medical Information | N/A                                                                                                                                |
| Age Restrictions             | N/A                                                                                                                                |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                                  |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                     |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using one alternative generic anticonvulsant for appropriate indications. |
| Indications                  | All Medically-accepted Indications.                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                 |

# RYKINDO

---

## Products Affected

- RYKINDO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                            |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                         |
| Required Medical Information | The member has a documented history of receiving oral risperidone without any clinically significant side effects.                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                         |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                              |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperidone Microspheres ER. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                          |

# RYLAZE

---

## Products Affected

- RYLAZE

| PA Criteria                  | Criteria Details                                                                       |
|------------------------------|----------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                    |
| Required Medical Information | N/A                                                                                    |
| Age Restrictions             | N/A                                                                                    |
| Prescriber Restrictions      | Prescriber must be an oncologist, hematologist, or specialist for submitted diagnosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                         |
| Other Criteria               | N/A                                                                                    |
| Indications                  | All Medically-accepted Indications.                                                    |
| Off-Label Uses               | N/A                                                                                    |
| Part B Prerequisite          | No                                                                                     |

# SAPROPTERIN

---

## Products Affected

- *sapropterin dihydrochloride oral packet*
- *sapropterin dihydrochloride oral tablet*

| PA Criteria                  | Criteria Details                                                                                                                                                                                          |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                       |
| Required Medical Information | For new starts: documentation of elevated baseline phenylalanine levels. Continuation of therapy or reauthorization: prescriber attests the member has improvement in phenylalanine levels from baseline. |
| Age Restrictions             | N/A                                                                                                                                                                                                       |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                       |
| Coverage Duration            | New starts will be authorized for 3 months. Cont of therapy or reauth until end of contract year.                                                                                                         |
| Other Criteria               | N/A                                                                                                                                                                                                       |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                        |

# SECUADO

---

## Products Affected

- SECUADO

| PA Criteria                  | Criteria Details                                                                              |
|------------------------------|-----------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                           |
| Required Medical Information | N/A                                                                                           |
| Age Restrictions             | N/A                                                                                           |
| Prescriber Restrictions      | N/A                                                                                           |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using to one generic antipsychotics. |
| Indications                  | All Medically-accepted Indications.                                                           |
| Off-Label Uses               | N/A                                                                                           |
| Part B Prerequisite          | No                                                                                            |

# SEROSTIM

---

## Products Affected

- SEROSTIM SUBCUTANEOUS  
SOLUTION RECONSTITUTED 4 MG, 5  
MG, 6 MG

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                         |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                      |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions      | Prescribed by or in consultation with a HIV specialist, gastroenterologist, nutritional support specialist or ID specialist.                                                                                                                                                                             |
| Coverage Duration            | Request will be authorized for 12 weeks.                                                                                                                                                                                                                                                                 |
| Other Criteria               | For initial starts for HIV wasting/cachexia: 1) Member must be on anti-retroviral therapy and 2) Trial of, contraindication to or medical reason for not using megestrol or dronabinol and 3) Alternative causes of wasting have been ruled out (diarrhea, malignancies, inadequate caloric intake, etc) |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                       |

# SIGNIFOR

---

## Products Affected

- SIGNIFOR

| PA Criteria                  | Criteria Details                                                   |
|------------------------------|--------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                |
| Required Medical Information | Member is not a candidate for surgery or surgery was not curative. |
| Age Restrictions             | N/A                                                                |
| Prescriber Restrictions      | Prescribed by or in consultation with an endocrinologist.          |
| Coverage Duration            | Request will be authorized until the end of the contract year.     |
| Other Criteria               | N/A                                                                |
| Indications                  | All Medically-accepted Indications.                                |
| Off-Label Uses               | N/A                                                                |
| Part B Prerequisite          | No                                                                 |

# SILDENAFIL ORAL

## Products Affected

- *sildenafil citrate oral suspension reconstituted*
- *sildenafil citrate oral tablet 20 mg*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Documentation of concurrent nitrate or Adempas use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | Pulmonary Arterial Hypertension: Documentation of pulmonary arterial hypertension (PAH) WHO Group I and PAH Functional Class. Reviewer will verify available patient claim history to confirm patient is not using nitrates or Adempas. Secondary Raynaud's phenomenon- Initial: [Note: documentation required] (1) diagnosis of secondary Raynaud's phenomenon AND (2) diagnosis of primary condition which Raynaud's phenomenon is secondary to (e.g., lupus, scleroderma, rheumatoid arthritis, Sjogren's syndrome, thyroid disease). Continuation of therapy: patient has positive clinical response to treatment. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be a pulmonologist, cardiologist, or rheumatologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria               | For sildenafil suspension: Documentation of trial of, contraindication to, or medical reason for not using sildenafil tablet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# SILIQ

---

## Products Affected

- SILIQ

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                              |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                           |
| Required Medical Information | N/A                                                                                                                                                                                                                                                           |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                           |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                           |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                |
| Other Criteria               | For psoriasis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                            |

# SIMPONI

## Products Affected

- SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other Criteria               | For ankylosing spondylitis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz, or 2) If utilized within the past 120 days, approve for continuation of therapy. For PsA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Xeljanz, Rinvoq, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For RA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. For UC: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following: Skyrizi, Humira, Hadlima, Rinvoq, Stelara, Tremfya, or Xeljanz or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# SIRTURO

---

## Products Affected

- SIRTURO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                           |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                        |
| Required Medical Information | Documentation (consistent with pharmacy claims data, OR for new members to the health plan consistent with medical chart history) that the member is currently taking 3 additional antimycobacterial drugs in combination to treat MDR-TB. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Prescribed by or in consultation with an infectious disease specialist.                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized for 24 weeks.                                                                                                                                                                                                   |
| Other Criteria               | Documentation of prior trial of or medical reason for not using first-line TB regimen containing isoniazid and rifampin.                                                                                                                   |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                         |

# SKYRIZI

## Products Affected

- SKYRIZI
- SKYRIZI PEN

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Other Criteria               | For PsA or psoriasis: approve. For Crohns Disease: Either 1) Trial of, medical reason for not using (i.e. severe Crohns disease), or contraindication to 1 of the following: mercaptopurine, azathioprine, sulfasalazine, methotrexate or corticosteroid (e.g., prednisone, methylprednisolone) or 2) If utilized within the past 120 days, approve for continuation of therapy. For UC: Trial of, medical reason for not using, or contraindication to 1 of the following conventional therapies: mercaptopurine, an aminosalicylate (i.e. mesalamine, sulfasalazine, azathioprine), or a corticosteroid (i.e. prednisone, methylprednisolone). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# SODIUM OXYBATE

---

## Products Affected

- *sodium oxybate*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                   |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                |
| Required Medical Information | N/A                                                                                                                                                                                                                                |
| Age Restrictions             | N/A                                                                                                                                                                                                                                |
| Prescriber Restrictions      | Prescriber must be a sleep specialist, pulmonologist, or neurologist.                                                                                                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                     |
| Other Criteria               | For somnolence associated with narcolepsy: trial of, contraindication to, or medical reason for not using a CNS stimulant (e.g. methylphenidate, modafinil, armodafinil, etc.). For cataplexy associated with narcolepsy, approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                                                                                                                 |

# SODIUM PHENYLBUTYRATE

---

## Products Affected

- *sodium phenylbutyrate oral powder 3 gm/tsp*
- *sodium phenylbutyrate oral tablet*

| PA Criteria                  | Criteria Details                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                               |
| Required Medical Information | N/A                                                                                                               |
| Age Restrictions             | N/A                                                                                                               |
| Prescriber Restrictions      | Provider is a geneticist, metabolic specialist, gastroenterologist, hepatologist, or liver transplant specialist. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                    |
| Other Criteria               | N/A                                                                                                               |
| Indications                  | All Medically-accepted Indications.                                                                               |
| Off-Label Uses               | N/A                                                                                                               |
| Part B Prerequisite          | No                                                                                                                |

# SOFOSBUVIR/VELPATASVIR

---

## Products Affected

- *sofosbuvir-velpatasvir*

| PA Criteria                  | Criteria Details                                                                                                                                                                                         |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                      |
| Required Medical Information | Detectable HCV RNA viral load prior to treatment within 6 months of request. In addition, documentation of treatment history, and if cirrhotic, documentation of compensated or decompensated cirrhosis. |
| Age Restrictions             | N/A                                                                                                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized for 12-24 weeks based on AASLD-IDSA guidelines                                                                                                                                |
| Other Criteria               | N/A                                                                                                                                                                                                      |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                       |

# SOMAVERT

---

## Products Affected

- SOMAVERT

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information | For new starts for acromegaly: pt meets one of the following (1) inadequate response to surgery and/or radiotherapy OR (2) pt is not an appropriate candidate for surgery and/or radiotherapy OR (3) pt is experiencing negative effects due to tumor size (ex: optic nerve compression). Continuation of therapy or reauthorization: documentation of clinical improvement with therapy. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions      | Prescribed by or in consultation with an endocrinologist.                                                                                                                                                                                                                                                                                                                                 |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                       |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                        |

# SOTYKTU

---

## Products Affected

- SOTYKTU

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                   |
| Other Criteria               | For moderate to severe psoriasis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                               |

# STELARA

## Products Affected

- STELARA INTRAVENOUS
- STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML
- STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria               | For Crohns Disease: Either 1) Trial of, medical reason for not using (i.e. severe Crohns disease), or contraindication to 1 of the following: mercaptopurine, azathioprine, methotrexate, sulfasalazine, or corticosteroid (e.g., prednisone, methylprednisolone) or 2) If utilized within the past 120 days, approve for continuation of therapy. For psoriasis: Approve. For PsA: Approve. For UC: Either 1) Trial of, medical reason for not using, or contraindication to 1 of the following conventional therapies: mercaptopurine, an aminosalicylate (i.e. mesalamine, sulfasalazine, azathioprine), or a corticosteroid (i.e. prednisone, methylprednisolone) or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# SUCRAID

---

## Products Affected

- SUCRAID

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                             |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                          |
| Required Medical Information | For new starts: documentation of diagnosis of congenital sucrase-isomaltase deficiency. For continuation of therapy or reauthorization: Prescriber attests that member has obtained a clinical benefit (e.g. fewer total stools, greater number of hard and formed stools, fewer watery and soft stools, decrease in breath hydrogen output) |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                          |
| Coverage Duration            | New starts will be authorized for 3 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                            |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                          |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                          |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                           |

# SYMDEKO

---

## Products Affected

- SYMDEKO

| PA Criteria                  | Criteria Details                                                                     |
|------------------------------|--------------------------------------------------------------------------------------|
| Exclusion Criteria           | Combination use with Kalydeco, Orkambi, or Trikafta.                                 |
| Required Medical Information | Documentation of CFTR gene that is responsive to tezacaftor-ivacaftor treatment.     |
| Age Restrictions             | N/A                                                                                  |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or an expert in the treatment of cystic fibrosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.                       |
| Other Criteria               | N/A                                                                                  |
| Indications                  | All Medically-accepted Indications.                                                  |
| Off-Label Uses               | N/A                                                                                  |
| Part B Prerequisite          | No                                                                                   |

# SYMLIN

---

## Products Affected

- SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR

| PA Criteria                  | Criteria Details                                                                                                         |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Patient has confirmed gastroparesis.                                                                                     |
| Required Medical Information | For new starts: HbA1C values within 90 days of request is greater than or equal to 7% despite receiving insulin therapy. |
| Age Restrictions             | N/A                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                           |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using two alternative anti-diabetic agents.                     |
| Indications                  | All Medically-accepted Indications.                                                                                      |
| Off-Label Uses               | N/A                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                       |

# SYNAREL

---

## Products Affected

- SYNAREL

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                     |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using the following concurrently for endometriosis: analgesic pain reliever (e.g. NSAIDs, COX-2 inhibitors) AND either combined estrogen-progestin oral contraceptive, progestin (e.g. medroxyprogesterone acetate, norethindrone), OR gonadotropin-releasing hormone (GnRH) agonists (e.g. Lupron Depot) |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                 |

# TADALAFIL

---

## Products Affected

- *tadalafil (pah)*
- TADLIQ

| PA Criteria                  | Criteria Details                                                                                                                                                                                       |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Documentation of concurrent nitrate or Adempas use.                                                                                                                                                    |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I and PAH Functional Class. Reviewer will verify available patient claim history to confirm patient is not using nitrates or Adempas. |
| Age Restrictions             | N/A                                                                                                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                         |
| Other Criteria               | For Tadliq: Documentation of trial of, contraindication to, or medical reason for not using tadalafil tablets.                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                     |

# TADALAFIL, BPH

---

## Products Affected

- *tadalafil oral tablet 5 mg*

| PA Criteria                  | Criteria Details                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Diagnosis of erectile dysfunction                                                                                                                                          |
| Required Medical Information | Diagnosis of Benign prostatic hyperplasia (BPH) required AND trial of, contraindication to, or medical reason for not using an alpha blocker (e.g. tamsulosin, terazosin). |
| Age Restrictions             | N/A                                                                                                                                                                        |
| Prescriber Restrictions      | N/A                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                             |
| Other Criteria               | N/A                                                                                                                                                                        |
| Indications                  | All Medically-accepted Indications.                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                         |

# TALTZ

## Products Affected

- TALTZ

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria               | For ankylosing spondylitis: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Enbrel, Humira, Hadlima, Rinvoq or Xeljanz, or 2) If utilized within the past 120 days, approve for continuation of therapy. For non-radiographic axial spondyloarthritis: approve. For psoriasis: Either 1) Trial of, medical reason for not using, or contraindication (e.g., safety concerns, not indicated for patient's age) to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. For PsA: Either 1) Trial of, medical reason for not using, or contraindication to 2 of the following therapies: Stelara, Skyrizi, Tremfya, Xeljanz, Rinvoq, Enbrel, Hadlima, or Humira, or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# TARPEYO

---

## Products Affected

- TARPEYO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Medical Information | For new starts: attestation that member has 1) Diagnosis of primary immunoglobulin A nephropathy (IgAN) and 2) at risk of disease progression. Member has an estimated glomerular filtration rate (eGFR) greater than or equal to 35 mL/min/1.73 m(2) and proteinuria. For continuation of therapy: documentation that member has been on Tarpeyo for less than 9 months. For reauthorizations: Requests will not be allowed as the safety and efficacy of subsequent courses of Tarpeyo have not been established. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions      | Prescribed by or in consultation with a nephrologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coverage Duration            | Request will be authorized for 9 months.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

# TAVNEOS

## Products Affected

- TAVNEOS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Prescribed by or in consultation with a rheumatologist or hematologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Other Criteria               | For new starts: 1) Prescriber attests that Tavneos will be prescribed in combination with corticosteroids AND cyclophosphamide unless there is documented trial of, contraindication to, or medical reason for not using these therapies. 2) Documentation of baseline Birmingham Vasculitis Activity Score (BVAS) score 3) Prescriber attestation that the patient will have liver function tests before treatment (ALT, AST, alkaline phosphate, and total bilirubin) and every 4 weeks after start of therapy for the first 6 months of treatment 4) Prescriber attestation that the patient has been screened for and does not have active hepatitis B virus (HBV) infection at baseline. For continuation of therapy or reauthorization: 1) Documentation of remission (BVAS score of 0) OR improvement in BVAS score 2) Prescriber attestation that patient has no abnormality in liver function tests (abnormality: ALT or AST greater than 3 times the upper limit of normal and bilirubin greater than 2 times the upper limit of normal) 3) Prescriber attestation that patient has no active HBV infection. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# TECENTRIQ HYBREZA

---

## Products Affected

- TECENTRIQ HYBREZA

| PA Criteria                  | Criteria Details                                                        |
|------------------------------|-------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                     |
| Required Medical Information | N/A                                                                     |
| Age Restrictions             | N/A                                                                     |
| Prescriber Restrictions      | Prescriber must be an oncologist or specialist for submitted diagnosis. |
| Coverage Duration            | Request will be authorized until the end of the contract year.          |
| Other Criteria               | N/A                                                                     |
| Indications                  | All Medically-accepted Indications.                                     |
| Off-Label Uses               | N/A                                                                     |
| Part B Prerequisite          | No                                                                      |

# TEFLARO

---

## Products Affected

- TEFLARO

| PA Criteria                  | Criteria Details                                                       |
|------------------------------|------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                    |
| Required Medical Information | N/A                                                                    |
| Age Restrictions             | N/A                                                                    |
| Prescriber Restrictions      | Documentation of a consultation with an infectious disease specialist. |
| Coverage Duration            | Request will be authorized for 14 days.                                |
| Other Criteria               | N/A                                                                    |
| Indications                  | All Medically-accepted Indications.                                    |
| Off-Label Uses               | N/A                                                                    |
| Part B Prerequisite          | No                                                                     |

# TEPEZZA

## Products Affected

- TEPEZZA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Required Medical Information | Documentation of moderate to severe active thyroid eye disease (TED) as evidenced by one or more of the following: a) eyelid retraction greater than or equal to 2 mm, b) moderate or severe soft tissue involvement, c) exophthalmos greater than or equal to 3 mm above normal for race and sex or d) periodic or constant diplopia OR Documentation of chronic TED with one or more of the following: a) a 3 mm or greater increase in exophthalmos from before diagnosis of TED, b) exophthalmos greater than or equal to 3 mm above normal for race and sex. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Prescriber must be an ophthalmologist or endocrinologist                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Coverage Duration            | Request will be authorized for 6 months.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Criteria               | For active TED: member has had a trial and failure, contraindication to, or medical reason for not using oral or IV glucocorticoids.                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# TERIPARATIDE

## Products Affected

- BONSITY
- teriparatide subcutaneous solution pen-injector 560 mcg/2.24ml*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | Documentation showing patient falls into one of the following categories: a bone mineral density (BMD) value consistent with osteoporosis (i.e., T-scores equal to or less than -2.5) or patient has had an osteoporotic fracture or patient has T-scores from -1.5 to -2.5 at the femoral neck or spine, and a 10-year probability of hip fracture greater than or equal to 3% or a 10-year probability of any major osteoporosis-related fracture greater than or equal to 20% based on the United States-adapted FRAX model. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | In addition, the following criteria is also applicable: 1) Trial of, medical reason for not using, or contraindication to an oral bisphosphonate and Prolia and 2) therapy does not exceed the therapy maximum of 2 years.                                                                                                                                                                                                                                                                                                      |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# THIOLA

---

## Products Affected

- *tiopronin oral*

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# TIGECYCLINE

---

## Products Affected

- *tigecycline*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information | (1) Patient must have documented diagnosis of one of the following infections: (a) complicated skin and skin structure infection, (b) complicated intraabdominal infection, (c) community-acquired pneumonia AND (2) Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using preferred first-line antibiotics. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                            |
| Prescriber Restrictions      | Prescribed by or in consultation with an infectious disease specialist.                                                                                                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized for 14 days.                                                                                                                                                                                                                                                                                                                                        |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                            |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                            |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                             |

# TOLVAPTAN

## Products Affected

- *tolvaptan*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                     |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | Concomitant use with strong CYP3A4 inhibitors (i.e. clarithromycin, ketoconazole, itraconazole, ritonavir, lopinavir-ritonavir, indinavir-ritonavir, indinavir, nelfinavir, saquinavir, nefazodone, conivaptan, and telithromycin).                                                                  |
| <b>Required Medical Information</b> | Reviewer will verify available patient claim history to confirm patient is not using a strong CYP3A4 inhibitor (i.e. clarithromycin, ketoconazole, itraconazole, ritonavir, lopinavir-ritonavir, indinavir-ritonavir, indinavir, nelfinavir, saquinavir, nefazodone, conivaptan, and telithromycin). |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                  |
| <b>Prescriber Restrictions</b>      | Prescribed by or in consultation with a cardiologist, endocrinologist, hepatologist, or nephrologist.                                                                                                                                                                                                |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                  |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                  |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                  |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                   |

# TOPICAL ANTINEOPLASTIC RETINOIDS

---

## Products Affected

- *bexarotene*
- PANRETIN

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# TOPICAL TESTOSTERONE

## Products Affected

- testosterone transdermal gel 1.62 %, 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)
- testosterone transdermal solution

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | Patient has history of prostate cancer or breast cancer.                                                                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b> | New starts of topical testosterone therapy for hypogonadism must have both of the following characteristics of hypogonadism: 1) symptoms associated with hypogonadism (e.g. unexplained mild anemia, low libido, decreased energy, etc.) 2) Two separate instances of low serum total or free testosterone taken in the morning, as defined by the lab reference range. |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                          |
| <b>Other Criteria</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                     |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                      |

# TRANSDERMAL LIDOCAINE

---

## Products Affected

- *lidocaine external patch 5 %*
- ZTLIDO

| PA Criteria                  | Criteria Details                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                        |
| Required Medical Information | N/A                                                                                                                        |
| Age Restrictions             | N/A                                                                                                                        |
| Prescriber Restrictions      | N/A                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                             |
| Other Criteria               | If the request is for the product ZTLido, must provide medical reason for not being able to use generic lidocaine 5% patch |
| Indications                  | All Medically-accepted Indications.                                                                                        |
| Off-Label Uses               | N/A                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                         |

# TREMFYA

## Products Affected

- TREMFYA CROHNS INDUCTION
- TREMFYA ONE-PRESS
- TREMFYA PEN
- TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                            |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                         |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                         |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                              |
| Other Criteria               | For UC: Approve. Crohn's Disease (CD): Trial of, medical reason for not using (i.e. severe Crohn's disease), or contraindication to 1 of the following: mercaptopurine, azathioprine, sulfasalazine, methotrexate or corticosteroid (e.g., prednisone, methylprednisolone). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                         |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                         |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                          |

# TRIENTINE

---

## Products Affected

- CUVRIOR
- trientine hcl oral capsule 250 mg*

| PA Criteria                  | Criteria Details                                                                                                                                       |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                    |
| Prescriber Restrictions      | N/A                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                         |
| Other Criteria               | If the request is for Cuvrior for new starts, member must have trial of, contraindication to, or medical reason for not using trientine hydrochloride. |
| Indications                  | All Medically-accepted Indications.                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                     |

# TRIKAFTA

---

## Products Affected

- TRIKAFTA

| PA Criteria                  | Criteria Details                                                                             |
|------------------------------|----------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Combination use with Kalydeco, Orkambi, or Symdeko.                                          |
| Required Medical Information | Documentation of CFTR gene that is responsive to elexacaftor-tezacaftor-ivacaftor treatment. |
| Age Restrictions             | N/A                                                                                          |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or an expert in the treatment of cystic fibrosis.         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                               |
| Other Criteria               | N/A                                                                                          |
| Indications                  | All Medically-accepted Indications.                                                          |
| Off-Label Uses               | N/A                                                                                          |
| Part B Prerequisite          | No                                                                                           |

# TYMLOS

## Products Affected

- TYMLOS

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | Documentation showing patient falls into one of the following categories: a bone mineral density (BMD) value consistent with osteoporosis (i.e., T-scores equal to or less than -2.5) or patient has had an osteoporotic fracture or patient has T-scores from -1.5 to -2.5 at the femoral neck or spine, and a 10-year probability of hip fracture greater than or equal to 3% or a 10-year probability of any major osteoporosis-related fracture greater than or equal to 20% based on the United States-adapted FRAX model. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | The following criteria is also applicable: 1) trial of, contraindication to, or medical reason for not using an oral bisphosphonate and Prolia, and 2) therapy does not exceed 2 years.                                                                                                                                                                                                                                                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# TYVASO

## Products Affected

- TYVASO DPI MAINTENANCE KIT  
INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG
- TYVASO DPI TITRATION KIT  
INHALATION POWDER 16 & 32 & 48 MCG

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                   |
| Other Criteria               | For the treatment of pulmonary arterial hypertension (PAH): 1) documentation of PAH WHO Group I classification and PAH Functional Class and 2) trial of, contraindication to, or medical reason for not using a generic phosphodiesterase inhibitor and a generic endothelin receptor antagonist. For the treatment of pulmonary hypertension associated with interstitial lung disease (PH-ILD, WHO Group 3): documentation of PH-ILD and PAH Functional Class. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# UPTRAVI

---

## Products Affected

- UPTRAVI ORAL
- UPTRAVI TITRATION

| PA Criteria                  | Criteria Details                                                                                                                                   |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I and PAH Functional Class.                                                       |
| Age Restrictions             | N/A                                                                                                                                                |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                                                                |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                     |
| Other Criteria               | Trial of, contraindication to, or medical reason for not using a generic phosphodiesterase inhibitor and a generic endothelin receptor antagonist. |
| Indications                  | All Medically-accepted Indications.                                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                                 |

# UZEDY

## Products Affected

- UZEDY

| PA Criteria                  | Criteria Details                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                        |
| Required Medical Information | The member has a documented history of receiving oral risperidone without any clinically significant side effects.                                                                                                         |
| Age Restrictions             | N/A                                                                                                                                                                                                                        |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                             |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperdicon Microsphere ER. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                         |

# VALCHLOR

---

## Products Affected

- VALCHLOR

| PA Criteria                  | Criteria Details                                                                                                                                   |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                |
| Required Medical Information | N/A                                                                                                                                                |
| Age Restrictions             | N/A                                                                                                                                                |
| Prescriber Restrictions      | Prescribed by or in consultation with an oncologist or dermatologist.                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                     |
| Other Criteria               | Trial of, contraindication to, or medical reason for not being able to use one of the following: a topical corticosteroids or a topical retinoids. |
| Indications                  | All Medically-accepted Indications.                                                                                                                |
| Off-Label Uses               | N/A                                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                                 |

# VEMLIDY

---

## Products Affected

- VEMLIDY

| PA Criteria                  | Criteria Details                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                              |
| Required Medical Information | For new starts: attestation that member has been tested for HIV infection. If member is HIV-positive, Vemlidy is not used alone. |
| Age Restrictions             | N/A                                                                                                                              |
| Prescriber Restrictions      | N/A                                                                                                                              |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                   |
| Other Criteria               | N/A                                                                                                                              |
| Indications                  | All Medically-accepted Indications.                                                                                              |
| Off-Label Uses               | N/A                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                               |

# VENTAVIS

---

## Products Affected

- VENTAVIS

| PA Criteria                  | Criteria Details                                                                                            |
|------------------------------|-------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                         |
| Required Medical Information | Documentation of pulmonary arterial hypertension (PAH) WHO Group I classification and PAH Functional Class. |
| Age Restrictions             | N/A                                                                                                         |
| Prescriber Restrictions      | Prescriber must be a pulmonologist or cardiologist.                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                              |
| Other Criteria               | N/A                                                                                                         |
| Indications                  | All Medically-accepted Indications.                                                                         |
| Off-Label Uses               | N/A                                                                                                         |
| Part B Prerequisite          | No                                                                                                          |

# VEOZAH

---

## Products Affected

- VEOZAH

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | Initial: (1) Documented diagnosis of moderate to severe vasomotor symptoms due to menopause AND (2) Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using a hormonal therapy (e.g., estradiol, oral Premarin, Prempro).<br>Reauthorization: (1) Documentation of positive clinical response to therapy (e.g., decrease in frequency or severity of vasomotor symptoms from baseline) |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# VIGABATRIN

---

## Products Affected

- *vigabatrin*
- VIGAFYDE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information | For infantile spasms or West syndrome, the request will be approved. For diagnosis of refractory complex partial seizures: 1) documentation of diagnosis, and 2) attestation the member is currently receiving another antiepileptic drug, and 3) attestation the member has experienced treatment failure from two alternative antiepileptic agents. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions      | Prescriber must be a neurologist.                                                                                                                                                                                                                                                                                                                     |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                        |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                   |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                   |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                    |

# VIJOICE

## Products Affected

- VIJOICE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Medical Information | For new starts, all of the following must be included: 1) Documentation of genetic testing confirming diagnosis AND 2) Member has at least one target lesion identified on imaging AND 3) Prescriber attests the patient's condition is severe or life-threatening and necessitates systemic treatment. For continuation of therapy or reauthorization, attestation of a positive clinical response (i.e. reduction in the sum of measurable target lesion volume, absence of progression of non-target lesions, absence of any new lesions, etc.). |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions      | Prescribed by or in consultation with a geneticist, dermatologist, vascular surgeon, hematologist/oncologist, or other specialist in the treatment of PIK3CA-Related Overgrowth Spectrum(PROOS).                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

# VMAT-2 INHIBITORS

## Products Affected

- AUSTEDO
- AUSTEDO PATIENT TITRATION KIT
- AUSTEDO XR
- AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG
- INGREZZA ORAL CAPSULE
- INGREZZA ORAL CAPSULE SPRINKLE
- INGREZZA ORAL CAPSULE THERAPY PACK
- *tetrabenazine*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                              |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                           |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                           |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                           |
| Prescriber Restrictions      | Prescriber must be a neurologist, clinical geneticist, or psychiatrist.                                                                                                                                                                                                                                                                                       |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                |
| Other Criteria               | If the request is for tetrabenazine, Ingrezza or Ingrezza Sprinkle, request will be approved. If the request is for Austedo or Austedo XR, the member must have trial of or medical reason for not using tetrabenazine.<br>Reauthorization: Confirmation of improvement in tardive dyskinesia symptoms or chorea associated with Huntington disease symptoms. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                            |

# VORICONAZOLE

---

## Products Affected

- *voriconazole intravenous*

| PA Criteria                  | Criteria Details                         |
|------------------------------|------------------------------------------|
| Exclusion Criteria           | Non-Part D indications.                  |
| Required Medical Information | N/A                                      |
| Age Restrictions             | N/A                                      |
| Prescriber Restrictions      | N/A                                      |
| Coverage Duration            | Request will be authorized for 6 months. |
| Other Criteria               | N/A                                      |
| Indications                  | All Medically-accepted Indications.      |
| Off-Label Uses               | N/A                                      |
| Part B Prerequisite          | No                                       |

# VOSEVI

---

## Products Affected

- VOSEVI

| PA Criteria                  | Criteria Details                                                                                                                                                                                         |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                      |
| Required Medical Information | Detectable HCV RNA viral load prior to treatment within 6 months of request. In addition, documentation of treatment history, and if cirrhotic, documentation of compensated or decompensated cirrhosis. |
| Age Restrictions             | N/A                                                                                                                                                                                                      |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized for 12 weeks as per AASLD-IDSA guidance.                                                                                                                                      |
| Other Criteria               | N/A                                                                                                                                                                                                      |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                       |

# VOWST

---

## Products Affected

- VOWST

| PA Criteria                  | Criteria Details                                                      |
|------------------------------|-----------------------------------------------------------------------|
| Exclusion Criteria           | Treatment of Clostridioides difficile infection (CDI)                 |
| Required Medical Information | N/A                                                                   |
| Age Restrictions             | N/A                                                                   |
| Prescriber Restrictions      | N/A                                                                   |
| Coverage Duration            | If all the criteria are met, the request will be approved for 1 month |
| Other Criteria               | Diagnosis of at least 1 recurrent episode of CDI                      |
| Indications                  | All Medically-accepted Indications.                                   |
| Off-Label Uses               | N/A                                                                   |
| Part B Prerequisite          | No                                                                    |

# WEGOVY

## Products Affected

- WEGOVY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.25 MG/0.5ML, 1.7 MG/0.75ML, 2.4 MG/0.75ML
- 0.5 MG/0.5ML, 1

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | The member has an indication of only weight reduction or maintenance for overweight or obesity. The member has concurrent use of any GLP-1 receptor agonist. The member has a personal history of Type 1 or Type 2 diabetes. The member has a personal history of medullary thyroid carcinoma. The member has Multiple Endocrine Neoplasia syndrome type 2.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Required Medical Information</b> | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Other Criteria</b>               | For new starts: The member has an indication for reducing the risk of adverse cardiovascular events (cardiovascular death, non-fatal myocardial infarction, or non-fatal stroke) in adults with established cardiovascular disease. Documentation demonstrates patient has established cardiovascular disease (i.e., prior myocardial infarction, prior stroke, symptomatic peripheral arterial disease). Documentation is provided that the patient is overweight or obese (defined as a BMI of greater than or equal to 27 kg/m <sup>2</sup> ). Documentation is provided that the patient's Hb A1c is less than or equal to 6.5%. For continuation of therapy or reauthorization: Documentation is provided that the patient's Hb A1c is less than or equal to 6.5%. Patient continues to not have Type 1 or Type 2 diabetes. |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# WHITE BLOOD CELL STIMULATORS

## Products Affected

- FULPHILA
- FYLNETRA
- LEUKINE INJECTION SOLUTION RECONSTITUTED
- NEULASTA ONPRO
- NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- NIVESTYM
- NYVEPRIA
- *releuko subcutaneous*
- STIMUFEND
- UDENYCA
- UDENYCA ONBODY
- ZARXIO
- ZIEXTENZO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                        |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                     |
| Required Medical Information | For new starts for Neulasta, Udenyca, Ziextenzo, Stimufend and Nyvepria: documentation of trial of, contraindication to, or medical reason for not using Fylnetra and Fulphila. Continuation of therapy or re-authorization criteria: diagnosis of chronic neutropenia or a medical reason for continued need for GCSF. |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                     |
| Coverage Duration            | New starts will be authorized for 4 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                       |
| Other Criteria               | N/A                                                                                                                                                                                                                                                                                                                     |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                      |

# XATMEP

---

## Products Affected

- XATMEP

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | Prescriber must be an oncologist or rheumatologist.            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# XDEM VY

---

## Products Affected

- XDEM VY

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | N/A                                                            |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# XELJANZ

## Products Affected

- XELJANZ
- XELJANZ XR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Other Criteria               | For ankylosing spondylitis: Trial of, medical reason for not using, or contraindication to naproxen and 1 TNF blocker (Enbrel, Hadlima, or Humira) For pJIA: Trial of, medical reason for not using, or contraindication to 1 of the following DMARDs: methotrexate or leflunomide and 1 TNF blocker (Enbrel, Hadlima, or Humira). For PsA: Trial of, medical reason for not using, or contraindication to 1 TNF blocker (Enbrel, Hadlima, or Humira). For RA: Trial of, medical reason for not using, or contraindication to 1 disease modifying antirheumatic drug (DMARD) (methotrexate, leflunomide, or sulfasalazine) and 1 tumor necrosis factor (TNF) blocker (Enbrel, Hadlima, or Humira). For UC: Trial of, medical reason for not using, or contraindication to 1 of the following conventional therapies: mercaptopurine, an aminosalicylate (i.e. mesalamine, sulfasalazine, azathioprine), or a corticosteroid (i.e. prednisone, methylprednisolone) and Humira or Hadlima. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# XERMELO

---

## Products Affected

- XERMELO

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                              |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                           |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                           |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                           |
| Prescriber Restrictions      | Prescribed by or in consultation with a gastroenterologist or an oncologist.                                                                                                                                                                                                                                  |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                |
| Other Criteria               | For new starts: 1) Attestation that diarrhea is inadequately controlled by stable dose of SSA therapy for at least three months. For continuation of therapy or reauthorization: 1) documentation of positive clinical response to xermelo and 2) Attestation to continue to be used in combination with SSA. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                           |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                            |

# XGEVA

## Products Affected

- OSENVELT
- WYOST
- XGEVA

| PA Criteria                  | Criteria Details                                                                                                                                                        |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Patients with baseline hypocalcemia                                                                                                                                     |
| Required Medical Information | New starts: Serum calcium levels. Reauthorization criteria for malignant hypercalcemia: albumin-adjusted serum calcium level below 12.5mg/dl within 30 days of request. |
| Age Restrictions             | N/A                                                                                                                                                                     |
| Prescriber Restrictions      | N/A                                                                                                                                                                     |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                          |
| Other Criteria               | N/A                                                                                                                                                                     |
| Indications                  | All Medically-accepted Indications.                                                                                                                                     |
| Off-Label Uses               | N/A                                                                                                                                                                     |
| Part B Prerequisite          | No                                                                                                                                                                      |

# XIFAXAN

---

## Products Affected

- XIFAXAN

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions      | For HE: gastroenterologist or hepatologist. For IBS-D: gastroenterologist.                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coverage Duration            | For HE: contract year. For IBSD: 14 days (cannot exceed 3 courses of 14 days each). For TD: 3 days.                                                                                                                                                                                                                                                                                                                                                                                                      |
| Other Criteria               | For diagnosis of hepatic encephalopathy (HE): trial of, contraindication to, or medical reason for not using lactulose. For diagnosis of irritable bowel syndrome with diarrhea (IBSD): No more than 3 courses of 14 days each. For travelers diarrhea (TD) caused by noninvasive strains of E. Coli (with no bloody stools or fever): patient must be intolerant to or must have had a trial of at least 3 days of one of the following agents: ciprofloxacin, ofloxacin, levofloxacin or azithromycin. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

# XOLAIR

## Products Affected

- XOLAIR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | Prescriber must be a pulmonologist, allergist, immunologist, dermatologist, or otolaryngologist.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria               | New starts for moderate to severe persistent allergic asthma: 1) Evidence of specific allergic sensitivity confirmed by positive skin test (i.e. prick/puncture test) or blood test (i.e. radioallergosorbent test) for a specific IgE or in vitro reactivity to a perennial aeroallergen, AND 2) Pretreatment serum IgE levels greater than 30 IU/mL, AND 3) Symptoms are not adequately controlled with high-dose inhaled corticosteroid (ICS) plus additional controller medication (ie. long-acting B2 agonist) for at least 3 months, or there is a medical reason for not using these drugs. Continuation of therapy or reauthorization criteria for moderate to severe persistent allergic asthma: 1) Reduction in asthma exacerbation resulting in systemic steroid use and/or hospitalization, OR 2) Reduction of rescue inhaler use, OR 3) Documentation of improvement in pulmonary function tests since baseline (prior to initiation of Xolair). New starts for chronic idiopathic urticaria: 1) inadequate symptomatic relief despite trial of two weeks of two different oral antihistamine therapies (unless contraindicated), AND 2) disease must be severe enough to warrant short term systemic corticosteroid therapy for management of urticaria. Continuation of therapy or reauthorization criteria for chronic idiopathic urticaria: 1) improvement from baseline of symptoms associated with urticaria within 6 months of Xolair use. New starts for nasal polyps: 1) currently using an intranasal |

| PA Criteria         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | <p>corticosteroid, will be prescribed an intranasal corticosteroid with request, or has a medical reason for not using an intranasal corticosteroid.</p> <p>Continuation of therapy or reauthorization criteria for nasal polyps: 1) Documentation has been provided that demonstrates a clinical benefit (e.g. improvements in symptom severity, nasal polyp score [NPS], sino-nasal outcome test-22 [SNOT-22], nasal congestion score [NCS]) AND 2) continued use of intranasal corticosteroid, or has a medical reason for not using one. New starts for food allergy: 1) diagnosis of IgE-mediated food allergy 2) Xolair will be used in conjunction with food allergen avoidance. Continuation of therapy or reauthorization criteria for food allergy: 1) Documentation of clinical benefit</p> |
| Indications         | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-Label Uses      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# XOLREMDI

## Products Affected

- XOLREMDI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions      | Prescriber must be an immunologist or a hematologist                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Other Criteria               | For new starts: 1) A documented diagnosis of WHIM (warts, hypogammaglobulinemia, infections and myelokathexis) syndrome confirmed by genotype variant of chemokine receptor 4 (CXCR4) and absolute neutrophil count (ANC) of less than or equal to 400 cells/microliter or white blood cells (WBC) less than or equal to 400 cells/microliter and 2) Documentation of baseline ANC and absolute lymphocyte count (ALC). For renewal 1) Documentation or provider attestation of positive clinical response (i.e. improvement from baseline in ANC, WBC and/or ALC or reduced frequency, duration, or severity of infections, fewer warts, or improved or stabilized clinical signs and/or symptoms of WHIM). |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

# XYWAV

---

## Products Affected

- XYWAV

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                        |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Prescriber must be a sleep specialist, pulmonologist or a neurologist.                                                                                                                                                                                                                                                     |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                             |
| Other Criteria               | For treatment of somnolence associated with narcolepsy, patient must have documentation of either trial of or a medical reason for being unable to use a CNS stimulant (e.g. methylphenidate, modafinil, armodafinil, etc.). For the treatment of cataplexy associated with narcolepsy or idiopathic hypersomnia, approve. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                         |

# YORVIPATH

---

## Products Affected

- YORVIPATH

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | Diagnosis of acute post-surgical hypoparathyroidism.                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions      | Prescribed by or in consultation with an endocrinologist.                                                                                                                                                                                                                                                                                                                                                         |
| Coverage Duration            | New starts will be authorized for 6 months. Cont of therapy or reauth until end of contract year.                                                                                                                                                                                                                                                                                                                 |
| Other Criteria               | For new starts: 1) Documented diagnosis of chronic hypoparathyroidism AND 2) Provider attestation that patient is currently receiving or has medical reason for not receiving calcium supplementation and active vitamin D treatment AND 3) An albumin-corrected serum calcium level of 7.8 mg/dL or greater. For reauthorization: Documentation of improvement in albumin-corrected serum calcium from baseline. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                               |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                |

# YUTREPIA

---

## Products Affected

- YUTREPIA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | Prescribed by or in consultation with a cardiologist or a pulmonologist.                                                                                                                                                                                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | For the treatment of pulmonary arterial hypertension (PAH): 1) documentation of PAH WHO Group I classification and PAH Functional Class and 2) trial of, contraindication to, or medical reason for not using a generic phosphodiesterase inhibitor and a generic endothelin receptor antagonist. For the treatment of pulmonary hypertension associated with interstitial lung disease (PH-ILD, WHO Group 3): documentation of PHILD and PAH Functional Class. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# ZEPBOUND

## Products Affected

- ZEPBOUND SUBCUTANEOUS SOLUTION AUTO-INJECTOR

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | The member has an indication of only weight reduction or maintenance for overweight or obesity. The member has concurrent use of any GLP-1 receptor agonist. The member has a personal history of medullary thyroid carcinoma. The member has Multiple Endocrine Neoplasia syndrome type 2.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Required Medical Information</b> | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Age Restrictions</b>             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Prescriber Restrictions</b>      | Prescribed by or in consultation with a sleep disorder specialist, pulmonologist, ENT, or other provider specializing in obstructive sleep apnea.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Coverage Duration</b>            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Other Criteria</b>               | For new starts: The member has an indication for moderate to severe obstructive sleep apnea (OSA) in adults with obesity. Documentation of diagnosis of OSA through polysomnography (sleep study) with an apnea-hypopnea index of 15 or more events per hour, or five or more events per hour in the presence of symptoms (e.g., cognitive impairment, fatigue, insomnia, loud snoring) or cardiovascular comorbidities (e.g., hypertension, ischemic heart disease, previous stroke). Documentation is provided that the patient is obese (defined as a BMI of greater than or equal to 30 kg/m <sup>2</sup> ). For continuation of therapy: Documentation of positive response to treatment. Documentation member has achieved and/or maintained a decrease in weight since baseline. |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Off-Label Uses</b>               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| PA Criteria            | Criteria Details |
|------------------------|------------------|
| Part B<br>Prerequisite | No               |

# ZEPOSIA

## Products Affected

- ZEPOSIA
- ZEPOSIA 7-DAY STARTER PACK
- ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG 0.92MG(21)

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | Documentation of liver function tests (for new starts and for continuation of therapy or reauthorization)                                                                                                                                                                                                                                                                                  |
| Age Restrictions             | N/A                                                                                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | Specialist for submitted diagnosis.                                                                                                                                                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                                                                                                                                                                                             |
| Other Criteria               | For multiple sclerosis: Trial of, contraindication to, or medical reason for not using two of the following: dalfampridine ER, dimethyl fumarate, fingolimod, glatiramer, glatopa, or teriflunomide. For ulcerative colitis: Either 1) Trial of, medical reason for not using, or contraindication Humira or 2) If utilized within the past 120 days, approve for continuation of therapy. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                         |

# ZILBRYSQ

---

## Products Affected

- ZILBRYSQ

| PA Criteria                  | Criteria Details                                                                                                                                                                                                       |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                    |
| Required Medical Information | N/A                                                                                                                                                                                                                    |
| Age Restrictions             | N/A                                                                                                                                                                                                                    |
| Prescriber Restrictions      | Prescriber must be a neurologist, rheumatologist, or other appropriate specialist                                                                                                                                      |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                         |
| Other Criteria               | Patient has tried and failed, a medical reason for not using, or has a contraindication to two (2) or more conventional therapies (i.e. pyridostigmine, corticosteroids, or non-steroidal immunosuppressive therapies) |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                    |
| Off-Label Uses               | N/A                                                                                                                                                                                                                    |
| Part B Prerequisite          | No                                                                                                                                                                                                                     |

# ZTALMY

---

## Products Affected

- ZTALMY

| PA Criteria                  | Criteria Details                                               |
|------------------------------|----------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                            |
| Required Medical Information | N/A                                                            |
| Age Restrictions             | N/A                                                            |
| Prescriber Restrictions      | Prescribed by or in consultation with a neurologist.           |
| Coverage Duration            | Request will be authorized until the end of the contract year. |
| Other Criteria               | N/A                                                            |
| Indications                  | All Medically-accepted Indications.                            |
| Off-Label Uses               | N/A                                                            |
| Part B Prerequisite          | No                                                             |

# ZURZUVAE

---

## Products Affected

- ZURZUVAE

| PA Criteria                  | Criteria Details                                                                  |
|------------------------------|-----------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                               |
| Required Medical Information | The member has a documented diagnosis of postpartum depression                    |
| Age Restrictions             | N/A                                                                               |
| Prescriber Restrictions      | Prescribed by or in consultation with a psychiatrist or obstetrician/gynecologist |
| Coverage Duration            | Request will be authorized until the end of the contract year                     |
| Other Criteria               | N/A                                                                               |
| Indications                  | All Medically-accepted Indications.                                               |
| Off-Label Uses               | N/A                                                                               |
| Part B Prerequisite          | No                                                                                |

# ZYPREXA RELPREVV

## Products Affected

- ZYPREXA RELPREVV RECONSTITUTED 210 MG, 300 MG, 405 MG  
INTRAMUSCULAR SUSPENSION

| PA Criteria                  | Criteria Details                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | N/A                                                                                                                                                                                                                        |
| Required Medical Information | The member has a documented history of receiving oral olanzapine without any clinically significant side effects.                                                                                                          |
| Age Restrictions             | N/A                                                                                                                                                                                                                        |
| Prescriber Restrictions      | N/A                                                                                                                                                                                                                        |
| Coverage Duration            | Request will be authorized until the end of the contract year.                                                                                                                                                             |
| Other Criteria               | Trial of, contraindication to, or medical reason (e.g. intolerance, hypersensitivity or contraindication) for not using at least two of the following: Abilify Maintena, Abilify Asimtufii, or Risperdieon Microsphere ER. |
| Indications                  | All Medically-accepted Indications.                                                                                                                                                                                        |
| Off-Label Uses               | N/A                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                         |

## PART B VERSUS PART D

### Products Affected

- ABELCET INTRAVENOUS SUSPENSION 5 MG/ML
- *acetylcysteine inhalation solution 10 %, 20 %*
- *acyclovir sodium intravenous solution 50 mg/ml*
- *albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, (5 mg/ml) 0.5%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml*
- *amphotericin b intravenous solution reconstituted 50 mg*
- *amphotericin b liposome intravenous suspension reconstituted 50 mg*
- *aprepitant oral capsule 125 mg, 40 mg, 80 & 125 mg, 80 mg*
- ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG, 5 MG
- *azathioprine oral tablet 50 mg*
- *budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml*
- CLINISOL SF INTRAVENOUS SOLUTION 15 %
- *cromolyn sodium inhalation nebulization solution 20 mg/2ml*
- *cyclophosphamide oral capsule 25 mg, 50 mg*
- *cyclophosphamide oral tablet 25 mg, 50 mg*
- *cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg*
- *cyclosporine modified oral solution 100 mg/ml*
- *cyclosporine oral capsule 100 mg, 25 mg*
- *dronabinol oral capsule 10 mg, 2.5 mg, 5 mg*
- EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML
- ENGERIX-B INJECTION SUSPENSION 20 MCG/ML
- ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML
- ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG, 4 MG
- *everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg*
- *formoterol fumarate inhalation nebulization solution 20 mcg/2ml*
- GAMMAGARD INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 30 GM/300ML, 5 GM/50ML
- GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED 10 GM, 5 GM
- GAMMAKED INJECTION SOLUTION 1 GM/10ML
- GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML
- GAMUNEX-C INJECTION SOLUTION 1 GM/10ML
- GENGRAF ORAL CAPSULE 100 MG, 25 MG
- GENGRAF ORAL SOLUTION 100 MG/ML
- *granisetron hcl oral tablet 1 mg*
- HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML
- IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML
- INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %

- *ipratropium bromide inhalation solution* 0.02 %
- *ipratropium-albuterol inhalation solution* 0.5-2.5 (3) mg/3ml
- *levalbuterol hcl inhalation nebulization solution* 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/3ml
- *mycophenolate mofetil oral capsule* 250 mg
- *mycophenolate mofetil oral suspension reconstituted* 200 mg/ml
- *mycophenolate mofetil oral tablet* 500 mg
- *mycophenolate sodium oral tablet delayed release* 180 mg, 360 mg
- *mycophenolic acid oral tablet delayed release* 180 mg, 360 mg
- NULOJIX INTRAVENOUS SOLUTION RECONSTITUTED 250 MG
- NUTRILIPID INTRAVENOUS EMULSION 20 %
- *ondansetron hcl oral solution* 4 mg/5ml
- *ondansetron hcl oral tablet* 24 mg, 4 mg, 8 mg
- *ondansetron oral tablet dispersible* 4 mg, 8 mg
- *pentamidine isethionate inhalation solution reconstituted* 300 mg
- PLENAMINE INTRAVENOUS SOLUTION 15 %
- PREHEVBRIO INTRAMUSCULAR SUSPENSION 10 MCG/ML
- PRIVIGEN INTRAVENOUS SOLUTION 10 GM/100ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML
- PROGRAF INTRAVENOUS SOLUTION 5 MG/ML
- PROGRAF ORAL PACKET 0.2 MG, 1 MG
- PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML
- RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED
- RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML
- RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML
- SANDIMMUNE ORAL SOLUTION 100 MG/ML
- *sirolimus oral solution* 1 mg/ml
- *sirolimus oral tablet* 0.5 mg, 1 mg, 2 mg
- *tacrolimus oral capsule* 0.5 mg, 1 mg, 5 mg
- TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)
- *tobramycin inhalation nebulization solution* 300 mg/4ml, 300 mg/5ml

## Details

This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

## Index

### A

ABELCET INTRAVENOUS  
SUSPENSION 5 MG/ML..... 377  
abiraterone acetate ..... 263, 265  
ABIRTEGA ..... 263, 265  
acetylcysteine inhalation solution 10 %, 20  
% ..... 377  
acitretin ..... 132  
ACTEMRA ACTPEN ..... 135  
ACTEMRA SUBCUTANEOUS ..... 135  
ACTHAR ..... 136  
ACTHAR GEL SUBCUTANEOUS PEN-  
INJECTOR..... 136  
acyclovir sodium intravenous solution 50  
mg/ml ..... 377  
ADEMPAS ..... 137  
AIMOVIG..... 157, 158  
AKEEGA ..... 263, 265  
albuterol sulfate inhalation nebulization  
solution (2.5 mg/3ml) 0.083%, (5 mg/ml)  
0.5%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5  
mg/0.5ml ..... 377  
ALECENSA..... 263, 265  
ALUNBRIG..... 263, 265  
ALYFTREK..... 139  
ambrisentan ..... 140  
amphotericin b intravenous solution  
reconstituted 50 mg ..... 377  
amphotericin b liposome intravenous  
suspension reconstituted 50 mg ..... 377  
apomorphine hcl subcutaneous ..... 141  
aprepitant oral capsule 125 mg, 40 mg, 80 &  
125 mg, 80 mg ..... 377  
AQNEURSA..... 142  
ARALAST NP INTRAVENOUS  
SOLUTION RECONSTITUTED 1000  
MG, 500 MG..... 138  
ARANESP (ALBUMIN FREE)  
INJECTION SOLUTION 100 MCG/ML,  
200 MCG/ML, 25 MCG/ML, 40  
MCG/ML, 60 MCG/ML ..... 187

ARANESP (ALBUMIN FREE)  
INJECTION SOLUTION PREFILLED  
SYRINGE ..... 187  
ARCALYST ..... 143  
ARIKAYCE..... 144  
ARISTADA INITIO ..... 145  
ARISTADA INTRAMUSCULAR  
PREFILLED SYRINGE 1064  
MG/3.9ML, 441 MG/1.6ML, 662  
MG/2.4ML, 882 MG/3.2ML ..... 145  
armodafinil ..... 252  
ASTAGRAF XL ORAL CAPSULE  
EXTENDED RELEASE 24 HOUR 0.5  
MG, 1 MG, 5 MG ..... 377  
AUGTYRO ..... 263, 265  
AUSTEDO..... 350  
AUSTEDO PATIENT TITRATION KIT  
..... 350  
AUSTEDO XR ..... 350  
AUSTEDO XR PATIENT TITRATION  
ORAL TABLET EXTENDED  
RELEASE THERAPY PACK 12 & 18 &  
24 & 30 MG ..... 350  
AUVELITY ..... 146  
AVMAPKI FAKZYNJA CO-PACK..... 263,  
265  
AYVAKIT ..... 263, 265  
azathioprine oral tablet 50 mg..... 377  
**B**  
BAC (BUTALBITAL-ACETAMIN-CAFF)  
..... 213  
BAFIERTAM ..... 246, 247  
BALVERSA ..... 263, 265  
BENLYSTA SUBCUTANEOUS..... 148  
benztropine mesylate oral ..... 210, 211  
BESREMI ..... 149  
BETASERON SUBCUTANEOUS KIT 246,  
247  
bexarotene ..... 263, 265, 334  
BONSITY ..... 330  
BORUZU ..... 150

bosentan oral tablet ..... 151  
 BOSULIF ..... 263, 265  
 BRAFTOVI ORAL CAPSULE 75 MG 263, 265  
 BRUKINSA ..... 263, 265  
 budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml ..... 377  
 butalbital-acetaminophen oral tablet 50-325 mg ..... 213  
 butalbital-apap-caff-cod oral capsule 50-325-40-30 mg ..... 213  
 butalbital-apap-caffeine oral capsule 50-325-40 mg ..... 213  
 butalbital-apap-caffeine oral solution ..... 213  
 butalbital-apap-caffeine oral tablet 50-325-40 mg ..... 213  
 butalbital-asa-caff-codeine ..... 213  
 butalbital-aspirin-caffeine oral capsule... 213  
**C**  
 CABOMETYX ..... 263, 265  
 CALQUENCE ORAL TABLET .... 263, 265  
 CAMCEVI ..... 202  
 CAMZYOS ..... 152, 153  
 CAPLYTA ..... 266  
 CAPRELSA ..... 263, 265  
 carglumic acid oral tablet soluble ..... 154  
 carisoprodol oral ..... 214  
 caspofungin acetate ..... 155  
 CAYSTON ..... 147  
 CERDELGA ..... 156  
 chlorzoxazone oral tablet 500 mg ..... 214  
 CHOLBAM ..... 159  
 CIBINQO ..... 160  
 CIMZIA (2 SYRINGE) ..... 161, 162  
 CIMZIA SUBCUTANEOUS KIT 2 X 200 MG ..... 161, 162  
 CIMZIA-STARTER ..... 161, 162  
 CINRYZE ..... 208  
 CLINISOL SF INTRAVENOUS SOLUTION 15 % ..... 377  
 COBENFY ..... 266  
 COBENFY STARTER PACK ..... 266  
 COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG ..... 263, 265

COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG ..... 263, 265  
 COMETRIQ (60 MG DAILY DOSE)... 263, 265  
 COPIKTRA ..... 263, 265  
 CORLANOR ORAL SOLUTION ..... 163  
 CORTROPHIN ..... 164  
 CORTROPHIN GEL ..... 164  
 COSENTYX ..... 165, 166  
 COSENTYX (300 MG DOSE) ..... 165, 166  
 COSENTYX SENSOREADY (300 MG) ..... 165, 166  
 COSENTYX SENSOREADY PEN 165, 166  
 COSENTYX UNOREADY ..... 165, 166  
 COTELLIC ..... 263, 265  
 cromolyn sodium inhalation nebulization solution 20 mg/2ml ..... 377  
 CUVRIOR ..... 338  
 cyclophosphamide oral capsule 25 mg, 50 mg ..... 377  
 cyclophosphamide oral tablet 25 mg, 50 mg ..... 377  
 cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg ..... 377  
 cyclosporine modified oral solution 100 mg/ml ..... 377  
 cyclosporine oral capsule 100 mg, 25 mg 377  
 cyproheptadine hcl oral ..... 210, 211  
 CYSTAGON ..... 167  
 CYSTARAN ..... 168  
**D**  
 dalfampridine er ..... 169  
 DANZITEN ..... 263, 265  
 dasatinib ..... 263, 265  
 DAURISMO ..... 263, 265  
 deferasirox ..... 170  
 deferasirox granules ..... 170  
 deferiprone ..... 171  
 DIACOMIT ..... 172  
 dichlorphenamide ..... 173  
 DIFICID ..... 174  
 dihydroergotamine mesylate nasal ..... 175

dimethyl fumarate oral capsule delayed  
 release 120 mg, 240 mg ..... 246, 247  
 dimethyl fumarate starter pack oral capsule  
 delayed release therapy pack ..... 246, 247  
 diphenoxylate-atropine oral liquid.. 210, 211  
 diphenoxylate-atropine oral tablet 2.5-0.025  
 mg ..... 210, 211  
 dipyridamole oral ..... 210, 211  
 DOPTELET ..... 176  
 doxepin hcl external..... 177  
 dronabinol oral capsule 10 mg, 2.5 mg, 5 mg  
 ..... 377  
 DUPIXENT SUBCUTANEOUS  
 SOLUTION AUTO-INJECTOR 178, 179  
 DUPIXENT SUBCUTANEOUS  
 SOLUTION PREFILLED SYRINGE 178,  
 179  
**E**  
 EGRIFTA SV..... 180  
 EGRIFTA WR ..... 180  
 ELIGARD ..... 202  
 eltrombopag olamine oral packet 12.5 mg,  
 25 mg ..... 288  
 eltrombopag olamine oral tablet 12.5 mg, 25  
 mg, 50 mg, 75 mg ..... 288  
 EMEND ORAL SUSPENSION  
 RECONSTITUTED 125 MG/5ML .... 377  
 EMGALITY ..... 157, 158  
 EMGALITY (300 MG DOSE) ..... 157, 158  
 EMSAM..... 181  
 ENBREL MINI..... 182  
 ENBREL SUBCUTANEOUS SOLUTION  
 25 MG/0.5ML ..... 182  
 ENBREL SUBCUTANEOUS SOLUTION  
 PREFILLED SYRINGE ..... 182  
 ENBREL SURECLICK SUBCUTANEOUS  
 SOLUTION AUTO-INJECTOR ..... 182  
 ENGERIX-B INJECTION SUSPENSION  
 20 MCG/ML ..... 377  
 ENGERIX-B INJECTION SUSPENSION  
 PREFILLED SYRINGE 10 MCG/0.5ML,  
 20 MCG/ML ..... 377  
 ENTYVIO PEN ..... 184

ENVARSUS XR ORAL TABLET  
 EXTENDED RELEASE 24 HOUR 0.75  
 MG, 1 MG, 4 MG ..... 377  
 EPIDIOLEX..... 185  
 EPOGEN INJECTION SOLUTION 10000  
 UNIT/ML, 2000 UNIT/ML, 20000  
 UNIT/ML, 3000 UNIT/ML, 4000  
 UNIT/ML ..... 187  
 EPRONTIA..... 186  
 ergotamine-caffeine ..... 210, 211  
 ERIVEDGE..... 263, 265  
 ERLEADA ..... 263, 265  
 erlotinib hcl ..... 263, 265  
 ERZOFRI INTRAMUSCULAR  
 SUSPENSION PREFILLED SYRINGE  
 117 MG/0.75ML, 156 MG/ML, 234  
 MG/1.5ML, 351 MG/2.25ML, 39  
 MG/0.25ML, 78 MG/0.5ML ..... 188  
 estradiol oral..... 212  
 estradiol transdermal patch twice weekly 212  
 estradiol transdermal patch weekly ..... 212  
 eszopiclone..... 215  
 EUCRISA ..... 189  
 EULEXIN ..... 263, 265  
 everolimus oral tablet 0.25 mg, 0.5 mg, 0.75  
 mg, 1 mg ..... 377  
 everolimus oral tablet 10 mg, 2.5 mg, 5 mg,  
 7.5 mg ..... 263, 265  
 everolimus oral tablet soluble ..... 263, 265  
 EVRYSDI ..... 190  
**F**  
 FABHALTA ..... 191  
 FANAPT ..... 266  
 FANAPT TITRATION PACK A ..... 266  
 FANAPT TITRATION PACK B ORAL  
 TABLET ..... 266  
 FANAPT TITRATION PACK C ORAL  
 TABLET ..... 266  
 FASENRA ..... 192  
 FASENRA PEN..... 192  
 fentanyl citrate buccal lozenge on a handle  
 ..... 193  
 fidaxomicin ..... 174  
 FILSPARI ..... 194

fingolimod hcl ..... 246, 247  
 FINTEPLA..... 195  
 FIRDAPSE..... 196  
 FIRMAGON (240 MG DOSE)..... 202  
 FIRMAGON SUBCUTANEOUS  
     SOLUTION RECONSTITUTED 80 MG  
     ..... 202  
 flucytosine oral..... 197  
 fluorouracil external cream 0.5 %..... 198  
 formoterol fumarate inhalation nebulization  
     solution 20 mcg/2ml ..... 377  
 FOTIVDA ..... 263, 265  
 FRUZAQLA ..... 263, 265  
 FULPHILA ..... 356  
 FYLNETRA..... 356  
**G**  
 GALAFOLD ..... 199  
 GAMMAGARD INJECTION SOLUTION  
     1 GM/10ML, 10 GM/100ML, 2.5  
     GM/25ML, 20 GM/200ML, 30  
     GM/300ML, 5 GM/50ML ..... 377  
 GAMMAGARD S/D LESS IGA  
     INTRAVENOUS SOLUTION  
     RECONSTITUTED 10 GM, 5 GM .... 377  
 GAMMAKED INJECTION SOLUTION 1  
     GM/10ML ..... 377  
 GAMMAPLEX INTRAVENOUS  
     SOLUTION 10 GM/100ML, 10  
     GM/200ML, 20 GM/200ML, 5  
     GM/50ML ..... 377  
 GAMUNEX-C INJECTION SOLUTION 1  
     GM/10ML ..... 377  
 GATTEX..... 200  
 GAVRETO ..... 263, 265  
 gefitinib ..... 263, 265  
 GENGRAF ORAL CAPSULE 100 MG, 25  
     MG ..... 377  
 GENGRAF ORAL SOLUTION 100  
     MG/ML ..... 377  
 GENOTROPIN MINISQUICK  
     SUBCUTANEOUS PREFILLED  
     SYRINGE ..... 204, 205  
 GENOTROPIN SUBCUTANEOUS  
     CARTRIDGE..... 204, 205

GILOTRIF ..... 263, 265  
 GLASSIA..... 138  
 glatiramer acetate subcutaneous solution  
     prefilled syringe 20 mg/ml, 40 mg/ml 246,  
     247  
 GLATOPA SUBCUTANEOUS  
     SOLUTION PREFILLED SYRINGE 20  
     MG/ML, 40 MG/ML ..... 246, 247  
 glyburide micronized oral tablet 1.5 mg, 3  
     mg, 6 mg ..... 210, 211  
 glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg  
     ..... 210, 211  
 glyburide-metformin oral tablet 1.25-250  
     mg, 2.5-500 mg ..... 210, 211  
 glyburide-metformin oral tablet 5-500 mg  
     ..... 210, 211  
 GOCOVRI ..... 203  
 GOMEKLI ..... 263, 265  
 granisetron hcl oral tablet 1 mg ..... 377  
 guanfacine hcl er ..... 210, 211  
 guanfacine hcl oral ..... 210, 211  
**H**  
 HADLIMA..... 206, 207  
 HADLIMA PUSH TOUCH..... 206, 207  
 HAEGARDA ..... 208  
 HEPLISAV-B INTRAMUSCULAR  
     SOLUTION PREFILLED SYRINGE 20  
     MCG/0.5ML ..... 377  
 HETLIOZ LQ ..... 209  
 HUMATROPE INJECTION CARTRIDGE  
     ..... 204, 205  
 HUMIRA (1 PEN) ..... 216, 217  
 HUMIRA (2 PEN) SUBCUTANEOUS  
     AUTO-INJECTOR KIT..... 216, 217  
 HUMIRA (2 SYRINGE)  
     SUBCUTANEOUS PREFILLED  
     SYRINGE KIT 10 MG/0.1ML, 20  
     MG/0.2ML, 40 MG/0.4ML, 40  
     MG/0.8ML ..... 216, 217  
 HUMIRA-CD/UC/HS STARTER  
     SUBCUTANEOUS AUTO-INJECTOR  
     KIT 80 MG/0.8ML ..... 216, 217

HUMIRA-PED $\geq$ 40KG UC STARTER  
SUBCUTANEOUS AUTO-INJECTOR  
KIT ..... 216, 217

HUMIRA-PSORIASIS/UVEIT STARTER  
SUBCUTANEOUS AUTO-INJECTOR  
KIT ..... 216, 217

hydroxyzine hcl oral syrup..... 210, 211

hydroxyzine hcl oral tablet 25 mg, 50 mg  
..... 210, 211

HYFTOR..... 218

**I**

IBRANCE..... 263, 265

IBTROZI..... 263, 265

icatibant acetate subcutaneous solution  
prefilled syringe ..... 219

ICLUSIG..... 263, 265

IDHIFA..... 263, 265

ILARIS SUBCUTANEOUS SOLUTION  
..... 220

ILUMYA..... 221

imatinib mesylate oral..... 263, 265

IMBRUVICA ORAL CAPSULE..... 222

IMBRUVICA ORAL SUSPENSION.... 263,  
265

IMBRUVICA ORAL TABLET 140 MG,  
280 MG, 420 MG..... 222

imkeldi ..... 263, 265

IMOVAX RABIES INTRAMUSCULAR  
SUSPENSION RECONSTITUTED 2.5  
UNIT/ML..... 377

IMPAVIDO..... 223

INCRELEX..... 224

indomethacin oral capsule 25 mg, 50 mg  
..... 210, 211

INGREZZA ORAL CAPSULE..... 350

INGREZZA ORAL CAPSULE SPRINKLE  
..... 350

INGREZZA ORAL CAPSULE THERAPY  
PACK..... 350

INLYTA..... 263, 265

INQOVI ..... 263, 265

INREBIC..... 263, 265

INTRALIPID INTRAVENOUS  
EMULSION 20 %, 30 % ..... 377

INVEGA SUSTENNA  
INTRAMUSCULAR SUSPENSION  
PREFILLED SYRINGE 117  
MG/0.75ML, 156 MG/ML, 234  
MG/1.5ML, 39 MG/0.25ML, 78  
MG/0.5ML ..... 275

INVEGA TRINZA INTRAMUSCULAR  
SUSPENSION PREFILLED SYRINGE  
273 MG/0.88ML, 410 MG/1.32ML, 546  
MG/1.75ML, 819 MG/2.63ML ..... 275

ipratropium bromide inhalation solution  
0.02 % ..... 378

ipratropium-albuterol inhalation solution  
0.5-2.5 (3) mg/3ml ..... 378

ITOVEBI..... 263, 265

ivabradine hcl..... 163

IWILFIN ..... 263, 265

**J**

JAKAFI..... 225

JAYPIRCA ..... 263, 265

JYLAMVO ..... 226

**K**

KALYDECO..... 227

KERENDIA ..... 228, 229

KESIMPTA..... 246, 247

ketorolac tromethamine oral ..... 210, 211

KEVZARA ..... 230

KINERET SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE ..... 231

KISQALI (200 MG DOSE)..... 263, 265

KISQALI (400 MG DOSE)..... 263, 265

KISQALI (600 MG DOSE)..... 263, 265

KISQALI FEMARA (200 MG DOSE) . 263,  
265

KISQALI FEMARA (400 MG DOSE) . 263,  
265

KISQALI FEMARA (600 MG DOSE) . 263,  
265

KOSELUGO ..... 263, 265

KRAZATI..... 263, 265

**L**

lapatinib ditosylate ..... 263, 265

LAZCLUZE..... 263, 265

lenalidomide..... 263, 265

LENVIMA (10 MG DAILY DOSE) ..... 263, 265  
 LENVIMA (12 MG DAILY DOSE) ..... 263, 265  
 LENVIMA (14 MG DAILY DOSE) ..... 263, 265  
 LENVIMA (18 MG DAILY DOSE) ..... 263, 265  
 LENVIMA (20 MG DAILY DOSE) ..... 263, 265  
 LENVIMA (24 MG DAILY DOSE) ..... 263, 265  
 LENVIMA (4 MG DAILY DOSE) 263, 265  
 LENVIMA (8 MG DAILY DOSE) 263, 265  
 LEQSELVI ..... 232  
 LEUKERAN ..... 263, 265  
 LEUKINE INJECTION SOLUTION  
     RECONSTITUTED ..... 356  
 leuprolide acetate (3 month) ..... 202  
 levalbuterol hcl inhalation nebulization  
     solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25  
     mg/3ml ..... 378  
 l-glutamine oral packet ..... 183  
 LIBERVANT ..... 233  
 lidocaine external patch 5 % ..... 336  
 LITFULO ..... 234  
 LIVMARLI ..... 235  
 LIVTENCITY ..... 236  
 LODOCO ..... 237  
 lofexidine hcl ..... 238  
 LONSURF ..... 263, 265  
 LORBRENA ..... 263, 265  
 LUMAKRAS ..... 263, 265  
 LUPKYNIS ..... 239  
 LUPRON DEPOT (1-MONTH) ..... 202  
 LUPRON DEPOT (3-MONTH) ..... 202  
 LUPRON DEPOT (4-MONTH) ..... 202  
 LUPRON DEPOT (6-MONTH) ..... 202  
 LUTRATE DEPOT ..... 202  
 LYBALVI ..... 240  
 LYNPARZA ORAL TABLET ..... 263, 265  
 LYTGobi (12 MG DAILY DOSE) 263, 265  
 LYTGobi (16 MG DAILY DOSE) 263, 265  
 LYTGobi (20 MG DAILY DOSE) 264, 265

## M

MAVENCLAD (10 TABS) ..... 246, 247  
 MAVENCLAD (4 TABS) ..... 246, 247  
 MAVENCLAD (5 TABS) ..... 246, 247  
 MAVENCLAD (6 TABS) ..... 246, 247  
 MAVENCLAD (7 TABS) ..... 246, 247  
 MAVENCLAD (8 TABS) ..... 246, 247  
 MAVENCLAD (9 TABS) ..... 246, 247  
 MAVYRET ..... 241  
 MAYZENT ..... 246, 247  
 MAYZENT STARTER PACK ..... 246, 247  
 megestrol acetate oral suspension ... 210, 211  
 megestrol acetate oral tablet ..... 212  
 MEKINIST ..... 264, 265  
 MEKTOVI ..... 264, 265  
 MENEST ..... 212  
 mercaptopurine oral suspension ..... 264, 265  
 metaxalone oral tablet 800 mg ..... 214  
 methocarbamol oral tablet 500 mg, 750 mg  
     ..... 214  
 methyltestosterone oral ..... 242  
 metyrosine ..... 243  
 mifepristone oral tablet 300 mg ..... 244  
 miglustat ..... 245  
 modafinil oral ..... 252  
 MOUNJARO SUBCUTANEOUS  
     SOLUTION AUTO-INJECTOR ..... 201  
 mycophenolate mofetil oral capsule 250 mg  
     ..... 378  
 mycophenolate mofetil oral suspension  
     reconstituted 200 mg/ml ..... 378  
 mycophenolate mofetil oral tablet 500 mg  
     ..... 378  
 mycophenolate sodium oral tablet delayed  
     release 180 mg, 360 mg ..... 378  
 mycophenolic acid oral tablet delayed  
     release 180 mg, 360 mg ..... 378  
 MYFEMBREE ..... 248, 249  
**N**  
 NAYZILAM ..... 250  
 NERLYNX ..... 264, 265  
 NEULASTA ONPRO ..... 356  
 NEULASTA SUBCUTANEOUS  
     SOLUTION PREFILLED SYRINGE 356

|                                           |          |                                             |          |
|-------------------------------------------|----------|---------------------------------------------|----------|
| NEXLETOL.....                             | 133, 134 | OJJAARA .....                               | 264, 265 |
| NEXLIZET .....                            | 133, 134 | OMNITROPE SUBCUTANEOUS                      |          |
| NGENLA .....                              | 204, 205 | SOLUTION CARTRIDGE.....                     | 204, 205 |
| nifedipine oral .....                     | 210, 211 | OMNITROPE SUBCUTANEOUS                      |          |
| nilotinib d-tartrate .....                | 264, 265 | SOLUTION RECONSTITUTED.....                 | 204, 205 |
| nilotinib hcl .....                       | 264, 265 | ondansetron hcl oral solution 4 mg/5ml..    | 378      |
| nilutamide .....                          | 264, 265 | ondansetron hcl oral tablet 24 mg, 4 mg, 8  |          |
| NINLARO.....                              | 264, 265 | mg .....                                    | 378      |
| nitisinone.....                           | 251      | ondansetron oral tablet dispersible 4 mg, 8 |          |
| NIVESTYM.....                             | 356      | mg .....                                    | 378      |
| NORDITROPIN FLEXPRO                       |          | ONUREG.....                                 | 264, 265 |
| SUBCUTANEOUS SOLUTION PEN-                |          | OPDIVO QVANTIG .....                        | 261      |
| INJECTOR.....                             | 204, 205 | OPIZA ORAL FILM 10 MG, 2 MG, 5 MG           |          |
| NUBEQA.....                               | 264, 265 | .....                                       | 266      |
| NUCALA.....                               | 253, 254 | OPSUMIT .....                               | 262      |
| NUEDEXTA.....                             | 255      | ORENCIA CLICKJECT.....                      | 267      |
| NULOJIX INTRAVENOUS SOLUTION              |          | ORENCIA INTRAVENOUS .....                   | 267      |
| RECONSTITUTED 250 MG .....                | 378      | ORENCIA SUBCUTANEOUS SOLUTION               |          |
| NUPLAZID ORAL CAPSULE.....                | 256      | PREFILLED SYRINGE .....                     | 267      |
| NUPLAZID ORAL TABLET 10 MG....            | 256      | ORFADIN ORAL SUSPENSION.....                | 251      |
| NURTEC.....                               | 157, 158 | ORGOVYX.....                                | 264, 265 |
| NUTRILIPID INTRAVENOUS                    |          | ORIAHNN .....                               | 268      |
| EMULSION 20 %.....                        | 378      | ORILISSA.....                               | 269      |
| NUTROPIN AQ NUSPIN 10                     |          | ORKAMBI.....                                | 270      |
| SUBCUTANEOUS SOLUTION PEN-                |          | ORLADEYO.....                               | 208      |
| INJECTOR.....                             | 204, 205 | orphenadrine citrate er .....               | 214      |
| NUTROPIN AQ NUSPIN 20                     |          | ORSERDU .....                               | 264, 265 |
| SUBCUTANEOUS SOLUTION PEN-                |          | OSENVELT .....                              | 362      |
| INJECTOR.....                             | 204, 205 | OTEZLA .....                                | 271      |
| NUTROPIN AQ NUSPIN 5                      |          | OXERVATE .....                              | 272      |
| SUBCUTANEOUS SOLUTION PEN-                |          | oxycodone hcl er oral tablet er 12 hour     |          |
| INJECTOR.....                             | 204, 205 | abuse-deterrent 10 mg, 20 mg, 40 mg, 80     |          |
| NYVEPRIA .....                            | 356      | mg .....                                    | 273, 274 |
| <b>O</b>                                  |          | OXYCONTIN ORAL TABLET ER 12                 |          |
| OALIVA.....                               | 257      | HOUR ABUSE-DETERRENT 10 MG,                 |          |
| OCREVUS ZUNOVO .....                      | 258      | 15 MG, 20 MG, 30 MG, 40 MG, 60 MG,          |          |
| octreotide acetate injection solution 100 |          | 80 MG .....                                 | 273, 274 |
| mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50       |          | OZEMPIC (0.25 OR 0.5 MG/DOSE)               |          |
| mcg/ml, 500 mcg/ml .....                  | 259      | SUBCUTANEOUS SOLUTION PEN-                  |          |
| octreotide acetate intramuscular .....    | 259      | INJECTOR 2 MG/3ML .....                     | 201      |
| ODOMZO .....                              | 264, 265 | OZEMPIC (1 MG/DOSE)                         |          |
| OFEV .....                                | 260      | SUBCUTANEOUS SOLUTION PEN-                  |          |
| OGSIVEO .....                             | 264, 265 | INJECTOR 4 MG/3ML .....                     | 201      |
| OJEMDA .....                              | 264, 265 | OZEMPIC (2 MG/DOSE) .....                   | 201      |

**P**

|                                                                                            |          |
|--------------------------------------------------------------------------------------------|----------|
| PANRETIN.....                                                                              | 334      |
| pazopanib hcl .....                                                                        | 264, 265 |
| PEGASYS SUBCUTANEOUS SOLUTION<br>180 MCG/ML .....                                          | 278      |
| PEGASYS SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE .....                                   | 278      |
| PEMAZYRE .....                                                                             | 264, 265 |
| penicillamine oral tablet.....                                                             | 279      |
| pentamidine isethionate inhalation solution<br>reconstituted 300 mg .....                  | 378      |
| pentamidine isethionate injection .....                                                    | 280      |
| perphenazine-amitriptyline .....                                                           | 212      |
| PERSERIS .....                                                                             | 281      |
| phenobarbital oral elixir 20 mg/5ml .....                                                  | 212      |
| phenobarbital oral tablet .....                                                            | 212      |
| phenoxybenzamine hcl oral .....                                                            | 282      |
| PIASKY .....                                                                               | 283      |
| PIQRAY (200 MG DAILY DOSE) 264, 265                                                        |          |
| PIQRAY (250 MG DAILY DOSE) 264, 265                                                        |          |
| PIQRAY (300 MG DAILY DOSE) 264, 265                                                        |          |
| pirfenidone .....                                                                          | 284      |
| PLENAMINE INTRAVENOUS<br>SOLUTION 15 % .....                                               | 378      |
| POMALYST .....                                                                             | 264, 265 |
| PONVORY .....                                                                              | 246, 247 |
| PONVORY STARTER PACK.....                                                                  | 246, 247 |
| posaconazole oral.....                                                                     | 285      |
| PRALUENT SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 276, 277                                   |          |
| PREHEVBRIO INTRAMUSCULAR<br>SUSPENSION 10 MCG/ML .....                                     | 378      |
| PREMARIN ORAL .....                                                                        | 212      |
| pretomanid .....                                                                           | 286      |
| PREVYMIS ORAL .....                                                                        | 287      |
| PRIVIGEN INTRAVENOUS SOLUTION<br>10 GM/100ML, 20 GM/200ML, 40<br>GM/400ML, 5 GM/50ML ..... | 378      |
| PROCRIT.....                                                                               | 187      |
| PROGRAF INTRAVENOUS SOLUTION 5<br>MG/ML .....                                              | 378      |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG<br>.....                                                  | 378      |

**PROLASTIN-C INTRAVENOUS**

|                                                                                         |          |
|-----------------------------------------------------------------------------------------|----------|
| SOLUTION.....                                                                           | 138      |
| promethazine hcl oral solution 6.25 mg/5ml<br>.....                                     | 210, 211 |
| promethazine hcl oral syrup.....                                                        | 210, 211 |
| promethazine hcl oral tablet.....                                                       | 210, 211 |
| promethazine hcl rectal suppository 12.5<br>mg, 25 mg .....                             | 210, 211 |
| promethazine-phenylephrine.....                                                         | 210, 211 |
| PROMETHEGAN RECTAL<br>SUPPOSITORY 50 MG .....                                           | 210, 211 |
| PULMOZYME INHALATION<br>SOLUTION 2.5 MG/2.5ML .....                                     | 378      |
| PYRUKYND .....                                                                          | 289      |
| PYRUKYND TAPER PACK.....                                                                | 289      |
| <b>Q</b>                                                                                |          |
| QINLOCK.....                                                                            | 264, 265 |
| QULIPTA .....                                                                           | 157, 158 |
| <b>R</b>                                                                                |          |
| RABAVERT INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED... 378                               |          |
| RADICAVA ORS.....                                                                       | 290      |
| RADICAVA ORS STARTER KIT .....                                                          | 290      |
| RAVICTI .....                                                                           | 291      |
| REBIF REBIDOSE SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 246, 247                          |          |
| REBIF REBIDOSE TITRATION PACK<br>SUBCUTANEOUS SOLUTION AUTO-<br>INJECTOR.....           | 246, 247 |
| REBIF SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE .....                                  | 246, 247 |
| REBIF TITRATION PACK<br>SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE .....                | 246, 247 |
| RECOMBIVAX HB INJECTION<br>SUSPENSION 10 MCG/ML, 40<br>MCG/ML, 5 MCG/0.5ML .....        | 378      |
| RECOMBIVAX HB INJECTION<br>SUSPENSION PREFILLED SYRINGE<br>10 MCG/ML, 5 MCG/0.5ML ..... | 378      |
| RECORLEV .....                                                                          | 292      |
| releuko subcutaneous .....                                                              | 356      |
| RELISTOR ORAL.....                                                                      | 293      |

RELISTOR SUBCUTANEOUS  
 SOLUTION..... 293  
 REPATHA ..... 276, 277  
 REPATHA PUSHTRONEX SYSTEM. 276,  
 277  
 REPATHA SURECLICK..... 276, 277  
 RETACRIT INJECTION SOLUTION  
 10000 UNIT/ML, 10000  
 UNIT/ML(1ML), 2000 UNIT/ML, 20000  
 UNIT/ML, 3000 UNIT/ML, 4000  
 UNIT/ML, 40000 UNIT/ML ..... 187  
 RETEVMO ..... 264, 265  
 REVLIMID ..... 264, 265  
 REVUFORJ ..... 264, 265  
 REXULTI ..... 294  
 REZLIDHIA ..... 264, 265  
 REZUROCK..... 295  
 RINVOQ..... 296, 297  
 RINVOQ LQ..... 296, 297  
 ROMVIMZA ..... 264, 265  
 ROZLYTREK..... 264, 265  
 RUBRACA ..... 264, 265  
 rufinamide oral suspension ..... 298  
 rufinamide oral tablet..... 298  
 RYBELSUS ..... 201  
 RYBELSUS (FORMULATION R2)..... 201  
 RYDAPT..... 264, 265  
 RYKINDO ..... 299  
 RYLAZE..... 300  
**S**  
 SANDIMMUNE ORAL SOLUTION 100  
 MG/ML ..... 378  
 sapropterin dihydrochloride oral packet . 301  
 sapropterin dihydrochloride oral tablet... 301  
 SCEMBLIX ..... 264, 265  
 SECUADO..... 302  
 SEROSTIM SUBCUTANEOUS  
 SOLUTION RECONSTITUTED 4 MG,  
 5 MG, 6 MG..... 303  
 SIGNIFOR ..... 304  
 sildenafil citrate oral suspension  
 reconstituted..... 305  
 sildenafil citrate oral tablet 20 mg ..... 305  
 SILIQ ..... 306

SIMPONI SUBCUTANEOUS SOLUTION  
 AUTO-INJECTOR ..... 307, 308  
 SIMPONI SUBCUTANEOUS SOLUTION  
 PREFILLED SYRINGE ..... 307, 308  
 sirolimus oral solution 1 mg/ml ..... 378  
 sirolimus oral tablet 0.5 mg, 1 mg, 2 mg 378  
 SIRTURO ..... 309  
 SKYRIZI..... 310  
 SKYRIZI PEN ..... 310  
 SKYTROFA SUBCUTANEOUS  
 CARTRIDGE 11 MG, 13.3 MG, 3 MG,  
 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6  
 MG, 9.1 MG..... 204, 205  
 sodium oxybate ..... 311  
 sodium phenylbutyrate oral powder 3 gm/tsp  
 ..... 312  
 sodium phenylbutyrate oral tablet..... 312  
 sofosbuvir-velpatasvir ..... 313  
 SOLTAMOX ..... 264, 265  
 SOMAVERT..... 314  
 sorafenib tosylate ..... 264, 265  
 SOTYKTU..... 315  
 STELARA INTRAVENOUS ..... 316  
 STELARA SUBCUTANEOUS  
 SOLUTION 45 MG/0.5ML ..... 316  
 STELARA SUBCUTANEOUS  
 SOLUTION PREFILLED SYRINGE 316  
 STIMUFEND..... 356  
 STIVARGA ..... 264, 265  
 SUCRAID ..... 317  
 sunitinib malate ..... 264, 265  
 SYMDEKO..... 318  
 SYMLINPEN 120 SUBCUTANEOUS  
 SOLUTION PEN-INJECTOR..... 319  
 SYMLINPEN 60 SUBCUTANEOUS  
 SOLUTION PEN-INJECTOR..... 319  
 SYNAREL ..... 320  
**T**  
 TABLOID ..... 264, 265  
 TABRECTA ..... 264, 265  
 tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg  
 ..... 378  
 tadalafil (pah) ..... 321  
 tadalafil oral tablet 5 mg ..... 322

|                                             |          |                                         |          |
|---------------------------------------------|----------|-----------------------------------------|----------|
| TADLIQ.....                                 | 321      | trientine hcl oral capsule 250 mg ..... | 338      |
| TAFINLAR.....                               | 264, 265 | trihexyphenidyl hcl .....               | 210, 211 |
| TAGRISSO .....                              | 264, 265 | TRIKAFTA.....                           | 339      |
| TALTZ.....                                  | 323      | TRULICITY SUBCUTANEOUS                  |          |
| TALZENNA .....                              | 264, 265 | SOLUTION AUTO-INJECTOR .....            | 201      |
| TARPEYO .....                               | 324      | TRUQAP.....                             | 264, 265 |
| TASCENSO ODT.....                           | 246, 247 | TUKYSA .....                            | 264, 265 |
| tasimelteon .....                           | 209      | TURALIO ORAL CAPSULE 125 MG. 264,       | 265      |
| TAVNEOS.....                                | 325, 326 | TYMLOS .....                            | 340      |
| TAZVERIK.....                               | 264, 265 | TYVASO DPI MAINTENANCE KIT              |          |
| TECENTRIQ HYBREZA .....                     | 327      | INHALATION POWDER 16 MCG, 32            |          |
| TEFLARO.....                                | 328      | MCG, 48 MCG, 64 MCG .....               | 341      |
| temazepam .....                             | 215      | TYVASO DPI TITRATION KIT                |          |
| TENIVAC INTRAMUSCULAR                       |          | INHALATION POWDER 16 & 32 & 48          |          |
| INJECTABLE 5-2 LFU, 5-2 LFU                 |          | MCG .....                               | 341      |
| (INJECTION) .....                           | 378      | U                                       |          |
| TEPEZZA .....                               | 329      | UBRELVY.....                            | 157, 158 |
| TEPMETKO .....                              | 264, 265 | UDENYCA.....                            | 356      |
| teriflunomide.....                          | 246, 247 | UDENYCA ONBODY .....                    | 356      |
| teriparatide subcutaneous solution pen-     |          | UPTRAVI ORAL .....                      | 342      |
| injector 560 mcg/2.24ml .....               | 330      | UPTRAVI TITRATION.....                  | 342      |
| testosterone transdermal gel 1.62 %, 12.5   |          | UZEDY .....                             | 343      |
| mg/act (1%), 20.25 mg/1.25gm (1.62%),       |          | V                                       |          |
| 20.25 mg/act (1.62%), 25 mg/2.5gm           |          | VALCHLOR.....                           | 344      |
| (1%), 40.5 mg/2.5gm (1.62%), 50             |          | VALTOCO 10 MG DOSE.....                 | 250      |
| mg/5gm (1%) .....                           | 335      | VALTOCO 15 MG DOSE NASAL                |          |
| testosterone transdermal solution.....      | 335      | LIQUID THERAPY PACK 2 X 7.5             |          |
| tetrabenazine .....                         | 350      | MG/0.1ML .....                          | 250      |
| THALOMID .....                              | 264, 265 | VALTOCO 20 MG DOSE NASAL                |          |
| TIBSOVO .....                               | 264, 265 | LIQUID THERAPY PACK 2 X 10              |          |
| tigecycline .....                           | 332      | MG/0.1ML .....                          | 250      |
| tiopronin oral.....                         | 331      | VALTOCO 5 MG DOSE.....                  | 250      |
| tobramycin inhalation nebulization solution |          | VANFLYTA .....                          | 264, 265 |
| 300 mg/4ml, 300 mg/5ml.....                 | 378      | VEMLIDY .....                           | 345      |
| tolvaptan.....                              | 333      | VENCLEXTA.....                          | 264, 265 |
| topiramate oral solution .....              | 186      | VENCLEXTA STARTING PACK 264, 265        |          |
| toremifene citrate .....                    | 264, 265 | VENTAVIS.....                           | 346      |
| TRELSTAR MIXJECT .....                      | 202      | VEOZAH .....                            | 347      |
| TREMFYA CROHNS INDUCTION .....              | 337      | VERZENIO.....                           | 264, 265 |
| TREMFYA ONE-PRESS .....                     | 337      | VICTOZA SUBCUTANEOUS SOLUTION           |          |
| TREMFYA PEN.....                            | 337      | PEN-INJECTOR.....                       | 201      |
| TREMFYA SUBCUTANEOUS                        |          | vigabatrin .....                        | 348      |
| SOLUTION PREFILLED SYRINGE .....            | 337      | VIGAFYDE .....                          | 348      |
| tretinoin oral.....                         | 264, 265 |                                         |          |

|                                  |          |                                           |          |
|----------------------------------|----------|-------------------------------------------|----------|
| VIJOICE .....                    | 349      | XPOVIO (60 MG TWICE WEEKLY)..             | 264, 265 |
| VITRAKVI .....                   | 264, 265 | XPOVIO (80 MG ONCE WEEKLY) ORAL           |          |
| VIZIMPRO .....                   | 264, 265 | TABLET THERAPY PACK 40 MG.                | 264, 265 |
| VONJO .....                      | 264, 265 | XPOVIO (80 MG TWICE WEEKLY)..             | 264, 265 |
| VORANIGO .....                   | 264, 265 | XTANDI .....                              | 264, 265 |
| voriconazole intravenous .....   | 351      | XYWAV .....                               | 367      |
| VOSEVI.....                      | 352      | <b>Y</b>                                  |          |
| VOWST .....                      | 353      | YONSA.....                                | 264, 265 |
| VRAYLAR ORAL CAPSULE.....        | 266      | YORVIPATH .....                           | 368      |
| <b>W</b>                         |          | YUTREPIA.....                             | 369      |
| WEGOVY SUBCUTANEOUS SOLUTION     |          | <b>Z</b>                                  |          |
| AUTO-INJECTOR 0.25 MG/0.5ML, 0.5 |          | zaleplon .....                            | 215      |
| MG/0.5ML, 1 MG/0.5ML, 1.7        |          | ZARXIO .....                              | 356      |
| MG/0.75ML, 2.4 MG/0.75ML ...     | 354, 355 | ZAVZPRET .....                            | 157, 158 |
| WELIREG.....                     | 264, 265 | ZEJULA ORAL TABLET.....                   | 264, 265 |
| WYOST .....                      | 362      | ZELBORAF .....                            | 264, 265 |
| <b>X</b>                         |          | ZEMAIRA .....                             | 138      |
| XALKORI.....                     | 264, 265 | ZEPBOUND SUBCUTANEOUS                     |          |
| XATMEP .....                     | 357      | SOLUTION AUTO-INJECTOR                    | 370, 371 |
| XDEMVY .....                     | 358      | ZEPOSIA .....                             | 372      |
| XELJANZ .....                    | 359, 360 | ZEPOSIA 7-DAY STARTER PACK....            | 372      |
| XELJANZ XR .....                 | 359, 360 | ZEPOSIA STARTER KIT ORAL                  |          |
| XERMELO .....                    | 361      | CAPSULE THERAPY PACK 0.23MG               |          |
| XGEVA.....                       | 362      | &0.46MG 0.92MG(21).....                   | 372      |
| XIFAXAN.....                     | 363      | ZIEXTENZO .....                           | 356      |
| XOLAIR .....                     | 364, 365 | ZILBRYSQ.....                             | 373      |
| XOLREMDI .....                   | 366      | ZOLINZA .....                             | 264, 265 |
| XOSPATA .....                    | 264, 265 | zolpidem tartrate er .....                | 215      |
| XPOVIO (100 MG ONCE WEEKLY)      |          | zolpidem tartrate oral tablet 10 mg ..... | 215      |
| ORAL TABLET THERAPY PACK 50      |          | ZTALMY .....                              | 374      |
| MG .....                         | 264, 265 | ZTLIDO .....                              | 336      |
| XPOVIO (40 MG ONCE WEEKLY) ORAL  |          | ZURZUVAE.....                             | 375      |
| TABLET THERAPY PACK 10 MG, 40    |          | ZYDELIG .....                             | 264, 265 |
| MG .....                         | 264, 265 | ZYKADIA ORAL TABLET .....                 | 264, 265 |
| XPOVIO (40 MG TWICE WEEKLY)      |          | ZYPREXA RELPREVV                          |          |
| ORAL TABLET THERAPY PACK 40      |          | INTRAMUSCULAR SUSPENSION                  |          |
| MG .....                         | 264, 265 | RECONSTITUTED 210 MG, 300 MG,             |          |
| XPOVIO (60 MG ONCE WEEKLY) ORAL  |          | 405 MG .....                              | 376      |
| TABLET THERAPY PACK 60 MG.       | 264, 265 |                                           |          |

## 2025 Troy Medicare

### 2025 Step Therapy Criteria

CURRENT AS OF 10/01/2025

## anticonvulsant step therapy

### Products Affected

- FYCOMPA SUSPENSION 0.5 MG/ML ORAL
- *perampanel tablet 10 mg oral*
- *perampanel tablet 12 mg oral*
- *perampanel tablet 2 mg oral*
- *perampanel tablet 4 mg oral*
- *perampanel tablet 6 mg oral*
- *perampanel tablet 8 mg oral*
- SPRITAM TABLET DISINTEGRATING SOLUBLE 250 MG ORAL
- SPRITAM TABLET DISINTEGRATING SOLUBLE 500 MG ORAL
- SYMPAZAN FILM 10 MG ORAL
- SYMPAZAN FILM 20 MG ORAL
- SYMPAZAN FILM 5 MG ORAL
- XCOPRI (250 MG DAILY DOSE) TABLET THERAPY PACK 100 & 150 MG ORAL
- XCOPRI (350 MG DAILY DOSE) TABLET THERAPY PACK 150 & 200 MG ORAL
- XCOPRI TABLET 100 MG ORAL
- XCOPRI TABLET 150 MG ORAL
- XCOPRI TABLET 200 MG ORAL
- XCOPRI TABLET 25 MG ORAL
- XCOPRI TABLET 50 MG ORAL
- XCOPRI TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG ORAL
- XCOPRI TABLET THERAPY PACK 14 X 150 MG & 14 X 200 MG ORAL
- XCOPRI TABLET THERAPY PACK 14 X 50 MG & 14 X 100 MG ORAL
- ZONISADE SUSPENSION 100 MG/5ML ORAL

### Details

|          |                                                                                                                                                                                                                                                                                                                       |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of two generic anticonvulsants. Step 2: Once two generic anticonvulsants have been tried, failed, or contraindicated patients can receive therapy with Spritam, Sympazan, Xcopri, generic perampanel or Zonisade oral solution. |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## antidepressant step therapy

---

### Products Affected

- FETZIMA CAPSULE EXTENDED RELEASE 24 HOUR 120 MG ORAL
- FETZIMA CAPSULE EXTENDED RELEASE 24 HOUR 20 MG ORAL
- FETZIMA CAPSULE EXTENDED RELEASE 24 HOUR 40 MG ORAL
- FETZIMA CAPSULE EXTENDED RELEASE 24 HOUR 80 MG ORAL
- FETZIMA TITRATION CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG ORAL

### Details

|          |                                                                                                                                                                                                                                                                                                                 |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of either (1) two generic antidepressants OR (2) Drizalma and one generic antidepressant. Step 2: Once two step one antidepressants have been tried, failed, or contraindicated patient can receive therapy with Fetzima. |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# brinzolamide step therapy

---

## Products Affected

- *brinzolamide suspension 1 % ophthalmic*

## Details

|          |                                                                                                                                                                                                                                                                                      |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of formulary dorzolamide or dorzolamide/timolol. Step 2: Once dorzolamide or dorzolamide/timolol has been tried, failed, or contraindicated the patient can receive therapy with brinzolamide. |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# febuxostat step therapy

---

## Products Affected

- *febuxostat tablet 40 mg oral*
- *febuxostat tablet 80 mg oral*

## Details

|          |                                                                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of allopurinol tablet. Step 2: Once allopurinol tablet has been tried, failed, or contraindicated patients can receive therapy with Febuxostat. |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# netarsudil step therapy

---

## Products Affected

- RHOPRESSA SOLUTION 0.02 %  
OPHTHALMIC
- ROCKLATAN SOLUTION 0.02-0.005 %  
OPHTHALMIC

## Details

|          |                                                                                                                                                                                                                                                                 |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of latanoprost or travoprost. Step 2: Once latanoprost or travoprost has been tried, failed, or contraindicated patients can receive therapy with Rhopressa or Rocklatan. |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# ongentys step therapy

---

## Products Affected

- ONGENTYS CAPSULE 25 MG ORAL
- ONGENTYS CAPSULE 50 MG ORAL

## Details

|          |                                                                                                                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of entacapone or carbidopa-levodopa-entacapone. Step 2: Once entacapone or carbidopa-levodopa-entacapone has been tried, failed, or contraindicated patients can receive therapy with Ongentys. |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## savella step therapy

---

### Products Affected

- SAVELLA TABLET 100 MG ORAL
- SAVELLA TABLET 12.5 MG ORAL
- SAVELLA TABLET 25 MG ORAL
- SAVELLA TABLET 50 MG ORAL
- SAVELLA TITRATION PACK 12.5 & 25 & 50 MG ORAL

### Details

|          |                                                                                                                                                                                                                                               |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication to duloxetine or pregabalin. Step 2: Once duloxetine or pregabalin has been tried, failed or contraindicated patients can receive therapy with Savella. |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# topical immunomodulators step therapy

---

## Products Affected

- *pimecrolimus cream 1 % external*
- *tacrolimus ointment 0.03 % external*
- *tacrolimus ointment 0.1 % external*

## Details

|          |                                                                                                                                                                                                                                                                                                  |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure, or contraindication of two topical corticosteroids. Step 2: Once two topical corticosteroids have been tried, failed, or contraindicated patients can receive therapy with generic pimecrolimus or generic topical tacrolimus. |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# urinary incontinence agents step therapy

## Products Affected

- *darifenacin hydrobromide er tablet extended release 24 hour 15 mg oral*
- *darifenacin hydrobromide er tablet extended release 24 hour 7.5 mg oral*
- *trospium chloride er capsule extended release 24 hour 60 mg oral*

## Details

|          |                                                                                                                                                                                                                                                                                                                                                                                     |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step 1: First line therapy should be a documented trial, failure or contraindication of 2 of the following: oxybutynin, oxybutynin ER, trospium, tolterodine, tolterodine ER, fesoterodine ER, or solifenacin.<br>Step 2: Once two of the medications listed in Step 1 have been tried, failed, or contraindicated, patients can receive therapy with trospium ER or darifenacin ER |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Index

### B

brinzolamide suspension 1 % ophthalmic 392

### D

darifenacin hydrobromide er tablet extended  
release 24 hour 15 mg oral..... 398  
darifenacin hydrobromide er tablet extended  
release 24 hour 7.5 mg oral..... 398

### F

febuxostat tablet 40 mg oral..... 393

febuxostat tablet 80 mg oral..... 393

FETZIMA CAPSULE EXTENDED

RELEASE 24 HOUR 120 MG ORAL 391

FETZIMA CAPSULE EXTENDED

RELEASE 24 HOUR 20 MG ORAL . 391

FETZIMA CAPSULE EXTENDED

RELEASE 24 HOUR 40 MG ORAL . 391

FETZIMA CAPSULE EXTENDED

RELEASE 24 HOUR 80 MG ORAL . 391

FETZIMA TITRATION CAPSULE ER 24

HOUR THERAPY PACK 20 & 40 MG

ORAL..... 391

FYCOMPA SUSPENSION 0.5 MG/ML

ORAL..... 390

### O

ONGENTYS CAPSULE 25 MG ORAL 395

ONGENTYS CAPSULE 50 MG ORAL 395

### P

perampanel tablet 10 mg oral..... 390

perampanel tablet 12 mg oral..... 390

perampanel tablet 2 mg oral..... 390

perampanel tablet 4 mg oral..... 390

perampanel tablet 6 mg oral..... 390

perampanel tablet 8 mg oral..... 390

pimecrolimus cream 1 % external..... 397

### R

RHOPRESSA SOLUTION 0.02 %

OPHTHALMIC ..... 394

ROCKLATAN SOLUTION 0.02-0.005 %

OPHTHALMIC ..... 394

### S

SAVELLA TABLET 100 MG ORAL.... 396

SAVELLA TABLET 12.5 MG ORAL... 396

SAVELLA TABLET 25 MG ORAL..... 396

SAVELLA TABLET 50 MG ORAL..... 396

SAVELLA TITRATION PACK 12.5 & 25

& 50 MG ORAL ..... 396

SPRITAM TABLET DISINTEGRATING

SOLUBLE 250 MG ORAL ..... 390

SPRITAM TABLET DISINTEGRATING

SOLUBLE 500 MG ORAL ..... 390

SYMPAZAN FILM 10 MG ORAL..... 390

SYMPAZAN FILM 20 MG ORAL..... 390

SYMPAZAN FILM 5 MG ORAL..... 390

### T

tacrolimus ointment 0.03 % external ..... 397

tacrolimus ointment 0.1 % external ..... 397

trospium chloride er capsule extended

release 24 hour 60 mg oral..... 398

### X

XCOPRI (250 MG DAILY DOSE)

TABLET THERAPY PACK 100 & 150

MG ORAL ..... 390

XCOPRI (350 MG DAILY DOSE)

TABLET THERAPY PACK 150 & 200

MG ORAL ..... 390

XCOPRI TABLET 100 MG ORAL ..... 390

XCOPRI TABLET 150 MG ORAL ..... 390

XCOPRI TABLET 200 MG ORAL ..... 390

XCOPRI TABLET 25 MG ORAL ..... 390

XCOPRI TABLET 50 MG ORAL ..... 390

XCOPRI TABLET THERAPY PACK 14 X

12.5 MG & 14 X 25 MG ORAL..... 390

XCOPRI TABLET THERAPY PACK 14 X

150 MG & 14 X 200 MG ORAL..... 390

XCOPRI TABLET THERAPY PACK 14 X

50 MG & 14 X 100 MG ORAL..... 390

### Z

ZONISADE SUSPENSION 100 MG/5ML

ORAL..... 390



**Troy Medicare for Dual-eligible Beneficiaries (HMO D-SNP)/Troy  
Medicare (HMO)**

**2025 Formulary**

List of Covered Drugs

Formulary ID#: 25405

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN

This formulary was updated on 9/30/2025. For more recent information or other questions, please contact Pharmacy Member Service at 1-866-423-8065 (TTY users should call 711), Monday through Sunday, 24 hours a day, or visit <http://www.troymedicare.com>.

**Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information.

**Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on. You won't pay more than \$10 for a one-month supply of generic insulin products covered by our plan on Tier 1.