

SCS1800 Contractors-N Silicone Glazing Sealant

Product Certification

SCS1800 Contractors-N silicone glazing sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2015 standard. SCS1800 Contractors-N silicone glazing sealants are manufactured in the following Momentive facility:

Momentive Performance Materials
260 Hudson River Road
Waterford, NY 12188
USA

SCS1800 Contractors-N silicone glazing sealants conform to the typical performance properties as stated in its current product data sheet.

American Society for Testing & Materials International:

- ASTM C920 Standard Specification for Elastomeric Joint Sealants
- Type S, Grade NS, Class 50, Use A, G, O

American Architectural Manufacturers Association:

- AAMA 802.3-05 Ductile Back Bedding Compound, Type I
- AAMA 805.2-05 Bonding Type Bedding Compound, Group C

SCS1800 Contractors-N silicone glazing sealant does not contain asbestos or lead.

siliconesforbuilding.com

commercial.services@momentive.com

Before purchasing or using any Momentive products, please visit www.siliconesforbuilding.com/legaldisclaimer to view our full product and sales disclaimer.
Copyright 2025 Momentive Performance Materials Inc. All rights reserved.



**Licensed
Partner**