




CEILING
CONCEALED GRID

Grooved

The grooved tiles are series in a geometrical shape, forming a unit in a continuance pattern. The pattern is repetitive - the tiles connect on all edges. A selection of shades from an existing fan of colors. Can be painted in any desired shade.


THICKNESS

9 mm

12 mm


SIZE

60x60 cm




MODELS


LINE 1




LINE 2




LINE 3




LINE 4




LINE 5




LINE 6




LINE 7




LINE 8




REC 1




REC 2




REC 3




REC 4




REC 5




REC 6




REC 7




REC 8




GEO 1




GEO 2




GEO 3




SLOT 1 [12MM]




SLOT 2 [9MM]




SLOT 2 [12MM]




ARC 1




ARC 2




ARC 3




ARC 4




ARC 5




ARC 6



ARC 7



COLOR PALETTE




WOOD COLLECTION



ACOUSTICS

Our products poses a superb acoustic quality: NRC=0.4-0.95 in a variety of implementation applications that enable the creation of an ideal living environment, pleasant and of high quality, well suited for office spaces, halls, education structures and entertainment places.



Distance of 200mm from the wall. 9mm 12mm 24mm

INSTALLATION

Removable system on top of the T24 profile system.

WEIGHT

Approximate weight of system 4-5 km/m²

SUSTAINABILITY

Our PET Felt products contains post-consumer PET, does not contain any lead or tin, nor does it emit any (VOC) off gasses. It is recyclable and durable material, suitable for every environment.

ACCESSIBILITY

The tiles are dismountable.




COLOR FADING

Assessment of colour fastness according to EN 1587 Assessed against the grey scale ISO 105-A02.



FIRE REACTION

Our products are manufactured in Israel according to the European fireproofing standard EN13501-1 and American ASTM84 Class A.



RECYCLED

The boards are made of 100% polyester PET, of which about 70% is recycled from drinking bottles.



CLEANING

Can be simply done using a damp cloth and vacuum cleaner.