

BASWA Basic Prime Base Finish

DETAIL KEY

- 1 BASWA Base
- 2 BASWA Base
- 3 BASWA Basic Panel
- 4 BASWA Adhesive
- 5 Stable Substrate
- 6 Vinyl Trim - BAS Specific
- 7 Drywall
- 8 1/8" Swedish Cut
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape
- 11 BASWA Fill
- 12 Cut out back of panel
- 13 Drywall Joint Tape Applied with Joint Compound
- 14 Detail specific fixture
- 15 Blocking
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 18 1/8" Spacer
- 19 Steel rod, point of door pivot
- 20 Screwdriver Cam Lock
- 21 Plaster Bond

DETAILS


1. ACOUSTIC MATERIAL DETAIL
2. CEILING TO WALL TRANSITION
3. FIRE SPRINKLER HEAD
4. EXPANSION JOINT
5. OUTSIDE CORNER
6. RECESSED LIGHT
7. INSIDE CORNER DETAIL
(BASWAphon to BASWAphon)
8. OUTSIDE CORNER DETAIL
(BASWA Phon to BASWA Phon)
9. OUTSIDE CORNER DETAIL
(NEXT TO SUSPENDED CEILING)
10. TRIMLESS RECESSED LIGHT FIXTURE
11. RECESSED LIGHT (CUT PANEL)
12. CEILING MOUNTED ELECTRICAL FIXTURE
13. SMOKE DETECTOR
14. TRIMLESS LINEAR DIFFUSER
15. ACCESS PANEL DOOR (ACUDOR AT-5020)
16. ACCESS DOOR (PLASTER LIFT OUT)
17. ACCESS DOOR
(PLASTER OUTWARD SWINGING)
18. ACCESS DOOR
(PLASTER OUTWARD SWINGING CAM LOCK)
19. APPLIED MOLDING DETAIL
20. CROWN MOLDING
21. BASWA DRYWALL TRANSITION
22. DRYWALL TRANSITION (REVEAL)
23. DRYWALL TRANSITION (EXPANSION JOINT)
24. TERMINATION DETAIL (BASE & FINE RETURN)
25. TERMINATION DETAIL (L-BEAD)
26. TERMINATION DETAIL (FINISH & PAINT)
27. BEAM DETAIL WITH CROWN MOLDING
28. SPEAKER DETAIL

DETAILS

29. CEILING TO WALL TRANSITION
30. OUTSIDE RADIUS CORNER DETAIL
31. REVEAL DETAIL
32. TERMINATION (L-BEAD) DETAIL
33. SHADOW DETAIL
34. MECHANICAL GRILL ASSEMBLY
35. TRIMLESS LINEAR DIFFUSER DETAIL
36. TERMINATION (L-BEAD) DETAIL
37. TRACK LIGHT DETAIL
38. REVEAL DETAIL

BASWA Basic Prime Base Finish

ACOUSTIC MATERIAL DETAIL #1



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate


DIMENSIONS	
SYSTEM	Ⓐ
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

CEILING TO WALL TRANSITION DETAIL #2



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 8 1/8" Swedish Cut


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

FIRE SPRINKLER HEAD DETAIL #3



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

EXPANSION JOINT DETAIL #4



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS 093V Expansion Joint***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All vinyl trims applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

OUTSIDE CORNER DETAIL #5



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead
- 7 Drywall Finished and Painted

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DRYWALL OVERHANG BELOW FACE OF SUBSTRATE	7/8"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All vinyl trims applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

RECESSED LIGHT DETAIL #6



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Surface Mounted Trim Piece
- 9 Adhesive Tape (to prevent air filtration)


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

INSIDE CORNER DETAIL: BASWA Phon to BASWA Phon DETAIL #7



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

OUTSIDE CORNER DETAIL: BASWA Phon to BASWA Phon DETAIL #8



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All vinyl trims applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

OUTSIDE CORNER DETAIL #9



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead***
- 7 Drywall, Finished and Painted

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DRYWALL OVERHANG BELOW FACE OF SUBSTRATE	7/8"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All vinyl trims applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

TRIMLESS RECESSED LIGHT DETAIL #10



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

RECESSED LIGHT FIXTURE DETAIL #11



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)
- 14 Surface Mounted Trim Piece


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

CEILING MOUNTED FIXTURE #12



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 7 Electrical Junction Box Extension
- 9 Adhesive Tape (to prevent air infiltration)


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

SMOKE DETECTOR DETAIL #13



- 1 BASWA Base*
- 2 BASWA Prime *
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 7 Electrical Junction Box Extension
- 9 Adhesive Tape (to prevent air infiltration)
- 14 Smoke Detector


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

TRIMLESS LINEAR DIFFUSER DETAIL #14



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS 9000 Flat Bead***
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape****

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DIFFUSER ROUGH-IN BELOW FACE OF SUBSTRATE	1"

*Applied with 3mm Notched Trowel (A016)


**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

****Mesh Tape Applied Using TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

ACCESS PANEL DETAIL #15



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS 3510 5/8 " L Bead***
- 7 5/8" Drywall
- 9 Adhesive Tape (to prevent air infiltration)
- 11 BASWA Prime*
- 14 Access Door (Acudor AT-5020)

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
ACCESS PANEL ROUGH-IN BELOW FACE OF SUBSTRATE	1 1/8"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

ACCESS PANEL DETAIL #16



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape***
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 27 Plaster Bond

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***Mesh Tape applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

ACCESS PANEL OUTWARD SWINGING DOOR DETAIL #17



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape***
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 19 Steel Rod, point of door pivot
- 21 Plaster Bond

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)


**Applied with 6mm Notched Trowel (A050)

***Mesh Tape applied with TT 847 Spray Adhesive

NOTE: The actual access opening on an outward swinging Access Door is decreased due to the swing of the door.

BASWA Basic Prime Base Finish

ACCESS PANEL OUTWARD SWINGING DOOR DETAIL #18



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape***
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 19 Screwdriver Cam Lock
- 21 Plaster Bond


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)
 **Applied with 6mm Notched Trowel (A050)
 ***Mesh Tape applied with TT 847 Spray Adhesive

NOTE: The actual access opening on an outward swinging Access Door is decreased due to the swing of the door.

BASWA Basic Prime Base Finish

APPLIED MOLDING DETAIL #19



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 8 1/8" Swedish Cut
- 15 Blocking


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
BLOCKING ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

CROWN MOLDING DETAIL #20



- 1 BASWA Base*
- 2 BASWA Prime**
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 8 1/8" Swedish Cut
- 15 Blocking


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
BLOCKING ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

BASWA Phon DRYWALL TRANSITION DETAIL #21



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Fiberglass Mesh Tape***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***Mesh Tape applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

DRYWALL TRANSITION WITH REVEAL DETAIL #22



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim Reveal***
- 7 Finished Drywall

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)


**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

NOTE: Panel & Drywall needs to flush out with each other, before Reveal is installed

BASWA Basic Prime Base Finish

EXPANSION JOINT DETAIL #23



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS 093V Expansion***
- 7 Finished Drywall

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)


**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

NOTE: Panel & Drywall needs to flush out with each other, before Reveal is installed

BASWA Basic Prime Base Finish

TERMINATION DETAIL (BASE AND FINE RETURN) #24



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

TERMINATION (L-BEAD) DETAIL #25




- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim - BAS 3510 L-Bead***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)
 **Applied with 6mm Notched Trowel (A050)
 ***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

TERMINATION DETAIL (FINISH AND PAINT) #26



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim, BAS S010 Corner Bead***
- 13 Drywall Joint Tape Applied with Joint Compound

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

BEAM DETAIL WITH CROWN MOLDING DETAIL #27



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

RECESSED SPEAKER WITH SURFACE MOUNTED TRIM PIECE DETAIL #28



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 14 Surface Mounted Trim Piece


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

CEILING TO WALL TRANSITION DETAIL #29 (SEVERENCE STRIP)



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 8 Severance Strip


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

OUTSIDE RADIUS CORNER DETAIL #30



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim BAS JA10 Archway***
- 7 Drywall , Finished and Painted

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DRYWALL OVERHANG BELOW FACE OF SUBSTRATE	7/8"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All vinyl trims applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

REVEAL DETAIL #31



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim Reveal***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

TERMINATION (L-BEAD) DETAIL #32



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim, TT 3710 Oversized L Bead***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

SHADOW DETAIL #33



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim Trim Tex Shadow Bead***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

MECHANICAL GRILL ASSEMBLY #34



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Surface Mounted Trim Piece
- 9 Adhesive Tape (to prevent air filtration)


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

BASWA Basic Prime Base Finish

TRIMLESS LINEAR DIFFUSER DETAIL #35




- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DIFFUSER ROUGH-IN BELOW FACE OF SUBSTRATE	1"

*Applied with 3mm Notched Trowel (A016)
 **Applied with 6mm Notched Trowel (A050)
 ***Mesh Tape Applied Using TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

TERMINATION (L-BEAD) DETAIL #36



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trims BAS 3510***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DIFFUSER ROUGH-IN BELOW FACE OF SUBSTRATE	1"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

TRACK LIGHT FBV DETAIL #37



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
ROUGH IN BELOW DRYWALL	1"


*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***Mesh Tape Applied Using TT 847 Spray Adhesive

BASWA Basic Prime Base Finish

SHADOW DETAIL #38



- 1 BASWA Base*
- 2 BASWA Prime*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive**
- 5 Stable Substrate
- 6 Vinyl Trim Shadow Bead***

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

*Applied with 3mm Notched Trowel (A016)

**Applied with 6mm Notched Trowel (A050)

***All Vinyl Trims Applied with TT 847 Spray Adhesive