

# BASWA Basic One Finish

## DETAIL KEY

- 1 BASWA One
- 2 BASWA Prime
- 3 BASWA Basic Panel
- 4 BASWA Adhesive
- 5 Stable Substrate
- 6 Vinyl Trim - BAS Specific
- 7 Drywall
- 8 1/8" Swedish Cut
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape
- 11 BASWA Fill
- 12 Cut out back of panel
- 13 Drywall Joint Tape Applied with Joint Compound
- 14 Detail specific fixture
- 15 Blocking
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 18 1/8" Spacer
- 19 Steel rod, point of door pivot
- 20 Screwdriver Cam Lock
- 21 Plaster Bond

## DETAILS


1. ACOUSTIC MATERIAL DETAIL
2. CEILING TO WALL TRANSITION
3. FIRE SPRINKLER HEAD
4. EXPANSION JOINT
5. OUTSIDE CORNER
6. RECESSED LIGHT
7. INSIDE CORNER DETAIL  
(BASWAphon to BASWAphon)
8. OUTSIDE CORNER DETAIL  
(BASWA Phon to BASWA Phon)
9. OUTSIDE CORNER DETAIL  
(NEXT TO SUSPENDED CEILING)
10. TRIMLESS RECESSED LIGHT FIXTURE
11. RECESSED LIGHT (CUT PANEL)
12. CEILING MOUNTED ELECTRICAL FIXTURE
13. SMOKE DETECTOR
14. TRIMLESS LINEAR DIFFUSER
15. ACCESS PANEL DOOR (ACUDOR AT-5020)
16. ACCESS DOOR (PLASTER LIFT OUT)
17. ACCESS DOOR  
(PLASTER OUTWARD SWINGING)
18. ACCESS DOOR  
(PLASTER OUTWARD SWINGING CAM LOCK)
19. APPLIED MOLDING DETAIL
20. CROWN MOLDING
21. BASWA DRYWALL TRANSITION
22. DRYWALL TRANSITION (REVEAL)
23. DRYWALL TRANSITION (EXPANSION JOINT)
24. TERMINATION DETAIL (BASE & FINE RETURN)
25. TERMINATION DETAIL (L-BEAD)
26. TERMINATION DETAIL (FINISH & PAINT)
27. BEAM DETAIL WITH CROWN MOLDING
28. SPEAKER DETAIL

## DETAILS

29. CEILING TO WALL TRANSITION
30. OUTSIDE RADIUS CORNER DETAIL
31. REVEAL DETAIL
32. TERMINATION (L-BEAD) DETAIL
33. SHADOW DETAIL
34. MECHANICAL GRILL ASSEMBLY
35. TRIMLESS LINEAR DIFFUSER DETAIL
36. TERMINATION (L-BEAD) DETAIL
37. TRACK LIGHT DETAIL
38. REVEAL DETAIL

# BASWA Basic One Finish

## ACOUSTIC MATERIAL DETAIL #1




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate

DIMENSIONS	
SYSTEM	Ⓐ
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## CEILING TO WALL TRANSITION DETAIL #2




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 8 1/8" Swedish Cut

DIMENSIONS	
SYSTEM	Ⓐ
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## FIRE SPRINKLER HEAD DETAIL #3




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## EXPANSION JOINT DETAIL #4



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS 093V Expansion Joint\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All vinyl trims applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## OUTSIDE CORNER DETAIL #5



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead\*\*
- 7 Drywall Finished and Painted


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DRYWALL OVERHANG BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

\*\*All vinyl trims applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## RECESSED LIGHT DETAIL #6




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Surface Mounted Trim Piece
- 9 Adhesive Tape (to prevent air filtration)

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## INSIDE CORNER DETAIL: BASWA Phon to BASWA Phon DETAIL #7




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

OUTSIDE CORNER DETAIL: BASWA Phon to BASWA Phon DETAIL #8



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

\*\*All vinyl trims applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## OUTSIDE CORNER DETAIL #9



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead\*\*
- 7 Drywall, Finished and Painted


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DRYWALL OVERHANG BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

\*\*All vinyl trims applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## TRIMLESS RECESSED LIGHT DETAIL #10




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## RECESSED LIGHT FIXTURE DETAIL #11




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)
- 14 Surface Mounted Trim Piece

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## CEILING MOUNTED FIXTURE #12




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 7 Electrical Junction Box Extension
- 9 Adhesive Tape (to prevent air infiltration)

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## SMOKE DETECTOR DETAIL #13




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 7 Electrical Junction Box Extension
- 9 Adhesive Tape (to prevent air infiltration)
- 14 Smoke Detector

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## TRIMLESS LINEAR DIFFUSER DETAIL #14



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS 9000 Flat Bead\*\*
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape\*\*\*

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DIFFUSER ROUGH-IN BELOW FACE OF SUBSTRATE	1"


\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

\*\*\*Mesh Tape Applied Using TT 847 Spray Adhesive

# BASWA Basic One Finish

## ACCESS PANEL DETAIL #15



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS 3510 5/8" L Bead\*\*
- 7 5/8" Drywall
- 9 Adhesive Tape (to prevent air infiltration)
- 14 Access Door (Acudor AT-5020)


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
ACCESS PANEL ROUGH-IN BELOW FACE OF SUBSTRATE	1 1/8"

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## ACCESS PANEL DETAIL #16



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape\*\*
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 27 Plaster Bond


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*Mesh Tape applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## ACCESS PANEL OUTWARD SWINGING DOOR DETAIL #17



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape\*\*
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 19 Steel Rod, point of door pivot
- 21 Plaster Bond

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


\*Applied with 6mm Notched Trowel (A050)

\*\*Mesh Tape applied with TT 847 Spray Adhesive

NOTE: The actual access opening on an outward swinging Access Door is decreased due to the swing of the door.

# BASWA Basic One Finish

## ACCESS PANEL OUTWARD SWINGING DOOR DETAIL #18



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape\*\*
- 16 BASWA Access Panel Frame
- 17 BASWA Access Panel Door
- 19 Screwdriver Cam Lock
- 21 Plaster Bond

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


\*Applied with 6mm Notched Trowel (A050)

\*\*Mesh Tape applied with TT 847 Spray Adhesive

NOTE: The actual access opening on an outward swinging Access Door is decreased due to the swing of the door.

# BASWA Basic One Finish

## APPLIED MOLDING DETAIL #19




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 8 1/8" Swedish Cut
- 15 Blocking

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
BLOCKING ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## CROWN MOLDING DETAIL #20




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 8 1/8" Swedish Cut
- 15 Blocking

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
BLOCKING ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## BASWA Phon DRYWALL TRANSITION DETAIL #21



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 10 Fiberglass Mesh Tape\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*Mesh Tape applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## DRYWALL TRANSITION WITH REVEAL DETAIL #22



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim Reveal\*\*
- 7 Finished Drywall

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

NOTE: Panel & Drywall needs to flush out with each other, before Reveal is installed

# BASWA Basic One Finish

## EXPANSION JOINT DETAIL #23



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS 093V Expansion\*\*
- 7 Finished Drywall

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)


\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

NOTE: Panel & Drywall needs to flush out with each other, before Reveal is installed

# BASWA Basic One Finish

## TERMINATION DETAIL (BASE AND FINE RETURN) #24



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS S010 Corner Bead\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## TERMINATION (L-BEAD) DETAIL #25



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim - BAS 3510 L-Bead\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*\*Applied with 6mm Notched Trowel (A050)

\*\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## TERMINATION DETAIL (FINISH AND PAINT) #26



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim, BAS S010 Corner Bead\*\*
- 13 Drywall Joint Tape Applied with Joint Compound


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## BEAM DETAIL WITH CROWN MOLDING DETAIL #27




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## RECESSED SPEAKER WITH SURFACE MOUNTED TRIM PIECE DETAIL #28




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 14 Surface Mounted Trim Piece

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## CEILING TO WALL TRANSITION DETAIL #29 (SEVERENCE STRIP)




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 8 Severence Strip

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## OUTSIDE RADIUS CORNER DETAIL #30



TOTAL THICKNESS

(A)

- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim BAS JA10 Archway\*\*
- 7 Drywall , Finished and Painted


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DRYWALL OVERHANG BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

\*\*All vinyl trims applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## REVEAL DETAIL #31



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim Reveal\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## TERMINATION (L-BEAD) DETAIL #32



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim, TT 3710 Oversized L Bead\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## SHADOW DETAIL #33



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim Trim Tex Shadow Bead\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## MECHANICAL GRILL ASSEMBLY #34




- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Surface Mounted Trim Piece
- 9 Adhesive Tape (to prevent air filtration)

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
FIXTURE ROUGH-IN BELOW FACE OF SUBSTRATE	7/8"

\*Applied with 6mm Notched Trowel (A050)

# BASWA Basic One Finish

## TRIMLESS LINEAR DIFFUSER DETAIL #35



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DIFFUSER ROUGH-IN BELOW FACE OF SUBSTRATE	1"

\*Applied with 6mm Notched Trowel (A050)

\*\*Mesh Tape Applied Using TT 847 Spray Adhesive

# BASWA Basic One Finish

## TERMINATION (L-BEAD) DETAIL #36



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trims BAS 3510\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
DIFFUSER ROUGH-IN BELOW FACE OF SUBSTRATE	1"

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive

# BASWA Basic One Finish

## TRACK LIGHT FBV DETAIL #37



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 9 Adhesive Tape (to prevent air filtration)
- 10 Fiberglass Mesh Tape\*\*


DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)
ROUGH IN BELOW DRYWALL	1"

\*Applied with 6mm Notched Trowel (A050)

\*\*Mesh Tape Applied Using TT 847 Spray Adhesive

# BASWA Basic One Finish

## SHADOW DETAIL #38



- 1 BASWA One\*
- 3 BASWA Basic Panel
- 4 BASWA Adhesive\*
- 5 Stable Substrate
- 6 Vinyl Trim Shadow Bead\*\*

DIMENSIONS	
SYSTEM	(A)
TOTAL THICKNESS	1 1/8" (30MM)

\*Applied with 6mm Notched Trowel (A050)

\*\*All Vinyl Trims Applied with TT 847 Spray Adhesive