

SIX-COLUMN NURSING CARE PLAN TEMPLATE

Assessment Data

Subjective: «I feel tired and dizzy when I stand up.»

Objective:

Blood pressure 92/58 mm Hg, pale skin, heart rate 108 bpm, decreased urine output.

Nursing Diagnosis

Decreased cardiac output related to reduced blood volume as evidenced by hypotension and dizziness.

Goals

Short-term goal: The patient will maintain a systolic blood pressure above 100 mm Hg within 12 hours.

Long-term goal: The patient will demonstrate stable hemodynamic status by discharge.

Nursing Interventions

- 1. Monitor vital signs and urine output every hour.
- 2. Administer prescribed IV fluids and evaluate response.
- 3. Encourage slow position changes from lying to sitting or standing.
- 4. Educate the patient about fluid intake and signs of dehydration.

Rationale

1. Frequent monitoring detects early changes in circulation. 2. IV fluids restore intravascular volume and improve blood pressure. 3. Gradual movement prevents sudden drops in blood pressure. 4. Education promotes selfawareness and prevents recurrence.

Evaluation

Outcome: Blood pressure

stabilized at 106/64 mm Hg after 6 hours.

Plan: Continue IV therapy as ordered, encourage oral fluids, and monitor for dizziness during ambulation.

