

B_

Landform

Nature’s exquisite colours and patterns have inspired Landform - a celebration of the unmatched beauty of the South African landscape. Created to give commercial spaces a design advantage, these visually appealing rectangular tufted tiles offer trending colours, noise reduction, and soothing comfort underfoot. Stainproof SDX ensures easy cleaning and maintenance to promote long-term high performance. A palette of 10 carefully chosen colours allows designers to mix and match tiles in various patterns that connect us to the outdoors.

Extended Specifications

Use Classification: (EN 1307)	Heavy Commercial
Construction:	Tufted Pattern Colour Placement Loop Pile
Product Description:	Tufted Loop Pile Bitumen Tile
Recycled Content:	Yarn - Stainproof SDX Eco - Certain Colours
Yarn Type:	Yarn - Stainproof SDX
Yarn Mass: (ISO 8543)	±500 (g/m²) ±14.74 (oz/yd²) (±0.44)
Pile Height: (ISO 8543)	±4 (mm) (±0.5) ±0.19 (in) (±0.02)
Total Thickness: (ISO 8543)	±5.5 (mm) (±0.5) ±0.25 (in) (±0.02)
Total Mass: (ISO 8543)	±3692 (g/m² **) (±5%) ±108.89 (oz/yd² **) (±5%)
MTS Sizes (tile):	100 × 25 (cm) 39.37 × 9.84 (in)



B.


Extended Specifications

MTS Backing Options:	NexBac (NB)
Machine Gauge:	1/10”
Stitch Rate:	50 stitches/10cm ? stitches/3.94 (in)
Fire Classification: (EN13501)	Bfl -s1 / Class 1 (ASTM E 648-08)
Colour Fastness to light: (NF EN ISO 105-BO2)	> 7.0
Colour Fastness to Rubbing (staining): (ISO 105-X12)	4-5
Colour Fastness to Water (staining): (ISO 105-EO1)	4-5
Electrostatic Propensity: Body voltage (ISO 6356: 2012)	≤ 2.0 kV
Sound Absorption (NexBac NB): (ISO 354: 2023)	aw: 0.15
Sound Insulation (NexBac NB): (ISO 10140-3: 2021)	18 dB
Thermal Resistance: (ISO 8302: 2001)	0.0638 m².KW
Dimensional Stability: (ISO 986: 2006)	≤ 0.2%
VOC Emissions: (ASTM D5116: 2017) (GBCSA/ GBCA & CRI Specifications)	Passed
Castor Chair Suitability: (NF EN 985 – Method A)	A: Intense Use
Staircase Suitability: (EN 1963 / NF EN ISO 12951)	A: Intense Use
Warranty:	15 years
Guarantee:	5 years


** Weighted Average



B.




Boma



Bushveld




Cave



Cliff



Fields



Lagoon



Ravine



Sandbank



Stroom



Wildflower

Landform

Heavy Commercial

Medium/General Commercial

Commercial

Institution

Underfloor Heating

Suitable for Staircases

Modular

Eco-Friendly

From Local & Imported Goods

Planks

ANTI ALLERGENIC

REUSE
REDUCE
RECYCLE

COLOURFAST
SDX
BLEACH RESISTANT

COLOURFAST
SDX ECO
BLEACH RESISTANT

GREEN BUILDING COUNCIL SA
MEMBER ORGANISATION

GREEN TAG
CERTIFIED
trust brands

bsi
ISO 9001
Quality Management Systems
CERTIFIED

bsi
ISO 14001
Environmental Management
CERTIFIED

bsi
ISO 45001
Occupational Health and Safety Management
CERTIFIED

BELGOTEX GUARANTEE
5
YEAR

LIMITED WEAR WARRANTY
15
YEAR

Bill of Quantities

- Belgotex LANDFORM 100x25cm width Heavy Commercial 5.5mm NexBac plank are manufactured from Stainproof Solution Dyed Nylon.
- This product is to be in accordance with the SANS 10186 fitting code of practice.
- Belgotex (Landform) planks to be installed in the following directions: (Ashlar/Random Ashlar/Brick/Monolithic/Herringbone (planks)/Tessellated)
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15-year warranty and 5-year guarantee.
- Made in South Africa
- Green tag level A Gold rated certification

Product characteristics may vary due to the nature of manufacturing. To combat colour variance do not install more than one dye lot in a single colour tile/plank installation. Where different dye lots and products are mixed and matched then size variations could take place and tiles might need to be altered during installation. When installing two or more different colours in tiles/planks/shapes then there is no issue mixing dye lots together. Sample swatches have been cut from an overall design; therefore, the decoration and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.