

Charles Godbout & Luc Plante




nienkämper International Inc.

Prices shown are List Prices, FOB our Toronto Factory- freight charges are extra. Packing and/ or crating is available, if required, upcharges apply.

Nomad® Benching | Flexibility

Nomad® is an interactive workspace that is adaptive and flexible. Nomad® benching is capable of responding to the ever changing needs of modern working environments. It facilitates the reconfiguring of space and adapts to new ways of working. Work areas may be spontaneously re-zoned with the Nomad® mobile screens and table top dividers. Power and data flow within a movable central channel that can easily be shared among users. The addition of optional height adjustable surfaces provides great ergonomics whilst working and alternating postures throughout the day.




Nomad Benching with Central Channel | Layout

Nomad® Benching available in 2 person, 4 person, 6 person & 8 person configurations. The four table lengths (60", 72", 84", 96") and two depths (24", 28-1/2") provide flexibility to accommodate any open plan office requirement.

Layout #1

Nomad® Benching offers a flexible working environment. By adding a Rolling Mid Screen, a semi-private working space is created for each user. A Desk Pad can also be added at the end of the bench providing a temporary working area for ad hoc meetings.






	Model#	Description	Unit List Price	Qty	Sub-total
Α	55608/5	2 Person, 96"L x 28-1/2"Deep Work surface in plastic laminate with polished aluminum bases		1	
	55025	Linked Cable Conduit		1	
В	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		1	
	55695/5	Storage on Rolling Screen - Combination of Open Shelves & Hinged Door in plastic laminate		2	
С	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		2	
D	55730	Desk Pad		1	
Е	39941/5	Simple Forum (4 Port) with 4 pre wired power		2	
		Total List Price for Layout #1:			

Nomad Benching with Central Channel | Layout

Layout #2


Nomad* **High Rolling Screen** features a unique opening allowing the screens to nest into the table tops. This provides privacy for users who are sitting face to face. The high rolling screens also function as a divider between each table or even create a wall between stations. Upholstered panels on the screen provides sound absorption for open working environments.



	Model#	Description	Unit List Price	Qty	Sub-total
Α	55626/5	4Person, 72"Lx28-1/2"DeepWorksurface in plastic laminate with polished aluminum bases $&$ painted center column base		1	
В	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		1	
	55695/5	Storage on Rolling Screen - Combination of Open Shelves & Hinged Door in plastic laminate		2	
С	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		1	
	55690/5	Storage on Rolling Screen - Hinged Door with 2 adjustable shelves in plastic laminate		2	
D	55682	Rolling Screen 66"L x 50"H in Ecoustic Panel		3	
Е	55720/5	Moveable Box/File Pedestal in plastic laminate		2	
	55725	Cushion for Moveable Pedestal in COM		2	
F	39965	Simple Forum (4 Port) with 4 pre wired power		2	
		Total List Price for Layout #2:			

Nomad® Benching with Central Channel | Layout

Layout #3
Rolling Screens with integrated storage cabinets provide storage space for each user without comprising the flexibility of their working




	Model#	Description	Unit List Price	Qty	Sub-total
Α	55626/5	4Person, 72"Lx28-1/2"Deep Work surface in plastic laminate with polished aluminum bases and painted column base		1	
В	55672/5	Pneumatic Height Adjustable Table 60-7/16"L x 28-1/2"D x 29"-46"H		1	
	55735	Storage Tray in paint finish		1	
	55024E	Expandable Cable Conduit with Extended Length		1	
С	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		2	
	55695/5	Storage on Rolling Screen - Combination of Open Shelves & Hinged Door in plastic laminate		4	
D	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		1	
Е	55720/5	Movable Box/File Pedestal in plastic laminate		2	
	55725	Cushion for Moveable Pedestal in COM		2	
F	1P-B/1P-B/ 2U/A5	Simple Forum (4 Port) with 2 pre wired, stacked USB Charger &1 Siemon CAT6 data		2	
		Total List Price for Layout #3:			

Nomad Benching with Central Channel | Layout

Layout #4

Nomad® bases are available in polished aluminum as standard, optional paint colors are available. Stretcher Rails are silver anodized aluminum (AL-O1) as standard.



	Model#	Description	Unit List Price	Qty	Sub-total
Α	55626/5	4 Person, 72"L x 28-1/2"Deep Work surface in plastic laminate with polished aluminum bases and painted column base		2	
В	55672/5	Pneumatic Height Adjustable Table 60-7/16"L x 28-1/2"D x 29"-46"H		2	
	55735	Storage Tray in paint finish		2	
	55024E	Expandable Cable Conduit with Extended Length		2	
С	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		4	
	55695/5	Storage on Rolling Screen - Combination of Open Shelves & Hinged Door in plastic laminate		4	
	55690/5	Storage on Rolling Screen - Hinged Door with 2 adjustable shelves in plastic laminate		4	
D	55681	Rolling Mid Screen 41"L x 42"H in Ecoustic Panel		2	
Е	55720/5	Movable Box/File Pedestal in plastic laminate		4	
	55725	Cushion for Moveable Pedestal in COM		4	
F	1P-B/1P-B/ 2U/A5	Simple Forum (4 Port) with 2 pre wired, stacked USB Charger &1 Siemon CAT6 data		4	
		Total List Price for Layout #4:			

Nomad Benching with Central Channel | Layout

Layout #5

Nomad L Shaped Rolling Screen provides absolute privacy in an open office environment. The L Shaped screens can easily be moved and nest for quick storage. Movable dividers can also be added on the central channel to provide addition privacy.




	Model#	Description	Unit List Price	Qty	Sub-total
Α	55772/2	6 Person, 180"L x 48"Deep Work surface in veneer with polished aluminum bases and painted column base		1	
	1P-B/ 1P-B/ 2U/ A5	Simple Forum (4 Port) with 2 pre wired, stacked USB Charger &1 Siemon CAT6 data		6	
В	5518/E	58"L x 14"H Center Divider with Upholstered Panel		2	
С		26"L x 14"H Movable Divider with Upholstered Panel		2	
D	10762	Slim Chair with Fixed arm-Leather seat and back, polished aluminum base with black casters		4	
		Total List Price for Layout #5:			

Nomad Benching without Central Channel | Layout

Layout #6

Nomad Benching is also available without any central channel for Simple Forums. By adding a fixed centre divider and movable divider in between each desk top, a semi privacy workstation is created for each person. Simple Forum or Simple Pop up Forum can install directly on the desk top to provide a power/AV solution.





	Model#	Description	Unit List Price	Qty	Sub-total
Α	55631/5	6 Person, 60"L x 28-1/2"Deep Work surface in plastic laminate with painted aluminum bases and column base		6	
	1P-B/1P-B/ 2U/A5	Simple Forum (4 Port) with 2 pre wired, stacked USB Charger &1 Siemon CAT6 data		6	
В	5518/E	58"L x 14"H Center Divider with Upholstered Panel		3	
С		66"L x 14"H Fixed Divider with Upholstered Panel		6	
D		42"L x 22"D Return top with Panel Base and 8" Modesty Panel in plastic laminate		6	
Е	42498W	Movable 2 Box File, Metal Pedestal with painted finish		6	
		Cushion for Moveable Pedestal in COM		6	
		Total List Price for Layout #6:			

Nomad Benching Base, Surface, Edge Details & Connectivity

Surface Shapes

Tops are 1" thick with overall table height of 29" H and available in rectangle shape.



Rectangular

Finishes

All standard Nienkämper veneer and laminates.

Edge Details

Self edge is the standard edge detail for Nomad® Benching, optional Nomad Taper Edge also available for select layouts*.





1" thick Self Edge (SE)

1" thick Nomad Taper Edge

Sizes

Nomad® Benching available in the following sizes:

	Dimension of Each Top			
	Length	Width		
Straight Screen	60",72",84" &96"	24" & 28-1/2"		

Base Finish Options

The standard base finish for Nomad® Benching is polished aluminum. Optional paint colors are available, see chart below.




Stretcher Rail Finish Options

The standard finish for stretcher rail is silver anodized aluminum (AL-01) when both polished aluminum and powder coat finish bases are ordered. Optional paint colors for stretcher rails are available for a 5% upcharge on list price of the benching.




Center Base

The center base of Nomad® Benching allows cables to be stored and pass through. The standard finish for the center base is silver powder coat paint finish (PC-01). Optional paint colors for the center base are available for an upcharge of \$150 list per base.




Plan View of Center Column base



Nomad Benching Base, Surface, Edge Details & Connectivity

Connectivity

Nomad® Benching has a central channel/wire trough to house Simple Forums. The Simple Forum moves within a central channel allowing connectivity to be shared or repositioned among users. Please see pages 32-35 for Simple Forum Options.




For Nomad® Benching without central/wire channel, Simple Forums or Simple Pop up Forums can be added directly onto the surface of benching as a connectivity solution. Please see page 36-42 for Simple Pop up Forum options.

Rolling Screen Finish Options

Rolling screens include tackable, upholstered panels on both sides with a variety of fabric options.

Aluminum trim with silver anodized finish is standard to all. Caster supports are standard with polished finish but also available painted in all Nienkämper standard powder coat finishes.

Dimension of Rolling Screen	
41"w x 42"h, 66"w x 50"h & 46¾"w x 72"h	





Rolling Screen

Movable Divider & Fixed Divider Options


Like the Nomad rolling screens, Nomad Fixed or Movable Dividers are available with standard silver trim and many fabric choices.

	Width	Height
Fixed Centre Divider	*58",70"	14"
Movable Divider	22",26",46"	14"





Movable Divider models can be placed inside the central channel or directly on worktop. The metal plate underneath the divider is standard with silver (PC-01) powder coat finish. Silver anodized aluminum trim and a variety of fabrics finish the panels. The version with "bite" allows access to power units when in channel.



Fixed Dividers are mounted directly to the table top and are available in a variety of sizes according to the specific job needs.

*Contact customer service to determine the correct size for your specific needs. Typical movable divider finishes are compatible with fixed dividers.

Standard Felt Colors



Nomad® Benching | Veneers

All wood surfaces are protected with a durable polyurethane clear lacquer with UV inhibitor. This finish is known for its exceptional durability, as well as abrasion, chemical, impact and scratch resistance. Standard sheen level is 45 degrees. Optional matte, 5, 10 and 35 degree sheen levels are available on request at no additional cost.


Wood Species	Order Code	Veneer/Stain	Upcharge
Maple	F-01	Natural Maple	No upcharge applies.
	F-02	Natural Curly Maple - Rotary Cut	Add 15%.
	F-03	Natural Bird's Eye Maple - Rotary Cut	Call Customer Service for pricing.
	F-04	Maple Stained Pear	No upcharge applies.
Cherry	F-05	Natural Cherry	No upcharge applies.
,	F-06	Standard Cherry	No upcharge applies.
	F-07	Cherry Stained Amber	No upcharge applies.
	F-08	Cherry Stained Auburn	No upcharge applies.
	F-09	Cherry Stained Burgundy	No upcharge applies.
Mahogany	F-10	Light Mahogany	
vianogany	F-11	Medium Mahogany	No upcharge applies.
	F-12	Dark Mahogany	No upcharge applies.
	F-13	Red Mahogany	No upcharge applies.
A	F-14	National Figure of America, Oty Cott Book, Matala	A 11 1FO/
Anagre		Natural Figured Anagre - Qtr. Cut Book-Match	Add 15%.
	F-15	Figured Anagre Stained Amber - Qtr. Cut Book-Match	Add 15%.
Sycamore	F-16	Natural Figured Sycamore - Qtr. Cut Book-Match	Add 15%.
Walnut	F-17	Burnt Walnut	No upcharge applies.
	F-19	Natural Walnut- Flat Cut Book-Match	No upcharge applies.
	F-19FM	Natural Walnut-Flat Cut Book-Match(matte sheen)	No upcharge applies.
	F-27F	Creamy Walnut- Flat Cut Book-Match (10° sheen)	No upcharge applies.
	F-27R	Creamy Walnut - Rift Cut Slip-Match (10° sheen)	Add 5%
	F-28	Tawny Walnut	No upcharge applies.
	F-31FM	Autumn Walnut- Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-31RM	Autumn Walnut - Rift Cut Slip-Match (matte sheen)	Add 5%
Oak	F-18F	Natural White Oak - Flat Cut Book-Match (10° sheen)	No upcharge applies.
Jan	F-18R	Natural White Oak - Rift Cut Slip-Match (10° sheen)	Add 5%
	F-26	Charcoal Ash On Oak-Flat Cut Book-Match (10° sheen)	No upcharge applies.
	F-29F	Smokey Oak - Flat Cut Book-Match	No upcharge applies.
	F-29R	Smokey Oak - Rift Cut Slip-Match	Add 5%
	F-29FM	Smokey Oak - Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-29RM	Smokey Oak - Rift Cut Slip-Match (matte sheen)	Add 5%
	F-30FM	Whisper White Oak - Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-30RM	Whisper White Oak - Rift Cut Slip-Match (matte sheen)	Add 5%
	F-32FM	Cotton White Oak - Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-32RM	Cotton White Oak - Rift Cut Slip-Match (matte sheen)	Add 5%
Canala Dibban Strins	F 20	Natural Pihhan Strin Sanala, Otr. Cut Slin Matak	No unabargo applica
Sapele – Ribbon Stripe	F-20	Natural Ribbon Strip Sapele - Qtr. Cut Slip-Match	No upcharge applies.
Moabi (Cherry substitute)	F-21	Natural Moabi - Quarter - Qtr. Cut Book-Match	No upcharge applies.
Cape Coast Walnut	F-22	Dark Cape Coast Walnut - Qtr. Cut Slip-Match	No upcharge applies.
<u> </u>	F-23	Natural Cape Coast Walnut - Qtr. Cut Slip-Match	No upcharge applies.
Ash	F-25	Slate Grey Ash - Qtr. Cut Slip-Match	No upcharge applies.
1011	1 20	Olato Groy Fiori Qui. Out Olip Matori	ι νο αροπαί 90 αρρίιου.

VENEER GRAIN OPTIONS


Nienkämper products utilize the best quality veneers available, and, combined with Nienkämper's patented veneering systems, create work environments of incredible quality and beauty.

All veneer furniture comes standard with flat cut book-match veneer; flat cut slip-match veneer can also be specified. Quarter cut slip-match and quarter cut book-match veneers are available at a 5% upcharge. Figured Anagre and Figured Sycamore veneers are Quarter cut book-matched. Bird's Eye Maple and Curly Maple are rotary cut.


Facet Edge, Taper edge and Flowform edge tops with veneer are manufactured with a solid wood edge. All edges are then veneer wrapped to create a seamless profile top.




Standard V Flat Cut Book-Match



Flat Cut Slip-Match



Quarter Cut Slip-Match V Add 5%



Quarter Cut Book-Match V4 Add 5%

Nomad® Benching | Laminate

Wood grain plastic laminate surfaces are available on table tops with Self and Taper edges.


Nienkämper has pre-selected a number of standard wood grain plastic laminates that represent a cross section of both color and species. Simply include the order code with the model number to make these selections. Alternatively wood grain plastic laminates selected outside of Nienkämper's standard selection can be made by specifying the manufacturer as well as the description and model number of the laminate at the time of order.

Wood Edging

These tops are manufactured with a solid wood edge that is applied prior to the laminate top surface. This method conceals the thickness of the wood edge, while providing the durability required. Wood edges are selected that most closely resemble both the species and the color of the laminate chosen

Laminate Edging on Self and Taper edge tops. Edging will match the top surface and is applied prior to the surface laminate. By applying the laminate in this way the seam is positioned horizontally, is much less conspicuous as well as more durable.

Translucent edging on Self and Taper edge tops is applied after the surface laminate. The translucent edge is very durable. Clear translucent edge provides a good match with most white colored laminates, while silver translucent edge provides a metallic look and contrast to colored plastic laminates.



clear translucent

silver translucent

Wood Grain Plastic Laminate Surfaces	Order Code	Manufacturer#	Finish
CHAMBACNE CACA WOOD	NA/I 4	Navarana WAAAAA	Tautumad
CHAMPAGNE SAGA WOOD	WL1	Nevamar WM8349T	Textured
HARD ROCK MAPLE	WL2	Pionite WM791-SD	Textured Suede
ANAGRE	WL4	Pionite WX041-SD	Textured Suede
MONTICELLO MAPLE	WL5	Wilsonart 7925-38	Fine Velvet Texture
MILLWORK CHERRY	WL7	Pionite WC431PV	PV-Polished Velvet
HUNTINGTON MAPLE	WL9	Wilsonart 7929-38	Fine Velvet Texture
WILD CHERRY	WL10	Formica 5904.43	Artisan
AMBER CHERRY	WL11	Wilsonart 7919.38	Fine Velvet Texture
FIGURED MAHOGANY	WL12	Wilsonart 7040A-60	Matte
FUSION MAPLE	WL13	Wilsonart 7909-78	Fine Grain
NEW AGE OAK	WL14	Wilsonart 7938-78	Fine Grain
NATURAL PEAR	WL15	Wilsonart 7061-78	Fine Grain
TUSCAN WALNUT	WL16	Wilsonart 7921-78	Fine Grain
NEPAL TEAK	WL17	Wilsonart 7209-78	Fine Grain
WILD CHERRY	WL18	Wilsonart 7054-78	Fine Grain
RIVER CHERRY	WL19	Wilsonart 7937-78	Fine Grain
MONTANA WALNUT	WL20	Wilsonart 7110-78	Fine Grain
WINDSOR MAHOGANY	WL22	Wilsonart 7039-78	Fine Grain
WILLIAMSBURG CHERRY	WL23	Wilsonart 7936-78	Fine Grain
FLORENCE WALNUT	WL25	Wilsonart 7993-78	Fine Grain
SKYLINE WALNUT	WL26	Wilsonart 7964K-12	Soft Grain
STERLING ASH	WL27	Wilsonart 7995-78	Fine Grain
GINGER ROOT MAPLE	WL28	Formica 7288-58	Matte

To specify the wood grain laminate required simply add the Order Code WL_ to the model number of the product.

Wood grain laminate samples are available from your local sales representative or by calling Nienkämper's customer service department at 1-800-668-9318.

Nomad® Benching | Laminates

COLORED P-LAM

Both Self and Taper edge profiles are available with a colored laminate top.

Laminate edging on Self and Taper edge tops. Edging will match the top surface and is applied prior to the surface laminate. By applying the laminate in this way the seam is positioned horizontally, is much less conspicuous as well as more durable.

Wood edging on Self and Taper Edge tops is applied prior to the laminate. By applying the wood edge in this way the thickness of the wood edge is concealed, while providing the durability required. Wood species and finishes for edging, can be selected from page 12.

Translucent edging on Self and Taper edge tops is applied after the surface laminate. The translucent edge is very durable. Clear translucent edge provides a good match with most white colored laminates, while silver translucent edge provides a metallic look and contrast to colored plastic laminates.



clear translucent edge with white p-lam top

For laminates specified outside of Nienkämper's standard selection, specify the manufacturer as well as the description and model number of the laminate selected at time of order.

Colored Plastic Laminates Surface	Order Code	Manufacturer#	Finish
Grey (Nienkämper - Light Gray/Putty)	CL-01	Wilsonart 1500-60	Matte
Platinum Gray (Nienkämper - Medium Gray/Clay)	CL-02	Nevamar S6023T	Textured
Slate Gray (Nienkämper - Dark Grey)	CL-03	Wilsonart D91-60	Matte
Black	CL-04	Wilsonart 1595-60	Matte
Angel White	CL-05	Pionite SW-826SD	Textured Suede
Frosty White	CL-06	Wilsonart 1573-60	Matte

Add the order code behind the edge profile when specifying.

Nomad® Benching | Laminates

FINGERPRINT RESISTANT P-LAM

Fingerprint Resistant Plastic Laminate is an innovative material created for interior design applications and is suitable for both vertical and horizontal interior applications on our Nienkämper furniture.

The external surface of Fingerprint Resistant Plastic Laminate involves the use of nanotechnology made possible by next generation acrylic resins.

The unique composition offers extraordinary features coupled with a unique user experience. These include an ultra matte surface (eliminating glare), an ultra sofa feel, an anti-fingerprint surface, thermal healing of micro-scratches, increased durability as well as anti-bacterial and mold-resistant properties.

Edgeband matching all Fingerprint Resistant Plastic Laminate colors is only available when specifying a Taper edge. For Self edge tops 1" and 11/4" thick, matching edgeband are only available in Black (RL-01) and White (RL-03). When a matching edgeband is not available, the specified surface laminate is used on the edge. **Contact Customer Service for more details 800.668-9318.**

There is a 20% upcharge on our standard plastic laminate table pricing for Fingerprint Resistant Plastic Laminate.

Colored "Fingerprint Resistant" Plastic Laminate Surface	Order Code	Finish
Black	RL-01	Matte
Gray	RL-02	Matte
White	RL-03	Matte
Sand	RL-04	Matte
Brown	RL-05	Matte
Clay	RL-06	Matte
Beige	RL-07	Matte
Ash	RL-08	Matte
Smoke	RL-09	Matte

Edgeband to Match with Colored "Fingerprint Resistant" Plastic Laminate	Thickness	Order Code
Black	3/4", 1" , 1-1/4"	RE-01
Gray	3/4"	RE-02
White	3/4", 1" , 1-1/4"	RE-03
Sand	3/4"	RE-04
Brown	3/4"	RE-05
Clay	3/4"	RE-06
Beige	3/4"	RE-07
Ash	3/4"	RE-08
Smoke	3/4"	RE-09

Table height: 29"H Top thickness: 1" Self edge or 16° Taper (front edge)

overall depth 51-7/16" overall depth 51-7/16"

2 person, 24" deep work surface Overall length: 60" - 96"L Overall depth: 51%6"D

OVER	ALL DIMENS	ION				POWDER C	OAT BASE	POLISHED ALUMINUM BASE		
L" :	c D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
60	51-7/16	2	60 x 24	2	Veneer	55591/2	9318	55595/2	e for 9318	
60	51-7/16	2	60 x 24	2	Laminate	55591/5	668.9	55595/5		
72	51-7/16	2	72 x 24	2	Veneer	55592/2		55596/2		
72	51-7/16	2	72 x 24	2	Laminate	55592/5	er Se 800.	55596/5	er S 800	
84	51-7/16	2	84 x 24	2	Veneer	55593/2	omo Jat	55597/2		
84	51-7/16	2	84 x 24	2	Laminate	55593/5	Contact Customer urrent pricing at 80	55597/5	Contact Customer	
96	51-7/16	2	96 x 24	2-4*	Veneer	55594/2	pric	55598/2	5 i	
96	51-7/16	2	96 x 24	2-4*	Laminate	55594/5	itac int	55598/5	Contact	

2 person, 28-1/2" deep work surface

Overall length: 60" - 96"L Overall depth: 60-7/16"D

OVER	ALL DIMENSI	ION				POWDER C	OAT BASE	POLISHED ALUMINUM BASE		
L" :	C D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
60	60-7/16	2	60 x 28-1/2	2	Veneer	55601/2	9318	55605/2	irvice for 668.9318	
60	60-7/16	2	60 x 28-1/2	2	Laminate	55601/5	668.9	55605/5	ervice .668.9	
72	60-7/16	2	72 x 28-1/2	2	Veneer	55602/2	(I) -	55606/2		
72	60-7/16	2	72 x 28-1/2	2	Laminate	55602/5	er S. 800 —	55606/5		
84	60-7/16	2	84 x 28-1/2	2	Veneer	55603/2	at at	55607/2	at at	
84	60-7/16	2	84 x 28-1/2	2	Laminate	55603/5		55607/5		
96	60-7/16	2	96 x 28-1/2	2-6*	Veneer	55604/2		55608/2	ct C	
96	60-7/16	2	96 x 28-1/2	2-6*	Laminate	55604/5	ontact rrent p	55608/5	Contact current p	

Notes:

Every 2 person station consisting of 4 bases, needs cable conduit for connectivity. List price includes wire trough, select Simple Forum from page 32-35 for connectivity.

 $^{^{\}star} \, \text{By adding Nomad}^{\circ} \, \text{Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.}$

Table height: 29"H
Top thickness: 1"
Solf odgs or 16 ° Taper

Self edge or 16° Taper (front edge)

overall width 120-192"

overall depth 51-7/16" or 60-7/16"

4 person, 24" deep Work surface Overall length: 120" - 192"L Overall depth: 51-7/16"D

OVER	ALL DIMENS	ION				POWDER C	OAT BASE	POLISHED ALUMINUM BASE		
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
120	51-7/16	4	60 x 24	4	Veneer	55611/2	9318	55615/2	9318	
120	51-7/16	4	60 x 24	4	Laminate	55611/5	vice 68.9	55615/5		
144	51-7/16	4	72 x 24	4	Veneer	55612/2	<u> 6</u> 0	55616/2	er Servic 800.668	
144	51-7/16	4	72 x 24	4	Laminate	55612/5		55616/5	er S 800	
168	51-7/16	4	84 x 24	4	Veneer	55613/2	omo	55617/2	at a	
168	51-7/16	4	84 x 24	4	Laminate	55613/5	Customer	55617/5	Customer icing at 80	
192	51-7/16	4	96 x 24	4-10*	Veneer	55614/2		55618/2	# 5	
192	51-7/16	4	96 x 24	4-10*	Laminate	55614/5	Contact urrent p	55618/5	Contact	

4 person, 28-1/2" deep Work surface

Overall length: 120" - 192"L Overall depth: 60-7/16"D

OVER	ALL DIMENSI	ON				POWDER C	POLISHED	HED ALUMINUM BASE		
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
120	60-7/16	4	60 x 28-1/2	4	Veneer	55621/2	e for .9318	55625/2	er Service for 800.668.9318	
120	60-7/16	4	60 x 28-1/2	4	Laminate	55621/5		55625/5	Service 10.668.9	
144	60-7/16	4	72 x 28-1/2	4	Veneer	55622/2	Servic 0.668 —	55626/2	Ser. 0.6	
144	60-7/16	4	72 x 28-1/2	4	Laminate	55622/5		55626/5	80 80	
168	60-7/16	4	84 x 28-1/2	4	Veneer	55623/2	Customer icing at 80	55627/2	Customer icing at 80	
168	60-7/16	4	84 x 28-1/2	4	Laminate	55623/5	t Custo pricing	55627/5	ct Custo pricing	
192	60-7/16	4	96 x 28-1/2	4-10*	Veneer	55624/2	# ē	55628/2	# 5	
192	60-7/16	4	96 x 28-1/2	4-10*	Laminate	55624/5	Contact current p	55628/5	Contact current p	


Notes:

Every 4 person station consists of 4 bases and one center column base.

List price includes wire trough, select Simple Forum from page 32-35 for connectivity.

^{*} By adding Nomad® Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.

Table height: 29"H Top thickness: 1" Self edge or 16° Taper (front edge)



6 person, 24" deep work surface Overall length: 180" - 288"L Overall depth: 51-7/16"D

OVER/	ALL DIMENSI	ON				POWDER C	OAT BASE	POLISHED ALUMINUM BASE		
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
							<u>.</u> <u></u>		_ ∞	
180	51-7/16	6	60 x 24	6	Veneer	55631/2	e for 9318 	55635/2	e for 9318	
180	51-7/16	6	60 x 24	6	Laminate	55631/5	668.	55635/5	ervice .668.9	
216	51-7/16	6	72 x 24	6	Veneer	55632/2		55636/2	<u>⊊</u> Ø	
216	51-7/16	6	72 x 24	6	Laminate	55632/5		55636/5		
252	51-7/16	6	84 x 24	6	Veneer	55633/2	Customer ricing at 80	55637/2	ustomer xing at 80	
252	51-7/16	6	84 x 24	6	Laminate	55633/5	Sust icing	55637/5	Custo	
288	51-7/16	6	96 x 24	12-14*	Veneer	55634/2	ᇴᇴ	55638/2	# c	
288	51-7/16	6	96 x 24	12-14*	Laminate	55634/5	Contact current p	55638/5	Contact current p	

6 person, 28-1/2" deep work surface

Overall length: 180" - 288"L Overall depth: 60-7/16"D

OVER/	ALL DIMENSI	ON				POWDER COAT BASE POLISHED ALUMINU				
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
180	60-7/16	6	60 x 28-1/2	6	Veneer	55641/2	e for 9318	55645/2	9318	
180	60-7/16	6	60 x 28-1/2	6	Laminate	55641/5	668.9	55645/5	vice.	
216	60-7/16	6	72 x 28-1/2	6	Veneer	55642/2		55646/2	er Service 800.668.	
216	60-7/16	6	72 x 28-1/2	6	Laminate	55642/5		55646/5	800 800	
252	60-7/16	6	84 x 28-1/2	6	Veneer	55643/2	Customer ricing at 80	55647/2	ustomer sing at 80	
252	60-7/16	6	84 x 28-1/2	6	Laminate	55643/5	Sustc cing	55647/5	ct Custo pricing	
288	60-7/16			96 x 28-1/2	12-14*	Veneer	55644/2		55648/2	ct C pric
288	60-7/16	6	96 x 28-1/2	12-14*	Laminate	55644/5	Contact current p	55648/5	Contact current p	


Notes:

Every 6 person station consists of 4 bases and two center column bases.

List price includes wire trough, select Simple Forum from page 32-35 for connectivity.

^{*} By adding Nomad® Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.

Table height: 29"H Top thickness: 1" Self edge or 16° Taper (front edge)



8 person, 24" deep Work surface Overall length: 240" - 384"L Overall depth: 51-7/16"D

OVER	ALL DIMENS	ION		·	·	POWDER C	OAT BASE	POLISHED ALUMINUM BASE		
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
							_ ∞ _		_ 00	
240	51-7/16	8	60 x 24	8	Veneer	55651/2	e for 9318 	55655/2	9318	
240	51-7/16	8	60 x 24	8	Laminate	55651/5	/ice 68.6	55655/5	/ice 58.9	
288	51-7/16	8	72 x 24	8	Veneer	55652/2	er Service for 800.668.9318	55656/2	er Service for 800.668.9318	
288	51-7/16	8	72 x 24	8	Laminate	55652/5		55656/5	er 8	
336	51-7/16	8	84 x 24	8	Veneer	55653/2	Customer ricing at 8C	55657/2	Customer icing at 8C	
336	51-7/16	8	84 x 24	8	Laminate	55653/5	Custo ricing	55657/5	ct Custo pricing	
384	51-7/16	8	96 x 24	16-18*	Veneer	55654/2		55658/2	ᇴᅙ	
384	51-7/16	8	96 x 24	16-18*	Laminate	55654/5	Contact urrent p	55658/5	Contact current pr	
							S = -		8 =	

8 persons, 28-1/2" deep Work surface

Overall length: 240" - 384"L Overall depth: 60-7/16"D

	LL DIMENSI	ON				POWDER COAT BASE POLISHED ALUMINUM B				
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	
240	60-7/16	8	60 x 28-1/2	8	Veneer	55661/2	9318	55665/2	e for .9318	
240	60-7/16	8	60 x 28-1/2	8	Laminate	55661/5	vice 68.6	55665/5	vice 968.9	
288	60-7/16	8	72 x 28-1/2	8	Veneer	55662/2	£ 0.	55666/2	er Servic 800.668	
288	60-7/16	8	72 x 28-1/2	8	Laminate	55662/5		55666/5	er S 800	
336	60-7/16	8	84 x 28-1/2	8	Veneer	55663/2	tom gat	55667/2	ustomer sing at 80	
336	60-7/16	8	84 x 28-1/2	8	Laminate	55663/5	ot Customer pricing at 80	55667/5	ust	
384	60-7/16	8	96 x 28-1/2	16-18*	Veneer	55664/2		55668/2	Contact Custo	
384	60-7/16	8	96 x 28-1/2	16-18*	Laminate	55664/5	Contact current p	55668/5	Contact urrent p	

Notes:


Every 8 person station consists of 4 bases and three center column bases.

List price includes wire trough, select Simple Forum from page 32-35 for connectivity.

^{*} By adding Nomad® Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.

Table height: 29"H Top thickness: 1"

Self edge or 16° Taper (front edge)



2 person, 24" deep work surface Overall length: 60" - 96"L Overall depth: 48"D

OVEF DIME	ALL NSION					POWDER C BASE	COAT	POLISHED ALUMINUM BASE			CENTRE DIVIDER 16"H			
										Knoll Tex	tiles (G1)	Standard	Felt	
L"	x D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price	
											- 00		_ ω	
60	48	2	60 x 24	2	Veneer	55740/2		55744/2	 for 	55910/T	for 3318	55910/E	ice for 8.9318	
60	48	2	60 x 24	2	Laminate	55740/5		55744/5	vice 68.9	55910/T	ervice 1 .668.9	55910/E	ice 58.9	
72	48	2	72 x 24	2	Veneer	55741/2		55745/2	و کے	55911/T	er Servi 800.66	55911/E	er Service 800.668.9	
72	48	2	72 x 24	2	Laminate	55741/5		55745/5		55911/T	er S 800	55911/E		
84	48	2	84 x 24	2	Veneer	55742/2		55746/2	at _	55912/T	at at	55912/E	om at	
84	48	2	84 x 24	2	Laminate	55742/5		55746/5	ct Custc pricing	55912/T	ust	55912/E	ust	
96	48	2	96 x 24	2-4*	Veneer	55743/2		55747/2	ct C Pric –	55913/T	ᇴᇴ	55913/E	ct Custo	
96	48	2	96 x 24	2-4*	Laminate	55743/5		55747/5	Contact	55913/T	Contact	55913/E	Contact	

2 person, 30" deep work surface Overall length: 60" - 96"

Overall length: 60" - 96"L Overall depth: 60"D

OVE	RALL					POWDER C BASE	COAT	POLISHED BASE	POLISHED ALUMINUM BASE		CENTRE DIVIDER 16"H			
										Knoll Tex	tiles (G1)	Standard	Felt	
L"	x D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price	
													∞	
60	60	2	60 x 30	2	Veneer	55748/2		55752/2	9318	55910/T	e for 9318	55910/E	e for 9318	
60	60	2	60 x 30	2	Laminate	55748/5		55752/5	- rvice 668.9	55910/T	ervice .668.9	55910/E	ervice .668.9	
72	60	2	72 x 30	2	Veneer	55749/2		55753/2	<u> </u>	55911/T	Service 0.668.9	55911/E	Service	
72	60	2	72 x 30	2	Laminate	55749/5		55753/5		55911/T		55911/E		
84	60	2	84 x 30	2	Veneer	55750/2		55754/2	ustomer sing at 80	55912/T	at at	55912/E	ੂ ਤੋਂ	
84	60	2	84 x 30	2	Laminate	55750/5		55754/5		55912/T	ust	55912/E		
96	60	2	96 x 30	2-6*	Veneer	55751/2		55755/2		55913/T	D is	55913/E	- St Pric	
96	60	2	96 x 30	2-6*	Laminate	55751/5		55755/5	Contact current p	55913/T	Contact urrent p	55913/E	Contact	
									Contac current		Contact Custo current pricing		Contac	


Notes:

Every 2 Person station consists of 4 bases, able conduit required to hide cabling for connectivity. See pages 32-41 for all Simple Forum options.

 $^{^{\}star}\, \text{By adding Nomad}^{\circ}\, \text{Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.}$

Table height: 29"H Top thickness: 1"

Self edge or 16° Taper (front edge)



4 person, 24" deep work surface Overall length: 120" - 192"L Overall depth: 48"D

OVE		LL SION					POWDER O	COAT	POLISHED BASE	ALUMINUM		CENTRE I	DIVIDER 16"	н
											Knoll Tex	tiles (G1)	Standard	Felt
L"	х	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
										_ ∞				. ∞
120		48	4	60 x 24	4	Veneer	55756/2		55760/2	9318	55914/T	for 9318	55914/E	for 9318
120		48	4	60 x 24	4	Laminate	55756/5		55760/5	<u>, 5</u> 8.	55914/T		55914/E	vice 68.9
144		48	4	72 x 24	4	Veneer	55757/2		55761/2	er Service 800.668.9	55915/T	6 6.	55915/E	£ 0.
144		48	4	72 x 24	4	Laminate	55757/5		55761/5		55915/T	е 8	55915/E	
168		48	4	84 x 24	4	Veneer	55758/2		55762/2	Customer ricing at 8C	55916/T	ustom ing at	55916/E	ustomer sing at 80
168		48	4	84 x 24	4	Laminate	55758/5		55762/5	Custo ricing	55916/T		55916/E	Custo
192		48	4	96 x 24	4-10*	Veneer	55759/2		55763/2		55917/T	ᇴᇴ	55917/E	ct C pric
192		48	4	96 x 24	4-10*	Laminate	55759/5		55763/5	Contact urrent p	55917/T	Contac	55917/E	Contact urrent p
										. ပည်		S E		8 3

4 person, 30" deep work surface Overall length: 120" - 192"L Overall depth: 60"D

	ERALL IENSION						POWDER O	COAT	POLISHED BASE	ALUMINUM		CENTRE	DIVIDER 16"	Ή
											Knoll Tex	tiles (G1)	Standard	Felt
L"	x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
												. 00		co
120		60	4	60 x 30	2	Veneer	55764/2		55768/2	9318	55914/T	for 3318	55914/E	e for 9318
120		60	4	60 x 30	2	Laminate	55764/5		55768/5	ervice .668.9	55914/T	ervice).668.9	55914/E	7ice 38.9
144		60	4	72 x 30	2	Veneer	55765/2		55769/2	Serv 00.6	55915/T	er Service for 800.668.9318	55915/E	er Service 800.668.9
144		60	4	72 x 30	2	Laminate	55765/5		55769/5		55915/T	er S 800	55915/E	
168		60	4	84 x 30	2	Veneer	55766/2		55770/2	ustomer sing at 80	55916/T	ustomer sing at 80	55916/E	at at
168		60	4	84 x 30	2	Laminate	55766/5		55770/5	Lustc cing	55916/T	ct Custo pricing	55916/E	ust cing
192		60	4	96 x 30	2-6*	Veneer	55767/2		55771/2	ct Cu prici	55917/T	ct C pric	55917/E	pris -
192		60	4	96 x 30	2-6*	Laminate	55767/5		55771/5	ontact rrent p	55917/T	Contact urrent p	55917/E	Contact urrent p
										S iii —		S ž		Contact Custo


Notes:

Every 4 Person station consists of 4 bases and one centre base.

See pages 32-41 for all Simple Forum options.

^{*} By adding Nomad® Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.

Table height: 29"H Top thickness: 1" Self edge or 16° Taper (front edge)



6 person, 24" deep work surface Overall length: 180" - 288"L Overall depth: 48"D

OVE	RALL	ı				POWDER O	COAT	POLISHEI BASE	ALUMINUM		CENTRE I	DIVIDER 16"	н
										Knoll Tex	tiles (G1)	Standard	Felt
L"	x D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
									718 318		for 318		for 318
180	48	6	60 x 24	6	Veneer	55772/2		55776/2	e for .9318	55918/T		55918/E	9318
180	48	6	60 x 24	6	Laminate	55772/5		55776/5	7i C8 68.	55918/T	vice 68.9	55918/E	ervice f .668.93
216	48	6	72 x 24	6	Veneer	55773/2		55777/2	Service 0.668 	55919/T	£ 0.	55919/E	Serv 00.6
216	48	6	72 x 24	6	Laminate	55773/5		55777/5	80 80	55919/T	er Se 800	55919/E	
252	48	6	84 x 24	6	Veneer	55774/2		55778/2	ustom ing at	55920/1	ੂ at ਭ	55920/E	at a
252	48	6	84 x 24	6	Laminate	55774/5		55778/5		55920/T	ct Custo pricing	55920/E	Custo
288	48	6	96 x 24	12-14*	Veneer	55775/2		55779/2	₩	55921/T	ct C pri	55921/E	ct pric
288	48	6	96 x 24	12-14*	Laminate	55775/5		55779/5	ontad	55921/T	ontac	55921/E	Contact urrent p
									လည္က —		SH		ပည်း

6 person, 30" deep work surface Overall length: 180" - 288"L Overall depth: 60"D

OVE		LL SION					POWDER O	COAT	POLISHED BASE	OALUMINUM		CENTRE I	DIVIDER 16"	н
											Knoll Tex	tiles (G1)	Standard	Felt
L"	x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
										_ ω		_ ∞		_ 00
180		60	6	60 x 30	6	Veneer	55780/2		55784/2	9318	55918/T	9318	55918/E	e for 9318
180		60	6	60 x 30	6	Laminate	55780/5		55784/5	rvice 668.9 —	55918/T	vice 68.9	55918/E	ပ်ထဲ
216		60	6	72 x 30	6	Veneer	55781/2		55785/2	. Ser 00.6	55919/T	<u> </u>	55919/E	er Servi 800.66
216		60	6	72 x 30	6	Laminate	55781/5		55785/5		55919/T	er Se 800.	55919/E	80 er
252		60	6	84 x 30	6	Veneer	55782/2		55786/2	ustomer sing at 80	55920/1	ustomer sing at 80	55920/E	ustomer ing at 80
252		60	6	84 x 30	6	Laminate	55782/5		55786/5	Custo	55920/T		55920/E	t Custo pricing
288		60	6	96 x 30	12-14*	Veneer	55783/2		55787/2	ct C	55921/T		55921/E	
288		60	6	96 x 30	12-14*	Laminate	55783/5		55787/5	ontact rrent p	55921/T	Contac	55921/E	Contact current p
										S <u>II</u> —		ŏ Ħ		ŏĦ

Notes:


Every 6 Person station consists of 4 bases and two centre bases.

See pages 32-41 for all Simple Forum options.

^{*} By adding Nomad® Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.

Table height: 29"H Top thickness: 1"

Self edge or 16° Taper (front edge)



8 person, 24" deep work surface Overall length: 240" - 384"L Overall depth: 48"D

	ERALL IENSION					POWDER O	COAT	POLISHED BASE	ALUMINUM		CENTRE	DIVIDER 16"	н
										Knoll Tex	tiles (G1)	Standard	Felt
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
									_ 00		. 00		. 00
240	48	8	60 x 24	8	Veneer	55788/2		55792/2	9318	55922/T	9318	55922/E	for 9318
240	48	8	60 x 24	8	Laminate	55788/5		55792/5	/ice 68.0	55922/T	<u> </u>	55922/E	7ice
288	48	8	72 x 24	8	Veneer	55789/2		55793/2	er Service 800.668:9	55923/T	er Serv 800.6	55923/E	er Service 800.668.9
288	48	8	72 x 24	8	Laminate	55789/5		55793/5		55923/T	er 9	55923/E	0
336	48	8	84 x 24	8	Veneer	55790/2		55794/2	Customer ricing at 80	55924/T	ustom sing at	55924/E	ustomer sing at 80
336	48	8	84 x 24	8	Laminate	55790/5		55794/5	Sust cing	55924/T	ct Custo pricing	55924/E	
384	48	8	96 x 24	16-18*	Veneer	55791/2		55795/2		55925/T	ct C t pric	55925/E	ct c
384	48	8	96 x 24	16-18*	Laminate	55791/5		55795/5	Contact urrent p	55925/T	Contac	55925/E	Contact current p

8 person, 30" deep work surface Overall length: 240" - 384"L Overall depth: 60"D

OVER						POWDER O	COAT	POLISHED BASE	ALUMINUM		CENTRE	OIVIDER 16"	н
										Knoll Tex	tiles (G1)	Standard	Felt
L" x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
									_ co		. ω		. ω
240	60	8	60 x 30	8	Veneer	55796/2		55800/2	§ for 9318 	55922/T	9318	55922/E	for 9318
240	60	8	60 x 30	8	Laminate	55796/5		55800/5	/ice 68.	55922/T		55922/E	
288	60	8	72 x 30	8	Veneer	55797/2		55801/2	Service 0.668.9	55923/T	er Service 800.668.9	55923/E	r Service 00.668.9
288	60	8	72 x 30	8	Laminate	55797/5		55801/5		55923/T		55923/E	
336	60	8	84 x 30	8	Veneer	55798/2		55802/2	Customer icing at 8C	55924/T	Customer icing at 80	55924/E	ustomer sing at 80
336	60	8	84 x 30	8	Laminate	55798/5		55802/5	t Custo pricing	55924/T	cing	55924/E	t Custo
384	60	8	96 x 30	16-18*	Veneer	55799/2		55803/2		55925/T		55925/E	
384	60	8	96 x 30	16-18*	Laminate	55799/5		55803/5	Contact urrent p	55925/T	Contact urrent p	55925/E	Contact current p
									ა <u>წ</u>		်ပည်		8 5

Notes:

Every 8 Person station consists of 4 bases and three centre bases.


See pages 32-41 for all Simple Forum options.

^{*} By adding Nomad® Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.

Nomad Benching | Single Sided Desk / Task Table

Table height: 29"H Top thickness: 1" Self edge or 16° Taper

1 person, 24" deep work surface Overall length: 60" - 96"L Overall depth: 24"D



	ERALL IENSION						POWDER O	COAT	POLISHED BASE	ALUMINUM		CENTRE	OIVIDER 16"	н
											Knoll Tex	tiles (G1)	Standard	Felt
L"	x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
										_ ω _				∞
60		24	1	60 x 24	1	Veneer	55804/2		55808/2	e for 9318 	55926/T	e for 9318	55926/E	e for 9318
60		24	1	60 x 24	1	Laminate	55804/5		55808/5		55926/T	ervice .668.	55926/E	ervice .668.9
72		24	1	72 x 24	1	Veneer	55805/2		55809/2	er Service 800.668.9 	55927/T	Service	55927/E	Service
72		24	1	72 x 24	1	Laminate	55805/5		55809/5		55927/T	e 80	55927/E	
84		24	1	84 x 24	1	Veneer	55806/2		55810/2	ustomer sing at 80	55928/T	Customer	55928/E	Customer
84		24	1	84 x 24	1	Laminate	55806/5		55810/5		55928/T	cing	55928/E	Cine
96		24	1	96 x 24	1-2*	Veneer	55807/2		55811/2		55929/T	ctC	55929/E	ctC
96		24	1	96 x 24	1-2*	Laminate	55807/5		55811/5	ontact irrent pr	55929/T	Contact	55929/E	Contact
										Contac current		Contact Custom		Contact Custc

1 person, 30" deep work surface Overall length: 60" - 96"L Overall depth: 30"D

	ERA	LL SION					POWDER O	COAT	POLISHED BASE	ALUMINUM		CENTRE	OIVIDER 16"	н
											Knoll Tex	tiles (G1)	Standard	Felt
L"	x	D"	Top Section	Each Top Dimension (L x D)	Sugg Seat Capacity	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
										- 78 -		@		_ , ∞
60		30	1	60 x 30	1	Veneer	55812/2		55816/2	ည္ ထိ	55926/T	= for 9318	55926/E	= for 9318
60		30	1	60 x 30	1	Laminate	55812/5		55816/5	/ice 68.9	55926/T	ervice .668.9	55926/E	- ervice .668.9
72		30	1	72 x 30	1	Veneer	55813/2		55817/2	<u> </u>	55927/T	Service	55927/E	<u>ب</u> ن
72		30	1	72 x 30	1	Laminate	55813/5		55817/5	<u>⊬</u> 8	55927/T	0	55927/E	
84		30	1	84 x 30	1-2*	Veneer	55814/2		55818/2	ustome	55928/T	_ E #	55928/E	at at
84		30	1	84 x 30	1-2*	Laminate	55814/5		55818/5		55928/T	Lust cinç	55928/E	
96		30	1	96 x 30	1-2*	Veneer	55815/2		55819/2		55929/T	ct Custo	55929/E	
96		30	1	96 x 30	1-2*	Laminate	55815/5		55819/5	ontact rrent pi	55929/T	ontact rrent p	55929/E	ontact rrent p
												Contac		Contac Current

Notes:

Every One Person Single Sided station consists of 4 bases, need to order cable conduit for connectivity. See pages 32-41 for all Simple Forum options.

 $^{^{\}star}\, \text{By adding Nomad}^{\circ}\, \text{Accessories like rolling screens, moveable divider and desk pad, the seating capacity will be increased.}$

Nomad® Benching | Returns

Table height: 29"H Top thickness: 1" Self edge or 16° Taper (front edge) Modesty Panel: 3/4" x 8"H



OVERA DIMEN				PANEL BASE		FIXED DIV	IDER 14"H FC	R 24"D BEN	СН	FIXED DI	VIDER 14"H	FOR 30"D E	BENCH
						Knoll Texti	les (G1)	Standard I	Felt	Knoll Tex	tiles (G1)	Standard	Felt
L" x	D"	Top Section	Top Finish	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price	Model Number	List Price
42	22	1	Veneer	55874/2		55942/T	_ <u></u>	55942/E	_ t	55948/T	ŧ	55948/E	ŧ
42	22	1	Laminate	55874/5		55942/T	- Jire –	55942/E	_ i i -	55948/T	_ Irre	55948/E	current 3
48	22	1	Veneer	55875/2		55943/T	_ ລັອ	55943/E	_	55949/T	ຼິ 6	55949/E	ت 8
48	22	1	Laminate	55875/5		55943/T	Contact Customer Service for current pricing at 800.668.9318	55943/E	Contact Customer Service for current pricing at 800.668.9318	55949/T	Contact Customer Service for current pricing at 800.668.9318	55949/E	t Customer Service for c pricing at 800.668.9318
54	22	1	Veneer	55876/2		55944/T	- rvic 368	55944/E	- rvic 368	55950/T	7. rvic	55950/E	rvic 368
54	22	1	Laminate	55876/5		55944/T	. Se	55944/E	- Se 00.0	55950/T	.Se	55950/E	.Se
60	22	1	Veneer	55877/2		55945/T	ner 1 80	55945/E	_ ner nt 80	55951/T	nt 80	55951/E	Contact Customer pricing at 80
60	22	1	Laminate	55877/5		55945/T	stol	55945/E	stoi ng a	55951/T	stoi ng a	55951/E	stoi ng a
66	22	1	Veneer	55878/2		55946/T		55946/E		55952/T	Ş : 5	55952/E	Ş : <u>5</u>
66	22	1	Laminate	55878/5		55946/T	act p	55946/E	act p	55952/T	act p	55952/E	act
72	22	1	Veneer	55879/2		55947/T	ont -	55947/E	- tio	55953/T	tio -	55953/E	ont
72	22	1	Laminate	55879/5		55947/T	- 0 –	55947/E	– O -	55953/T	0 -	55953/E	O
											_		
42	24	1	Veneer	55886/2		55942/T	- #	55942/E	_ <u>+</u>	55948/T	=	55948/E	±
42	24	1	Laminate	55886/5		55942/T	ıer –	55942/E	_ je .	55948/T	Je -	55948/E	Ţē.
48	24	1	Veneer	55887/2		55943/T		55943/E	_ ກູ	55949/T	5 ∞	55949/E	5 8
48	24	1	Laminate	55887/5		55943/T	for 931	55943/E	for 931	55949/T	e for c .9318	55949/E	for 931
54	24	1	Veneer	55888/2		55944/T	Contact Customer Service for current pricing at 800.668.9318	55944/E	Contact Customer Service for current pricing at 800.668.9318	55950/T	Contact Customer Service for current pricing at 800.668.9318	55950/E	t Customer Service for current pricing at 800.668.9318
54	24	1	Laminate	55888/5		55944/T	Ser 0.6	55944/E	Ser 0.6	55950/T	er Servic 800.668	55950/E	Ser 0.6
60	24	1	Veneer	55889/2		55945/T	- 30 - 80	55945/E		55951/T	90 E	55951/E	
60	24	1	Laminate	55889/5		55945/T	ton gat	55945/E	ton gat	55951/T	tom g at	55951/E	Contact Customer pricing at 80
66	24	1	Veneer	55890/2		55946/T	Cus	55946/E	_ Cus icin	55952/T	t Custo pricing	55952/E	Sus
66	24	1	Laminate	55890/5		55946/T	pr	55946/E	pri	55952/T	pr	55952/E	pri pri
72	24	1	Veneer	55891/2		55947/T	onta	55947/E	_ onts	55953/T	onts	55953/E	onts
72	24	1	Laminate	55891/5		55947/T	ŏ -	55947/E	_ ŏ	55953/T	ŏ	55953/E	ŏ
42	30	1	Veneer	55898/2		55942/T	_ 	55942/E	_	55948/T	± -	55948/E	¥
42	30	1	Laminate	55898/5		55942/T	rrent	55942/E	rrent	55948/T	rrent	55948/E	ırrent
48	30	1	Veneer	55899/2		55943/T	- 3 -	55943/E		55949/T		55949/E	~ ~
48	30	1	Laminate	55899/5		55943/T	for 931	55943/E	- for -	55949/T	e for c .9318	55949/E	93.1
 54	30	1	Veneer	55900/2		55944/T	/ vice - 68.9	55944/E		55950/T	/ice - 68.9	55950/E	Service for co 30.668.9318
54	30	1	Laminate	55900/5		55944/T	Ser 0.6	55944/E	Ser. 0.6	55950/T	Ser. 0.6	55950/E	3er 0.6
60	30	1	Veneer	55901/2		55945/T	t Customer Service for c	55945/E	t Customer Service for c pricing at 800.668.9318	55951/T	t Customer Service pricing at 800.668	55951/E	t Customer Service for c pricing at 800.668.9318
60	30	1	Laminate	55901/5		55945/T	ton gat	55945/E	ton	55951/T	ton gat	55951/E	tor g at
66	30	1	Veneer	55902/2		55946/T	Cus	55946/E		55952/T	Cus	55952/E	Sus
66	30	1	Laminate	55902/5		55946/T	pri pri	55946/E	_ pri	55952/T	pri	55952/E	pri pri
72	30	1	Veneer	55903/2		55947/T	Contact Customer Service for coprising at 800,668,9318	55947/E	Contact Customer Service for co	55953/T	Contact Customer Service for control pricing at 800.668.9318	55953/E	Contact Customer pricing at 80
72	30	1	Laminate	55903/5		55947/T	_ ပ	55947/E	_ ၓ ်	55953/T	<u>ა</u>	55953/E	ర

Nomad Benching | Adjustable Height Table

The **Nomad® height adjustable table** comes standard in 2 depths and 3 lengths with an advanced electric lift system standard. Leg, foot and cross support available in powder coated Grey (RAL9006), black (RAL9005) and White (RAL9016) base finish. Connectivity units, cable manager, storage tray and programmable control available.






ELECTRIC HEIGHT ADJUSTABLE - POWDER COAT BASE

L"	x D"	х Н"	Top Finish	Top Section	Model Number	List Price
51 ⁷ / ₁₆	24	27 - 47	Veneer	1	55675/2	_ =
517/16	24	27 - 47	Laminate	1	55675/5	<u></u>
51 ⁷ / ₁₆	281/2	27 - 47	Veneer	1	55676/2	_
517/16	28½	27 - 47	Laminate	1	55676/5	
607/16	24	27 - 47	Veneer	1	55677/2	vice 68.
607/16	24	27 - 47	Laminate	1	55677/5	Ser 0.6
607/16	28½	27 - 47	Veneer	1	55678/2	 B0
607/16	28½	27 - 47	Laminate	1	55678/5	ton gal
72	24	27 - 47	Veneer	1	55679/2	Ct Custo
72	24	27 - 47	Laminate	1	55679/5	_ otc
72	28½	27 - 47	Veneer	1	55680/2	
72	28½	27 - 47	Laminate	1	55680/5	_ 3

The metal storage tray provides under top storage for height adjustable Nomad tables. Gray powder coat paint is standard but is also available in optional colors listed on page 9.



Note: For Metal Storage Tray in paint finish, model #55735, add upcharge

Bluetooth connected, fully programmable toggle switch with digital display.



Control# 42760, add upcharge

Nomad Benching | Clover Fixed Height Table

The **Nomad® Clover base table** is a fixed height offering that allows Nomad Rolling screens to nest splitting the table into 3 sections. The unique base shape allows interference free interaction with the screen casters. This base is available with silver powder coat finish (PC-01) standard but can be painted in any Nienkämper powder coat colors. Three power outlets are supplied via the Vox Simple Spin Forum.






OVERALL DIMENSION	ı				FIXED HEIGH' BASE	T - POWDER COAT
Diameter"	x	H"	Top Finish	Top Section	Model Number	List Price
36		29	Veneer	1	55670/2	
36		29	Laminate	1	55670/5	 ervice for .668.9318
42		29	Veneer	1	55671/2	Service
42		29	Laminate	1	55671/5	νς Q
48		29	Veneer	1	55672/2	mer at 80
48		29	Laminate	1	55672/5	
54		29	Veneer	1	55673/2	
54		29	Laminate	1	55673/5	act nt pi
60		29	Veneer	1	55674/2	Contact Custr
60		29	Laminate	1	55674/5	S §

Vox Simple Spin Forum rotates open for use and spins closed to hide. Units are supplied with 3 power outlets, 72" cord and plug.





 Model #
 Price List

 White
 85220

 Black
 85221


 Grey
 85222

Notes:


Custom fitting are not available with Spin Forums. Spin Forums are available in other colors upon request. Contact Customer Service for details


Nomad® Benching | Accessories


Nomad Rolling Screens are an easy way to divide space while staying re-configurable. These screens have 3 casters and a bite section that allows the screes to overlap 29" tables. Screens are standard in tackable felt fabric but are also available in many Knoll Textiles.



					Lis	t Price
L	х Н	Thickness	Model#	Yardage	Knoll Textiles (G1)	Standard Felt
						_
41	42	1-1/4"	55681	2-1/2 yards	act mel	tact ome ice
66	50	1-1/4"	55682	4 yards	Conta	onta stor ervi
41	72	1-1/4"	55683	6 vards	<u>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~</u>	ပြည်တိ









Model # 55682

Model # 55683

Model # 55681

Standard Felt Panel Colors






Screens are standard with silver anodized aluminum trim.

Nomad® Benching | Accessories

Desktop Dividers are offered in both movable and fixed models. Movable models have a metal, powder coated (PC-01) foot that allows the divider to stand on the desk top or within the wire channel. Fixed Models are mounted directly to the desk top in a permanent location. Both models include standard silver anodized aluminum trim around the perimeter.



L x						List Price			
	х Н	Thickne	ess	Model#	Yardage	Knoll Textile	Standard Felt		
							— * +		
22"	14"	15/16"	Movable	55715	1	g a l	g		
26"	14"	15/16"	Movable	55716	1	isto foin	.35		
46"	14"	15/16"	Movable with Bite	55717	2	t Cu	t [] [] [] [] [] [] [] [] [] [
58"	14"	15/16"	Fixed	55718	2	tac	Ttac: Ser. rrent		
70"	14"	15/16"	Fixed	55719	2	Cur Cur			


Note:

Fixed dividers are available in customized lengths to suit your particular requirements. Contact Customer Service for details. "Bite" refers to cut out area at bottom of movable divider. This cut out allows access to power when divider sits in wire channel

Standard Felt Panel Colors



Rolling Straight Screen with Storage



Rolling screen with single side storage

Notes:

- For rolling screen with storage, first select rolling screen 42"H model # 55682 then choose below options of storage cabinet.
- One rolling screen can support either one or two storages cases.
- Polished chrome pull is standard.

Open Shelves with 2 adjustable shelves

W"	х	D"	X	H"	Finish	Model #	List Price		
12		14		38-1/2	Veneer	55685/2	Contact Customer Service		
12		14		38-1/2	Laminate	55685/5	cont		
							0 G %	Open shelves Model # 55685	Open shelves storag with rolling screen
	jed C		rith 2		ible shelve	es Model#	List Price		
				•					
W"			х	•					
W" 12		D"	x	H"	Finish	Model#			
Hing w" 12		D"	x	H"	Finish	Model #	Contact Customer Service	Full Door Model # 55690	Hinged door storage with rolling screen

W "	х	D"	x	H"	Finish	Model #	List Price	
12		14-3/4		38-1/2	Veneer	55695/2	act mer	
12		14-3/4		38-1/2	Laminate	55695/5	onta stoi ervi	<u>!</u>
							_ ၁ ညီ %	Combin open sh



nation of helves & door Model # 55695



Combination of open shelves & hinged door with rolling screen

Nomad Benching | Accessories

Hanger



W"	X	D"	x	H"	Finish	Model #	List Price
							_
18-1/2		5-3/8		10-3/8	White Powder Coat	55700	om vic
							Cor Cust Ser

Paper Holder



W"	x	D"	x	H"	Finish	Model#	List Price
14		6-3/4		11	White Powder Coat	55705	tact omer vice
							Custe

Magnetic Notice Board/White Board



W"	x	D"	x	H"	Finish	Model #	List Price
18		5-3/4		18	White Powder Coat	55710	act mer ice
							Cont Custo Serv

Movable Metal 2 Box One File Pedestal with Cushion



							List Price	
х	D"	х	Н"	Finish	Model #	Yardage	Com	Knoll Textiles (G1)
								# • •
	19-3/4		23-5/16	Black	42498B	3/4		
				White	42498W			O 0 0
				Gray	42498G			ပ ၁ ဖ
	x	x D"			19-3/4 23-5/16 Black White	19-3/4 23-5/16 Black 42498B White 42498W	19-3/4 23-5/16 Black 42498B 3/4 White 42498W	x D" x H" Finish Model# Yardage Com 19-3/4 23-5/16 Black 42498B 3/4 White 42498W

Movable One Box One File Pedestal



W"	x D"	x	H"	Finish	Model#	List Price
15-3/4	20		21-3/8	Veneer	55720/2	om vice
15-3/4	20		21-3/8	P-Lam	55720/5	Con
						<u> </u>

Cushion for Movable One Box One File Pedestal



							List Price	
W"	x	D"	x	H"	Model#	Yardage	СОМ	Knoll Textiles (G1)
								e er
15-3/4		19		2-1/2	55725	3/4		ta vic
								Cont Custo Serv


Desk Pad



				List Price	
W"	x D"	х Н"	Model#	Neather	Verde / Grano
30	18	1/2	55730		tom tom
					Cor

Nomad Benching with Central Channel | Connectivity


Nomad® power and connectivity is provided via a movable Simple Forum unit that travels smoothly within a central channel. Positioning the unit is as easy as pushing it right or left enabling the user flexibility to have power and connectivity exactly where they require it. Additional power elements can be added by removing the center cap and lowering the additional units into place on the shuttle rail. All cabling travels within the shuttle rail extrusion under the table and to the floor through the center base. Cables within the center column base are secured with wire management clips and a large opening at bottom allows for access to building power. Center bases are also compatible with Nienkämper snap in place surge protectors.



sharing or adding connectivity devices







center column base

Pre-configured SIMPLE Forum (6 ports 93/4" L x 2" W)

\$810 Model# pre-wired 1P 1P Α5 **A5** В В 39941/6 power 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord 2 x blank plate Model# site-wired \$880 1P-SW 1P-SW Α5 Α5 39942/6 power 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord 2 x blank plate Model# \$985 pre-wired 1P 1P **A5 A5** С 39943/6 power 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord 1x HD-DB15/VGA connector with 10ft cord 1 x audio 3.5mm mini stereo jack with 10 ft cord Model# site-wired \$1,060 1P-SW 1P-SW С **A5** Α5 G 39944/6 power 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord

> 1 x HD-DB15/VGA connector with 10ft cord 1 x audio 3.5mm mini stereo jack with 10ft cord

39948/6

power

Pre-configured SIMPLE Forum (6 ports 9¾" L x 2" W)

Model# pre-wired \$1,010 1P 1P Α5 **A5** HD н 39945/6 power 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord 1x HDMI coupler with 18" cord 1x USB port 3.0 with 10ft cord Model# \$1,080 site-wired 1P-SW 1P-SW HD **A5** Α5 н 39946/6 power 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord; 1x HDMI coupler with 18" cord 1x USB port 3.0 with 10ft cord Model# pre-wired \$965 1P 1P 1P Α5 Α5 Α5 39947/6 power 3 x pre-wired power with 10ft cord 3 x SIEMON CAT6 data with 10ft cord Model# site-wired \$1,025 1P-SW 1P-SW 1P-SW **A5** Α5

> 3 x site-wired power with 6ft metallic shielded cable 3 x SIEMON CAT6 data with 10ft cord

A5

Pre-configured SIMPLE Forum (6 ports, for client's own data fitting)

Model # 39951	pre-wired power	1P 1P	О	0	0	0		\$595
		2 x pre-wire 4 x open por					t's own data fitting and cord	
Model #39952	site-wired power	1P-SW 1P-SV	у о	0	0	0		\$625
							ielded cable t's own data fitting and cord	
Model #39953	pre-wired power	1P 1P	1P	0	0	0		\$615
		3 x pre-wire 3 x open por cord					t's own data fitting and	
Model # 39954	site-wired power	1P-SW 1P-SV	1P-SW	0	o	0		\$660
		3 x site-wire	d powe	r with 6	oft met	allic sh	ielded cable	

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

3 x open port/data adapter to fit in client's own data fitting and cord

 $[\]bullet\, \text{Simple Forum is available in black or white finish}.$

Nomad[®] Benching | Connectivity

		List Price
CUSTO	DM SIMPLE FORUM	
Base M	odel For Simple Forum (6 Ports)	\$320
Model	#: CX6P	
	S-1P - 1 power receptacle with 10' white cord	\$145
1.1	S-1P-SW - 1 power receptacle hard wired with a 6' whip	\$165
	A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$180
•	C - Audio- 3.5mm Mini stereo Jack with 10' cord	\$90
	H - USB port 3.0 with 10ft cord	\$135
	2U - Stacked USB charger A+C	\$170
	3U - Dual USB C charger	\$170
	G - DB15HD, VGA connector, 10' cord	\$195
	HD - HDMI Coupler with 18" cord	\$195
	B - Blank plate	\$65
	O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit	\$65
\bigcirc	L - Belay 1" dia. hole opening rubber strain relief pass through cords	\$65



SIMPLE POP UP FORUM - Single sided (Surface mounted)

List Price

Pre-configu	red SIMPLE Pop	Up Forum	
Model # 85190	pre-wired power (2 ports)	1P 1P cutout dimension: 5"W x 4"D	\$625
		2 x pre-wired power with 10ft cord	
Model # 85191	pre-wired power (3 ports)	1P 1P 1P	\$645
		cutout dimension: 61/2"W x 4"D 3 x pre-wired power with 10ft cord	
Model # 85193	pre-wired power (3 ports)	1P 1P A5	\$770
		cutout dimension: 61/2"W x 4"D 2 x pre-wired power with 10ft cord 1 x Siemon CAT6 data with 10ft cord	
Model # 85197	pre-wired power (4 ports)	1P 1P 0 cutout dimension: 61/2"W x 4"D	\$645
		2 x pre-wired power with 10ft cord 1 x open port / data adapter to fit in client's own data fitting and cord	
Model # 85194	pre-wired power (3 ports)	1P 1P 2U	\$735
		cutout dimension: 61/2"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked)	
Model # 85196	pre-wired power (4 ports)	1P 1P A5 A5	\$885
		cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord	
Model # 85198	pre-wired power (4 ports)	1P 1P 0 0	\$675
		cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x open port / data adapter to fit in client's own data fitting and cord	

Nomad[®] Benching | Connectivity

									List Price
Model # 85199	pre-wired power (4 ports)	1P	1P	2U	HD				\$905
		2 x pre 2 x US	e-wired B-A+C	nsion: 8 I power C charg pler wi	r with 1 er (sta	Oft cor cked)	d		
Model # 85200	pre-wired power (4 ports)	2 x pre	e-wired B-A+C	2U nsion: 8 I power Charg / data	r with 1 er (sta	Oft cor cked)		nt's own data fitting and cord	\$790
Model # 85202	pre-wired power (6 ports)	2 x pre 2 x US 1 x HD	e-wired B-A+C MI cou	2U nsion: 11 d power charg pler with	r with 1 er (sta th 18" c	Oft cor cked) cord]	\$1,225
Model # 85203	pre-wired power (6 ports)	cutout 2 x pre 2 x USI 1 x HDN 2 x ope	-wired B-A+C VII coup	power charge oler wit	with 10 er (stac h 18" c	Oft cord cked) ord		nt's own data fitting and cord	\$980



SIMPLE POP UP FORUM - DOUBLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Pop Up Forum

Model # 85205 pre-wired power Side A: (each side - 2 ports)

1P

\$1,270

\$1,585

Side B:

1P


cutout dimension: 5"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord Side B: 2 x pre-wired power with 10ft cord (Provides a total of 4 x pre wired power)

Model #85206 pre-wired power

(each side - 3 ports)

Side A: 1P **2U**

Side B:



cutout dimension: 6-1/2"W x 7-11/16"D

Side A: 2 x pre-wired power with 10ft cord


2 x USB-A+C Charger (stacked)

Side B: 2 x pre-wired power with 10ft cord

2 x USB-A+C Charger (stacked)

(Provides a total of 4 x pre wired power & 4 x USB Charger)

Model # 85208 pre-wired power (each side - 4 ports) Side A:



\$1,795

Side B:

cutout dimension: 8"W x 7-11/16"D

2 x Siemon CAT6 data with 10ft cord

Α5

Side B: 2 x pre-wired power with 10ft cord

Side A: 2 x pre-wired power with 10ft cord

2 x Siemon CAT6 data with 10ft cord

(Provides a total of 4 x pre wired power & 4 x Siemon CAT6 data)

Α5

Nomad[®] Benching | Connectivity

								List Price
Model # 85209	pre-wired power (each side - 4 ports)	Side A:	1P	1P	o	o		\$1,305
		Side B:	1P	1P	0	0		
		Side B: 2	x oper x pre- x open	port/c	data ad oower v lata ada	lapter t with 10 apter t	o fit in client's own data fitting and cord	
Model # 85210	pre-wired power (each side - 4 ports)	Side A:	1P	1P	2U	0		\$1,605
		Side B:	1P	1P	2U	0		
		1 Side B: 2 2 1	2 x pre- x USB x open 2 x pre- x USB x open	wired p -A+C (port/ (wired p -A+C (port/ (cower v Charge data ad cower v Charge data ad	with 10 r (stack apter t with 10 r (stack apter t	ked) o fit in client's own data fitting and cord ft cord,	

Nomad® Benching | Connectivity

Note:

- Finish is standard in clear anodized aluminum.
- For power cord with 6ft long, please add a letter "B" at the end of model #.
- Site-wired / hard-wired power with 72" metallic shielded cable is available with an upcharge of \$70 list per 2 power. Please add a letter "H" at the end of model #.

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

Adapter "AA"

Systimax/CommScope Uniprise/CommScope

Adapter "BB"

L-Com Keystone Modular
Tyco SL/110 Connect Series Modular Jacks
Siemon Keystone Style
Allen Tel Versa Tap Series
Leviton Quick Port® Series
Nordx Keystone Style
Tyco SL Conpler Series

Adapter "CC"

Krone 6000 Series/ADC Hubbell Xcelerator™ Keystone Series

Adapter "DD"

blank

Adapter "EE"

Ortronics TracJack Series

Adapter "FF"


Panduit Mini-Com Series

Adapter "GG"

microphone jack / 3pin XLR, solder type only

Adapter "HH"

Adapter "HH" - video monitor jack / DB-15, pand mount solder type.



• Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)

Nomad[®] Benching | Connectivity

	List Price
electing a base model and require elements.	
	\$545
Side A	\$615
Side B	\$1,150
•	Side A

Select the elements as per below:

	· · · · · · · · · · · · · · · · · · ·	
Ļ	S-1P-1 power receptacle with 10' white cord	\$145
	S-1P-SW - 1 power receptacle hard wired with a 6' whip	\$165
	A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$180
•	C - Audio- 3.5mm Mini stereo Jack with 10' cord	\$90
	H - USB port 3.0 with 10ft cord	\$135
	2U - Stacked USB charger A+C	\$170
	3U - Dual USB C charger	\$170
.	G - DB15HD, VGA connector, 10' cord	\$195
	HD - HDMI Coupler with 18" cord	\$195
	B - Blank plate	\$65
0	O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit	\$65

VOX ® EXPANDABLE CABLE CONDUIT WITH EXTENDED LENGTH

Cable conduit is required for 2 person benching with connectivity. For adjustable height table with connectivity, select the model of conduit with extended length

VOX® CABLE CONDUIT

Vox® Expandable Cable Conduit



Expandable Cable Conduit for Standard Height

55024-B	Black	1,165
55024-S	Silver	1,165
55024-C	Clear	1,165

flexible plastic wire. Its unique properties allow it to expand and contract to allow for different cable capacities.

A "U" bracket at the top attaches to the support rail.

An 8" diameter counter weight is incorporated at the base

The Vox® Expandable Cable Conduit is made of woven,

Expandable Cable Conduit for Standing Height

55024-BXL	Black	1,235
55024-SXL	Silver	1,235
55024-CXL	Clear	1,235

Cable capacity range is from two inches to four inches.

which can be positioned to accommodate core drills or receptacle positions. Inside hole diameter is 3.5".

Note: Expandable Cable Conduit for height adjustable tables are 42" long.

Shipped with extra length, the Vox expandable cable conduit can easily be shortened on site if required.



Vox® Linked Cable Conduit



55025-B	Black	1,270
55025-S	Silver	1,270
55025-C	Clear	1,270

The Vox[®] Linked Cable Conduit is comprised of a series of plastic elements that are divided into 4 cavities.

As an assembly it bends in a single direction but may also be rotated about its top mount.

A "U" bracket at the top attaches to the support rail.

An 8" diameter counter weight is incorporated at the base which can be positioned to accommodate core drills or receptacle positions. Inside hole diameter is 3.5".

- 2" long segments can be removed to desired length.
- Wire capacity: eighteen 16 gauge cables.

TERMS AND CONDITIONS OF SALE

PRICES

All prices are list prices, FOB our Toronto Factory-freight charges are extra. Packing and/or crating is available, if required, upcharges apply.

Due to existing conditions in regard to cost of labor and materials, we reserve the right to change prices without notice.

TERMS

Net 30 days from date of invoice to accredited buyers. Two per cent (2%) interest charged monthly on overdue accounts. Deposit of 50% is required with order. Terms will be established upon credit evaluation. Due to delays in processing references, first orders may be treated as C.B.D. orders.

ORDER CONFIRMATION

Orders are accepted upon issuance of our order confirmation and are subject to the terms set forth therein; notwithstanding any variance from the terms of the buyer's order form.

Nienkämper is not liable for any delay or failure to deliver caused by labor or transportation difficulties, accidents, acts of God, failure of sources of supply, or other causes beyond our control, and changes will affect the delivery date.

CHANGE OF ORDERS OR CANCELLATIONS

Changes or cancellations are subject to our ability to conform. A charge will be levied against canceled or changed orders based on costs already incurred by Nienkämper. All changes must be in writing and submitted on a revised purchase order. Changes will affect the delivery date.

STORAGE

If goods cannot be accepted when ready, we may transfer them to storage (which is to be deemed as delivery for invoice purposes). The customer accepts risks and will be charged at prevailing rates.

FREIGHT

All prices are list prices, FOB our Toronto Factory-freight charges are extra.

Packing and/or crating are available, if required, upcharges apply.

CLAIMS

All furniture is given to the carrier and signed for in good condition. It is the responsibility of the receiver to sign for the goods in the presence of the carrier and note the condition in which they are received. Freight claims should be filed with the carrier.

WARRANTY

There are no express or implied warranties, conditions and obligations of the manufacturer, whether statutory or otherwise that extend beyond the description on the face hereof. Our furniture is made to the highest standard and is warranted free from defects of material and workmanship for five years from the date of delivery. During the warranty period we will repair or replace such merchandise as shall prove to be defective, during normal usage in accordance with manufacturer's specifications. The manufacturer shall not be liable for defect wholly attributable to normal manufacturing process. Replacement or repair of the Product shall be the sole remedy of the Customer, and the manufacturer shall not be liable for any direct, indirect, incidental, or consequential loss or damage suffered by the Customer by reason of any defect in workmanship or manufacture of the Product or inability to use the Product. Moreover, this warranty does not cover accidental damage, abuse, alteration, ordinary wear and tear of Goods, negligence and misuse nor variations over which we have no control such as heat or humidity or damage to which the Goods are connected that is not attributable to the failure of the goods themselves. This warranty is null and void when the product is installed with hardware other than that supplied and/or when installed differently than recommended in the installation guide. Modification to the product or hardware may result in failure of the product and cause damage and/or injury.

WOOD FINISHES

Nienkämper offers a wide variety of standard light finishes on cherry, mahogany and figured anagre wood veneers, and a clear natural finish on figured anagre, figured sycamore, maple, bird's eye maple and curly maple.

Light finishes do not mask the grain and other characteristics of each wood species. It is important to understand that pieces of the same type of wood will not look identical when a light finish is used. The appearance of the finish will also depend on the natural color of the veneer. Cherry darkens over time as the wood ages. Pin knots and gum pockets are inherent traits.

Wood is a naturally variable raw material; its variances are not within the furniture manufacturer's control and are therefore not considered defects under this warranty.

nienkämper International Inc.



