# nienkämper International Inc.

# **VOX**<sup>®</sup> **CREDENZAS & CABINETS**



Prices shown are List Prices, FOB our Toronto Factory- freight charges are extra. Packing and/ or crating is available, if required, upcharges apply.

# **VOX® CREDENZAS - PHOTOGRAPHY**



Model #28725 Vox® Credenza on legs.

Model #50514/2 Vox® Conference Table with Taper legs.

Both items F-18, Natural White Oak



Model #28702 Vox® Credenza on Legs.
F-20 Natural Ribbon Stripe Sapele
Berkley armless sofa, see Nienkämper Seating Price List

#### VOX® CREDENZAS ON GLIDES

Model


Number

Cabinet

Finish







L" x

D" x

H"

#### Frosted Glass Doors - Add "/G" to model # and \$100 to price

Top Finish

*	23431	Wood	Wood	23 1/2	25	1/.	34 1/4	4.515
	23431	woou	woou	23 /2	2 23	/4	34 /4	4,515
	23431/3	Paint	Wood					4,080
	23431/5	Wood	Laminate					4,280
	23431/4	Paint	Laminate					3,870
			A 11" (O")		104001			

#### Frosted Glass Doors - Add "/G" to model # and \$100 to price

23502/2	Wood	Wood	<b>47</b> 1/8	20	341/4	5,260
23502/3	Paint	Wood				4,740
23502/5	Wood	Laminate				5,000
23502/4	Paint	Laminate				4,740

Frosted Glass Doors - Add "/G" to model # and \$200 to price

*	23432	Wood	Wood	47 1/8	25 1/4	34 1/4	5,980
	23432/3	Paint	Wood				5,385
	23432/5	Wood	Laminate				5,680
	23432/4	Paint	Laminate				5,385

#### Frosted Glass Doors - Add "/G" to model # and \$210 to price

23503/2	Wood	Wood	70 ¾	20	34 1/4	7,370
23503/3	Paint	Wood				6,590
23503/5	Wood	Laminate				7,015
23503/4	Paint	Laminate				6,300

Frosted Glass Doors - Add "/G" to model # and \$300 to price

23433	Wood	Wood	70 ¾	251/4	341/4	8,380
23433/3	Paint	Wood				7,475
23433/5	Wood	Laminate				7,950
23433/4	Paint	Laminate				7,150
	23433/3 <b>23433/5</b>	23433/3 Paint 23433/5 Wood	23433/3 Paint Wood 23433/5 Wood Laminate			

#### Frosted Glass Doors - Add "/G" to model # and \$300 to price


*	23504/2	Wood	Wood	94 %	20	34 1/4	8,670
	23504/3	Paint	Wood				7,800
	23504/5	Wood	Laminate				8,235
	23504/4	Paint	Laminate				7,435

Frosted Glass Doors - Add "/G" to model # and \$400 to price

**	23434	Wood	Wood	94 %	251/4	34 1/4	9,835
	23434/3	Paint	Wood				8,870
	23434/5	Wood	Laminate				9,365
	23434/4	Paint	Laminate				8,425

Frosted Glass Doors - Add "/G" to model # and \$400 to price

- Cabinet in 1 piece, Top in 1 piece
- \*\* Cabinet in 2 pieces, Top in 1 piece



#### **Product Description**

List

Price

Vox credenzas are available in two standard depths: 20" and 251/4"

Standard finish options are selected by model number and include:

- · Wood case with wood top
- Painted case with wood top
- Wood case with laminate top
- Painted case with laminate top

#### For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates and aluminum/ paint finishes from pages 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Doors may be specified with optional glass panels in a variety of transparencies and colours. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches. A variety of optional pulls are specified on page 345.

Glass doors are not available with pulls

Cabinets are built in sections not exceeding three pedestal widths, with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

Refrigerators page 353-354 and Equipment storage racks pages 357-358 are not available in 20" deep credenzas.

20" deep credenzas cannot accommodate refrigerators and equipment storage racks.

#### Standard features:

- · Easily leveled from interior of cabinet
- One adjustable shelf per opening
- Top is self-edged on four sides
- Single pedestal interior dimensions: 251/4" deep: 22" W x 231/2" D x 283/4" H 20" deep: 22" W x 181/8" D x 283/4" H



Model # 23444

Vox four-pedestal credenza in walnut veneer with silver anodized aluminum trim.






Available in two depths as illustrated



Available in two depths as illustrated




Available in two depths as illustrated


#### **VOX® CREDENZAS ON GLIDES**









Available in two depths as illustrated




Available in two depths as illustrated



Available in two depths as illustrated



Available in two depths as illustrated



23505/2	Wood	Wood	118	20	34 1/4	10,425
23505/3	Paint	Wood				9,395
23505/5	Wood	Laminate				9,910
23505/4	Paint	Laminate				8,910

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

23435	Wood	Wood	118	251/4	34 1/4	11.845
23435/3	Paint	Wood		2074	0.174	10,670
23435/5	Wood	Laminate				11,250
23435/4	Paint	Laminate				10,130

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

**	23506/2	Wood	Wood	141 %	20	34 1/4	12,075	
	23506/3	Paint	Wood				10,880	
	23506/5	Wood	Laminate				11,490	
	23506/4	Paint	Laminate				10,330	

#### Frosted Glass Doors - Add "/G" to model # and \$600 to price

***	23436	Wood	Wood	141 %	25 1/4	34 1/4	13,735	
	23436/3	Paint	Wood				12,350	
	23436/5	Wood	Laminate				13,035	
	23436/4	Paint	Laminate				11,730	

#### Frosted Glass Doors - Add "/G" to model # and \$600 to price

****	23507/2	Wood	Wood	165 1/4	20	34 1/4	13,575
	23507/3	Paint	Wood				12,205
	23507/5	Wood	Laminate				12,885
	23507/4	Paint	Laminate				11,835

Frosted Glass Doors - Add "/G" to model # and \$700 to price

****	23437	Wood	Wood	165 1/4	25 1/4	34 1/4	15,390
	23437/3	Paint	Wood				13,855
	23437/5	Wood	Laminate				14,645
	23437/4	Paint	Laminate				13,425

#### Frosted Glass Doors - Add "/G" to model # and \$700 to price

23508/2	Wood	Wood	188 %	20	34 1/4	15,130
23508/3	Paint	Wood				13,610
23508/5	Wood	Laminate				14,385
23508/4	Paint	Laminate				12,950

#### Frosted Glass Doors - Add "/G" to model # and \$800 to price

**	23438	Wood	Wood	188 %	25 1/4	34 1/4	17,190
	23438/3	Paint	Wood				15,485
	23438/5	Wood	Laminate				16,320
	23438/4	Paint	Laminate				14,685

Frosted Glass Doors - Add "/G" to model # and \$800 to price



#### **Product Description**

Vox credenzas are available in two standard depths 20" and 251/4"

Standard finish options are selected by model number and include:

- Wood case with wood top
- Painted case with wood top
- Wood case with laminate top
- Painted case with laminate top

#### For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates and aluminum/ paint finishes from page 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Doors may be specified with optional glass panels in a variety of transparencies and colors. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches. A variety of optional pulls are specified on page 345.

Glass doors are not available with pulls.

Cabinets are built in sections not exceeding three pedestal widths, with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

Credenza 20" deep cannot accommodate refrigerators and equipment storage racks.

#### Standard features:

- · Easily leveled from interior of cabinet
- One adjustable shelf per opening
- Top is self-edged on four sides
- Single pedestal interior dimensions: 25¼" deep - 22" W x 23½" D x 28¾" H 20" deep - 22" W x  $18\frac{1}{8}$ " D x  $28\frac{3}{4}$ " H



Model # 701 Vox Serving/Storage Tray placed on a Vox credenza with silver anodized trim. Both items finished in Natural Figured Sycamore.

<sup>\*\*</sup> Cabinet in 2 pieces, Top in 1 piece

<sup>\*\*\*</sup> Cabinet in 2 pieces, Top in 2 pieces

<sup>\*\*\*\*</sup> Cabinet in 3 pieces, Top in 2 pieces

# **VOX® CREDENZAS ON CASTERS**

Model

Number

Cabinet

**Finish** 








Available in one depth only



Available in one depth only



Available in one depth only



Available in one depth only

*	23441	Wood	Wood	23½	25 1/4	34 1/4	5,210
	23441/3	Paint	Wood				4,690
	23441/5	Wood	Laminate				4,950
	23441/4	Paint	Laminate				4.455

Frosted Glass Doors - Add "/G" to model # and \$100 to price

Top Finish L"

,	23442	Wood	Wood	471/8	25 1/4	34 1/4	6,745
	23442/3	Paint	Wood				6,055
	23442/5	Wood	Laminate				6,420
	23442/4	Paint	Laminate				5,765

Frosted Glass Doors - Add "/G" to model # and \$200 to price

*	23443	Wood	Wood	70 ¾	25 1/4	34 1/4	9,095	
	23443/3	Paint	Wood				8,185	
	23443/5	Wood	Laminate				8,365	
	23443/4	Paint	Laminate				7,755	

Frosted Glass Doors - Add "/G" to model # and \$300 to price

23444	Wood	Wood	94 %	25 1/4	34 1/4	10,380
23444/3	Paint	Wood				9,335
23444/5	Wood	Laminate				9,845
23444/4	Paint	Laminate				8,880

Frosted Glass Doors - Add "/G" to model # and \$400 to price

#### **Product Description**

List

Price

Vox credenzas on casters are available only in standard depth

Standard finish options are selected by model number and include:

- Wood case with wood top
- · Painted case with wood top
- · Wood case with laminate top
- · Painted case with laminate top

#### For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates and aluminum/paint finishes from page 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Doors may be specified with optional glass panels in a variety of transparencies and colors. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches. A variety of optional pulls are specified on page 345.


Glass doors are not available with pulls

Cabinets are built in sections not exceeding three pedestal widths, with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

#### Standard features:

- · 4" non-marking industrial strength casters
- · One adjustable shelf per opening
- · Top is self-edged on four sides
- Single pedestal interior dimensions:  $25\frac{1}{4}$ " deep - 22" W x  $23\frac{1}{2}$ " D x  $28\frac{3}{4}$ " H



Model # 23444

Vox four-pedestal credenza in Walnut finish with silver anodized aluminum trim.

<sup>\*</sup> Cabinet in 1 piece, Top in 1 piece

<sup>\*\*</sup> Cabinet in 2 pieces, Top in 1 piece

# **VOX® CREDENZAS ON LEGS - 201/4" HIGH**

Model

Cabinet







Available in two depths as illustrated

Number	Finish					Price
28741/2	Wood	Wood	473/16	19 ¾	201/4	4,725
28741/3	Paint	Wood				4,250
28741/5	Wood	Laminate				4,485
28741/4	Paint	Laminate				4,040

Top Finish L"

*	28701	Wood	Wood	473/16	251/4	201/4	5,365	
	28701/3	Paint	Wood				4,825	
	28701/5	Wood	Laminate				5,100	
	28701/4	Paint	Laminate				4,590	



Available in two depths as illustrated

**	28742/2	Wood	Wood	94 %16	19 ¾	201/4	8,470
	28742/3	Paint	Wood				7,630
	28742/5	Wood	Laminate				8,035
	28742/4	Paint	Laminate				7,245

28702	Wood	Wood	94 %16	25 1/4	201/4	9,610
28702/3	Paint	Wood				8,655
28702/5	Wood	Laminate				9,125
28702/4	Paint	Laminate				8,220



Available in two depths as illustrated

28743/2	Wood	Wood	<b>141</b> 15/16	19 ¾	201/4	12,655	
28743/3	Paint	Wood				11,390	
28743/5	Wood	Laminate				12,020	
28743/4	Paint	Laminate				10,825	

***	28703	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	25 1/4	201/4	14,385
	28703/3	Paint	Wood				12,950
	28703/5	Wood	Laminate				13,645
	28703/4	Paint	Laminate				12,305



#### **Product Description**

List

Vox credenzas on legs are available in two standard depths: 1934" and 25½" and three standard heights 20½", 29" and 34½".

Standard finish options are selected by model number and include:

- Wood case with wood top
- Painted case with wood top
- Wood case with laminate top
- Painted case with laminate top

#### For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates, and aluminum/ paint finishes from pages 8-12.

Credenza drawers include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

A variety of pulls are specified on page 345.

Cabinets are built in sections not exceeding three pedestal widths with tops shipped separately. Tops longer than 118" in length are made in two pieces.

#### Standard features:

- Easily leveled at the base of each metal leg
- Top is self-edged on four sides
- Extra wide storage drawers.
- Note, standard extra wide storage drawers are not suitable for filing, Contact Customer Service for alternative configuration to suit this requirement.



Model # 28701

Shown in Rift Cut Oak with Swivel Pulls, FP-5, and silver anodized aluminum trim.

Model # 28725

Shown in Rift Cut Oak with Swivel Pulls, FP-5, and silver anodized aluminum trim.

<sup>\*</sup> Cabinet in 1 piece, Top in 1 piece

<sup>\*\*</sup> Cabinet in 2 pieces, Top in 1 piece

<sup>\*\*\*</sup> Cabinet in 2 pieces, Top in 2 pieces

#### VOX® CREDENZAS ON LEGS – 29" HIGH

Model

Number

Cabinet

**Finish** 





'زن	:::::	$\geq$
Ś	//	

Available in two depths as illustrated

28751/2	Wood	Wood	47 <sup>3</sup> / <sub>16</sub>	19 3/4	29	5,245
28751/3	Paint	Wood				4,725
28751/5	Wood	Laminate				4,995
28751/4	Paint	Laminate				4,485

**Top Finish** 


28711	Wood	Wood	47 <sup>3</sup> / <sub>16</sub> 25 <sup>1</sup> / <sub>4</sub>	29	5,955	
28711/3	Paint	Wood				5,365
28711/5	Wood	Laminate				5,665
28711/4	Paint	Laminate				5,100



Available in two depths as illustrated

28752/2	Wood	Wood	94 %16	19 3/4	29	9,400
28752/3	Paint	Wood				8,465
28752/5	Wood	Laminate				8,935
28752/4	Paint	Laminate				8,035

*	28712	Wood	Wood	94 %16	25 1/4	29	10,680
	28712/3	Paint	Wood				9,615
	28712/5	Wood	Laminate				10,140
	28712/4	Paint	Laminate				9,130



Available in two depths as illustrated

28753/2	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	19 ¾	29	14,060
28753/3	Paint	Wood				12,670
28753/5	Wood	Laminate				13,375
28753/4	Paint	Laminate				12,040
28753/4	Paint	Laminate				12,0

*	28713	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	25 1/4	29	15,990
	28713/3	Paint	Wood				14,395
	28713/5	Wood	Laminate				15,170
	28713/4	Paint	Laminate				13,665



Available in two depths as illustrated

Available in two depths

as illustrated

28754/2	Wood	Wood	47 3/16	19 ¾	29	5,000
28754/3	Paint	Wood				4,495
28754/5	Wood	Laminate				4,745
28754/4	Paint	Laminate				4,265

#### Frosted Glass Doors - Add "/G" to model # and \$200 to price

28714	Wood	Wood	47 3/16	25 1/4	29	5,670
28714/3	Paint	Wood				5,110
28714/5	Wood	Laminate				5,390
28714/4	Paint	Laminate				4,850

#### Frosted Glass Doors - Add "/G" to model # and \$200 to price

*	28755/2	Wood	Wood	94 %16	19 ¾	29	8,950	
	28755/3	Paint	Wood				8,040	
	28755/5	Wood	Laminate				8,500	
	28755/4	Paint	Laminate				7.665	

#### Frosted Glass Doors - Add "/G" to model # and \$400 to price

*	28715	Wood	Wood	94 %16	25 1/4	29	10,160
	28715/3	Paint	Wood				9,145
	28715/5	Wood	Laminate				9,655
	28715/4	Paint	Laminate				8,680

Frosted Glass Doors - Add "/G" to model # and \$400 to price

#### **Product Description**

List

**Price** 

Vox credenzas on legs are available in two standard depths: 19¾" and 25¼" and three standard heights: 20¼", 29" and 34¼".

Standard finish options are selected by model number and include:

- · Wood case with wood top
- · Painted case with wood top
- Wood case with laminate top
- Painted case with laminate top

# For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates and aluminum/paint finishes from page 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Where applicable, doors may be specified with optional glass panels in a variety of transparencies and colors. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches. A variety of optional pulls are specified on page 345. Glass doors are not available with pulls

Cabinets are built in sections not exceeding three pedestal widths, with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

# Door pedestals cannot accommodate refrigerator or Equipment storage racks.

#### Standard features:

- Easily leveled at the base of each metal leg
- · Top is self-edged on four sides
- Extra wide shallow and deep storage drawers.
- Single pedestal interior dimensions: 25½" deep - 22" W x 23½" D x 21¾" H 20" deep - 22" W x 18½" D x 21¾" H
- \* Note, standard extra wide storage drawers are not suitable for filing, Contact Customer Service for alternative configuration to suit this requirement.



Model # 28712 Shown in Rift Cut Oak with Flush Pulls, FP-5, and silver anodized aluminum trim.

- \* Cabinet in 1 piece, Top in 1 piece
- \*\* Cabinet in 2 pieces, Top in 1 piece
- \*\*\* Cabinet in 2 pieces, Top in 2 pieces

#### VOX® CREDENZAS ON LEGS – 29" HIGH



Available in two depths

Available in two depths as illustrated


Available in two depths

Available in two depths as illustrated

as illustrated

as illustrated





#### Frosted Glass Doors - Add "/G" to model # and \$600 to price

***	28716	Wood	Wood	<b>141</b> <sup>15</sup> / <sub>16</sub>	25 1/4	29	15,205
	28716/3	Paint	Wood				13,690
	28716/5	Wood	Laminate				14,455
	28716/4	Paint	Laminate				13,005

#### Frosted Glass Doors - Add "/G" to model # and \$600 to price

*	28757/2	Wood	Wood	94 %16	19 3/4	29	9,675
	28757/3	Paint	Wood				8,700
	28757/5	Wood	Laminate				9,185
	28757/4	Paint	Laminate				8,265

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

28717	Wood	Wood	94 1/16	25 1/4	29	10,975
28717/3	Paint	Wood				9,895
28717/5	Wood	Laminate				10,435
28717/4	Paint	Laminate				9,400

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

**	28758/2	Wood	Wood	94 1/16	19 3/4	29	9,780
	28758/3	Paint	Wood				8,800
	28758/5	Wood	Laminate				9,300
	28758/4	Paint	Laminate				8,375

Frosted Glass Doors - Add "/G" to model # and \$500 to price

28718	Wood	Wood	94 1/16	25 1/4	29	11,100
28718/3	Paint	Wood				9,995
28718/5	Wood	Laminate				10,555
28718/4	Paint	Laminate				9,495

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

***	28759/2	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	19 ¾	29	13,890
	28759/3	Paint	Wood				12,510
	28759/5	Wood	Laminate				13,190
	28759/4	Paint	Laminate				11,890

#### Frosted Glass Doors - Add "/G" to model # and \$700 to price

***	28719	Wood	Wood	<b>141</b> 15/16	25 1/4	29	15,785
	28719/3	Paint	Wood				14,205
	28719/5	Wood	Laminate				14,990
	28719/4	Paint	Laminate				13,495

Frosted Glass Doors - Add "/G" to model # and \$700 to price

- \* Cabinet in 1 piece, Top in 1 piece
- \*\* Cabinet in 2 pieces, Top in 1 piece
- \*\*\* Cabinet in 2 pieces, Top in 2 pieces



#### **Product Description**

Vox credenzas on legs are available in two standard depths: 20" and 251/4" and three standard heights: 201/4", 29" and 341/4".

Standard finish options are selected by model number and include:

- · Wood case with wood top
- Painted case with wood top
- Wood case with laminate top
- Painted case with laminate top

#### For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates, and aluminum/ paint finishes from pages 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Where applicable doors may be specified with optional glass panels in a variety of transparencies and colors. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches. A variety of optional pulls are specified on page 345. Glass doors are not available with pulls.

Cabinets are built in sections not exceeding three pedestal widths with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

#### Door pedestals cannot accommodate refrigerator or Equipment storage racks.

#### Standard features:

- Easily leveled at the base of each metal leg
- Top is self-edged on four sides
- Extra wide shallow and deep storage drawers.
- Single pedestal interior dimensions: 251/4" deep - 22" W x 231/2" D x 213/4" H 20" deep - 22" W x 181/6" D x 213/4" H
- Note, standard extra wide storage drawers are not suitable for filing, Contact Customer Service for alternative configuration to suit this requirement.



Model # 28712 Shown in Rift Cut Oak with Flush Pulls, FP-5, and silver anodized aluminum trim.



### VOX® CREDENZAS ON LEGS – 34¼" HIGH

28722/4

Paint



Self Edge Top




Available in two depths as illustrated





as illustrated



Available in two depths as illustrated



Available in two depths as illustrated



Available in two depths as illustrated

	Model Number	Cabinet Finish	Top Finish	L" x	D" x	H"	List Price
*	28761/2	Wood	Wood	47 <sup>3</sup> / <sub>16</sub>	19 ¾	34 1/4	5,460
	28761/3	Paint	Wood				4,905
	28761/5	Wood	Laminate				5,195
	28761/4	Paint	Laminate				4,675

28721	Wood	Wood	47 <sup>3</sup> / <sub>16</sub>	25 1/4	34 1/4	6,190
28721/3	Paint	Wood				5,575
28721/5	Wood	Laminate				5,875
28721/4	Paint	Laminate				5,295

	28722/5	Wood	Laminate				10,555
	28722/3	Paint	Wood				9,990
**	28722	Wood	Wood	94 %16	25 1/4	34 1/4	11,100
	28762/4	Paint	Laminate				8,370
	28762/5	Wood	Laminate				9,285
	28762/3	Paint	Wood				8,795
**	28762/2	Wood	Wood	94 %16	19 ¾	34 1/4	9,775

Laminate

**	28763/2	Wood	Wood	<b>141</b> 15/16	19 3/4	34 1/4	14,645
	28763/3	Paint	Wood				13,180
	28763/5	Wood	Laminate				13,910
	28763/4	Paint	Laminate				12,530

**	28723	Wood	Wood	25 1/4	25 1/4	34 1/4	16,625
	28723/3	Paint	Wood				14,970
	28723/5	Wood	Laminate				15,805
	28723/4	Paint	Laminate				14,235

28764/4	Paint	Laminate				4,445
28764/5	Wood	Laminate				4,930
28764/3	Paint	Wood				4,685
28764/2	Wood	Wood	47 <sup>3</sup> / <sub>16</sub>	19 ¾	34 1/4	5,195
	28764/3	<b>28764/2 Wood</b> 28764/3 Paint	28764/3 Paint Wood	28764/3 Paint Wood	28764/3 Paint Wood	28764/3 Paint Wood

Frosted Glass Doors - Add "/G" to model # and \$200 to price

28724	Wood	Wood	<b>47</b> <sup>3</sup> / <sub>16</sub>	25 1/4	34 1/4	5,890
28724/3	Paint	Wood				5,305
28724/5	Wood	Laminate				5,605
28724/4	Paint	Laminate				5,035

#### Frosted Glass Doors - Add "/G" to model # and \$200 to price

**	28765/2	Wood	Wood	94 %16	19 ¾	34 1/4	9,305
	28765/3	Paint	Wood				8,390
	28765/5	Wood	Laminate				8,840
	28765/4	Paint	Laminate				7,955

#### Frosted Glass Doors - Add "/G" to model # and \$400 to price

**	28725	Wood	Wood	94 %16	25 1/4	34 1/4	10,570
	28725/3	Paint	Wood				9,515
	28725/5	Wood	Laminate				10,025
	28725/4	Paint	Laminate				9,030

Frosted Glass Doors - Add "/G" to model # and \$400 to price

#### **Product Description**

Vox credenzas on legs are available in two standard depths: 20" and 251/4" and three standard heights: 201/4", 29" and 341/4".

Standard finish options are selected by model number and include:

- Wood case with wood top
- Painted case with wood top
- Wood case with laminate top
- · Painted case with laminate top

#### For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates, and aluminum/ paint finishes from pages 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Where applicable doors may be specified with optional glass panels in a variety of transparencies and colors. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches for opening. A variety of optional pulls are specified on page 345. Glass doors are not available with pulls.

Cabinets are built in sections not exceeding three pedestal widths, with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

Door pedestals 20" deep cannot accommodate refrigerators or equipment racks.

#### Standard features:

9,485

- · Easily leveled at the base of each metal leg
- Top is self-edged on four sides
- Extra wide storage drawers.
- Single pedestal interior dimensions: 25¼" deep - 22" W x 23½" D x 26" H 20" deep - 22" W x 181/6" D x 26" H
- Note, standard extra wide storage drawers are not suitable for filing, Contact Customer Service for alternative configuration to suit this requirement.



Model # 28723

Shown in Quarter Cut Natural Walnut with Flush Pulls, FP2-S, and silver anodized aluminum trim

- \* Cabinet in 1 piece, Top in 1 piece
- \*\* Cabinet in 2 pieces, Top in 1 piece
- \*\*\* Cabinet in 2 pieces, Top in 2 pieces





Available in two depths as illustrated



Available in two depths as illustrated



Available in two depths as illustrated



Available in two depths as illustrated

	Number	Finish	Top Finish	L" x	D" x	H"	Price
**	28766/2	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	19 3/4	341/4	13,930
	28766/3	Paint	Wood				12,530
	28766/5	Wood	Laminate				13,245
	28766/4	Paint	Laminate				11,910
	Exected C	loco Dooro	A -1-1 " / C" +	nodel # and	\$600 to n	wie e	

#### Frosted Glass Doors - Add "/G" to model # and \$600 to price

28726	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	251/4	34 1/4	15,810
28726/3	Paint	Wood				14,240
28726/5	Wood	Laminate				15,040
28726/4	Paint	Laminate				13,535
	28726/3 28726/5	28726/3 Paint 28726/5 Wood	28726/3 Paint Wood  28726/5 Wood Laminate	28726/3 Paint Wood Laminate	28726/3 Paint Wood 28726/5 Wood Laminate	28726/3 Paint Wood Laminate 2374 3474

#### Frosted Glass Doors - Add "/G" to model # and \$600 to price

28767/2	Wood	Wood	94 %16	19 3/4	34 1/4	10,070
28767/3	Paint	Wood				9,065
28767/5	Wood	Laminate				9,565
28767/4	Paint	Laminate				8,630

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

28727	Wood	Wood	94 %	25 1/4	34 1/4	11,435
28727/3	Paint	Wood				10,285
28727/5	Wood	Laminate				10,870
28727/4	Paint	Laminate				9,780

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

**	28768/2	Wood	Wood	94 %16	19 ¾	34 1/4	10,175
	28768/3	Paint	Wood				9,170
	28768/5	Wood	Laminate				9,670
	28768/4	Paint	Laminate				8.700

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

**	28728	Wood	Wood	94 %16	25 1/4	34 1/4	11,550
	28728/3	Paint	Wood				10,405
	28728/5	Wood	Laminate				10,970
	28728/4	Paint	Laminate				9,895

#### Frosted Glass Doors - Add "/G" to model # and \$500 to price

*	28769/2	Wood	Wood	141 15/16	19 ¾	34 1/4	14,430
	28769/3	Paint	Wood				13,000
	28769/5	Wood	Laminate				10,855
	28769/4	Paint	Laminate				12,345

#### Frosted Glass Doors - Add "/G" to model # and \$700 to price

***	28729	Wood	Wood	141 <sup>15</sup> / <sub>16</sub>	25 1/4	341/4	16,395
	28729/3	Paint	Wood				14,750
	28729/5	Wood	Laminate				15,570
	28729/4	Paint	Laminate				14,035

Frosted Glass Doors - Add "/G" to model # and \$700 to price

- \* Cabinet in 1 piece, Top in 1 piece
- \*\* Cabinet in 2 pieces, Top in 1 piece
- \*\*\* Cabinet in 2 pieces, Top in 2 pieces

#### **Product Description**

Vox credenzas on legs are available in two standard depths: 20" and 251/4" and three standard heights: 201/4", 29" and 341/4".

Standard finish options are selected by model number and include:

- · Wood case with wood top
- · Painted case with wood top
- Wood case with laminate top
- Painted case with laminate top

# For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

Choose standard wood veneers, plastic laminates, and aluminum/paint finishes from pages 8-12.

Credenza doors include aluminum trim around the perimeter that is available in all of the standard aluminum finishes on page 12.

Where applicable doors may be specified with optional glass panels in a variety of transparencies and colors. Contact Nienkämper Customer Service (1-800-668-9318) for specific information regarding glass doors options.

Doors are standard with push latches for opening A variety of optional pulls are specified on page 345. Glass doors are not available with pulls

Cabinets are built in sections not exceeding three pedestal widths, with tops shipped separately. Tops longer than 118" in length are made in two pieces.

To enhance the function of your credenza a range of optional interiors can be selected on pages 351-358.

Door pedestals 20" deep cannot accommodate refrigerators or equipment racks.

#### Standard features:

- · Easily leveled at the base of each metal leg
- Top is self-edged on four sides
- Extra wide storage drawers.
- Single pedestal interior dimensions: 25½" deep - 22" W x 23½" D x 26" H 20" deep - 22" W x 18½" D x 26" H
- Note, standard extra wide storage drawers are not suitable for filing, Contact Customer Service for alternative configuration to suit this requirement.



Model # 28723

Shown in Quarter Cut Natural Walnut with Flush Pulls, FP2-S, and silver anodized aluminum trim.

# **VOX® CREDENZA DRAWER/DOOR PULL SPECIFICATIONS**

	Finish	Model Number	L" x	D" x	H"	Product Description
Flush Pull - Paint Finish	Silver	FP-S	2	1¾	1/16	The Flush Pull is cast stainless steel finished in standard paint finishes to match the cabinets. When ordering pulls, add
						the drawer pull code to the end of the model number of the cabinet selected.  Flush pulls are horizontal on credenza fronts, vertical on
						closet fronts.
Flush Pull 2 - Paint Finish	Silver	FP2-S	4½-7	21/8	3/16	The Flush Pull 2 is die cast zinc and is finished in a metallic silver paint, supplied in two sizes scaled to fit the cabinet
						fronts. When ordering pulls, add the drawer pull code to the end of the model number of the cabinet selected.
						Flush pulls are horizontal on credenza fronts, vertical on closet fronts.
Swivel Pull - Paint Finish	Silver	SP-S	11/8	1¾	1/16	
						The Swivel Pull is cast stainless steel finished in standard paint finishes to match the cabinets. When ordering pulls, add the drawer pull code to the end of the model number of the cabinet selected.
Bar Pull - Stainless Steel	Satin Finish	BP-BSS	13 % - 19 %	3/8	1½	
						The Satin-finished Stainless Steel Bar Pull is supplied in two sizes scaled to fit the cabinet fronts. All bar pulls run horizontally on credenza fronts, and vertically on closet fronts. When ordering pulls, add the drawer pull code to the end of the model number of the cabinet selected.
Bar Pull - Anodized Aluminum	Silver	BP-S	14-20	3/8	1½	
	Champagne Light Bronze	BP-C BP-LB				The anodized aluminum Bar Pull is supplied in two sizes
6						scaled to fit the cabinet fronts. All bar pulls run horizontally on credenza fronts and vertically on closet fronts. Available in three standard anodized aluminum finishes to match cabinets. When ordering pulls, add the drawer pull code to the end of the model number of the cabinet selected.

# **VOX® CREDENZAS - PULL POSITIONS**

#### FLUSH PULL





Flush Pull - FP-S

#### SWIVEL PULL



Swivel Pull - SP-S

#### BAR PULL







Aluminum Bar Pull – BP-S, 20"

# **VOX® OUTLINE CREDENZAS-PHOTOGRAPHY**









# **VOX® OUTLINE CREDENZAS**

Model

Number

**Finish** 

Self Edge



1	DC	O	٦ C	AS	jΕ



58006/2	Wood	<b>26</b> %	20	29	3,475
58006/5	Laminate	26 %	20	29	3,290
58005/2	Wood	26 %	20	341/4	3,650
58005/5	Laminate	26 %	20	341/4	3,460
58004/2	Wood	26 %	20	37	3,830
58004/5	Laminate	26 %	20	37	3,635
58003/2	Wood	26 %	251/8	29	3,940
58003/5	Laminate	26 %	251/8	29	3,730
58002/2	Wood	26 %	251/8	341/4	4,145
58002/5	Laminate	26 %	251/8	341/4	3,930
58001/2	Wood	26 1/8	251/8	37	4,360
58001/5	Laminate	26 %	251/8	37	4,130

L"

D"

H"

Outline Credenzas are offered in 2 depths (20" & 251/8") and 3 heights (29", 341/4" &

Standard finishes are specified by model# +

"W" = Wood door "P" = Laminate

List

Price

"PW"= Wood perimeter band

"PL"= Laminate Perimeter Band

Perimeter Band has thickness of 5/8"

Perimeter Band in 2 pieces at 103%"

#### 2 DOOR CREDENZA



58012/2	Wood	<b>52</b> %	20	29	4,585
58012/5	Laminate	52%	20	29	4,355
58011/2	Wood	<b>52</b> %	20	341/4	4,820
58011/5	Laminate	52%	20	341/4	4,580
58010/2	Wood	<b>52</b> %	20	37	5,065
58010/5	Laminate	52%	20	37	4,805
58009/2	Wood	<b>52</b> %	<b>25</b> 1/8	29	5,205
58009/5	Laminate	52%	251/8	29	4,950
58008/2	Wood	<b>52</b> %	<b>25</b> 1/8	341/4	5,480
58008/5	Laminate	52%	251/8	341/4	5,205
58007/2	Wood	<b>52</b> %	<b>25</b> 1/8	37	5,650
58007/5	Laminate	52%	251/8	37	5,470



Doored cabinets come standard with 1" thick 3 position adjustable shelf.

Touch catches are standard for all doors

20" Deep credenzas are not compatible with most equipment and fridges.

Finished back to be specified at time of


Locks available upon special request contact customer service for upcharge

For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

#### 3 DOOR CREDENZA



58018/2	Wood	<b>77</b> %	20	29	6,425
58018/5	Laminate	77 %	20	29	6,110
58017/2	Wood	77 <i>7</i> /8	20	341/4	6,755
58017/5	Laminate	77 1/8	20	341/4	6,430
58016/2	Wood	77 <i>7</i> /8	20	37	7,095
58016/5	Laminate	77 %	20	37	6,750
58015/2	Wood	77 ½	251/8	29	7,295
58015/5	Laminate	77 1/8	251/8	29	6,560
58014/2	Wood	<b>77</b> %	251/8	341/4	7,680
58014/5	Laminate	77 %	251/8	341/4	6,900
58013/2	Wood	77 <i>7</i> /8	<b>25</b> 1/8	37	8,065
58013/5	Laminate	77 1/8	251/8	37	7,245



Wood	103%	20	29	7,550
Laminate	103%	20	29	7,170
Wood	103%	20	341/4	7,940
Laminate	103%	20	341/4	7,550
Wood	103%	20	37	8,345
Laminate	103%	20	37	7,930
Wood	103%	<b>25</b> 1/8	29	8,570
Laminate	103%	251/8	29	7,915
Wood	103%	251/8	341/4	9,020
Laminate	103%	251/8	341⁄4	8,330
Wood	103%	<b>25</b> 1/8	37	9,475
Laminate	103%	251/8	37	8,750
	Laminate Wood	Laminate         103%           Wood         103%           Wood         103%           Wood         103%	Laminate         103%         20           Wood         103%         20           Laminate         103%         20           Wood         103%         20           Laminate         103%         20           Wood         103%         25%           Laminate         103%         25%           Wood         103%         25%           Laminate         103%         25%           Wood         103%         25%           Wood         103%         25%	Laminate         103%         20         29           Wood         103%         20         34¼           Laminate         103%         20         34¼           Wood         103%         20         37           Laminate         103%         25%         29           Laminate         103%         25½         29           Wood         103%         25½         29           Wood         103%         25½         34¼           Laminate         103%         25½         34¼           Wood         103%         25½         37



#### **VOX® OUTLINE CREDENZAS**

Model

Number

58036/2

58036/5

58035/2

58035/5

58034/2

58034/5

**Finish** 

Wood

Wood

Wood

Laminate


Laminate

Laminate





6 DOOR CREDENZA



58030/2	Wood	154%	20	29	10,520
58030/5	Laminate	154%	20	29	10,000
58029/2	Wood	154%	20	341/4	11,065
58029/5	Laminate	154%	20	341/4	10,525
58028/2	Wood	154%	20	37	11,615
58028/5	Laminate	154%	20	37	11,055
58027/2	Wood	154%	<b>25</b> 1/8	29	12,750
58027/5	Laminate	154%	251/8	29	12,125
58026/2	Wood	154%	251/8	341/4	13,420
58026/5	Laminate	154%	251/8	341/4	12,760
58025/2	Wood	154%	251/8	37	14,095
58025/5	Laminate	154%	251/8	37	13,395

L"

D"

H"

Outline Credenzas are offered in 2 depths (20" & 251/8") and 3 heights (29", 341/4" &

List

Price

All drawers include bottom mounted soft close slides

Aluminum J-Pulls are standard with drawers. black finish typical but other powder coat finishes available upon request, contact

customer service for details 800.668.9318

SINGLE CASE WITH 3 BOX **DRAWERS** 



58033/2	Wood	26 %	<b>25</b> 1/8	29	4,915
58033/5	Paint	26%	251/8	29	4,565
58032/2	Wood	26 %	251/8	341/4	5,175
58032/5	Paint	26%	251/8	341/4	4,805
58031/2	Wood	26 %	<b>25</b> 1/8	37	5,435
58031/5	Paint	26 %	251/8	37	5,055

26 %

26%

26 %

26%

26 %

26 %

251/8

251/8

251/8

251/8

251/8

251/8

29

29

341/4

341/4

37

37

4,535

4,200

4,765

4.430

5,005

4,655



SINGLE CASE WITH 2 FILE DRAWERS



CREDENZA

2 DOOR, 3 BOX DRAWER



58042/2	Wood	<b>77</b> %	20	29	9,500
58042/5	Laminate	77 %	20	29	8,910
58041/2	Wood	<b>77</b> %	20	341/4	9,990
58041/5	Laminate	77 %	20	341/4	9,385
58040/2	Wood	<b>77</b> %	20	37	10,490
58040/5	Laminate	77 1/8	20	37	9,855
58039/2	Wood	<b>77</b> %	<b>25</b> 1/8	29	10,115
58039/5	Laminate	77 1/8	251/8	29	9,510
58038/2	Wood	<b>77</b> %	<b>25</b> 1/8	341/4	10,645
58038/5	Laminate	77 1/8	251/8	341/4	10,005
58037/2	Wood	<b>77</b> %	251/8	37	11,180
58037/5	Laminate	77 %	251/8	37	10,515

For credenzas with waste/ recycling pull out drawer located at end a black powder coated recessed pull is standard. Other colors available upon special request.

Box Drawers interior dimensions are 221/2"W x 151/16"D x 6"D

File Drawers interior dimensions are 221/2"W x 151/16"D x 83/4"D

File drawers include pre-installed profiles that accept standard file folder hangers

Drawer are only available in single width cases.

20" Deep credenzas are not compatible with most equipment and fridges.

Finished back to be specified at time of order

Locks available upon special request contact customer service for upcharge

For credenzas with Fingerprint Resistant P-Lam, please contact customer service for upcharge.

2 DOOR, 2 FILE DRAWER **CREDENZA** 



58048/2	Wood	<b>77</b> %	20	29	9,105
58048/5	Laminate	77 1/8	20	29	8,550
58047/2	Wood	<b>77</b> %	20	341/4	9,575
58047/5	Laminate	77 1/8	20	341/4	8,995
58046/2	Wood	<b>77</b> %	20	37	10,060
58046/5	Laminate	77 1/8	20	37	9,450
58045/2	Wood	<b>77</b> %	251/8	29	9,725
58045/5	Laminate	77 1/8	251/8	29	9,145
58044/2	Wood	<b>77</b> %	251/8	341/4	10,230
58044/5	Laminate	77 1/8	251/8	341/4	9,625
58043/2	Wood	<b>77</b> %	251/8	37	10,750
58043/5	Laminate	77 1/8	251/8	37	10,110


## **VOX® OUTLINE CREDENZAS**






Number	Finish	1"	D"	H"	Drice Drice
Humber	1 1111311				riice

# 3 DOOR CREDENZA WITH TV LIFT




58054/2	(TV LIFT SYSTEM FOR TV UP TO 50")	Wood	<b>77</b> %	20	29	14,985
58054/5		Laminate	77 %	20	29	14,680
58053/2	(TV LIFT SYSTEM FOR TV UP TO 55")	Wood	<b>77</b> %	20	341/4	16,060
58053/5		Laminate	77 %	20	341/4	15,735
58052/2	(TV LIFT SYSTEM FOR TV UP TO 65")	Wood	<b>77</b> %	20	37	16,405
58052/5		Laminate	77 %	20	37	16,055
58051/2	(TV LIFT SYSTEM FOR TV UP TO 50")	Wood	<b>77</b> %	<b>25</b> 1/8	29	15,865
58051/5		Laminate	77 %	251/8	29	15,135
58050/2	(TV LIFT SYSTEM FOR TV UP TO 55")	Wood	<b>77</b> %	251/8	341/4	16,990
58050/5		Laminate	77 %	251/8	341/4	16,210
58049/2	(TV LIFT SYSTEM FOR TV UP TO 65")	Wood	<b>77</b>	<b>25</b> 1/8	37	17,375
58049/5	-	Laminate	77 1/2	251/8	37	16,560

# 5 DOOR CREDENZA WITH TV LIFT



58060/2	(TV LIFT SYSTEM FOR TV UP TO 50")	Wood	128 1/8	20	29	17,655
58060/5		Laminate	128 %	20	29	17,150
58059/2	(TV LIFT SYSTEM FOR TV UP TO 55")	Wood	128 %	20	341/4	18,870
58059/5		Laminate	128 %	20	341/4	18,340
58058/2	(TV LIFT SYSTEM FOR TV UP TO 65")	Wood	128 1/8	20	37	19,350
58058/5		Laminate	128 %	20	37	18,790
58057/2	(TV LIFT SYSTEM FOR TV UP TO 50")	Wood	128 %	<b>25</b> ½	29	18,940
58057/5		Laminate	128 %	251/8	29	18,365
58056/2	(TV LIFT SYSTEM FOR TV UP TO 55")	Wood	128 1/8	251/8	341/4	20,160
58056/5		Laminate	128 %	251/8	341/4	19,615
58055/2	(TV LIFT SYSTEM FOR TV UP TO 65")	Wood	128 %	251/8	37	20,715
58055/5	-	Laminate	128 %	251/8	37	20,135

#### 3 DOOR / 6 BOX DRAWER CREDENZA WITH TV LIFT



58066/2	(TV LIFT SYSTEM FOR TV UP TO 50")	Wood	128 %	20	29	24,810
58066/5		Laminate	128 %	20	29	23,795
58065/2	(TV LIFT SYSTEM FOR TV UP TO 55")	Wood	128 %	20	341/4	26,400
58065/5		Laminate	128 %	20	341/4	25,340
58064/2	(TV LIFT SYSTEM FOR TV UP TO 65")	Wood	128 %	20	37	27,260
58064/5		Laminate	128 %	20	37	26,145
58063/2	(TV LIFT SYSTEM FOR TV UP TO 50")	Wood	128 %	<b>25</b> 1/8	29	25,685
58063/5		Laminate	128 %	251/8	29	24,240
58062/2	(TV LIFT SYSTEM FOR TV UP TO 55")	Wood	128 %	251/8	341/4	27,295
58062/5		Laminate	128 %	251/8	341/4	25,070
58061/2	(TV LIFT SYSTEM FOR TV UP TO 65")	Wood	128 %	251/8	37	28,235
58061/5		Laminate	128 %	251/8	37	26,645
58061/5		Laminate	128 %	251/8	37	20

#### **Product Description:**

All TV units are pre-configured to include:

- 3 door width with touch catch latches
- shallow front storage with adjustable shelves
- 23" diameter pass through grommets to provide wire access from storage area to tv bay.
- premium quality electric TV lift with RF remote control
- bracket to mount TV to (no additional mounting brackets required)
- all drawers include bottom mounted soft close slides
- all drawers include extruded aluminum profile pull
- box Drawer interior dimensions are 22½"W x 151/16"D x 6"D
- locks are available by special request

#### TV sizing per Credenza:

- 29" tall credenza 50" TV (Maximum size 25.4" x 43.9" x 2.12" / Maximum weight 100lbs)
- 341/4" tall credenza 55" TV (Maximum size 27.8" x 48.3" x 2.4" / Maximum weight 100lbs)
- 37" tall credenza 65" TV (Maximum size 32.6" x 57:1" x 2.4" / Maximum weight 100lbs)

#### Included safety features:

- anti pinch lid mounting
- integrated anti collision sensors



#### STANDARD FEATURES

	Model Number	L" x	D" x	H"	List Price	Product Description
SINGLE PEDESTAL FIXED DRAWER						drawer assembly attaches to sub-top and can be added to a     greedenge at any time.
	28707	21	20 3/16	31/2	755	credenza at any time fits into 1-ped & 2-ped openings (two can fit into
						<ul><li>a 2-ped opening)</li><li>drawer interior and face veneered and finished</li></ul>
						to match credenza • interior dimensions: 171/8"W x 161/16"D x 21/4"H
						accommodates cutlery tray model (#28705)
SINGLE PEDESTAL ADJUSTABLE SHELF WITH DRAWER	1					height-adjustable shelf with box drawer fits inside 1-ped opening
	23422	21%	23 1/16	7 15/16	925	<ul><li>equipped with self-closing slides</li><li>drawer interior is black melamine</li></ul>
	20122	2170	20710	7 710	020	drawer face and shelf are veneered and finished to match credenza
						• interior dimensions: 151/a"W x 16"D x 4"H
DOUBLE PEDESTAL ADJUSTABLE SHELF WITH DRAWE	R					height-adjustable shelf with box drawer fits inside 2-ped opening     equipped with self-closing slides
	23423	45 %16	23 1/16	7 15/16	1,225	drawer interior is black melamine     drawer face and shelf are veneered and finished
	20420	40 716	23 716	7 '716	1,223	to match credenza     interior dimensions: 341/4"W x 16"D x 4"H
						<ul> <li>fits into single ped fixed drawer (#28707), and single / double adjustable shelf drawer (#23422, #23423)</li> <li>surround is veneer and finished to match credenza</li> <li>accommodates cutlery tray - model #28705</li> </ul>
<u>CUTLERY TRAY SURROUND</u>	00700	40.1/	10		055	accommodates cately ally model n_20100
	28706	18 1/4	16	3	255	
						<ul> <li>plastic tray has 6 compartments (5 small, 1 large)</li> <li>silver in color</li> </ul>
<b>V</b>						fits into single adjustable shelf with drawer (#28707), and surround (28706)
<u>CUTLERY TRAY</u>						
	28705	17 1/4	16	21/8	180	
						<ul> <li>"L"- shaped dividers for interior of 2-ped box drawer</li> <li>used to organize drawer space</li> </ul>
						bottom of divider has hook-side velcro, and attaches to tempo fabric drawer liner (included)     rift-cut veneer and finished to match credenza
DOUBLE PEDESTAL BOX DRAWER DIVIDERS						
4 LARGE & 4 SMALL INCLUDED						
	28709	4 1/4	4 1/4	3	730	
		4 Large 7 %	7 1/8	3		
		4 Small	. , 0	•		



#### Model # 28707

#### Single Pedestal Fixed Drawer

Shown with optional cutlery tray model #28705

· Fits into single pedestal opening



#### Model # 23423


#### Double Pedestal Adjustable Shelf with Drawer

• Positions are pre-drilled for all 2 pedestal wide openings

#### Model # 23422

#### Single Pedestal Adjustable Shelf with Drawer

- Same features as model #23423 but fits into single pedestal opening



#### Model # 28709

#### **Double Pedestal Box Drawer Dividers**

- This accessory allows large drawer interiors to be divided and re-arranged as required
- Velcro fabric drawer bottom included

Model

Number

#### STANDARD FEATURES

Vox credenzas reflect Nienkämper's commitment to producing well-made furniture that functions superbly. The optional interiors have been designed to enhance the basic design. The refrigerator selected is traditionally used in hospitality applications. *Most refrigerators cannot be accommodated in 20" deep credenzas*.

D" x H"

REFRIGERATOR	



23449	18	20 1/2	20 ½	1,820

#### **Product Description**

#### Model # 23449

List

Price

- all necessary cutouts, ventilation, elevated black base and grommets are provided
- · refrigerator door opens separately from credenza door
- · field reversible door hinge
- 1.8 cu.ft. (51 litre) refrigeration capacity
- removable shelves and in door storage
- fits into single pedestal width of 29" high and 341/4" high credenzas on legs
- See compatibility chart for position / credenza details on pg 339

#### PREMIUM REFRIGERATOR U-LINE 29R



23452	20 ¾	23	281/2	6,050
23459				600

Model # 23459 is Interior Only (for client's own refrigerator including ventilation slot & grommet at the back)

Mod	el i	# 2:	345
-----	------	------	-----

- all necessary cutouts, ventilation and mounting hardware for the refrigerator is provided
- The refrigerator door is finished in stainless steel and opens separately from the credenza door.
- refrigerator door is hinged on the same side as credenza door
- · 3.5 cu. ft. refrigeration capacity
- adjustable tempered glass shelves
- adjustable temperature controls
- case and frame are matte black with a brushed stainless steel door
- see compatibility chart for position / credenza details pg 339

#### MINI REFRIGERATOR



#### 

#### Model # 23520

- · refrigerator door opens separately from credenza door
- field reversible door hinge
- 0.85cu.ft. (24 liter) capacity
- adjustable wire shelf
- LED lighting and key lock
- see compatibility chart for position / credenza details pg 339

#### SINGLE DRAWER REFRIGERATOR



23521 21½ 22¼ 17¾ 4,990	23522	23½	22%	17¾	5,635
	23521	211/2	221/4	17¾	4,990

#### Model # 23521 & 23522

- refrigerator drawer is mounted to wood face and opens with
- credenza drawer
- LED lighting
- digital thermostat
- 1.6cu.ft. (45 liter) capacity
- see compatibility chart for position / credenza details pg 339

#### DOUBLE DRAWER REFRIGERATOR



23525	23%	223/4	32	7,240
23524	173/4	231/4	31½	6,420

#### Model # 23524 & 23525


- refrigerator drawer is mounted to wood face and opens with credenza drawer
- LED lighting
- · digital thermostat
- · 3.4cu.ft. (96 liter) capacity
- 3.7cu.ft. (105 liter) capacity
- see compatibility chart for position / credenza details pg 339

				2 D F	AW ER	1DRAV	V ER	1DOOR	1DOOR	1DOOR
										120-27
										*
				WHILE!						
	N ENK.	AM PER MI	L#	23524	23525	23521	23522	23520	23452	23449
VOX CREDENZA	STYLE	DEPTH	HEIGHT	17.75 W X 22.75 "X 23.25 h	23 375 W X 22 75 "X 32 h	215 w X 22 25 d x 17 75 h	23.5 % X 22.25 d X 17.75 h	13 75 W X 17 25 HX 19 25 h	20 938 w x23 375 dX 28 438 h	17 813 % X 20 063 "X 20 375 "
	1PED CASE	25 375"	34 25"			✓		✓ ✓	V	✓
	Appp 63.65	20 " 25 375 "	34 25" 34 25"					<b>∀</b>	<b>✓</b>	✓
	2 PED CASE	20 "	34 25"					✓		
	3 PED CASE	25 375"	34 25 " 34 25 "					<b>Ø</b>	✓ □	✓
VOX ON LEGS		20 "	34 25"				Ш			
		25 25 "	34 25"			<b>✓</b>		<b>V</b>		<b>✓</b>
			29"			<u> </u>		✓		<u> </u>
	1PED CASE		19.75"							
		19 75 "	34 25"					<b>▽</b>		
			19.75"							
		25 25 "	34 25"			<b>✓</b>		<b>V</b>		<b>✓</b>
			29"			<b>✓</b>		<b>✓</b>		<u> </u>
	2 PED CASE	19.75"	19.75" 34.25"					<b>□</b>		
			29"					✓		
S M PLE CREDEN ZA			19 .75 "							
OFFI DE CREDENSA		25 125 "	34 25"	<b>✓</b>		<b>V</b>		✓	✓	✓
	1PED CASE		29"			<b>V</b>		✓		V
		20 "	34 25"					✓		
		25 125 "	29" 34.25"			✓		<b>2</b>		□
		23 223	29"			✓		✓		✓
	2 PED CASE	20 "	34 25"					✓		
SIM PLE CREDENZAW ITH TV LIFT			29"					<b>✓</b>		
OFFI BE CREDENDAY III IV BI I		25 125 "	34 25"	*		* 4		*	*	*
	1PED CASE		29"			*		*		<b>✓</b>
	II ED CADE	20 "	34 25"					* 4		
		25 125 "	29 " 34 25 "	* ✓		* ✓		* /	*	* ✓
		دعددے	29"			* 2		* 4		* 🗸
	2 PED CASE	20 "	34 25"					* 🗸		
VOX OUTLINE CREDENZA			29"					*		
VOXOUTHNECKEDENZA		25 125 "	37"	<b>V</b>	<b>V</b>	V	<b>V</b>	<b>√</b>	<b>√</b>	<b>✓</b>
			34 25"			✓	✓	✓	✓	✓
	1PED CASE		29"			✓	<b>V</b>	<b>V</b>		<b>V</b>
		20 "	37" 34 25"					<b>Ø</b>		
			29"					<b>√</b>		
		25 125 "	37"	<b>V</b>	<b>✓</b>	<b></b> ✓	<b>V</b>	✓	<b>V</b>	<b>√</b>
			34 25 "			<b>✓</b>	<b>V</b>	✓	✓	<b>V</b>
	2 PED CASE	20 "	29 " 37 "				✓	<ul><li>✓</li></ul>		✓
			34 25"					✓		
LINEAR CREDENZA			29"					<b>V</b>		
DIVERCREDENZA	<u> </u>	25 125 "	34 25"					<b>4</b>		*
	GLUED UP SINGLE	20 "	34 25"					<b>4</b>		
	CASE	25 125 "	29"					<b>V</b>		* _/
LCS CREDENZA		20 "	29"					<b>V</b>		
		24"	34"					<b></b> ✓		
	GLUED UP SINGLE		29"							
	CASE	18 "	34"							
	<u> </u>		∠9"							

#### STANDARD FEATURES

Vox credenzas reflect Nienkämper's commitment to producing well-made furniture that functions superbly. The waste receptacle options below have been designed/selected to accommodate most boardroom and office waste and recycling requirements.

# WASTE RECEPTACLE / FIXED SHELF



23454	14	12	16	1,155

D" x H"

Model

Number

L" x

#### **Product Description**

List

**Price** 

- the waste receptacle is mounted on the inside gable and opens with the credenza door
- the waste receptacle can be specified behind any credenza door
- a short fixed shelf is provided in the remaining area
- · the waste receptacle is housed in a stainless steel canister
- overall capacity is 20 liters or 5¼ gallons



Model # 23454 Waste Bin with Shelf

#### PULL OUT WASTE BIN

	Model Number	L" x	D" x	H"	List Price	Product Description
SINGLE PULL OUT WASTE BIN	23515	10 1/2	16	17 1/2	1,710	<ul> <li>1-30 litre (8 gallons) bin</li> <li>plastic bin in grey, lid and bin holder in steel with silver grey epoxy-coated</li> <li>soft closing mechanism</li> <li>mounted to the inside of door and side gables of a single pedestal</li> <li>pull must be specified for the credenza</li> <li>list price included the upcharge for modification of casing and pull out door</li> <li>Single Pull Out Waste Bin can be installed inside credenza of 20"D or 25½"D with 29"H or 34¼" or 34½"H credenzas</li> </ul>
DOUBLE PULL OUT WASTE & RE-	23516	16 ½	20 ¾	21½	1,835	<ul> <li>2-38 litre (10 gallons) bins</li> <li>2 plastic bins in grey, lid and bin holder in steel with silver grey epoxy-coated</li> <li>soft closing mechanism</li> <li>mounted to the inside of door and side gables of a single pedestal</li> <li>pull must be specified for the credenza</li> </ul>
CYCLE BIN - FRONT TO BACK						<ul> <li>list price included the upcharge for modification of casing and pull out door</li> <li>Double Pull Out Waste &amp; Recycle Bin - Front to Back can only be installed inside 25½"D credenza with 34¼" or 34½"H</li> </ul>
						<ul> <li>2-21 litre (5.5 gallons) bin</li> <li>2 plastic bins in grey, lid and bin holder with double powder-coated metal cover with protective enamel</li> <li>soft closing mechanism</li> <li>mounted to the inside of door and side gables of a single pedestal</li> <li>pull must be specified for the credenza</li> <li>list price included the upcharge for modification of casing and pull out door</li> </ul>
DOUBLE PULL OUT WASTE & RE- CYCLE BIN - SIDE BY SIDE	23517	16 1/4	181/4	18 ½	2,030	Double Pull Out Waste & Recycle Bin - Side by Side can only be installed inside credenza of 25½"D with 29"H or 34½" or 34½"H







Model # 23516



Model # 23517

# **VOX® INTERIOR OPTIONS FOR ALL CREDENZA STYLES**




#### STANDARD FEATURES

Vox Boardroom credenzas reflect Nienkämper's commitment to producing well-made furniture that functions superbly. Optional interiors have been designed to enhance the basic design. Audio/Visual racking has been integrated directly into Vox credenzas providing optimum storage capacity for electronic equipment.

	Model Number	L"	x	D" x	H"	List Price
EQUIPMENT STORAGE - SLIDING RAIL SYSTEM	23458	19 Rad	ck Din	19" nension	22 ¾	2,490
EQUIPMENT STORAGE - ROTATING SLIDING RAIL SYSTEM	23447	19 Rad	ck Din	19 nension	24	2,825
	23448		erior C		y others)	515

Rack Dimen	sion	
19 19	9 24	2,825
Rack Dimen	sion	
Interior Only	,	515
	Rack Dimen	19 19 24 Rack Dimension




open position

#### **Product Description**


- · takes the space of a single pedestal interior
- used for rack-mounted electronic components 19" wide up to a height of "12U"
- steel construction on ball bearing slides
- · pulls out easily for equipment servicing
- optional pull out and swivel version
- opening at the back of the credenza is provided for wire access and ventilation
- locking strip permanently locks rack in the closed position
- overall capacity is 150 lbs.
- black finish
- · fits credenzas 341/4" high

Note: equipment not for use in 20" deep credenza or cart





In closed position/locking strip in place.



In open position for servicing/locking strip removed.

# **VOX® INTERIOR OPTIONS FOR 25%" DEEP CREDENZA STYLES**



#### STANDARD FEATURES

Vox Boardroom credenzas reflect Nienkämper's commitment to producing well-made furniture that functions superbly. Optional interiors have been designed to enhance the basic design. Audio/Visual racking has been integrated directly into Vox credenzas providing optimum storage capacity for electronic equipment.

# Model Number **Price EQUIPMENT STORAGE - ROTATING SWING FRAME** 55026 213/4 41/2 251/2 2,250 Rack Dimension 55032 Interior Only (No rack supplied 30<sup>7</sup>/8" 20" pening at the back 231/2 equipment plan view

#### **Product Description**

List


515

- takes the space of 2 pedestal interiors in any credenza size (with two 14" wide fixed shelves on right)
- used for rack-mounted electronic components 19" wide up to a height of "12U"
- · steel construction with pivoting hinge
- · easily rotates out of the cabinet for equipment access
- · may be locked in position with locking bolt.
- · opening at the back of the credenza for additional wire access and ventilation
- · overall capacity is 150 Lbs.
- · complete with equipment mounting hardware
- · beige finish
- fits credenzas 341/4" high

Note: equipment not for use in 20" deep credenza or cart



Rotating Swing Frame shown inside a Vox credenza.



Rotating Swing Frame pivoting out to allow access to the back of the equipment.

# **VOX® CREDENZA KNEESPACE TOPS FOR ALL CREDENZA STYLES**





Tops for:	Model Number	L" x	D" x	H"	List Price
Vox Credenza on Legs	55291	30	25½	1	690
Vox Credenza	55295	30	25 %	1	690
Boardroom Credenza	55299	30	<b>25</b> %	11/4	760
Kneespace Drawer	55303	29 %	19 1/16	7 %	870

#### **Product Description**

Create kneespace credenzas by bridging any two similar credenza models with a kneespace top.

Kneespace tops are available in 4 standard lengths.

If additional storage is needed, an optional kneespace drawer in the corresponding size can be added to the kneespace top.


Drawer fronts match the finish selected for cabinet fronts and top.

Large kneespace drawer interiors can be divided by specifying drawer dividers model number 28709 on page 352.







Vox Credenza on Legs	55292	36	25 1/2	1	790
Vox Credenza	55296	36	25 %	1	790
Boardroom Credenza	55300	36	25 %	11/4	830
Kneespace Drawer	55304	35 %	19 1/16	7 %	930




Vox Credenza on Legs	55293	42	25 1/2	1	855
Vox Credenza	55297	42	25 %	1	855
Boardroom Credenza	55301	42	<b>25</b> %	11/4	900
Kneespace Drawer	55305	41%	19 1/16	7 %	1,030




Vox Credenza on Legs	55294	48	25 1/2	1	945
Vox Credenza	55298	48	25 %	1	945
Boardroom Credenza	55302	48	<b>25</b> %	11/4	995
Kneespace Drawer	55306	47 %	19 1/16	7 %	1,120









# **VOX® CONSOLE TABLES ON LEGS**

55381         47 ½         20         29         3,92           55382         47 ½         20         34 ½         4.08           55364         70 ¾         20         29         5,16           55365         70 ¾         20         34 ½         5,43           55385         70 ¾         20         29         6,32           55386         94 ¾         20         34 ¼         6,83           55387         94 ¾         20         29         7,9           55388         94 ¾         20         34 ¼         8,23           55371         47 ½         20         34 ¼         3,70           55372         47 ½         20         34 ¼         4,6           55374         70 ¾         20         34 ½         5,90           55375         70 ¾         20         34 ½         7,03           55375         70 ¾         20         34 ½         7,03           55358         94 ¾         20         34 ¼         7,03		Model Number	L" x	D" x	H"	List Price
55362       47%       20       34¼       3.2         55381       47%       20       29       3,92         55382       47%       20       34¼       4,05         55364       70¾       20       29       5,16         55365       70¾       20       34¼       5,43         55386       70¾       20       34¼       6,56         55387       94%       20       29       6,3         55388       94%       20       34¼       8,26         55389       94%       20       34¼       3,70         55371       47%       20       29       3,65         55372       47%       20       34¼       3,70         55374       70¾       20       34¼       3,70         55375       70¾       20       34¼       5,90         55375       70¾       20       34¼       7,03         55375       94%       20       29       7,43         55377       94%       20       34¼       7,73         55377       94%       20       34¼       7,73         55377       94%       20		55361	471%	20	20	3 100
55381       47 ½       20       29       3,92         55382       47 ½       20       34 ½       4,08         55364       70 ¾       20       29       5,18         55365       70 ¾       20       34 ½       5,43         55385       70 ¾       20       29       6,33         55386       94 ¾       20       29       7,9         55387       94 ¾       20       29       7,9         55388       94 ¾       20       34 ½       8,23         55371       47 ½       20       34 ½       3,7         55372       47 ½       20       34 ½       4,6         55374       70 ¾       20       29       5,68         55375       70 ¾       20       34 ½       7,08         55377       94 ¾       20       34 ½       7,08         55377       94 ¾       20       34 ½       7,72         55377       94 ¾       20       34 ½       7,72         55377       94 ¾       20       29       8,88         55377       94 ¾       20       34 ¼       7,72						3,235
55382       47 %       20       34 ¼       4,08         55364       70 ¼       20       29       5,18         55365       70 ¾       20       34 ¼       5,43         55385       70 ¾       20       29       6,33         55385       70 ¾       20       34 ¼       6,69         55387       94 %       20       29       7,9         55388       94 %       20       34 ¼       8,23         55381       47 %       20       29       3,62         55385       47 %       20       34 ¼       3,70         55371       47 %       20       29       4,50         55372       47 %       20       34 ¼       4,6         55375       70 ¾       20       34 ¼       7,03         55376       70 ¾       20       34 ¼       7,03         55377       94 %       20       34 ¼       7,72         55377       94 %       20       34 ¼       7,72         55377       94 %       20       29       8,88	1		, ,		0.74	
55364       70 %       20       29       5,18         55365       70 %       20       34 %       5,45         55384       70 %       20       29       6,33         55385       70 %       20       34 %       6,56         55387       94 %       20       29       7,9         55388       94 %       20       34 %       8,23         55371       47 %       20       29       3,63         55372       47 %       20       34 %       3,76         55374       70 %       20       34 %       4,6         55375       70 %       20       34 %       5,96         55375       94 %       20       29       6,85         55375       94 %       20       34 %       7,05         55377       94 %       20       29       3,48         55377       94 %       20       34 %       7,72         55377       94 %       20       29       3,98		55381	<b>47</b> 1/8	20	29	3,920
55365       70 %       20       34 ¼       5,45         55384       70 %       20       29       6,32         55385       70 %       20       34 ¼       6,56         55367       94 %       20       29       6,32         55368       94 %       20       34 ¼       6,61         55388       94 %       20       29       7,9         55388       94 %       20       34 ¼       3,7         55371       47 %       20       29       4,50         55372       47 %       20       34 ¼       4,6         55374       70 %       20       29       5,68         55375       70 %       20       29       6,88         55358       94 %       20       34 ¼       7,08         55375       70 %       20       34 ¼       7,08         55368       94 %       20       34 ¼       7,08		55382	47 1/8	20	341/4	4,090
55384       70 %       20       29       6,33         55385       70 %       20       34 %       6,55         55367       94 %       20       29       6,33         55368       94 %       20       34 %       66         55387       94 %       20       29       7,9         55388       94 %       20       34 %       8,25         55371       47 %       20       34 %       3,76         55372       47 %       20       34 %       4,6         55355       70 %       20       34 %       5,95         55375       70 %       20       34 %       7,05         55357       94 %       20       29       7,45         55358       94 %       20       34 %       7,72         55377       94 %       20       29       7,45         55358       94 %       20       34 %       7,72         55377       94 %       20       34 %       7,72         55377       94 %       20       29       7,45         55377       94 %       20       34 %       7,72		55364	70 ¾	20	29	5,180
55385       70 ½       20       34 ¼       6,55         55367       94 ½       20       29       6,35         55368       94 ½       20       34 ¼       6,65         55387       94 ½       20       29       7,9         55388       94 ½       20       34 ¼       8,25         55352       47 ½       20       34 ¼       3,76         55371       47 ½       20       29       4,56         55372       47 ½       20       34 ¼       4,6         55355       70 ½       20       34 ½       5,95         55375       70 ½       20       29       6,85         55375       70 ½       20       34 ¼       7,05         55375       94 ½       20       29       7,43         55377       94 ½       20       34 ¼       7,72         55377       94 ½       20       34 ¼       7,72		55365	70 ¾	20	341/4	5,430
55385       70 ½       20       34 ¼       6,55         55367       94 ½       20       29       6,35         55368       94 ½       20       34 ¼       6,65         55387       94 ½       20       29       7,9         55388       94 ½       20       34 ¼       8,25         55352       47 ½       20       34 ¼       3,76         55371       47 ½       20       29       4,56         55372       47 ½       20       34 ¼       4,6         55355       70 ½       20       34 ½       5,95         55375       70 ½       20       29       6,85         55375       70 ½       20       34 ¼       7,05         55375       94 ½       20       29       7,43         55377       94 ½       20       34 ¼       7,72         55377       94 ½       20       34 ¼       7,72	^	55384	70.3/	20	20	6 325
55367       94 %       20       29       6,33         55368       94 %       20       34 ¼       6,68         55387       94 %       20       29       7,9         55388       94 %       20       29       3,62         55352       47 %       20       34 ¼       3,70         55371       47 %       20       29       4,50         55372       47 %       20       34 ¼       4,6         55355       70 ¾       20       34 ¼       5,96         55374       70 ¾       20       34 ¼       7,08         55375       70 ¾       20       34 ¼       7,08         55358       94 %       20       29       7,43         55358       94 %       20       34 ¼       7,73						
55368       94%       20       34¼       6,68         55387       94%       20       29       7,9         55388       94%       20       34¼       8,28         55351       47½       20       29       3,62         55352       47½       20       34¼       3,76         55371       47½       20       29       4,50         55372       47½       20       34¼       4,6         55355       70¾       20       34¼       5,96         55374       70¾       20       29       6,88         55375       70¾       20       34¼       7,08         55358       94%       20       34¼       7,72         55377       94%       20       34¼       7,72						
55387       94 %       20       29       7,9         55388       94 %       20       34 ¼       8,28         55351       47 ½       20       29       3,62         55352       47 ½       20       34 ¼       3,76         55371       47 ½       20       29       4,50         55372       47 ½       20       34 ¼       4,6         55355       70 ¾       20       34 ¼       5,96         55374       70 ¾       20       29       6,85         55375       70 ¾       20       34 ¼       7,08         55358       94 ¾       20       34 ¼       7,72         55377       94 ¾       20       34 ¼       7,72						6,335
55388       94 %       20       34 ¼       8,25         55351       47 %       20       29       3,62         55352       47 %       20       34 ¼       3,76         55371       47 %       20       29       4,56         55372       47 %       20       34 ¼       4,6         55355       70 ¾       20       34 ¼       5,95         55375       70 ¾       20       34 ¼       7,05         55358       94 %       20       34 ¼       7,72         55377       94 %       20       29       8,98         55377       94 %       20       29       8,98		55368	94 %	20	341/4	6,655
55351       47 %       20       29       3,62         55352       47 %       20       34 ¼       3,76         55371       47 %       20       29       4,50         55372       47 %       20       29       5,68         55355       70 %       20       34 ¼       5,98         55375       70 %       20       29       6,88         55375       70 %       20       34 ¼       7,08         55358       94 %       20       34 ¼       7,72         55377       94 %       20       29       8,98		55387	94 %	20	29	7,915
55352       47 %       20       34 ¼       3,76         55371       47 %       20       29       4,50         55372       47 %       20       34 ¼       4,6         55354       70 ¾       20       29       5,68         55355       70 ¾       20       34 ¼       5,98         55374       70 ¾       20       29       6,88         55375       70 ¾       20       34 ¼       7,08         55358       94 ¾       20       29       7,43         55377       94 ¾       20       29       8,98		55388	94 %	20	341/4	8,295
55352       47 %       20       34 ¼       3,76         55371       47 %       20       29       4,50         55372       47 %       20       34 ¼       4,6         55354       70 ¾       20       29       5,68         55355       70 ¾       20       34 ¼       5,98         55374       70 ¾       20       29       6,88         55375       70 ¾       20       34 ¼       7,08         55358       94 ¾       20       29       7,43         55377       94 ¾       20       29       8,98			471/			
55371     47 ½     20     29     4,50       55372     47 ½     20     34 ¼     4,6       55354     70 ¾     20     29     5,68       55355     70 ¾     20     34 ¼     5,98       55374     70 ¾     20     29     6,88       55375     70 ¾     20     34 ¼     7,08       55358     94 ¾     20     29     7,43       55377     94 ¾     20     34 ¼     7,72       55377     94 ¾     20     29     8,98						<b>3,625</b>
55372       47 %       20       34 ¼       4,6         55354       70 ¾       20       29       5,66         55355       70 ¾       20       34 ¼       5,96         55374       70 ¾       20       29       6,88         55375       70 ¾       20       34 ¼       7,08         55357       94 ¾       20       29       7,43         55358       94 ¾       20       34 ¼       7,72         55377       94 ¾       20       29       8,98		50002	71 /0		O <del>T</del> /4	<u> </u>
55372       47 1/6       20       34 1/4       4,6         55354       70 3/4       20       29       5,66         55355       70 3/4       20       34 1/4       5,98         55374       70 3/4       20       29       6,88         55375       70 3/4       20       34 1/4       7,08         55358       94 3/4       20       29       7,43         55358       94 3/4       20       34 1/4       7,72         55377       94 3/6       20       29       8,98				20		4,500
55355       70 ¾       20       34 ¼       5,98         55374       70 ¾       20       29       6,88         55375       70 ¾       20       34 ¼       7,08         55357       94 ¾       20       29       7,43         55358       94 ¾       20       34 ¼       7,72         55377       94 ¾       20       29       8,98		55372	47 1/8	20	34 1/4	4,610
55355       70 ¾       20       34 ¼       5,98         55374       70 ¾       20       29       6,88         55375       70 ¾       20       34 ¼       7,08         55357       94 ¾       20       29       7,43         55358       94 ¾       20       34 ¼       7,72         55377       94 ¾       20       29       8,98	<b>V</b>	 55354	70 ¾	20	29	5,690
55374     70 ¾     20     29     6,85       55375     70 ¾     20     34 ¼     7,05       55357     94 ¾     20     29     7,44       55358     94 ¾     20     34 ¼     7,72       55377     94 ¾     20     29     8,95						5,950
55375     70 ¾     20     34 ¼     7,08       55357     94 ¾     20     29     7,43       55358     94 ¾     20     34 ¼     7,72       55377     94 ¾     20     29     8,98				-	<u> </u>	
55375     70 ¾     20     34 ¼     7,08       55357     94 ¾     20     29     7,43       55358     94 ¾     20     34 ¼     7,72       55377     94 ¾     20     29     8,98		55374	70 ¾	20	29	6,850
55358 94 % 20 34 ¼ 7,72 55377 94 % 20 29 8,95		55375	70 3/4	20	341/4	7,095
55358 94 % 20 34 ¼ 7,72 55377 94 % 20 29 8,95			Q/I 3/	20	20	7 A2F
55377 94 % 20 29 8,99						7,720
/ // EEDZO DAS/ 00 041/ 00/		55377	94 %	20	29	8,990

34 1/4

9,305

94 %



#### STANDARD FEATURES


Vox Carts are designed to complement all Vox credenzas and cabinets in The Vox Collection. The sides of the Carts have aluminum trim around the perimeter. Trim is available in five anodized finishes to match all designs in The Vox Collection. Vox Carts are available in standard Nienkämper wood veneers and stains, and are 341/4" high. The end elevation matches the doors on 34-1/4" high Vox credenzas, and can be used together to form a continuous storage element. (See page 283)

#### OPEN WITH SHELVES

Model

23484/5 Wood

Cabinet Top




Number	Finish	Finish	L" X	D" x	Н"	Price
00400/0	M/I	WI	20		041/	
23480/2	Wood	Wood	30	20	34 1/4	5,140
23480/5	Wood	Laminate	30	20	341/4	4,885
23481/2	Wood	Wood	30	23 ½	34 1/4	5,405
23481/5	Wood	Laminate	30	23 ½	341/4	5,135

#### **Product Description**

List

- 2 adjustable veneered shelves.
- Captive shelf storage below (1 shelf).
- · Fully adjustable shelves in 1" increments.
- 4" diameter, non-marking polyurethane tyred casters.
- Shelf size: 273/4" W x 18"/211/2" D.
- Interior Dimensions: 27<sup>3</sup>/<sub>4</sub>" W x 19<sup>1</sup>/<sub>4</sub>"/22<sup>3</sup>/<sub>4</sub>" D x 27<sup>1</sup>/<sub>2</sub>"H.
- · Accommodates most document cameras.
- · Accommodates all electronic projectors.

#### TWO DOORS WITH SHELVES



23486/2	Wood	Wood	30	20	34 1/4	6,445
23486/5	Wood	Laminate	30	20	34 1/4	6,115
Cabinet w	ith Lock					
23487/2	Wood	Wood	30	20	34 1/4	6,645
23487/5	Wood	Laminate	30	20	341/4	6,300
23482/2	Wood	Wood	30	231/2	34 1/4	6 705
						6,785
23482/5	Wood	Laminate	30	23 ½	341/4	6,435
Cabinet w	ith Lock					


Laminate 30

- · 2 adjustable veneered shelves.
- · Captive shelf storage below (1 shelf).
- Fully adjustable shelves in 1" increments.
- 4" diameter, non marking polyurethane tyred casters.
- · 2 doors with positive locking touch latches.
- 2<sup>5</sup>/8" diameter aluminum grommet centered towards back of top.
- · Rebated shelves for wire passage.
- 2" wire access slot at bottom back edge.
- Shelf size: 273/4" W x 17"/201/2" D.
- Interior Dimensions: 27<sup>3</sup>/<sub>4</sub>" W x 18<sup>1</sup>/<sub>4</sub>"/21<sup>3</sup>/<sub>4</sub>" D x 27<sup>1</sup>/<sub>2</sub>"H.
- Accommodates most document cameras.
- · Accommodates all electronic projectors.

#### Optional:

- Single lock on upper left corner of right door, locks both doors
- Addition of lock requires a pull, see standard pulls in our Credenza price lists.

#### THREE DRAWERS



23488/2	Wood	Wood	30	20	34 1/4	6,150
23488/5	Wood	Laminate	30	20	341/4	5,840
Cabinet w	ith Lock					
Cabinet w 23489/2	with Lock Wood	Wood	30	20	34 1/4	6,335

23 1/2

34 1/4

6,635

23483/2	Wood	Wood	30	23½	34 1/4	6,460
23483/5	Wood	Laminate	30	23 ½	34 1/4	6,135
Cabinet w	ith Lock					
23485/2	Wood	Wood	30	23 1/2	34 1/4	6,665
23485/5	Wood	Laminate	30	23 ½	341/4	6,335

- 3-drawers, bottom of interiors lined with fabric.
- Interior dimensions:  $4\,^{\circ}$  H x 16 $^{5}$  /16 $^{\circ}$  D x 26 $^{5}$ /8 $^{\circ}$  L.
- 4" diameter non-marking polyurethane-tyred casters.
- Positive spring return drawer slides prevent accidental opening during use.
- Anti-tilt mechanism for drawers.
- Does not accommodate all document cameras.

#### Optional:

• Single lock, mounted on right side, locks all three drawers.

# **VOX® CARTS-PHOTOGRAPHS**



**Three Drawers - Model #23483**Positive spring return drawer slides prevent accidental opening during use. Bottom interiors of drawers are fabric-lined



**Open with Shelves - Model #23481**Shelves are fully adjustable in 1" increments. Two adjustable veneered shelves are included.



**Two Doors with Shelves - Model #23482**Doors have positive locking touch latches. Shelves are fully adjustable in 1" increments. Two adjustable veneered shelves are included.




#### Vox° Carts

Vox Carts offer flexibility and mobility in the boardroom and corporate office environment. Designed to house all multimedia equipment and hospitality services, the Vox Cart accommodates any business event from high-tech presentations to a simple lunch or coffee service.

# **VOX® CREDENZAS & CARTS IN STORAGE POSITION**

# CARTS STORED IN A BOARDROOM ALCOVE



**CARTS IN USE** 





Elevation

document camera or electronic projector

cart

credenza

Vox Carts are mobile and can be used for hospitality service or housing A/V equipment and can easily be taken to various meeting spaces.

Plan View

# **VOX® BOOKCASES WITHOUT DOORS**

#### STANDARD FEATURES

Vox Bookcases are suitable for any high capacity storage requirement. These cabinets are extremely sturdy for the most demanding storage needs. All shelving is universally and easily adjustable on continuous anodized aluminum strips with corresponding clips.

Number	L"	x	D"	X	H"	Price

55035	36	16 %	78	6,380			
	Wooden Shelves						
Shelf	341/4	14 ¾	3/4				

55037	48	16 1/8	78	8,700		
	Wooden Shelves					
Shelf	22 ¾	14 ¾	3/4			

55039	60	16 %	78	9,975
Shelf	28 1/4	14 3/4	3/4	

55041	72	16 %	78	12,760
	Woode	n Shelves		
Shelf	34 ¾	14 ¾	3/4	

55043	96	16 %	78	17,520	
	Wooden Shelves				
Shelf	22 ¾	14 ¾	3/4		

55045	120	16 %	78	20,455
-	Woode	n Shelves		
Shelf	28 ¾	14 3/4	3/4	



- · adjustable leveling from inside the cabinet
- adjustable shelves in 1" increments
- 3/4" thick wood shelves, quantity as show in the drawings to the left
- adjustment strips inside the bookcase and corresponding clips are available in a clear anodized aluminum finish only





# **VOX® BOOKCASES WITH BYPASS DOORS**

Model

#### STANDARD FEATURES

Vox Bookcases with Bypass Doors are suitable for any high capacity storage requirement. These cabinets are extremely sturdy for the most demanding storage needs. All shelving is universally and easily adjustable on continuous anodized aluminum adjustment strips with corresponding clips (see image page 286).

List

**Product Description** 


colour options)

· adjustable leveling from inside the cabinet adjustable shelves in 1" increments 3/4" thick wood shelves, 16 shelves per unit four sliding doors per bookcase

are available in a clear anodized finish only


track-mounted bypass wood doors with anodized aluminum trim, in a Clear finish as standard (see page 12 for other aluminum


adjustment strips inside the bookcase and corresponding clips




Number				Price
55047/2	70	10	78	00.415
5504772	12	18	10	20,415
	Wood V	'eneer		
Shelf	34 1/4	14 3/4	3/4	

55047/2	72	18	78	20,415
	Wood V	eneer		
Shelf	34 1/4	14 ¾	3/4	







55051/2	120	18	78	31,005
Shelf	28 1/4	14 ¾	3/4	



Model #55049/2 Vox\*Bookcase with by-pass doors closed.



Model #55049/2 Vox\* Bookcase by-pass doors open to the center.



Model # 55049/2 Vox\* Bookcase with by-pass doors open to the sides.

#### TERMS AND CONDITIONS OF SALE

#### **PRICES**

All prices are list prices, FOB our Toronto Factory-freight charges are extra. Packing and/or crating is available, if required, upcharges apply.

Due to existing conditions in regard to cost of labor and materials, we reserve the right to change prices without notice.

#### **TERMS**

Net 30 days from date of invoice to accredited buyers. Two per cent (2%) interest charged monthly on overdue accounts. Deposit of 50% is required with order. Terms will be established upon credit evaluation. Due to delays in processing references, first orders may be treated as C.B.D. orders.

#### ORDER CONFIRMATION

Orders are accepted upon issuance of our order confirmation and are subject to the terms set forth therein; notwithstanding any variance from the terms of the buyer's order form.

Nienkämper is not liable for any delay or failure to deliver caused by labor or transportation difficulties, accidents, acts of God, failure of sources of supply, or other causes beyond our control, and changes will affect the delivery date.

#### **CHANGE OF ORDERS OR CANCELLATIONS**

Changes or cancellations are subject to our ability to conform. A charge will be levied against canceled or changed orders based on costs already incurred by Nienkämper. All changes must be in writing and submitted on a revised purchase order. Changes will affect the delivery date.

#### **STORAGE**

If goods cannot be accepted when ready, we may transfer them to storage (which is to be deemed as delivery for invoice purposes). The customer accepts risks and will be charged at prevailing rates.

#### **FREIGHT**

All prices are list prices, FOB our Toronto Factory-freight charges are extra.

Packing and/or crating are available, if required, upcharges apply.

#### **CLAIMS**

All furniture is given to the carrier and signed for in good condition. It is the responsibility of the receiver to sign for the goods in the presence of the carrier and note the condition in which they are received. Freight claims should be filed with the carrier.

#### **WARRANTY**

There are no express or implied warranties, conditions and obligations of the manufacturer, whether statutory or otherwise that extend beyond the description on the face hereof. Our furniture is made to the highest standard and is warranted free from defects of material and workmanship for five years from the date of delivery. During the warranty period we will repair or replace such merchandise as shall prove to be defective, during normal usage in accordance with manufacturer's specifications. The manufacturer shall not be liable for defect wholly attributable to normal manufacturing process. Replacement or repair of the Product shall be the sole remedy of the Customer, and the manufacturer shall not be liable for any direct, indirect, incidental, or consequential loss or damage suffered by the Customer by reason of any defect in workmanship or manufacture of the Product or inability to use the Product. Moreover, this warranty does not cover accidental damage, abuse, alteration, ordinary wear and tear of Goods, negligence and misuse nor variations over which we have no control such as heat or humidity or damage to which the Goods are connected that is not attributable to the failure of the goods themselves. This warranty is null and void when the product is installed with hardware other than that supplied and/or when installed differently than recommended in the installation guide. Modification to the product or hardware may result in failure of the product and cause damage and/or injury.

#### **WOOD FINISHES**

Nienkämper offers a wide variety of standard light finishes on cherry, mahogany and figured anagre wood veneers, and a clear natural finish on figured anagre, figured sycamore, maple, bird's eye maple and curly maple.

Light finishes do not mask the grain and other characteristics of each wood species. It is important to understand that pieces of the same type of wood will not look identical when a light finish is used. The appearance of the finish will also depend on the natural color of the veneer. Cherry darkens over time as the wood ages. Pin knots and gum pockets are inherent traits.

Wood is a naturally variable raw material; its variances are not within the furniture manufacturer's control and are therefore not considered defects under this warranty.