

nienkämper
International Inc.

VOX[®] CONFERENCE

LCS CONFERENCE TABLES




2025

Prices include freight charges, blanket wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States. Packing and/or crating are available, if required, upcharges apply.


VOX® LCS CONFERENCE BASE INTERIOR CLEARANCES

LCS Conference and Round Base - Available in 2 fixed heights (29" and 38") as well as height adjustable (29 ½"-42"), the LCS conference collection offers a stylish solution to any conferencing room. Race track shaped bases slide open at the center to allow unrestricted access to wiring and floor power. The following information gives specific dimensions for placing floor core drills or flush receptacles. Bases are fully upholstered in black or charcoal neather with elegant contrasting stitching. Premium quality height adjustable lifts power all sit / stand models.

Description	Base Width"	Base Depth"	Interior Clearance A"	Interior Clearance B"	L"
LCS CONFERENCE FIXED & HEIGHT ADJUSTABLE BASE PLAN VIEW	48¾	17⅞	12¼	3½	22



Description	Base Diameter"	Interior Clearance A"	Interior Clearance B"	L"
LCS ROUND CONFERENCE FIXED & HEIGHT ADJUSTABLE BASE PLAN VIEW	24¾	5	7	24¾



HOW TO ORDER VOX® CONFERENCE TABLES


Vox Conference tables are available in a wide variety of shapes and sizes created for any application. All tables in the collection are based on a standard height of 28½" or 29". If there are special needs the Vox collection is versatile enough to be customized for special requests. Call your local Nienkämper Sales Representative or Nienkämper Customer Service at **1.800.668.9318**.

SELECT SHAPE



Use the table of contents, or simply flip through the Conference Tables section of the Planning Guide to select a table shape that is suitable. To help find a shape a small outline of the top is provided in the upper corner of each page.

SELECT BASE OPTION




There are seven different base designs for each table shape that offer both aesthetic and functional benefits. Each base design is listed by model number for every top shape with options and choices for base finishes. For the Duo, Tri or Quad base and the Access, Tower bases and Drum Base, a wood finish must also be selected, see page 8. Pages 17-23 illustrate the features of each base in detail and describe how it accommodates wiring.

SELECT SIZE AND MODEL NUMBER

L"	x	D"	Suggested Seating Capacity*	Top Finish	Top Sections	Model Number
120		42	8 - 10		2	51309/

Select the table size, from as small as 72" x 36" to as large as 240" x 84". Seating capacity is listed and can aid in determining the size required. Select a wood veneer or wood laminate option for your top.

SELECT EDGE PROFILE



Edge profiles can be specified on any table shape. A small profile drawing is located at the top of each page along with a two- or three letter code. This code must be added to the end of the model number. Refer to page 13 for images of all profiles and a scaled drawing of each top edge profile.

SELECT VENEER AND FINISH

If a wood veneer top was chosen, a species and finish must be selected. Page 8 describes all wood veneer options.

SELECT LAMINATE

If a laminate top is preferred, Nienkämper offers a variety of wood grain and solid color laminates to choose from. Refer to pages 9-11 for a complete listing as well as instructions for customer specified laminates. Wood edges on wood grain laminate tops are selected to most closely resemble both the species and color of the laminate. Facet and Taper edge profiles are available with laminate tops.

ALUMINUM FINISH

Aluminum finishes must be specified for T-Base and Duo style bases, the optional trim on the Access base, Forums and Accessories.

SELECT FORUMS (POWER / CONNECTIVITY SOLUTION)




Vox Forums provide a large variety of options for simple to complex connectivity requirements. Pages 206-235 describe these products and their features. Pages 209-211 show Vox Forum placement along the table top for all sizes of tops. Anodized aluminum finishes are listed on page 12.

Power Drawers and Power Troughs can be added to most Vox Conference Tables providing a full range of Connectivity and Power solutions. Details can be found on pages 236-253"

For further information on Forums, Power Edge, Power Trough and Power Drawer please contact Customer Service at 800.668.9318.

SELECT ACCESSORIES



A range of accessories can be specified that will enhance the performance of your Vox Conference table. All products that relate to wire management can be found on pages 254-267. Accessories, such as table pads and coasters, are also in this section.


VENEERS

All wood surfaces are protected with a durable polyurethane clear lacquer with UV inhibitor. This finish is known for its exceptional durability, as well as abrasion, chemical, impact and scratch resistance. Standard sheen level is 45 degrees. Optional matte, 5, 10 and 35 degree sheen levels are available on request at no additional cost.


Wood Species	Order Code	Veneer/Stain	Upcharge
Maple	F-01	Natural Maple	No upcharge applies.
	F-02	Natural Curly Maple - Rotary Cut	Add 15%.
	F-03	Natural Bird's Eye Maple - Rotary Cut	Call Customer Service for pricing.
	F-04	Maple Stained Pear	No upcharge applies.
Cherry	F-05	Natural Cherry	No upcharge applies.
	F-06	Standard Cherry	No upcharge applies.
	F-07	Cherry Stained Amber	No upcharge applies.
	F-08	Cherry Stained Auburn	No upcharge applies.
	F-09	Cherry Stained Burgundy	No upcharge applies.
Mahogany	F-10	Light Mahogany	No upcharge applies.
	F-11	Medium Mahogany	No upcharge applies.
	F-12	Dark Mahogany	No upcharge applies.
	F-13	Red Mahogany	No upcharge applies.
Anagre	F-14	Natural Figured Anagre - Qtr. Cut Book-Match	Add 15%.
	F-15	Figured Anagre Stained Amber - Qtr. Cut Book-Match	Add 15%.
Sycamore	F-16	Natural Figured Sycamore - Qtr. Cut Book-Match	Add 15%.
Walnut	F-17	Burnt Walnut	No upcharge applies.
	F-19	Natural Walnut- Flat Cut Book-Match	No upcharge applies.
	F-19FM	Natural Walnut- Flat Cut Book-Match(matte sheen)	No upcharge applies.
	F-27F	Creamy Walnut- Flat Cut Book-Match (10° sheen)	No upcharge applies.
	F-27R	Creamy Walnut - Rift Cut Slip-Match (10° sheen)	Add 5%
	F-28	Tawny Walnut	No upcharge applies.
	F-31FM	Autumn Walnut- Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-31RM	Autumn Walnut - Rift Cut Slip-Match (matte sheen)	Add 5%
Oak	F-18F	Natural White Oak - Flat Cut Book-Match (10° sheen)	No upcharge applies.
	F-18R	Natural White Oak - Rift Cut Slip-Match (10° sheen)	Add 5%
	F-26	Charcoal Ash On Oak- Flat Cut Book- Match (10° sheen)	No upcharge applies.
	F-29F	Smokey Oak - Flat Cut Book-Match	No upcharge applies.
	F-29R	Smokey Oak - Rift Cut Slip-Match	Add 5%
	F-29FM	Smokey Oak - Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-29RM	Smokey Oak - Rift Cut Slip-Match (matte sheen)	Add 5%
	F-30FM	Whisper White Oak - Flat Cut Book-Match (matte sheen)	No upcharge applies.
	F-30RM	Whisper White Oak - Rift Cut Slip-Match (matte sheen)	Add 5%
Sapele – Ribbon Stripe	F-20	Natural Ribbon Strip Sapele - Qtr. Cut Slip-Match	No upcharge applies.
Moabi (Cherry substitute)	F-21	Natural Moabi - Quarter - Qtr. Cut Book-Match	No upcharge applies.
Cape Coast Walnut	F-22	Dark Cape Coast Walnut - Qtr. Cut Slip-Match	No upcharge applies.
	F-23	Natural Cape Coast Walnut - Qtr. Cut Slip-Match	No upcharge applies.
Ash	F-25	Slate Grey Ash - Qtr. Cut Slip-Match	No upcharge applies.

VENEER GRAIN OPTIONS


Nienkämper products utilize the best quality veneers available, and, combined with Nienkämper's patented veneering systems, create work environments of incredible quality and beauty. All veneer furniture comes standard with flat cut book-match veneer; flat cut slip-match veneer can also be specified. Quarter cut slip-match and quarter cut book-match veneers are available at a 5% upcharge. Figured Anagre and Figured Sycamore veneers are Quarter cut book-matched. Bird's Eye Maple and Curly Maple are rotary cut. Facet Edge, Taper edge and Flowform edge tops with veneer are manufactured with a solid wood edge. All edges are then veneer wrapped to create a seamless profile top.




Standard
Flat Cut Book-Match V1



Flat Cut Slip-Match V2



Quarter Cut Slip-Match V3
Add 5%



Quarter Cut Book-Match V4
Add 5%

Wood grain plastic laminate surfaces are available on table tops with Facet and Taper edges.

These tops are manufactured with a solid wood edge that is applied prior to the laminate top surface. This method conceals the thickness of the wood edge, while providing the durability required. Wood edges are selected that most closely resemble both the species and the color of the laminate chosen

Nienkämper has pre-selected a number of standard wood grain plastic laminates that represent a cross section of both color and species. Simply include the order code with the model number to make these selections. Alternatively wood grain plastic laminates selected outside of Nienkämper's standard selection can be made by specifying the manufacturer as well as the description and model number of the laminate at the time of order.

Wood Grain Plastic Laminate Surfaces	Order Code	Manufacturer #	Finish
Champagne Sagawood	WL1	Nevamar WM8349T	Textured
Hardrock Maple	WL2	Pionite WM791-SD	Textured/Suede
Amber Curly Maple	WL3	Pionite WM221-SD	Textured/Suede
Anagre	WL4	Pionite WX041	Suede
Monticello Maple	WL5	Wilsonart 7925-38	Fine Velvet Texture
Millwork Cherry	WL7	Pionite WC431	PV-Polished Velvet
Huntington Maple	WL9	Wilsonart 7929-38	Fine Velvet Texture
Wild Cherry	WL10	Formica 5904.43	Artisan
Amber Cherry	WL11	Wilsonart 7919.38	Fine Velvet Texture
Figured Mahogany	WL12	Wilsonart 7040-60	Matte
Fusion Maple	WL13	Wilsonart 7909-78	Fine Grain
New Age Oak	WL14	Wilsonart 7938-78	Fine Grain
Natural Pear	WL15	Wilsonart 7061-78	Fine Grain
Tuscan Walnut	WL16	Wilsonart 7921-78	Fine Grain
Nepal Teak	WL17	Wilsonart 7209-78	Fine Grain
Wild Cherry	WL18	Wilsonart 7054-78	Fine Grain
River Cherry	WL19	Wilsonart 7937-78	Fine Grain
Montana Walnut	WL20	Wilsonart 7110-78	Fine Grain
Windsor Mahogany	WL22	Wilsonart 7039-78	Fine Grain
Williamsburg Cherry	WL23	Wilsonart 7936-78	Fine Grain
Florence Walnut	WL25	Wilsonart 7993-78	Fine Grain
Skyline Walnut	WL26	Wilsonart 7964K-12	Soft Grain
Sterling Ash	WL27	Wilsonart 7995-78	Fine Grain
Ginger Root Maple	WL28	Formica 7288-58	Matt

To specify the wood grain laminate required simply add the Order Code WL_ to the model number of the product.

Wood grain laminate samples are available from your local sales representative or by calling Nienkämper's customer service department at 1-800-668-9318.

P-LAM

COLORED P-LAM

Both Taper and Facet edge profiles are available with a colored laminate top.

Laminate edging on Taper tops. Edging will match the top surface and is applied prior to the surface laminate. By applying the laminate in this way the seam is positioned horizontally, is much less conspicuous as well as more durable.

Wood edging on Facet and Taper Edge tops is applied prior to the laminate. By applying the wood edge in this way the thickness of the wood edge is concealed, while providing the durability required. Wood species and finishes for edging, can be selected from page 4.


For laminates specified outside of Nienkämper’s standard selection, specify the manufacturer as well as the description and model number of the laminate selected at time of order. For Facet edge tops, the laminate must be a post forming grade.

Translucent edging on Taper edge tops is applied after the surface laminate. The translucent edge is very durable. Clear translucent edge provides a good match with most white colored laminates, while silver translucent edge provides a metallic look and contrast to colored plastic laminates.



Taper edge in clear translucent with white P-Lam top

Colored Plastic Laminates Surface	Order Code	Manufacturer #	Finish
Grey (Nienkamper - Light Grey/Putty)	CL-01	Wilsonart 1500-60	Matte
Platinum Gray (Nienkamper - Medium Grey/Clay)	CL-02	Nevamar S6023T	Textured
Slate Grey (Nienkamper - Dark Grey)	CL-03	Wilsonart D91-60	Matte
Black	CL-04	Wilsonart 1595-60	Matte
Angel White	CL-05	Pionite SW-826SD	Textured/Suede
Frosty White	CL-06	Wilsonart 1573-60	Matte
White (for writable surface)	CL-07	Formica 949-90	Gloss



Add the order code behind the edge profile when specifying.

FINGERPRINT RESISTANT P-LAM

Fingerprint Resistant Plastic Laminate is an innovative material created for interior design applications and is suitable for both vertical and horizontal interior applications on our Nienkämper furniture.

The external surface of Fingerprint Resistant Plastic Laminate involves the use of nanotechnology made possible by next generation acrylic resins.

The unique composition offers extraordinary features coupled with a unique user experience. These include an ultra matte surface (eliminating glare), an ultra soft feel, an anti-fingerprint surface, thermal healing of micro-scratches, increased durability as well as anti-bacterial and mold-resistant properties.

Edgeband with matching color to the Fingerprint Resistant Plastic Laminate is only available on taper edge. For 1" or 1-1/4" thick top with self edge, same Fingerprint Resistant Plastic Laminate can be specified for the self edge or it can be a clear/silver translucent edge.

There is a 20% upcharge on our standard plastic laminate table pricing for Fingerprint Resistant Plastic Laminate.

Colored "Fingerprint Resistant" Plastic Laminate Surface	Order Code	Finish
Black	RL-01	Matte
Gray	RL-02	Matte
Pure White	RL-03	Matte
Sand	RL-04	Matte
Brown	RL-05	Matte
Clay	RL-06	Matte

Edgeband to Match with Colored "Fingerprint Resistant" Plastic Laminate	Order Code
Black	RE-01
Gray	RE-02
Pure White	RE-03
Sand	RE-04
Brown	RE-05
Clay	RE-06

ALUMINUM FINISHES

Anodized Aluminum Finishes	Order Code
Silver	AL-01
Champagne	AL-02
Light Bronze	AL-03
Bronze	AL-04
Black	AL-06

Simply specify the finish of choice when placing your order. Note upcharges may apply for non-standard finishes. Anodized aluminum and paint finish samples are available from your local sales representative or by calling Nienkämper’s Customer Service department, at **1.800.668.9318**.

PAINT FINISHES

Some Vox components are painted.

Paint finishes are generally used when anodizing is not an option, (i.e. castings). While color matching is close it is impossible to match exactly the qualities of anodizing with paint finishes.

Standard Paint	Order Code
Silver	SP-01
Champagne	SP-02
Light Bronze	SP-03
Angel White	SP-04
Frosty White	SP-05
Black	SP-06

Metallic Paint	Order Code
Silver Metallic	MP-01
Champagne Metallic	MP-02
Light Bronze Metallic	MP-03

Powder Coat Paint	Order Code
Nienkämper Silver	PC-01
Champagne	PC-02
Standard Bronze	PC-03
Metallic Silver	PC-05
Black Jack	PC-06
Warm White	PC-07
Orange	PC-08
Red	PC-09
Textured Gray	PC-11
Cool White	PC-12
Yellow	PC-13
Pure Orange	PC-14
Green	PC-15
Lime	PC-16
Sky Blue	PC-17
Cobalt Blue	PC-18
Pewter Gray	PC-19
Platinum	PC-20
Ash Gray	PC-21
Charcoal Gray	PC-22
Matte Beige	PC-23
Matte Red Clay	PC-24

EDGE DETAILS - CONFERENCE TABLES

Conference tables with tops that are 1 1/4" thick have 6 edge profiles to choose from. To select:

Facet Edge add "FC" after the table model number

Taper Edge add "TE" after the table model number

Flowform Edge add "FF" after the table model number

Camber Edge add "CE" after the table model number

Flowform Edge and Camber Edge require a 5% upcharge

Flowform edged tops are veneer-wrapped, and are not available with plastic laminate


- Rectangle shape, Boat shape, Vista shape and Congress shape tops specified with a Flowform Edge have this edge profile on two sides only, with self edges on the two ends of the top.
- All conference table tops are 1 1/4" thick, edges are manufactured with a profiled solid wood edge.
- Camber edge is standard with an 8" radius corner feature on rectangle, boat, square, and vista shaped tops.

72" x 36" Rectangle top
duo style bases


22033/2TE ← Taper Edge

Wood Top


EXAMPLE




Facet Edge "FC"




Taper Edge "TE"



Flowform Edge "FF"




Facet Edge - specify "FC"




Taper Edge - specify "TE"




Flowform Edge - specify "FF"




Camber Edge "CE"



Self Edge "SE" / Self Edge with Exposed Plywood Core
"SE-P"



Cascade Edge "CA"



Camber Edge - specify "CE"



Self "SE" / Self with Exp Plywood Core "SE-P"




Cascade Edge - specify "CA"

SPECIAL TOP OPTIONS – VOX® CONFERENCE TABLES

A range of special top options are available for creating unique tables. By adding reveals, stain and veneer combinations personalizing your Vox conference table has never been easier. Four examples are shown that can be easily included in any of our standard conference tables. Simply specify the option you prefer and Nienkämper’s customer service department (call 1-800-668-9318) can provide you with a quotation based on the model of table selected. They will also be happy to help you if a custom combination of veneer and finishes are required.




Option A
Flat cut, Book-matched veneer, Natural finish, 1/4" polished aluminum reveal.



Option B
Flat cut, Book-matched veneer, Natural finish edge, stained centre, 1/4" polished aluminum reveal.



Option C
Flat cut, Book-matched veneer (veneer pattern as shown), stained edge, natural finish centre, 1/4" polished aluminum reveal.



Option D
Rift cut, Book-matched veneer, Natural finish edge, stained centre, 1/4" polished aluminum reveal.

BASE OPTIONS – VOX® CONFERENCE TABLES



Vox® Duo Base

The Duo, Tri and Quad base provide maximum capacity for storing cabling inside the leg. Available in a range of veneers and stains (page 8) anodized finishes (page 12).



Vox® Taper Base

The very thin profile of the Taper base design is ideal for maximizing space under a table. Available in polished aluminum or silver metallic paint – Select by model number.



Vox® T-Leg Base

The vertical section of this base has a channel that will accommodate excess cable and allow the routing of cable to and from the floor. Available in anodized or polished aluminum – Select by model number.



Vox® Drum Base

Available in 2 styles, Half Drum (as shown) and Full, this base offers ample space for tables that have large cabling and power requirements. The wiring and power cavity is accessed easily by removing the straight panel in the case of the Half drum style or by removing a section of the base itself for Full bases. Select by model number.

BASE OPTIONS – VOX® CONFERENCE TABLES



Vox® Access Base

These bases provide maximum capacity for storing cabling inside the leg, while concealing core drills and floor mounted receptacles. Available with or without aluminum trim – Select by model number.



Vox® Tower Base

A variation on shape, these bases provide maximum capacity for storing cabling inside the leg, while concealing core drills and floor mounted receptacles – Select by model number.



Vox® LCS Base

The LCS effortlessly transitions from sitting to standing height at the push of a button. Cabling is concealed within the Neather wrapped base. Also available as a fixed height. – Select by model number.

Eight Base Designs

All Vox conference tables have an option of Eight distinct base designs that offer both aesthetic and functional benefits. Each base design is listed for most top shapes with options and choices for base finishes. All base options are listed by model number.

To help in selecting a base design pages 15-23 illustrate each base and its features in detail. Pages 17-23 describe how each base accommodates wiring.

SPECIFICATION CHECKLIST

Use this Specification Checklist to help build your Vox Conference Table. Fill in each blank space, and mark off each option that applies to your needs. To assist you in building your order contact your local sales representative or call Nienkämper Customer Service at 800.668.9318. To find the sales representatives in your area or visit our website at www.nienkamper.com.

SELECT TOP SHAPE, BASE AND SIZE (specify model number) Model Number: _____

SELECT TOP EDGE PROFILE

FC-Facet Edge	TE-Taper Edge	FF-Flowform Edge	CE-Camber Edge/Soft Corner Feature	SE-Self Edge	
SELECT WOOD FINISH OPTION (specify finish code)			Wood Species/Code	Veneer Grain/Code	Finish
Refer to page 8 for available options.			_____	_____	_____

SELECT WOOD GRAIN PLASTIC SURFACE FINISH OPTION (specify laminate code)	Laminate Color/Code	Wood Species/Code	Custom Laminate (must be post-forming grade Include specifications)
Refer to page 9-11 for available options.	_____	_____	
Note: Plastic laminate tops are manufactured with a wood edge, stained and finished to match the laminate selected.			
Plastic Laminate tops are not available with a Flowform edge.			

SELECT ANODIZED ALUMINUM FINISH

Refer to page 12 for available options.

Anodized aluminum finish for Duo, Tri, Quad base:

AL-01 Silver	AL-02 Champagne	AL-03 Light Bronze	AL-04 Bronze	AL-06 Black
--------------	-----------------	--------------------	--------------	-------------

Aluminum finish for Taper base:

The model number you select for your Taper base table determines the finish of the base. **For example:** Model # 50101/2 is a 72" x 36" Boat shape Vox Conference table with a **mirror-polished** base finish. Model # 53501/2 is the same size and shape table with a **metallic silver paint** base finish.

Aluminum finish for T-Base:

The model number you select for your T-Base base table determines the finish of the base. **For example:** Model # 50201/2 is a 72" x 36" Boat shape Vox Conference table with a **mirror-polished** base finish. Model # 53601/2 is the same size and shape table with an **anodized** base finish. If an anodized finish is selected, choose from the colors below.

Anodized aluminum finishes:

AL-01 Clear	AL-02 Champagne	AL-03 Light Bronze	AL-04 Bronze	AL-06 Black
-------------	-----------------	--------------------	--------------	-------------

SELECT TYPE OF VOX FORUM (pages 206-235 specify model number)	Model Number	Quantity	Forum Finish (choose from the anodized aluminum finishes listed on page 12)
M series / N series Forum /Double Sided	_____	_____	

SELECT FORUM PLACEMENT LAYOUT	Forum Placement Code	FP-X Custom Forum placement (provide a drawing showing location)
Refer to pages 209-211 for options.	FP-_____	

SELECT CABLE CONDUIT

Refer to page 262

Required for tables with Taper bases where wire access is needed.

Vox Expandable Cable Conduit	Model Number	Quantity
Vox Linked Cable Conduit	_____	_____
	_____	_____

SELECT WIRE MANAGEMENT OPTIONS	Model Number	Quantity
Refer to pages 218-220		

Wire Management "U" clips (pkg. of 10 pcs.)	55020	_____	Wire Management Strips (set of 4)	55021	_____
Wire Management Wheels (set of 2)	55022	_____	High Performance Surge Protector	55023	_____
Power Bridge-48"	55028-48	_____	Power Bridge-96"	55028-96	_____
Cable Storage	55033	_____	Storage Compartment	55090-91	_____

Vox Grommets, Microphone Jacks, Security Loops

Refer to pages 256-258 to select model and quantity.

Submit details for placement required.

Note: If microphone holes are required for flush-mount boundary microphones (Model # 23410)	Model Number	Quantity
Detailed specifications and/or a sample of the microphone is required to determine the exact cut-out dimensions.	_____	_____
	_____	_____



All Rectangular shape table sizes available with optional 6" radius "Soft" corner (must be speccified at time of order)

Model	Top				List Price	Model	Top				List Price
Number	W"	D"	H"	Finish		Number	W"	D"	H"	Finish	



Fixed Height (Seating)

34361/230	96	42	29	Veneer	18,140
34361/530	96	42	29	P-Lam	17,195
34362/230	96	48	29	Veneer	18,365
34362/530	96	48	29	P-Lam	17,370
34363/230	96	54	29	Veneer	18,595
34363/530	96	54	29	P-Lam	17,550
34364/230	96	60	29	Veneer	18,840
34364/530	96	60	29	P-Lam	17,745
34365/230	108	42	29	Veneer	18,410
34365/530	108	42	29	P-Lam	17,290
34366/230	108	48	29	Veneer	18,770
34366/530	108	48	29	P-Lam	17,595
34367/230	108	54	29	Veneer	18,895
34367/530	108	54	29	P-Lam	17,640
34368/230	108	60	29	Veneer	19,145
34368/530	108	60	29	P-Lam	17,815
34369/230	120	42	29	Veneer	18,665
34369/530	120	42	29	P-Lam	17,520
34370/230	120	48	29	Veneer	19,125
34370/530	120	48	29	P-Lam	17,745
34371/230	120	54	29	Veneer	19,510
34371/530	120	54	29	P-Lam	17,970
34372/230	120	60	29	Veneer	19,785
34372/530	120	60	29	P-Lam	18,060
34373/230	132	42	29	Veneer	19,020
34373/530	132	42	29	P-Lam	17,745
34374/230	132	48	29	Veneer	19,415
34374/530	132	48	29	P-Lam	17,940
34375/230	132	54	29	Veneer	19,865
34375/530	132	54	29	P-Lam	18,060
34376/230	132	60	29	Veneer	20,095
34376/530	132	60	29	P-Lam	18,220
34377/230	144	42	29	Veneer	19,315
34377/530	144	42	29	P-Lam	17,875
34378/230	144	48	29	Veneer	19,735
34378/530	144	48	29	P-Lam	18,140
34379/230	144	54	29	Veneer	20,235
34379/530	144	54	29	P-Lam	18,345
34380/230	144	60	29	Veneer	20,635
34380/530	144	60	29	P-Lam	18,595
34381/230	156	42	29	Veneer	19,545
34381/530	156	42	29	P-Lam	18,020
34382/230	156	48	29	Veneer	20,030
34382/530	156	48	29	P-Lam	18,365
34383/230	156	54	29	Veneer	20,605
34383/530	156	54	29	P-Lam	18,615
34384/230	156	60	29	Veneer	21,055
34384/530	156	60	29	P-Lam	18,895

Fixed Height (Standing)

34361/238	96	42	38	Veneer	19,635
34361/538	96	42	38	P-Lam	18,685
34362/238	96	48	38	Veneer	19,865
34362/538	96	48	38	P-Lam	18,865
34363/238	96	54	38	Veneer	20,095
34363/538	96	54	38	P-Lam	19,040
34364/238	96	60	38	Veneer	20,335
34364/538	96	60	38	P-Lam	19,240
34365/238	108	42	38	Veneer	19,910
34365/538	108	42	38	P-Lam	18,790
34366/238	108	48	38	Veneer	20,255
34366/538	108	48	38	P-Lam	19,085
34367/238	108	54	38	Veneer	20,390
34367/538	108	54	38	P-Lam	19,145
34368/238	108	60	38	Veneer	20,635
34368/538	108	60	38	P-Lam	19,315
34369/238	120	42	38	Veneer	20,160
34369/538	120	42	38	P-Lam	19,020
34370/238	120	48	38	Veneer	20,605
34370/538	120	48	38	P-Lam	19,240
34371/538	120	54	38	Veneer	21,010
34371/238	120	54	38	P-Lam	19,465
34372/538	120	60	38	Veneer	21,280
34372/238	120	60	38	P-Lam	19,565
34373/538	132	42	38	Veneer	20,520
34373/238	132	42	38	P-Lam	19,240
34374/538	132	48	38	Veneer	20,910
34374/238	132	48	38	P-Lam	19,440
34375/538	132	54	38	Veneer	21,360
34375/238	132	54	38	P-Lam	19,565
34376/538	132	60	38	Veneer	21,580
34376/238	132	60	38	P-Lam	19,715
34377/538	144	42	38	Veneer	20,810
34377/238	144	42	38	P-Lam	19,365
34378/538	144	48	38	Veneer	21,235
34378/238	144	48	38	P-Lam	19,635
34379/538	144	54	38	Veneer	21,730
34379/238	144	54	38	P-Lam	19,835
34380/538	144	60	38	Veneer	22,130
34380/238	144	60	38	P-Lam	20,095
34381/538	156	42	38	Veneer	21,030
34381/238	156	42	38	P-Lam	19,510
34382/538	156	48	38	Veneer	21,535
34382/238	156	48	38	P-Lam	19,865
34383/538	156	54	38	Veneer	22,105
34383/238	156	54	38	P-Lam	20,115
34384/538	156	60	38	Veneer	22,550
34384/238	156	60	38	P-Lam	20,390

Standard features:

- Tops available in all Nienkämper standard veneers and plastic laminates.
- Neather wrapped base in either black or standard Neather colors with contrasting stitching.
- Shrouds and columns are powder coated to match base.
- The base must be floor mounted.
- All wires are concealed by the column and are hidden from view.
- Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.

Model #34384/538





Model Number	W"	D"	H"	Top Finish	List Price
Adjustable Height					
34385/23045	96	42	29½-42	Veneer	23,760
34385/53045	96	42	29½-42	P-Lam	22,805
34386/23045	96	48	29½-42	Veneer	23,980
34386/53045	96	48	29½-42	P-Lam	22,980
34387/23045	96	54	29½-42	Veneer	24,200
34387/53045	96	54	29½-42	P-Lam	23,150
34388/23045	96	60	29½-42	Veneer	24,450
34388/53045	96	60	29½-42	P-Lam	23,355
34389/23045	108	42	29½-42	Veneer	24,025
34389/53045	108	42	29½-42	P-Lam	22,905
34390/23045	108	48	29½-42	Veneer	24,380
34390/53045	108	48	29½-42	P-Lam	23,205
34391/23045	108	54	29½-42	Veneer	24,505
34391/53045	108	54	29½-42	P-Lam	23,250
34392/23045	108	60	29½-42	Veneer	24,750
34392/53045	108	60	29½-42	P-Lam	23,430
34393/23045	120	42	29½-42	Veneer	24,280
34393/53045	120	42	29½-42	P-Lam	23,130
34394/23045	120	48	29½-42	Veneer	24,730
34394/53045	120	48	29½-42	P-Lam	23,355
34395/23045	120	54	29½-42	Veneer	25,120
34395/53045	120	54	29½-42	P-Lam	23,575
34396/23045	120	60	29½-42	Veneer	25,395
34396/53045	120	60	29½-42	P-Lam	23,680
34397/23045	132	42	29½-42	Veneer	24,625
34397/53045	132	42	29½-42	P-Lam	23,355
34398/23045	132	48	29½-42	Veneer	25,025
34398/53045	132	48	29½-42	P-Lam	23,555
34399/23045	132	54	29½-42	Veneer	25,470
34399/53045	132	54	29½-42	P-Lam	23,680
34400/23045	132	60	29½-42	Veneer	25,700
34400/53045	132	60	29½-42	P-Lam	23,825
34401/23045	144	42	29½-42	Veneer	24,930
34401/53045	144	42	29½-42	P-Lam	23,480
34402/23045	144	48	29½-42	Veneer	25,345
34402/53045	144	48	29½-42	P-Lam	23,760
34403/23045	144	54	29½-42	Veneer	25,855
34403/53045	144	54	29½-42	P-Lam	23,955
34404/23045	144	60	29½-42	Veneer	26,250
34404/53045	144	60	29½-42	P-Lam	24,200
34405/23045	156	42	29½-42	Veneer	25,155
34405/53045	156	42	29½-42	P-Lam	23,635
34406/23045	156	48	29½-42	Veneer	25,645
34406/53045	156	48	29½-42	P-Lam	23,980
34407/23045	156	54	29½-42	Veneer	26,215
34407/53045	156	54	29½-42	P-Lam	24,225
34408/23045	156	60	29½-42	Veneer	26,670
34408/53045	156	60	29½-42	P-Lam	24,505



- Standard features:**
- Tops available in all Nienkämper standard veneers and plastic laminates.
 - Neather wrapped base in either black or standard Neather colors with contrasting stitching.
 - Shrouds and columns are powder coated to match base.
 - The base must be floor mounted.
 - All wires are concealed by the column and are hidden from view.
 - Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.
 - Electric, ultra quiet height adjustable system with a variety of touch controls.
- Contact customer service for details.



Model #34384/538





Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
Fixed Height (Seating)						Fixed Height (Standing)					
34571/230	96	42	29	Veneer	18,865	34571/238	96	42	38	Veneer	20,425
34571/530	96	42	29	P-Lam	17,890	34571/538	96	42	38	P-Lam	19,440
34572/230	96	48	29	Veneer	19,105	34572/238	96	48	38	Veneer	20,660
34572/530	96	48	29	P-Lam	18,060	34572/538	96	48	38	P-Lam	19,620
34573/230	96	54	29	Veneer	19,340	34573/238	96	54	38	Veneer	20,895
34573/530	96	54	29	P-Lam	18,245	34573/538	96	54	38	P-Lam	19,800
34574/230	96	60	29	Veneer	19,600	34574/238	96	60	38	Veneer	21,150
34574/530	96	60	29	P-Lam	18,455	34574/538	96	60	38	P-Lam	20,005
34575/230	108	42	29	Veneer	19,155	34575/238	108	42	38	Veneer	20,710
34575/530	108	42	29	P-Lam	17,990	34575/538	108	42	38	P-Lam	19,545
34576/230	108	48	29	Veneer	19,515	34576/238	108	48	38	Veneer	21,070
34576/530	108	48	29	P-Lam	18,305	34576/538	108	48	38	P-Lam	19,845
34577/230	108	54	29	Veneer	19,650	34577/238	108	54	38	Veneer	21,205
34577/530	108	54	29	P-Lam	18,355	34577/538	108	54	38	P-Lam	19,910
34578/230	108	60	29	Veneer	19,910	34578/238	108	60	38	Veneer	21,460
34578/530	108	60	29	P-Lam	18,540	34578/538	108	60	38	P-Lam	20,095
34579/230	120	42	29	Veneer	19,415	34579/238	120	42	38	Veneer	20,975
34579/530	120	42	29	P-Lam	18,225	34579/538	120	42	38	P-Lam	19,780
34580/230	120	48	29	Veneer	19,890	34580/238	120	48	38	Veneer	21,440
34580/530	120	48	29	P-Lam	18,455	34580/538	120	48	38	P-Lam	20,005
34581/230	120	54	29	Veneer	20,300	34581/238	120	54	38	Veneer	21,850
34581/530	120	54	29	P-Lam	18,685	34581/538	120	54	38	P-Lam	20,240
34582/230	120	60	29	Veneer	20,575	34582/238	120	60	38	Veneer	22,135
34582/530	120	60	29	P-Lam	18,795	34582/538	120	60	38	P-Lam	20,350
34583/230	132	42	29	Veneer	19,780	34583/238	132	42	38	Veneer	21,340
34583/530	132	42	29	P-Lam	18,455	34583/538	132	42	38	P-Lam	20,005
34584/230	132	48	29	Veneer	20,200	34584/238	132	48	38	Veneer	21,750
34584/530	132	48	29	P-Lam	18,665	34584/538	132	48	38	P-Lam	20,220
34585/230	132	54	29	Veneer	20,660	34585/238	132	54	38	Veneer	22,215
34585/530	132	54	29	P-Lam	18,795	34585/538	132	54	38	P-Lam	20,350
34586/230	132	60	29	Veneer	20,895	34586/238	132	60	38	Veneer	22,440
34586/530	132	60	29	P-Lam	18,950	34586/538	132	60	38	P-Lam	20,510
34587/230	144	42	29	Veneer	20,095	34587/238	144	42	38	Veneer	21,645
34587/530	144	42	29	P-Lam	18,585	34587/538	144	42	38	P-Lam	20,135
34588/230	144	48	29	Veneer	20,535	34588/238	144	48	38	Veneer	22,090
34588/530	144	48	29	P-Lam	18,865	34588/538	144	48	38	P-Lam	20,425
34589/230	144	54	29	Veneer	21,045	34589/238	144	54	38	Veneer	22,600
34589/530	144	54	29	P-Lam	19,070	34589/538	144	54	38	P-Lam	20,640
34590/230	144	60	29	Veneer	21,460	34590/238	144	60	38	Veneer	23,015
34590/530	144	60	29	P-Lam	19,340	34590/538	144	60	38	P-Lam	20,895
34591/230	156	42	29	Veneer	20,330	34591/238	156	42	38	Veneer	21,880
34591/530	156	42	29	P-Lam	18,740	34591/538	156	42	38	P-Lam	20,300
34592/230	156	48	29	Veneer	20,835	34592/238	156	48	38	Veneer	22,400
34592/530	156	48	29	P-Lam	19,105	34592/538	156	48	38	P-Lam	20,660
34593/230	156	54	29	Veneer	21,440	34593/238	156	54	38	Veneer	22,990
34593/530	156	54	29	P-Lam	19,365	34593/538	156	54	38	P-Lam	20,920
34594/230	156	60	29	Veneer	21,910	34594/238	156	60	38	Veneer	23,455
34594/530	156	60	29	P-Lam	19,650	34594/538	156	60	38	P-Lam	21,205

- Standard features:
- Tops available in all Nienkämper standard veneers and plastic laminates.
 - Neather wrapped base in either black or standard Neather colors with contrasting stitching.
 - Shrouds and columns are powder coated to match base.
 - The base must be floor mounted.
 - All wires are concealed by the column and are hidden from view.
 - Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.



Model Number	W"	D"	H"	Top Finish	List Price
Adjustable Height					
34595/23045	96	42	29½-42	Veneer	24,715
34595/53045	96	42	29½-42 P-Lam		23,720
34596/23045	96	48	29½-42	Veneer	24,940
34596/53045	96	48	29½-42 P-Lam		23,905
34597/23045	96	54	29½-42	Veneer	25,175
34597/53045	96	54	29½-42 P-Lam		24,085
34598/23045	96	60	29½-42	Veneer	25,430
34598/53045	96	60	29½-42 P-Lam		24,295
34599/23045	108	42	29½-42	Veneer	24,990
34599/53045	108	42	29½-42 P-Lam		23,815
34600/23045	108	48	29½-42	Veneer	25,350
34600/53045	108	48	29½-42 P-Lam		24,135
34601/23045	108	54	29½-42	Veneer	25,490
34601/53045	108	54	29½-42 P-Lam		24,185
34602/23045	108	60	29½-42	Veneer	25,745
34602/53045	108	60	29½-42 P-Lam		24,370
34603/23045	120	42	29½-42	Veneer	25,240
34603/53045	120	42	29½-42 P-Lam		24,065
34604/23045	120	48	29½-42	Veneer	25,720
34604/53045	120	48	29½-42 P-Lam		24,295
34605/23045	120	54	29½-42	Veneer	26,125
34605/53045	120	54	29½-42 P-Lam		24,525
34606/23045	120	60	29½-42	Veneer	26,415
34606/53045	120	60	29½-42 P-Lam		24,625
34607/23045	132	42	29½-42	Veneer	25,615
34607/53045	132	42	29½-42 P-Lam		24,295
34608/23045	132	48	29½-42	Veneer	26,020
34608/53045	132	48	29½-42 P-Lam		24,500
34609/23045	132	54	29½-42	Veneer	26,495
34609/53045	132	54	29½-42 P-Lam		24,625
34610/23045	132	60	29½-42	Veneer	26,730
34610/53045	132	60	29½-42 P-Lam		24,775
34611/23045	144	42	29½-42	Veneer	25,925
34611/53045	144	42	29½-42 P-Lam		24,420
34612/23045	144	48	29½-42	Veneer	26,365
34612/53045	144	48	29½-42 P-Lam		24,715
34613/23045	144	54	29½-42	Veneer	26,890
34613/53045	144	54	29½-42 P-Lam		24,915
34614/23045	144	60	29½-42	Veneer	27,300
34614/53045	144	60	29½-42 P-Lam		25,175
34615/23045	156	42	29½-42	Veneer	26,160
34615/53045	156	42	29½-42 P-Lam		24,580
34616/23045	156	48	29½-42	Veneer	26,670
34616/53045	156	48	29½-42 P-Lam		24,940
34617/23045	156	54	29½-42	Veneer	27,270
34617/53045	156	54	29½-42 P-Lam		25,195
34618/23045	156	60	29½-42	Veneer	27,740
34618/53045	156	60	29½-42 P-Lam		25,490

Standard features:

- Tops available in all Nienkämper standard veneers and plastic laminates..
- Neather wrapped base in either black or standard Neather colors with contrasting stitching.
- Shrouds and columns are powder coated to match base.
- The base must be floor mounted.
- All wires are concealed by the column and are hidden from view.
- Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.
- Electric, ultra quiet height adjustable system with a variety of touch controls. Contact customer service for details.





Model				Top			Model				Top		
Number	W"	D"	H"	Finish	List Price		Number	W"	D"	H"	Finish	List Price	
Fixed Height (Seating)							Fixed Height (Standing)						
34461/230	96	42	29	Veneer	19,235		34461/238	96	42	38	Veneer	20,815	
34461/530	96	42	29	P-Lam	18,230		34461/538	96	42	38	P-Lam	19,810	
34462/230	96	48	29	Veneer	19,470		34462/238	96	48	38	Veneer	21,050	
34462/530	96	48	29	P-Lam	18,410		34462/538	96	48	38	P-Lam	20,000	
34463/230	96	54	29	Veneer	19,715		34463/238	96	54	38	Veneer	21,300	
34463/530	96	54	29	P-Lam	18,600		34463/538	96	54	38	P-Lam	20,190	
34464/230	96	60	29	Veneer	19,980		34464/238	96	60	38	Veneer	21,560	
34464/530	96	60	29	P-Lam	18,815		34464/538	96	60	38	P-Lam	20,395	
34465/230	108	42	29	Veneer	19,525		34465/238	108	42	38	Veneer	21,115	
34465/530	108	42	29	P-Lam	18,335		34465/538	108	42	38	P-Lam	19,915	
34466/230	108	48	29	Veneer	19,895		34466/238	108	48	38	Veneer	21,480	
34466/530	108	48	29	P-Lam	18,655		34466/538	108	48	38	P-Lam	20,230	
34467/230	108	54	29	Veneer	20,025		34467/238	108	54	38	Veneer	21,610	
34467/530	108	54	29	P-Lam	18,710		34467/538	108	54	38	P-Lam	20,300	
34468/230	108	60	29	Veneer	20,300		34468/238	108	60	38	Veneer	21,875	
34468/530	108	60	29	P-Lam	18,895		34468/538	108	60	38	P-Lam	20,470	
34469/230	120	42	29	Veneer	19,785		34469/238	120	42	38	Veneer	21,370	
34469/530	120	42	29	P-Lam	18,575		34469/538	120	42	38	P-Lam	20,160	
34470/230	120	48	29	Veneer	20,260		34470/238	120	48	38	Veneer	21,850	
34470/530	120	48	29	P-Lam	18,815		34470/538	120	48	38	P-Lam	20,395	
34471/230	120	54	29	Veneer	20,685		34471/238	120	54	38	Veneer	22,275	
34471/530	120	54	29	P-Lam	19,045		34471/538	120	54	38	P-Lam	20,635	
34472/230	120	60	29	Veneer	20,980		34472/238	120	60	38	Veneer	22,560	
34472/530	120	60	29	P-Lam	19,155		34472/538	120	60	38	P-Lam	20,745	
34473/230	132	42	29	Veneer	20,160		34473/238	132	42	38	Veneer	21,750	
34473/530	132	42	29	P-Lam	18,815		34473/538	132	42	38	P-Lam	20,395	
34474/230	132	48	29	Veneer	20,580		34474/238	132	48	38	Veneer	22,165	
34474/530	132	48	29	P-Lam	19,025		34474/538	132	48	38	P-Lam	20,605	
34475/230	132	54	29	Veneer	21,050		34475/238	132	54	38	Veneer	22,640	
34475/530	132	54	29	P-Lam	19,155		34475/538	132	54	38	P-Lam	20,745	
34476/230	132	60	29	Veneer	21,300		34476/238	132	60	38	Veneer	22,880	
34476/530	132	60	29	P-Lam	19,315		34476/538	132	60	38	P-Lam	20,905	
34477/230	144	42	29	Veneer	20,470		34477/238	144	42	38	Veneer	22,065	
34477/530	144	42	29	P-Lam	18,945		34477/538	144	42	38	P-Lam	20,530	
34478/230	144	48	29	Veneer	20,925		34478/238	144	48	38	Veneer	22,515	
34478/530	144	48	29	P-Lam	19,235		34478/538	144	48	38	P-Lam	20,815	
34479/230	144	54	29	Veneer	21,455		34479/238	144	54	38	Veneer	23,030	
34479/530	144	54	29	P-Lam	19,445		34479/538	144	54	38	P-Lam	21,030	
34480/230	144	60	29	Veneer	21,875		34480/238	144	60	38	Veneer	23,455	
34480/530	144	60	29	P-Lam	19,715		34480/538	144	60	38	P-Lam	21,300	
34481/230	156	42	29	Veneer	20,715		34481/238	156	42	38	Veneer	22,300	
34481/530	156	42	29	P-Lam	19,105		34481/538	156	42	38	P-Lam	20,685	
34482/230	156	48	29	Veneer	21,240		34482/238	156	48	38	Veneer	22,825	
34482/530	156	48	29	P-Lam	19,470		34482/538	156	48	38	P-Lam	21,050	
34483/230	156	54	29	Veneer	21,850		34483/238	156	54	38	Veneer	23,435	
34483/530	156	54	29	P-Lam	19,735		34483/538	156	54	38	P-Lam	21,330	
34484/230	156	60	29	Veneer	22,325		34484/238	156	60	38	Veneer	23,905	
34484/530	156	60	29	P-Lam	20,025		34484/538	156	60	38	P-Lam	21,610	

- Standard features:
- Tops available in all Nienkämper standard veneers and plastic laminates..
 - Neather wrapped base in either black or standard Neather colors with contrasting stitching.
 - Shrouds and columns are powder coated to match base.
 - The base must be floor mounted.
 - All wires are concealed by the column and are hidden from view.
 - Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.



Model Number	W"	D"	H"	Top Finish	List Price
Adjustable Height					
34485/23045	96	42	29½-42	Veneer	25,180
34485/53045	96	42	29½-42	P-Lam	24,180
34486/23045	96	48	29½-42	Veneer	25,420
34486/53045	96	48	29½-42	P-Lam	24,360
34487/23045	96	54	29½-42	Veneer	25,660
34487/53045	96	54	29½-42	P-Lam	24,540
34488/23045	96	60	29½-42	Veneer	25,920
34488/53045	96	60	29½-42	P-Lam	24,755
34489/23045	108	42	29½-42	Veneer	25,470
34489/53045	108	42	29½-42	P-Lam	24,285
34490/23045	108	48	29½-42	Veneer	25,845
34490/53045	108	48	29½-42	P-Lam	24,605
34491/23045	108	54	29½-42	Veneer	25,975
34491/53045	108	54	29½-42	P-Lam	24,645
34492/23045	108	60	29½-42	Veneer	26,230
34492/53045	108	60	29½-42	P-Lam	24,835
34493/23045	120	42	29½-42	Veneer	25,740
34493/53045	120	42	29½-42	P-Lam	24,520
34494/23045	120	48	29½-42	Veneer	26,210
34494/53045	120	48	29½-42	P-Lam	24,755
34495/23045	120	54	29½-42	Veneer	26,625
34495/53045	120	54	29½-42	P-Lam	24,990
34496/23045	120	60	29½-42	Veneer	26,925
34496/53045	120	60	29½-42	P-Lam	25,105
34497/23045	132	42	29½-42	Veneer	26,105
34497/53045	132	42	29½-42	P-Lam	24,755
34498/23045	132	48	29½-42	Veneer	26,530
34498/53045	132	48	29½-42	P-Lam	24,965
34499/23045	132	54	29½-42	Veneer	27,005
34499/53045	132	54	29½-42	P-Lam	25,105
34500/23045	132	60	29½-42	Veneer	27,250
34500/53045	132	60	29½-42	P-Lam	25,265
34501/23045	144	42	29½-42	Veneer	26,420
34501/53045	144	42	29½-42	P-Lam	24,895
34502/23045	144	48	29½-42	Veneer	26,870
34502/53045	144	48	29½-42	P-Lam	25,180
34503/23045	144	54	29½-42	Veneer	27,400
34503/53045	144	54	29½-42	P-Lam	25,390
34504/23045	144	60	29½-42	Veneer	27,825
34504/53045	144	60	29½-42	P-Lam	25,660
34505/23045	156	42	29½-42	Veneer	26,665
34505/53045	156	42	29½-42	P-Lam	25,050
34506/23045	156	48	29½-42	Veneer	27,180
34506/53045	156	48	29½-42	P-Lam	25,420
34507/23045	156	54	29½-42	Veneer	27,785
34507/53045	156	54	29½-42	P-Lam	25,680
34508/23045	156	60	29½-42	Veneer	28,280
34508/23045	156	60	29½-42	P-Lam	25,975

Standard features:

- Tops available in all Nienkämper standard veneers and plastic laminates..
- Neather wrapped base in either black or standard Neather colors with contrasting stitching.
- Shrouds and columns are powder coated to match base.
- The base must be floor mounted.
- All wires are concealed by the column and are hidden from view.
- Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.
- Electric, ultra quiet height adjustable system with a variety of touch controls. Contact customer service for details.





Fixed Height (Seating)						Fixed Height (Standing)					
Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
34511/230	96	42	29	Veneer	19,595	34511/238	96	42	38	Veneer	21,210
34511/530	96	42	29	P-Lam	18,575	34511/538	96	42	38	P-Lam	20,190
34512/230	96	48	29	Veneer	19,835	34512/238	96	48	38	Veneer	21,455
34512/530	96	48	29	P-Lam	18,760	34512/538	96	48	38	P-Lam	20,380
34513/230	96	54	29	Veneer	20,090	34513/238	96	54	38	Veneer	21,700
34513/530	96	54	29	P-Lam	18,950	34513/538	96	54	38	P-Lam	20,565
34514/230	96	60	29	Veneer	20,350	34514/238	96	60	38	Veneer	21,965
34514/530	96	60	29	P-Lam	19,165	34514/538	96	60	38	P-Lam	20,775
34515/230	108	42	29	Veneer	19,890	34515/238	108	42	38	Veneer	21,510
34515/530	108	42	29	P-Lam	18,675	34515/538	108	42	38	P-Lam	20,300
34516/230	108	48	29	Veneer	20,260	34516/238	108	48	38	Veneer	21,885
34516/530	108	48	29	P-Lam	19,005	34516/538	108	48	38	P-Lam	20,610
34517/230	108	54	29	Veneer	20,410	34517/238	108	54	38	Veneer	22,020
34517/530	108	54	29	P-Lam	19,055	34517/538	108	54	38	P-Lam	20,670
34518/230	108	60	29	Veneer	20,670	34518/238	108	60	38	Veneer	22,290
34518/530	108	60	29	P-Lam	19,245	34518/538	108	60	38	P-Lam	20,865
34519/230	120	42	29	Veneer	20,160	34519/238	120	42	38	Veneer	21,780
34519/530	120	42	29	P-Lam	18,925	34519/538	120	42	38	P-Lam	20,545
34520/230	120	48	29	Veneer	20,650	34520/238	120	48	38	Veneer	22,255
34520/530	120	48	29	P-Lam	19,165	34520/538	120	48	38	P-Lam	20,775
34521/230	120	54	29	Veneer	21,070	34521/238	120	54	38	Veneer	22,690
34521/530	120	54	29	P-Lam	19,400	34521/538	120	54	38	P-Lam	21,025
34522/230	120	60	29	Veneer	21,370	34522/238	120	60	38	Veneer	22,985
34522/530	120	60	29	P-Lam	19,515	34522/538	120	60	38	P-Lam	21,135
34523/230	132	42	29	Veneer	20,545	34523/238	132	42	38	Veneer	22,155
34523/530	132	42	29	P-Lam	19,165	34523/538	132	42	38	P-Lam	20,775
34524/230	132	48	29	Veneer	20,975	34524/238	132	48	38	Veneer	22,575
34524/530	132	48	29	P-Lam	19,380	34524/538	132	48	38	P-Lam	20,995
34525/230	132	54	29	Veneer	21,455	34525/238	132	54	38	Veneer	23,075
34525/530	132	54	29	P-Lam	19,515	34525/538	132	54	38	P-Lam	21,135
34526/230	132	60	29	Veneer	21,700	34526/238	132	60	38	Veneer	23,310
34526/530	132	60	29	P-Lam	19,675	34526/538	132	60	38	P-Lam	21,295
34527/230	144	42	29	Veneer	20,865	34527/238	144	42	38	Veneer	22,485
34527/530	144	42	29	P-Lam	19,305	34527/538	144	42	38	P-Lam	20,915
34528/230	144	48	29	Veneer	21,325	34528/238	144	48	38	Veneer	22,935
34528/530	144	48	29	P-Lam	19,595	34528/538	144	48	38	P-Lam	21,210
34529/230	144	54	29	Veneer	21,860	34529/238	144	54	38	Veneer	23,470
34529/530	144	54	29	P-Lam	19,810	34529/538	144	54	38	P-Lam	21,435
34530/230	144	60	29	Veneer	22,290	34530/238	144	60	38	Veneer	23,900
34530/530	144	60	29	P-Lam	20,090	34530/538	144	60	38	P-Lam	21,700
34531/230	156	42	29	Veneer	21,115	34531/238	156	42	38	Veneer	22,725
34531/530	156	42	29	P-Lam	19,465	34531/538	156	42	38	P-Lam	21,070
34532/230	156	48	29	Veneer	21,640	34532/238	156	48	38	Veneer	23,250
34532/530	156	48	29	P-Lam	19,835	34532/538	156	48	38	P-Lam	21,455
34533/230	156	54	29	Veneer	22,255	34533/238	156	54	38	Veneer	23,880
34533/530	156	54	29	P-Lam	20,110	34533/538	156	54	38	P-Lam	21,720
34534/230	156	60	29	Veneer	22,750	34534/238	156	60	38	Veneer	24,355
34534/530	156	60	29	P-Lam	20,410	34534/538	156	60	38	P-Lam	22,020


- Standard features:
- Tops available in all Nienkämper standard veneers and plastic laminates..
 - Neather wrapped base in either black or standard Neather colors with contrasting stitching.
 - Shrouds and columns are powder coated to match base.
 - The base must be floor mounted.
 - All wires are concealed by the column and are hidden from view.
 - Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.



Model Number	W"	D"	H"	Top Finish	List Price
Adjustable Height					
34535/23045	96	42	29½-42	Veneer	25,660
34535/53045	96	42	29½-42	P-Lam	24,630
34536/23045	96	48	29½-42	Veneer	25,895
34536/53045	96	48	29½-42	P-Lam	24,825
34537/23045	96	54	29½-42	Veneer	26,140
34537/53045	96	54	29½-42	P-Lam	25,005
34538/23045	96	60	29½-42	Veneer	26,410
34538/53045	96	60	29½-42	P-Lam	25,225
34539/23045	108	42	29½-42	Veneer	25,960
34539/53045	108	42	29½-42	P-Lam	24,740
34540/23045	108	48	29½-42	Veneer	26,325
34540/53045	108	48	29½-42	P-Lam	25,070
34541/23045	108	54	29½-42	Veneer	26,460
34541/53045	108	54	29½-42	P-Lam	25,115
34542/23045	108	60	29½-42	Veneer	26,730
34542/53045	108	60	29½-42	P-Lam	25,305
34543/23045	120	42	29½-42	Veneer	26,215
34543/53045	120	42	29½-42	P-Lam	24,980
34544/23045	120	48	29½-42	Veneer	26,710
34544/53045	120	48	29½-42	P-Lam	25,225
34545/23045	120	54	29½-42	Veneer	27,135
34545/53045	120	54	29½-42	P-Lam	25,465
34546/23045	120	60	29½-42	Veneer	27,425
34546/53045	120	60	29½-42	P-Lam	25,570
34547/23045	132	42	29½-42	Veneer	26,600
34547/53045	132	42	29½-42	P-Lam	25,225
34548/23045	132	48	29½-42	Veneer	27,030
34548/53045	132	48	29½-42	P-Lam	25,435
34549/23045	132	54	29½-42	Veneer	27,510
34549/53045	132	54	29½-42	P-Lam	25,570
34550/23045	132	60	29½-42	Veneer	27,755
34550/53045	132	60	29½-42	P-Lam	25,740
34551/23045	144	42	29½-42	Veneer	26,925
34551/53045	144	42	29½-42	P-Lam	25,355
34552/23045	144	48	29½-42	Veneer	27,375
34552/53045	144	48	29½-42	P-Lam	25,660
34553/23045	144	54	29½-42	Veneer	27,920
34553/53045	144	54	29½-42	P-Lam	25,875
34554/23045	144	60	29½-42	Veneer	28,350
34554/53045	144	60	29½-42	P-Lam	26,140
34555/23045	156	42	29½-42	Veneer	27,165
34555/53045	156	42	29½-42	P-Lam	25,525
34556/23045	156	48	29½-42	Veneer	27,700
34556/53045	156	48	29½-42	P-Lam	25,895
34557/23045	156	54	29½-42	Veneer	28,315
34557/53045	156	54	29½-42	P-Lam	26,165
34558/23045	156	60	29½-42	Veneer	28,805
34558/53045	156	60	29½-42	P-Lam	26,460

- Standard features:
- Tops available in all Nienkämper standard veneers and plastic laminates..
 - Neather wrapped base in either black or standard Neather colors with contrasting stitching.
 - Shrouds and columns are powder coated to match base.
 - The base must be floor mounted.
 - All wires are concealed by the column and are hidden from view.
 - Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.
 - Electric, ultra quiet height adjustable system with a variety of touch controls. Contact customer service for details.





Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
--------------	----	----	----	---------------	------------	--------------	----	----	----	---------------	------------

Fixed Height (Seating)

34561/230	48 Dia.	29	Veneer	8,185
34561/530	48 Dia.	29	P-Lam	7,570
34562/230	54 Dia.	29	Veneer	8,560
34562/530	54 Dia.	29	P-Lam	7,690
34563/230	60 Dia.	29	Veneer	8,935
34563/530	60 Dia.	29	P-Lam	7,815

Fixed Height (Standing)

34561/238	48 Dia.	38	Veneer	8,935
34561/538	48 Dia.	38	P-Lam	8,310
34562/238	54 Dia.	38	Veneer	9,310
34562/538	54 Dia.	38	P-Lam	8,435
34563/238	60 Dia.	38	Veneer	9,680
34563/538	60 Dia.	38	P-Lam	8,560

Adjustable Height

34565/23045	48 Dia.	29½-42	Veneer	10,960
34565/53045	48 Dia.	29½-42	P-Lam	10,335
34566/23045	54 Dia.	29½-42	Veneer	11,325
34566/53045	54 Dia.	29½-42	P-Lam	10,460
34567/23045	60 Dia.	29½-42	Veneer	11,710
34567/53045	60 Dia.	29½-42	P-Lam	10,585

- Standard features:
- Tops available in all Nienkämper standard veneers and plastic laminates.
 - Neather wrapped base in either black or standard Neather colors with contrasting stitching.
 - Shrouds and columns are powder coated to match base.
 - All wires are concealed by the column and are hidden from view.
 - Connectivity solutions include Simple pop up Forum, or flush mount Simple Forum.
 - Electric, ultra quiet height adjustable system with a variety of touch controls. Contact customer service for details.



TERMS AND CONDITIONS OF SALE

PRICES

All prices are list prices, freight included, blanket-wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States.

Brokerage is paid by Nienkämper for product shipped to the United States.

Due to existing conditions in regard to cost of labor and materials, we reserve the right to change prices without notice.

TERMS

Net 30 days from date of invoice to accredited buyers. Two per cent (2%) interest charged monthly on overdue accounts. Deposit of 50% is required with order. Terms will be established upon credit evaluation. Due to delays in processing references, first orders may be treated as C.B.D. orders.

ORDER CONFIRMATION

Orders are accepted upon issuance of our order confirmation and are subject to the terms set forth therein; notwithstanding any variance from the terms of the buyer's order form.

Nienkämper is not liable for any delay or failure to deliver caused by labor or transportation difficulties, accidents, acts of God, failure of sources of supply, or other causes beyond our control, and changes will affect the delivery date.

CHANGE OF ORDERS OR CANCELLATIONS

Changes or cancellations are subject to our ability to conform. A charge will be levied against cancelled or changed orders based on costs already incurred by Nienkämper. All changes must be in writing and submitted on a revised purchase order. Changes will affect the delivery date.

STORAGE

If goods cannot be accepted when ready, we may transfer them to storage (which is to be deemed as delivery for invoice purposes). The customer accepts risks and will be charged at prevailing rates.

FREIGHT

Prices include freight charges, blanket-wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States. Packing and/or crating are available, if required, upcharges apply.

CLAIMS

All furniture is given to the carrier and signed for in good condition. It is the responsibility of the receiver to sign for the goods in the presence of the carrier and note the condition in which they are received. Freight claims should be filed with the carrier.

WARRANTY

There are no express or implied warranties, conditions and obligations of the manufacturer, whether statutory or otherwise that extend beyond the description on the face hereof. Our furniture is made to the highest standard and is warranted free from defects of material and workmanship for five years from the date of delivery. During the warranty period we will repair or replace such merchandise as shall prove to be defective, during normal usage in accordance with manufacturer's specifications. The manufacturer shall not be liable for defect wholly attributable to normal manufacturing process. Replacement or repair of the Product shall be the sole remedy of the Customer, and the manufacturer shall not be liable for any direct, indirect, incidental, or consequential loss or damage suffered by the Customer by reason of any defect in workmanship or manufacture of the Product or inability to use the Product. Moreover, this warranty does not cover accidental damage, abuse, alteration, ordinary wear and tear of Goods, negligence and misuse nor variations over which we have no control such as heat or humidity or damage to which the Goods are connected that is not attributable to the failure of the goods themselves. This warranty is null and void when the product is installed with hardware other than that supplied and/or when installed differently than recommended in the installation guide. Modification to the product or hardware may result in failure of the product and cause damage and/or injury.

WOOD FINISHES

Nienkämper offers a wide variety of standard light finishes on cherry, mahogany and figured anagré wood veneers, and a clear natural finish on figured anagré, figured sycamore, maple, bird's eye maple and curly maple.

Light finishes do not mask the grain and other characteristics of each wood species. It is important to understand that pieces of the same type of wood will not look identical when a light finish is used. The appearance of the finish will also depend on the natural color of the veneer. Cherry darkens over time as the wood ages. Pin knots and gum pockets are inherent traits.

Wood is a naturally variable raw material; its variances are not within the furniture manufacturer's control and are therefore not considered defects under this warranty.