


nienkämper
International Inc.

VOX[®]
POWER & CONNECTIVITY
SOLUTIONS



2025

"M & N" Series Vox Forums Pages 209-228



The latest addition to the Forum family, "M-Series" Forums – 6" wide and "N-Series" Forums – 12" wide, offer increased capacity and scale. Its modular design makes it simple to configure to your needs

Individual plates can be replaced / retrofitted as required in the field.

DETERMINING FORUM PLACEMENT ON TABLES

The following table is a guideline only for defining/distributing Forums along the table top. The rectangular icons on the left are used for reference only, as all other shapes in the Collection fit within this shape.

For Access Bases & Tower Bases, Forums can be located over the base or not over the base.

For other Custom Forum positioning contact Customer Service at **1.800.668.9318**.

	Tables 72 x 36 - 84 x 42 	M-Series Forum	N-Series Forum	Tables 96 x 42 - 108 x 48 	M-Series Forum	N-Series Forum	Tables 120 x 42 - 132 x 54 	M-Series Forum	N-Series Forum	Tables 144 x 48 - 168 x 66 	M-Series Forum	N-Series Forum
 FP1 - At center		•	•		•	•		•	• N/A on Duo Base 42" - 48" D			
 FP2C - Centered		•	•		•	•		•	• N/A on Duo Base 42" - 48" D	•		• N/A on Duo Base 48" D
 FP2 - Equally Spaced		•	•		•	•		•	• N/A on Duo Base 42" - 48" D	•		• N/A on Duo Base 48" D
 FP2E - At ends of table					•	•		•	• N/A on Duo Base 42" - 48" D	•		• N/A on Duo Base 48" D
 FP3 - Equally Spaced					•	•		•	• N/A on Duo Base 42" - 48" D			
 FP4 - Equally Spaced												
 FP4A - Symmetrically Spaced								•	• N/A on Duo Base 42" - 48" D	•		• N/A on Duo Base 48" D



DETERMINING FORUM PLACEMENT ON TABLES

The following table is a guideline only for defining/distributing Forums along the table top. The rectangular icons on the left are used for reference only, as all other shapes in the Collection fit within this shape.

For Access Bases & Tower Bases, Forums can be located over the base or not over the base.






For other Custom Forum positioning contact Customer Service at 1.800.668.9318.

	Tables 180 x 48 - 192 x 72	M-Series Forum	N-Series Forum	Tables 204 x 54 - 216 x 78	M-Series Forum	N-Series Forum	Tables 204 x 54 - 216 x 78	M-Series Forum	N-Series Forum	Tables 228 x 54 - 240 x 84	M-Series Forum	N-Series Forum
FP1 - At center		• N/A 180", 192" with Duo Base	• N/A on Duo Base 48" D				•	•		•	•	
FP2C - Centered		•	• N/A on Duo Base 48" D	•	•		•	•		•	•	
FP2 - Equally Spaced		•	• N/A on Duo Base 48" D	•	•		•			•	•	
FP2E - At ends of table		•	• N/A on Duo Base 48" D	•	•		•			•	•	
FP3 - Equally Spaced		• N/A 180", 192" with Duo Base	• N/A on Duo Base 48" D				•	•		•	•	
FP4 - Equally Spaced												
FP4A - Symmetrically Spaced		•	•	•	•		•	•		•	•	
FP5 - Equally Spaced		• N/A 180", 192" with Duo Base	•				•	•		•	•	
FP6 - Equally Spaced												
FP6A - Symmetrically Spaced		•	• N/A on Duo Base 48" D	•	•		•	•		•	•	

©2025 Menka Paper | Vox® Planning Guide & Price List | 213

DETERMINING FORUM PLACEMENT ON TABLES
The following table is a guideline only for defining/distributing Forums on the table

For other Forum positioning contact Customer Service at **1.800.668.9318**.

			Tables 42" w/ø – 60" w/ø		Tables 42" w/ø – 60" w/ø		Tables 66" w/ø – 72" w/ø		Tables 66" w/ø – 72" w/ø		Tables 78" w/ø – 96" w/ø		Tables 78" w/ø – 96" w/ø	
														
			Forum Series		Forum Series		Forum Series		Forum Series		Forum Series		Forum Series	
			M	N	M	N	M	N	M	N	M	N	M	N
 Wave Square Round FP1 - At center			•	•	•	•	•	•	•	•	•	•	•	•
					N/A 42"	N/A 42", 48"								
 Wave Square Round FP2C - Centered							•	•	•	•	•	•	•	•
								N/A 66"						
 Round tables only FP3 - Equally Spaced							•		•		•	N/A 78"	•	N/A 78"
 Wave Square Round FP4 - Equally Spaced							N/A 66"	N/A 66"	N/A 66"	N/A 66"		N/A 78"	•	•

Nienkämper is a **recognized installer** for data systems described in **Vox® Forum products**.

Vox® Forums can be manufactured with several factory wired data systems including "Hubble", "Leviton", "Siemon", "Belden", Ortronics and "Hubbell." All of these systems guarantee the highest level of data transmissions.

Vox® Forum products have been tested by the independent laboratories of these companies and are compliant with all aspects of proper installation and performance.

Nienkämper recommends the use of these **pre-wired systems** as they offer the **best value, quality** and **safety**.

Options for data/voice connections

Pair 2
Pair 3 Pair 1 Pair 4

1 2 3 4 5 6 7 8

AMP

• CAT 5E System
or
• CAT 6 110Connect Jacks

T568A

Pair 2
Pair 3 Pair 1 Pair 4

1 2 3 4 5 6 7 8

SYSTIMAX

• PowerSUM® CAT 5E System
or
• GigaSPEED® CAT 6 System

T568A

Pair 2
Pair 3 Pair 1 Pair 4

1 2 3 4 5 6 7 8

THE
SIEMON COMPANY

• Max® 5E
or
• Max® 6

T568A

Pair 2
Pair 3 Pair 1 Pair 4

1 2 3 4 5 6 7 8

BELDEN

SENDING ALL THE RIGHT SIGNALS

• CAT 5E
or
• CAT 6

T568A

Pair 2
Pair 3 Pair 1 Pair 4

1 2 3 4 5 6 7 8

HUBBELL

• CAT 6A
(available in custom plate only)

T568A

Pair 2
Pair 3 Pair 1 Pair 4

1 2 3 4 5 6 7 8

legrand®

Ortronics

• CAT 5E
or
• CAT 6

T568A

Nienkämper recommends the use of Vox® **pre-wired systems** as they offer the **best value, quality** and **safety** to the consumer.


Standard Vox Forums are listed by Underwriters Laboratories Inc. under several categories. These listings qualify a level of safety guaranteed by UL's published standards for safety which UL uses as a benchmark for testing and listing products.

The right to bear the UL mark is contingent on the fact that absolutely no alteration is made to the product as it was submitted and tested by Underwriters Laboratories. This is to ensure that assemblies are not manufactured with inferior or replacement parts; this would void or alter the result of the original examination and tests conducted by UL.

The UL mark is included on a label that is attached to the underside of listed Vox® products. This label includes:

- The date the component was assembled and tested.
- A serial number for tracking purposes.
- The listing category located under the UL mark.
- UL file number that can be used as a reference at UL for any inquiries about the product.

SAMPLE UL/CSA LABEL



All listed assemblies have POWER/ELECTRICAL components wired by Nienkämper and undergo the following tests:

Production Line Grounding Test - Continuity: This test checks for grounding continuity between the grounding conductor of the attachment plug and the designated main grounding point including any accessible dead-metal parts of the assembly. There must be grounding continuity between all parts.

Production-line Dielectric Voltage Withstand Test - Hi-pot: Each product shall withstand without electrical breakdown, as a routine production-line test, the application of an AC potential at a frequency within the range of 40-70 Hz or a DC potential between the primary wiring, including connected components, and accessible dead metal parts that are likely to become energized. This test is conducted when the product is fully assembled, and cannot be unwired, modified or disassembled afterwards.

Production-line - Polarity Test: This test verifies proper electrical polarity of both the grounded (neutral) and the ungrounded (hot) supply circuit conductors of the Forum and all parts intended to be connected to the grounded (neutral) and ungrounded (hot) supply circuit conductors of the attachment plug. Conductivity indications must confirm the correct connection of all parts specified.

VOX® FORUM CONFIGURATOR


Specifying the “M” and “N” series Vox Forum couldn’t be simpler.

“M” and “N” series Forums can be individually configured online with the **“Vox Forum Configurator”**.

Log onto the Nienkämper website www.nienkamper.com and follow the links or simply type www.nienkamper.com/vfc in your browser and go straight to this online tool.



Configuring your Forum is easy: simply drag and drop the options you want to build the product you need.



VOX® FORUM CONFIGURATOR

ON LINE ORDERING OF VOX FORUMS “M” & “N” SERIES


Once you've tried this amazing and simple tool you will appreciate the ease in which sample configurations can be built. You can create quick budgets, use as information sheets for discussions, meetings and placing orders.

Even custom plate configurations can be instantly selected and priced.

Below is an example of a completed Forum order sheet that can be printed, saved or submitted once the appropriate information has been filled out.

NIENKAMPER VOX FORUM CONFIGURATOR

Order total (list): \$ 2,445



YOUR CONFIGURATION

BASE

Model: MSERIES

PLATE 1

Model: 3P, Pre Wired Power contains the following: Single module faceplate with - 1 duplex power receptacle/ 15A-120V - With 2 USB ports 3 Hubble/ 5VDC Type a 2.0 - Pre wired with 10' cord & plug.
2USB ports - Type 2.0 rated - 3 Hubble/ 5VDC.

PLATE 2

Model: 7V, Single module blank faceplate

PLATE 3

Model: 1E, 2 - Hubble CAT6 DATA, 10' cord

PLEASE FILL IN YOUR INFORMATION BELOW

YOUR NAME:*

John Doe

TELEPHONE:*

1234567890

PROJECT/LOCATION:

XYZ Company, Alabama

QUOTE NO:

TAG REFERENCE:

Model # M-3P-7V-1E

INTREF:

VFC3-1479725440000-995

YOUR COMPANY:

ABC Furniture Company

EMAIL:*

johndoe@email.com

ORDER NO:

REGION:*

Alabama

COMMENTS:

quantity 3 required

*Required fields

- 1 Create the Forum model number by selecting modular faceplates from pages .
- 2 Fill in each 2 digit faceplate model number in the desired position on page 222-227.
- 3 Fill in the corresponding price for each modular faceplate in the correct position. Total the cost.
- 4 For custom modular plates, use model number "CX" for each custom position. If there are more than one custom plate layout, label them CX1, CX2, etc. Create the custom modular plate and list cost on page 228, and transfer plate # and cost to page 219-220.
- 5 Sign and date the form, forward to Nienkämper with your request for quotation or purchase order.

"M & N" SERIES VOX® FORM FACEPLATE CUSTOM MODULE ORDER FORM

PART NO.	PRI. WIRE	LIST \$	PART NO.	SEC. WIRE	LIST \$
A1 -	AMP - CAT 5E DATA - 10' CORD	\$160	A1X -	AMP - CAT 5E DATA - NO CORD	\$135
A1A -	AMP - CAT 6 DATA - 10' CORD	\$310	A1AX -	AMP - CAT 6 DATA - NO CORD	\$200
	AMP - CAT 6A DATA - 10' CORD	\$460	A1AX -	AMP - CAT 6A DATA - NO CORD	\$215
A2 -	SYSTEM - CAT 5E DATA - 10' CORD	\$240	A2X -	SYSTEM - CAT 5E DATA - NO CORD	\$135
A3 -	SYSTEM - CAT 6 DATA - 10' CORD	\$310	A3X -	SYSTEM - CAT 6 DATA - NO CORD	\$200
A3A -	SYSTEM - CAT 6A DATA - 10' CORD	\$500	A3AX -	SYSTEM - CAT 6A DATA - NO CORD	\$245
A4 -	SEMON - CAT 5E DATA - 10' CORD	\$240	A4X -	SEMON - CAT 5E DATA - NO CORD	\$135
A5A -	SEMON - CAT 6 DATA - 10' CORD	\$310	A5X -	SEMON - CAT 6 DATA - NO CORD	\$200
	SEMON - CAT 6A DATA - 10' CORD	\$460	A5AX -	SEMON - CAT 6A DATA - NO CORD	\$215
A6 -	WELDON - CAT 5E DATA - 10' CORD	\$240	A6X -	WELDON - CAT 5E DATA - NO CORD	\$135
A7A -	WELDON - CAT 6 DATA - 10' CORD	\$310	A7X -	WELDON - CAT 6 DATA - NO CORD	\$200
	WELDON - CAT 6A DATA - 10' CORD	\$465	A7AX -	WELDON - CAT 6A DATA - NO CORD	\$215
A8 -	ORTRONICS - CAT 5E DATA - 10' CORD	\$290	A8X -	ORTRONICS - CAT 5E DATA - NO CORD	\$135
A9 -	ORTRONICS - CAT 6 DATA - 10' CORD	\$325	A9X -	ORTRONICS - CAT 6 DATA - 10' CORD	\$205
	ORTRONICS - CAT 6A DATA - 10' CORD	\$460	A9AX -	ORTRONICS - CAT 6A DATA - NO CORD	\$255
A11A -	HUBBLE - CAT 6A DATA - 10' CORD	\$460	A11AX -	HUBBLE - CAT 6A DATA - NO CORD	\$215
B -	AMP - VOICE - 10' CORD	\$125	B1X -	AMP - VOICE - NO CORD	\$110
B1 -	SYSTEM - VOICE - 10' CORD	\$240	B1X -	SYSTEM - VOICE - NO CORD	\$135
B2 -	SEMON - VOICE - 10' CORD	\$240	B2X -	SEMON - VOICE - NO CORD	\$135
B3 -	NORDEX / CDT - VOICE - 10' CORD	\$240	B3X -	NORDEX / CDT - VOICE - NO CORD	\$135
B4 -	ORTRONICS - VOICE - 10' CORD	\$290	B4X -	ORTRONICS - VOICE - NO CORD	\$135
C -	AUDIO - 3.5MM - 18' CORD	\$120	Q -	CUSTOM FITTING - NO CORD SHAVE REQUIRED	\$80
D -	STEREO - 1/4" - 18' CORD	\$120	D -	DIY - CUTOUT ONLY	\$80
E -	RCA - 18' CORD	\$120	P -	EMPTY / NO FITTING ONLY	
F -	DSP - 18' CORD	\$180			
G -	HD-DB15 - 18' CORD	\$180			
H -	USB - 24' CORD	\$150			
HB -	USB TYPE B - 24' CORD	\$110			
HD -	HDMI - 24' CORD	\$200			
HDB -	DISPLAY PORT - VIDEO CONNECTING - 24' CORD	\$160			
J1 -	XLR / 3 PIN - 18' CORD	\$215			
J2 -	XLR / 4 PIN - 18' CORD	\$335			
J3 -	MINI - XLR / 3 PIN - 18' CORD	\$305			
J4 -	MINI - XLR / 4 PIN - 18' CORD	\$335			
L1 -	MINI - DIN / 4 PIN - 18' CORD	\$215			
L2 -	MINI - DIN / 6 PIN - 18' CORD	\$215			
L3 -	MINI - DIN / 8 PIN - 18' CORD	\$215			
N -	INVC PORTION - PASS THRU	\$110			

FACEPLATE CONNECTIONS ARE FEMALE, SUPPLY CORD PLUGS ARE MALE.
DB9 FACEPLATE FITTINGS ARE MALE, DB9 SUPPLY CORD PLUGS ARE FEMALE.

THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED OR DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER FURNITURE & ACCESSORIES INC.

VOX® FORMS

4

Nienkämper 2017 Vox® Price List • 213



Download this form at www.nienkamper.com/vfc/forum

Modular
Plate #1

Modular
Plate #2

Modular
Plate #3



Base Model # - M - _____ - _____ - _____ -

Modular
Plate #1

Modular
Plate #2

Modular
Plate #3

- Select the modular faceplate required from pages 181-185.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in “CX” as the model number.
- To create a custom modular plate, turn to pages 186.

\$ 600 + _____ + _____ + _____ = _____

Base Model
Cost

Plate #1
Cost

Plate #2
Cost

Plate #3
Cost

Total Forum
Cost

- Add up the cost.

Use this section when ordering Custom Modular Faceplates

Place your selection of part numbers from page 186.

		Position A		Position B		Position C
Custom Modular Plate #1 -	CX1	- _____	-	_____	-	_____
Custom Modular Plate #2 -	CX2	- _____	-	_____	-	_____
Custom Modular Plate #3 -	CX3	- _____	-	_____	-	_____

Quote # or Order # : _____ Date: _____

Approval Signature: _____



Download this form at www.nienkamper.com/vfc/forum

Modular Plate #1	Modular Plate #2	Modular Plate #3	Modular Plate #4	Modular Plate #5	Modular Plate #6
↓	↓	↓	↓	↓	↓

- Select the modular faceplate required from pages 181-185.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in “CX” as the model number.
- To create a custom modular plate, turn to pages 186.

Base Model # - N - _____ - _____ - _____ - _____ - _____ - _____

Modular Plate #1	Modular Plate #2	Modular Plate #3	Modular Plate #4	Modular Plate #5	Modular Plate #6
---------------------	---------------------	---------------------	---------------------	---------------------	---------------------

\$ 660	+	_____	+	_____	+	_____	+	_____	+	_____	+	_____	=	_____
Base Model Cost		Plate #1 Cost		Plate #2 Cost		Plate #3 Cost		Plate #4 Cost		Plate #5 Cost		Plate #6 Cost		Total Forum Cost

• Add up the cost.

Use this section when ordering Custom Modular Faceplates

Place your selection of part number from page 186 in the desired location below.

	Position A	Position B	Position C
Custom Modular Plate	CX1 - _____	- _____	- _____
Custom Modular Plate	CX2 - _____	- _____	- _____
Custom Modular Plate	CX3 - _____	- _____	- _____
Custom Modular Plate	CX4 - _____	- _____	- _____
Custom Modular Plate	CX5 - _____	- _____	- _____
Custom Modular Plate	CX6 - _____	- _____	- _____

Quote # or Order # : _____ Date: _____

Approval Signature: _____

"M & N" SERIES VOX® FORUM – MODULAR FACEPLATES



SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OE	375	2 - Hubble Cat5e Data, 10' Cord
1E	755	2 - Hubble Cat6 Data, 10' Cord
2E	555	2 - Leviton Cat5e Data, 10' Cord
3E	755	2 - Leviton Cat6 Data, 10' Cord
4E	555	2 - Siemon Cat5e Data, 16' Cord
5E	755	2 - Siemon Cat6 Data, 16' Cord
6E	555	2 - Belden Cat5e Data, 10' Cord
7E	755	2 - Belden Cat6 Data, 10' Cord
8E	660	2 - Ortronics Cat5e Data, 10' Cord
9E	745	2 - Ortronics Cat6 Data, 10' Cord

Model Number	List Price	Site Wired – Only Jacks Supplied
OB	330	2 - Hubble Cat5e Data, Site Wiring Required
1B	465	2 - Hubble Cat6 Data, Site Wiring Required
2B	330	2 - Leviton Cat5e Data, Site Wiring Required
3B	465	2 - Leviton Cat6 Data, Site Wiring Required
4B	330	2 - Siemon Cat5e Data, Site Wiring Required
5B	465	2 - Siemon Cat6 Data, Site Wiring Required
6B	330	2 - Belden Cat5e Data, Site Wiring Required
7B	465	2 - Belden Cat6 Data, Site Wiring Required
8B	330	2 - Ortronics Cat5e Data, Site Wiring Required
9B	410	2 - Ortronics Cat6 Data, Site Wiring Required

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 1-DATA, 1-VOICE



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OK	345	1 - Hubble Cat5e Data & 1-Rj45 Voice - 10' Cords
1K	555	1 - Hubble Cat6 Data & 1-Rj45 Voice - 10' Cords
2K	575	1 - Leviton Cat5e Data & 1-Rj45 Voice - 10' Cords
3K	665	1 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords
4K	575	1 - Siemon Cat5e Data & 1-Rj45 Voice - 16' Cords
5K	665	1 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords
6K	575	1 - Belden Cat5e Data & 1-Rj45 Voice - 10' Cords
7K	665	1 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords
8K	565	1 - Ortronics Cat5e Data & 1-Rj45 Voice - 10' Cords
9K	605	1 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords

Model Number	List Price	Site Wired – Only Jacks Supplied
OJ	305	1 - Hubble Cat5e Data & 1-Rj45 Voice - Site Wired
1J	355	1 - Hubble Cat6 Data & 1-Rj45 Voice - Site Wired
2J	330	1 - Leviton Cat5e Data & 1-Rj45 Voice - Site Wired
3J	390	1 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired
4J	330	1 - Siemon Cat5e Data & 1-Rj45 Voice - Site Wired
5J	390	1 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired
6J	330	1 - Belden Cat5e Data & 1-Rj45 Voice - Site Wired
7J	390	1 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired
8J	330	1 - Ortronics Cat5e Data & 1-Rj45 Voice - Site Wired
9J	380	1 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired


SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 3-DATA



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OF	515	3 - Hubble Cat5e Data, 10' Cord
1F	1,095	3 - Hubble Cat6 Data, 10' Cord
2F	775	3 - Leviton Cat5e Data, 10' Cord
3F	1,095	3 - Leviton Cat6 Data, 10' Cord
4F	775	3 - Siemon Cat5e Data, 16' Cord
5F	1,095	3 - Siemon Cat6 Data, 16' Cord
6F	775	3 - Belden Cat5e Data, 10' Cord
7F	1,095	3 - Belden Cat6 Data, 10' Cord
8F	965	3 - Ortronics Cat5e Data, 10' Cord
9F	1,080	3 - Ortronics Cat6 Data, 10' Cord


Model Number	List Price	Site Wired – Only Jacks Supplied
OC	445	3 - Hubble Cat5e Data, Site Wiring Required
1C	650	3 - Hubble Cat6 Data, Site Wiring Required
2C	445	3 - Leviton Cat5e Data, Site Wiring Required
3C	650	3 - Leviton Cat6 Data, Site Wiring Required
4C	445	3 - Siemon Cat5e Data, Site Wiring Required
5C	650	3 - Siemon Cat6 Data, Site Wiring Required
6C	445	3 - Belden Cat5e Data, Site Wiring Required
7C	650	3 - Belden Cat6 Data, Site Wiring Required
8C	445	3 - Ortronics Cat5e Data, Site Wiring Required
9C	595	3 - Ortronics Cat6 Data, Site Wiring Required

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA, 1-VOICE



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OM	465	2 - Hubble Cat5e Data & 1-Rj45 Voice - 10' Cords
1M	860	2 - Hubble Cat6 Data & 1-Rj45 Voice - 10' Cords
2M	775	2 - Leviton Cat5e Data & 1-Rj45 Voice - 10' Cords
3M	975	2 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords
4M	775	2 - Siemon Cat5e Data & 1-Rj45 Voice - 16' Cords
5M	975	2 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords
6M	775	2 - Belden Cat5e Data & 1-Rj45 Voice - 10' Cords
7M	975	2 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords
8M	965	2 - Ortronics Cat5e Data & 1-Rj45 Voice - 10' Cords
9M	1,040	2 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords

Model Number	List Price	Site Wired – Only Jacks Supplied
OL	400	2 - Hubble Cat5e Data & 1-Rj45 Voice - Site Wired
1L	555	2 - Hubble Cat6 Data & 1-Rj45 Voice - Site Wired
2L	445	2 - Leviton Cat5e Data & 1-Rj45 Voice - Site Wired
3L	595	2 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired
4L	445	2 - Siemon Cat5e Data & 1-Rj45 Voice - Site Wired
5L	595	2 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired
6L	445	2 - Belden Cat5e Data & 1-Rj45 Voice - Site Wired
7L	595	2 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired
8L	435	2 - Ortronics Cat5e Data & 1-Rj45 Voice - Site Wired
9L	555	2 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired



SINGLE MODULE FACEPLATE - POWER RECEPTACLES:


Model Number	List Price
1P	575
1P- SW	595

DESCRIPTION

Single module faceplate contains the following: 2 power receptacles 15A 120V pre wired with 10' cord and plug. Includes 12.5 amp overload protector.

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required

***Face plate formerly labeled 2P has been changed to 1P-SW.**




SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

Model Number	List Price
2P	1,195
2P- SW	1,165

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With Surge Suppressor -, 240 joules/ 15000a per mode and light. Prewired with 10' cord and plug.

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With surge suppressor, 240 joules/ 15000a per mode and light. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required




SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

Model Number	List Price
3P	990
3P- SW	960

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With 2 USB ports 3 Amp/ 5VDC Type a 2.0. Pre wired with 10 ' cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With 2 USB ports 3 Hubble/ 5VDC Type a 2.0. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required



SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

Model Number	List Price
4P	1,140
4P- SW	1,100

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With USB A + C charging (5V, 5A) 55W. Pre wired with 10' cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With USB A + C charging (5V, 5A) 55W. With 36" metallic shielded cable wired to receptacle. Site connection to power source required



SINGLE MODULE FACEPLATE - POWER RECEPTACLES:


Model Number	List Price	DESCRIPTION
5P	1,310	Single module faceplate contains the following: 1 duplex power receptacle 15A-120V, with USB C+C charging (5V, 5A) 55W and pre wired 10' cord
5P- SW	1,270	Single module faceplate contains the following: 1 duplex power receptacle 15A-120V, with USB C+C charging (5V, 5A) 55W and 36" metallic shielded cable wired to receptacle. Site connection to power source required.

OT - 9T

SINGLE MODULE FACEPLATE:



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs	DESCRIPTION
0T	490	1 - Hubble Cat5e Data, 10' Cord	Single module faceplate contains the following: 1 - HD-DB15 (female) with 18" cord and male plug. 1 - 3.5mm stereo with 18" cord and male plug. 1 - DATA (OT-9T) with 10' cord and male plug.
1T	665	1 - Hubble Cat6 Data, 10' Cord	
2T	575	1 - Leviton Cat5e Data, 10' Cord	
3T	665	1 - Leviton Cat6 Data, 10' Cord	
4T	575	1 - Siemon Cat5e Data, 16' Cord	
5T	665	1 - Siemon Cat6 Data, 16' Cord	
6T	575	1 - Belden Cat5e Data, 10' Cord	
7T	665	1 - Belden Cat6 Data, 10' Cord	
8T	640	1 - Ortronics Cat5e Data, 10' Cord	
9T	660	1 - Ortronics Cat6 Data, 10' Cord	



Model Number	List Price
1V	115
2V	115
3V	115


SINGLE MODULE FACEPLATE:

DESCRIPTION

Single module split plate assembly contains the following: 3 cutouts - inside diameter sizes - 3/8", 1/2", 5/8" for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 3/8" for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 1/2" for pass-through cable requirements.



single module

double module


BLANK FACEPLATES:

DESCRIPTION

Single module blank faceplate

Double module blank faceplate

Model Number	List Price
7V	100
8V-8V	115



single module
vertical
alignment

double module
horizontal alignment

EXTRON "AAP" SERIES


DESCRIPTION

Single module adopter
-holds two Extron "AAP" modules in vertical position

Double module adopter
-holds four Extron "AAP" modules in horizontal position

Please refer to your Extron product catalogue for specific "AAP" module model numbers available

Model Number	List Price
6X	115
7X-7X	140



single module


double module

DECORA® INSERT PLATES

Single module, holds 1 Decora style insert (supplied by others)

Double module, holds 2 Decora style inserts (supplied by others)

Model Number	List Price
8X	115
9X-9X	140




Model Number	List Price
5R	445
6R-6R	615

EXTRON RETRACTOR FACEPLATE/RETRACTOR INCLUDED:


(Note: Retractors provided; choose from list below)



5R Retractor Faceplate with R-01 VGA Retractor Series II



5R Retractor Faceplate with R-02 3.5mm Audio Retractor Series II




5R Retractor Faceplate with R-03 Data-CAT 6 Retractor Series II



5R Retractor Faceplate with R-04 HDMI Retractor Series II




5R Retractor Faceplate with R-05 USB (signal) Retractor Series II



5R Retractor Faceplate with R-06 VGA & Audio Retractor Series II

EXTRON RETRACTOR OPTIONS:


Model Number	List Price	Description
RA-02	265	Blank filler plate
SERIES 2		
R-01	1,485	VGA - Retractor series II - with 36" long cord
R-02	1,485	3.5mm audio - retractor series II - with 36" long cord
R-03	1,485	Data - CAT 6 - retractor series II - with 36" long cord
R-04	1,485	HDMI - retractor series II - with 36" long cord
R-05	1,485	USB (signal) - retractor series II - with 36" long cord / USB-A to USB-A
R-06	1,645	VGA & audio - retractor series II - with 36" long cord / VGA M-M & 3.5mm audio
SERIES 2 XL		
R-07	1,645	VGA - Retractor series II XL - with 60" long cord
R-08	1,645	3.5mm audio - retractor series II XL - with 60" long cord
R-09	1,645	Data - CAT 6 - retractor series II XL - with 60" long cord
R-10	1,645	HDMI - retractor series II XL - with 60" long cord
R-11	1,645	USB (signal) - retractor series II XL - with 60" long cord / USB-A to USB-A
R-12	1,810	VGA & audio - retractor series II XL - with 60" long cord / VGA M-M & 3.5mm audio



Model Number	List Price
7R	350
8R-8R	525

EXTRON RETRACTOR FACEPLATE/RETRACTOR NOT INCLUDED:
(Note: Retractors to be provided and installed by others)

DESCRIPTION
Single faceplate holds 1 Extron Retractor
Double faceplate holds up to 3 Extron Retractors



SINGLE CUSTOM MODULE FACEPLATE (SEE BELOW)

Model Number	List Price
CX	100

DESCRIPTION
To build your Forum, select fittings from page 186.

HOW TO ORDER

- From the list of jacks select the part number that describes your selection
- Place the part number in one of three positions on the faceplate illustration “A”, “B”, or “C”.
- Fill in the associated List \$ of each fitting - total the cost.
- Fill in the model number and transfer it to the proper position on the Forum order page 179 (6" Forum) or page 180 (12" Forum).
- Add each modular plate price to complete the total Vox Forum list price.

Complete this for each custom plate required.

Position A

Position B

Position C

Fitting Cost

-

-

-

+ \$100.00 plate cost

Total Cost

Position A

Position B

Position C

Model Number

CX -

-

-

“M & N” SERIES VOX® FORUM FACEPLATE
CUSTOM MODULE ORDER FORM



Part Number				Pre- Wired	List Price	Part Number				Site- Wired	List Price		
	A0		Hubble - CAT 5E Data - 10' Cord		240		AX		Hubble - CAT 5E Data - No Cord		190		
	A1		Hubble - CAT 6 Data - 10' Cord		435		A1X		Hubble - CAT 6 Data - No Cord		295		
	A1A		Hubble CAT 6A Data - 10' Cord		620		A1AX		Hubble - CAT 6A Data - No Cord		310		
	A2		Leviton - CAT 5E Data - 10' Cord		345		A2X		Leviton - CAT 5E Data - No Cord		190		
	A3		Leviton - CAT 6 Data - 10' Cord		435		A3X		Leviton- CAT 6 Data - No Cord		295		
	A3A		Leviton - CAT 6A Data - 10' Cord		695		A3AX		Leviton- CAT 6A Data - No Cord		350		
	A4		Siemon - CAT 5E Data - 16' Cord		345		A4X		Siemon - CAT 5E Data - No Cord		190		
	A5		Siemon - CAT 6 Data - 16' Cord		435		A5X		Siemon - CAT 6 Data - No Cord		295		
	A5A		Siemon - CAT 6A Data - 16' Cord		595		A5AX		Siemon - CAT 6A Data - No Cord		310		
	A6		Beldon - CAT 5E Data - 10' Cord		345		A6X		Beldon - CAT 5E Data - No Cord		190		
	A7		Beldon - Cat 6 Data - 10' Cord		435		A7X		Beldon - CAT 6 Data - No Cord		295		
	A7A		Beldon - CAT 6A Data - 10' Cord		585		A7AX		Beldon - CAT 6A Data - No Cord		310		
	A8		Ortronics - CAT 5E Data - 10' Cord		390		A8X		Ortronics - CAT 5E Data - No Cord		190		
	A9		Ortronics - CAT 6 Data - 10' Cord		430		A9X		Ortronics - CAT 6 Data - No Cord		275		
	A9A		Ortronics - CAT 6A Data - 10' Cord		605		A9AX		Ortronics - CAT 6A Data - No Cord		300		
											A11AX	Hubble - CAT 6A Data - No Cord	310
	B	Hubble - Voice - 10' Cord			180		BX	Hubble - Voice - No Cord			165		
	B1	Leviton - Voice - 10' Cord			345		B1X	Leviton- Voice - No Cord			190		
	B2	Siemon - Voice - 10' Cord			345		B2X	Siemon - Voice - No Cord			190		
	B3	Belden/ CDT - Voice - 10' Cord			345		B3X	Beldon - Voice - No Cord			190		
	B4	Ortronics - Voice - 10' Cord			390		B4X	Ortronics - Voice - No Cord			190		
	C	Audio - 3.5mm - 18" Cord			175		O	Custom Fitting - No Cord Sample Req			135		
	G	HD-DB15 - 18" Cord			275		P	Empty / No Fitting Required					
	H	USB - 24" Cord			210								
	HB	USB Type B - 24" Cord			165								
	HD	HDMI - 24" Cord			295								
	J1	XLR / 3 Pin / - 18" Cord			310								

FACEPLATE CONNECTIONS ARE FEMALE, SUPPLY CORD PLUGS ARE MALE.
DB9 FACEPLATE FITTINGS ARE MALE, DB9 SUPPLY CORD PLUGS ARE FEMALE.

THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIES OR DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKAMPER FURNITURE & ACCESSORIES IINC.



VOX® DOUBLE SIDED FORUM




Standard Features:

- Vox® Double Sided forum has a multi directional hinged lid for access on either side of the table. The Double sided forum sits flush with the table top. The lids is in the same finish as the work surface. A thin aluminum bezel lines the cutout in the table top and lid for added durability.
- The Double Sided Forum comes in a 4 module configuration. Modules are specified as either Power/Charging, Data/AV, Split plates, or Retractors.
- Modules can be swapped out or moved if your Power or AV needs change.
- Power modules contain 3 simplexes or 2 simplexes and USB-A or USB-C charging. Power units are available with a pre-wired cord, hardwired feed or a Daisy chain feed.
- Data/AV plate contains 4 fittings. The individual fittings can be swapped out or the entire plate can be swapped out.

FINISHES

Vox® Double Sided forum is made out of sturdy aluminum construction with a durable powder coated finish. The body is available in Black, Grey or White powder coat. The lid is matched to the veneer or laminate on the table top. Custom powder coat colors are available but may affect price and lead times.




BLACK



GREY




WHITE



CUSTOM

THE DOUBLE SIDED FORUM HAS 4 PORTS THAT CAN BE POPULATED WITH VARIOUS FACE PLATES.



Base Model# - G-

-

-

-

PLATE 1

PLATE 2

PLATE 3

PLATE 4

- Select the modular faceplate required from pages 5-10.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in "CX" as the model number.

\$920

+

+

+

+

=

BASE MODEL COST

PLATE #1 COST


PLATE #2 COST

PLATE #3 COST

PLATE #4 COST

Add up the cost

*Base model cost includes finished veneer or plastic laminate lid.



POWER FACEPLATES

DS-1P



Model Number	List Price
DS-1P	\$250
DS-1P-SW	\$285
DS-1P-4T	\$280

DESCRIPTION

- SINGLE MODULE FACEPLATE CONTAINS 3 POWER RECEPTACLES 15A 120V
- PRE WIRED WITH A 10' CORD.
- SITE WIRED WITH A 72" METALLIC SHIELDED CABLE.
- SITE CONNECTION TO POWER SOURCE REQUIRED.
- COMES WITH A DAISY CHAIN WIRE SYSTEM THAT RUNS ON TWO CIRCUITS
- SITE CONNECTION TO POWER SOURCE REQUIRED.

DS-2P



Model Number	List Price
DS-2P	\$345
DS-2P-SW	\$390
DS-2P-4T	\$380

DESCRIPTION

- SINGLE MODULE FACEPLATE CONTAINS 2 POWER RECEPTACLES 15A 120V,
- 2 USB-A, WITH 2 AMPS PER PORT.
- PRE WIRED WITH A 10' CORD.
- SITE WIRED WITH A 72" METALLIC SHIELDED CABLE.
- SITE CONNECTION TO POWER SOURCE REQUIRED.
- COMES WITH A DAISY CHAIN WIRE SYSTEM THAT RUNS ON TWO CIRCUITS
- SITE CONNECTION TO POWER SOURCE REQUIRED.

Power Faceplate's

DS-3P



Model Number	List Price
DS-3P	\$345
DS-3P-SW	\$390
DS-3P-4T	\$380

Description

- Single module faceplate contains 2 power receptacles 15A 120V,
- USB-A+C, with 2 Amps per port 18W.
- Pre wired with a 10' cord.
- Site wired with a 72" metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

DS-4P




Model Number	List Price
DS-4P	\$525
DS-4P-SW	\$575
DS-4P-4T	\$565

Description

- Single module faceplate contains 1 power receptacle 15A 120V,
- 1 USB-C, 100W
- Pre wired with a 10' cord.
- Site wired with a 72" metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

SPLIT PLATE

DS-SP




MODEL NUMBER	LIST PRICE
DS-SP	\$95
PLATE ONLY	

DESCRIPTION

SPLIT PLATE HAS 2 OPENINGS THAT ARE 3/8" DIAMETER AND 2 OPENINGS AT 7/16" DIAMETER.

BLANK PLATE

DS-BP



MODEL NUMBER	LIST PRICE
DS-BP	\$95
PLATE ONLY	

DESCRIPTION

BLANK PLATE USED AS FILLER WITHIN FORUM.

CUSTOM AV/DATA FACE-PLATES

DS-CX

A

B

C

D

MODEL NUMBER

POSITION A

POSITION B

POSITION C

POSITION D

+\$60 PLATE COST

DESCRIPTION

THE CX PLATE HAS 4 SPACES FOR FITTINGS AND CAN BE USED IN ANY POSITION IN THE FORUM.

CX-

MODEL NUMBER

POSITION A

POSITION B

POSITION C

POSITION D



A5

\$180

SIEMON CAT 6 DATA FITTING WITH 10' CORD (FEMALE TO MALE)



H

\$135

USB PORT 3.0 WITH 10' CORD (FEMALE TO MALE)



HD

\$195

HDMI COUPLER (FEMALE TO FEMALE) WITH 18" CORD



O

\$65

OPEN PORT FOR CLIENTS OWN DATA FITTING. EACH PORT SELECTED WILL BE SUPPLIED WITH ONE SET OF DATA ADAPTER KIT.



C

\$90

AUDIO- 3.5MM MINI STEREO JACK WITH 10' CORD (FEMALE TO MALE)



G

\$195

DB15HD, VGA CONNECTOR, 10' CORD (FEMALE TO MALE)




B

\$65

BLANK PLATE

RETRACTOR FACE-PLATES


DS-6R



MODEL NUMBER	LIST PRICE
DS-6R	\$80
PLATE ONLY	

DESCRIPTION

- EXTRON RETRACTOR FACEPLATE FITS 3 EXTRON RETRACTORS. THE 6R RETRACTOR FACEPLATE CAN ONLY BE PLACED IN POSITION 1 AND 4 ON THE G FORUM.
- RETRACTORS CAN BE BOUGHT THROUGH NIENKAMPER OR USERS CAN SUPPLY THERE OWN EXTRON RETRACTOR COMPONENTS. *SEE PAGE 10 FOR REQ'D FILLER MODULE.
- NOTE: THIS PLATE HOLDS 3 EXTRON RETRACTORS. ANY SPOT NOT USING A RETRACTOR WILL REQUIRE A FILLER MODULE. IF CLIENT IS SUPPLYING THERE OWN RETRACTORS ORDER FILLER MODEL #70-1065-35.



MODEL NUMBER	LIST PRICE
R-01	\$1,485
R-02	\$1,485
R-03	\$1,485
R-04	\$1,485
R-05	\$1,485
R-06	\$1,645
R-01 - XL	\$1,590
R-02 - XL	\$1,590
R-03 - XL	\$1,590
R-04 - XL	\$1,590
R-05 - XL	\$1,590
R-06 - XL	\$1,750

DESCRIPTION

- R-01: VGA - RETRACTOR SERIES II - WITH 36" LONG CORD.
- R-02: 3.5MM AUDIO - RETRACTOR SERIES II - WITH 36" LONG CORD
- R-03: DATA - CAT 6 - RETRACTOR SERIES II - WITH 36" LONG CORD
- R-04: HDMI - RETRACTOR SERIES II - WITH 36" LONG CORD
- R-05: USB (SIGNAL) - RETRACTOR SERIES II - WITH 36" LONG CORD / USB-A TO USB-A
- R-06: VGA & AUDIO - RETRACTOR SERIES II - WITH 36" LONG CORD / VGA M-M & 3.5MM AUDIO
- R-01 - XL: VGA - RETRACTOR SERIES II - WITH 60" LONG CORD.
- R-02 - XL: 3.5MM AUDIO - RETRACTOR SERIES II - WITH 60" LONG CORD
- R-03 - XL: DATA - CAT 6 - RETRACTOR SERIES II - WITH 60" LONG CORD
- R-04 - XL: HDMI - RETRACTOR SERIES II - WITH 60" LONG CORD
- R-05 - XL: USB (SIGNAL) - RETRACTOR SERIES II - WITH 60" LONG CORD / USB-A TO USB-A
- R-06 - XL: VGA & AUDIO - RETRACTOR SERIES II - WITH 60" LONG CORD / VGA M-M & 3.5MM AUDIO

SPLIT PLATE

DS-FM



MODEL NUMBER	LIST PRICE
DS-FM	\$180

- DESCRIPTION**
- A FILLER MODULE IS REQUIRED IF LESS THAN 3 EXTRON RETRACTORS ARE ORDERED ON EACH PLATE 1 & PLATE 4.
 - A FILLER MODULE IS REQUIRED FOR CLIENTS SUPPLYING THEIR OWN RETRACTORS.



SIMPLE POP UP FORUM - Single sided
(Surface mounted)

List Price

Pre-configured SIMPLE Pop Up Forum

Model # 85190	pre-wired power (2 ports)	<table><tr><td>1P</td><td>1P</td></tr></table> cutout dimension: 5"W x 4"D 2 x pre-wired power with 10ft cord	1P	1P	\$625		
1P	1P						
Model # 85191	pre-wired power (3 ports)	<table><tr><td>1P</td><td>1P</td><td>1P</td></tr></table> cutout dimension: 6 1/2"W x 4"D 3 x pre-wired power with 10ft cord	1P	1P	1P	\$645	
1P	1P	1P					
Model # 85193	pre-wired power (3 ports)	<table><tr><td>1P</td><td>1P</td><td>A5</td></tr></table> cutout dimension: 6 1/2"W x 4"D 2 x pre-wired power with 10ft cord 1 x Siemon CAT6 data with 10ft cord	1P	1P	A5	\$770	
1P	1P	A5					
Model # 85197	pre-wired power (4 ports)	<table><tr><td>1P</td><td>1P</td><td>O</td></tr></table> cutout dimension: 6 1/2"W x 4"D 2 x pre-wired power with 10ft cord 1 x open port / data adapter to fit in client's own data fitting and cord	1P	1P	O	\$645	
1P	1P	O					
Model # 85194	pre-wired power (3 ports)	<table><tr><td>1P</td><td>1P</td><td>2U</td></tr></table> cutout dimension: 6 1/2"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked)	1P	1P	2U	\$735	
1P	1P	2U					
Model # 85196	pre-wired power (4 ports)	<table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr></table> cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord	1P	1P	A5	A5	\$885
1P	1P	A5	A5				
Model # 85198	pre-wired power (4 ports)	<table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td></tr></table> cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x open port / data adapter to fit in client's own data fitting and cord	1P	1P	O	O	\$675
1P	1P	O	O				

FORUMS

			List Price						
Model # 85199	pre-wired power (4 ports)	<table><tr><td>1P</td><td>1P</td><td>2U</td><td>HD</td></tr></table> cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x HDMI coupler with 18" cord	1P	1P	2U	HD	\$905		
1P	1P	2U	HD						
Model # 85200	pre-wired power (4 ports)	<table><tr><td>1P</td><td>1P</td><td>2U</td><td>O</td></tr></table> cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x open port / data adapter to fit in client's own data fitting and cord	1P	1P	2U	O	\$790		
1P	1P	2U	O						
Model # 85202	pre-wired power (6 ports)	<table><tr><td>1P</td><td>1P</td><td>2U</td><td>HD</td><td>A5</td><td>A5</td></tr></table> cutout dimension: 11"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x HDMI coupler with 18" cord 2 x Siemon CAT6 data with 10ft cord	1P	1P	2U	HD	A5	A5	\$1,225
1P	1P	2U	HD	A5	A5				
Model # 85203	pre-wired power (6 ports)	<table><tr><td>1P</td><td>1P</td><td>2U</td><td>HD</td><td>O</td><td>O</td></tr></table> cutout dimension: 11"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x HDMI coupler with 18" cord 2 x open port/ data adapter to fit in client's own data fitting and cord	1P	1P	2U	HD	O	O	\$980
1P	1P	2U	HD	O	O				



SIMPLE POP UP FORUM – DOUBLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Pop Up Forum

Model # 85205	pre-wired power (each side - 2 ports)	Side A: <table><tr><td>1P</td><td>1P</td></tr></table> Side B: <table><tr><td>1P</td><td>1P</td></tr></table> cutout dimension: 5"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord Side B: 2 x pre-wired power with 10ft cord (Provides a total of 4 x pre wired power)	1P	1P	1P	1P	\$1,270				
1P	1P										
1P	1P										
Model # 85206	pre-wired power (each side - 3 ports)	Side A: <table><tr><td>1P</td><td>1P</td><td>2U</td></tr></table> Side B: <table><tr><td>1P</td><td>1P</td><td>2U</td></tr></table> cutout dimension: 6-1/2"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord 2 x USB-A+C Charger (stacked) Side B: 2 x pre-wired power with 10ft cord 2 x USB-A+C Charger (stacked) (Provides a total of 4 x pre wired power & 4 x USB Charger)	1P	1P	2U	1P	1P	2U	\$1,585		
1P	1P	2U									
1P	1P	2U									
Model # 85208	pre-wired power (each side - 4 ports)	Side A: <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr></table> Side B: <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr></table> cutout dimension: 8"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord Side B: 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord (Provides a total of 4 x pre wired power & 4 x Siemon CAT6 data)	1P	1P	A5	A5	1P	1P	A5	A5	\$1,795
1P	1P	A5	A5								
1P	1P	A5	A5								

FORUMS - SIMPLE POP UP FORUM


			List Price								
Model # 85209	pre-wired power (each side - 4 ports)	Side A:<table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td></tr></table> Side B:<table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td></tr></table> cutout dimension: 8"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord 2 x open port/data adapter to fit in client's own data fitting and cord Side B: 2 x pre-wired power with 10ft cord 2 x open port/data adapter to fit in client's own data fitting and cord (Provides a total of 4 x pre wired power & 4 x open ports)	1P	1P	O	O	1P	1P	O	O	\$1,305
1P	1P	O	O								
1P	1P	O	O								
Model # 85210	pre-wired power (each side - 4 ports)	Side A:<table><tr><td>1P</td><td>1P</td><td>2U</td><td>O</td></tr></table> Side B:<table><tr><td>1P</td><td>1P</td><td>2U</td><td>O</td></tr></table> cutout dimension: 8"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord, 2 x USB-A+C Charger (stacked) 1 x open port/ data adapter to fit in client's own data fitting and cord Side B: 2 x pre-wired power with 10ft cord, 2 x USB-A+C Charger (stacked) 1 x open port/ data adapter to fit in client's own data fitting and cord (Provides a total of 4 x pre wired power, 4 x USB Charger & 2 x open ports)	1P	1P	2U	O	1P	1P	2U	O	\$1,605
1P	1P	2U	O								
1P	1P	2U	O								

FORUMS - SIMPLE POP UP FORUM

- Note:
- Finish is standard in clear anodized aluminum.
 - For power cord with 6ft long, please add a letter "B" at the end of model #.
 - Site-wired / hard-wired power with 72" metallic shielded cable is available with an upcharge of \$70 list per 2 power. Please add a letter "H" at the end of model #.




Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

Adapter "AA" Systimax/CommScope Uniprise/CommScope	Adapter "CC" Krone 6000 Series/ADC Hubbell Xcelerator™ Keystone Series	Adapter "FF" Panduit Mini-Com Series
Adapter "BB" L-Com Keystone Modular Tyco SL/110 Connect Series Modular Jacks Siemon Keystone Style Allen Tel Versa Tap Series Leviton Quick Port® Series Nordx Keystone Style Tyco SL Conpler Series	Adapter "DD" blank	Adapter "GG" microphone jack / 3pin XLR, solder type only
	Adapter "EE" Ortronics TracJack Series	Adapter "HH" Adapter "HH" - video monitor jack / DB-15, pand mount solder type.



- Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)
- Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)

FORUMS - SIMPLE POP UP FORUM


		List Price
Client can configure their own SIMPLE Pop Up Forum by selecting a base model and require elements.		
Base Model For Simple Pop Up Forum (4 Ports) Model #: CX4P - _____		\$545
Base Model For Simple Pop Up Forum (6 Ports) Model #: CX6P - _____		\$615
Base Model For Simple Pop Up Forum – Double Sided (Each Side – 4 Ports) Model #: CX8PD-A _____ (Side A) CX8PD-B _____ (Side B)		\$1,150
Base Model For Simple Pop Up Forum – Side By Side (Each Side – 4 Ports) Model #: CX8PS-1 _____ (Side 1) CX8PS-2 _____ (Side 2)		\$1,200
Select the elements as per below:		
 S-1P - 1 power receptacle with 10' white cord		\$145
 S-1P-SW - 1 power receptacle hard wired with a 6' whip		\$165
 A5 - SIEMON CAT 6 data fitting with 10' connector cable		\$180
 C - Audio- 3.5mm Mini stereo Jack with 10' cord		\$90
 H - USB port 3.0 with 10ft cord		\$135
 2U - Stacked USB charger A+C		\$170
 3U - Dual USB C charger		\$170
 G - DB15HD, VGA connector, 10' cord		\$195
 HD - HDMI Coupler with 18" cord		\$195
 B - Blank plate		\$60
 O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit		\$65
 L - Belay 1" dia. hole opening rubber strain relief pass through cords		\$65




VOX® TROUGH & POWER DRAWER

Power troughs specified with Vox® Tables are pre-sized according to table length. Troughs are standard with 2 power boxes (SIMPLE Forums). 30" and 36" troughs are available with 2 6-port SIMPLE Forums. 42" troughs are available with either 2 or 3 6-port SIMPLE Forums.


4 ports SIMPLE Forum is also available as an option. Please contact customer service at 1 800 668 9318.




1-trough - 30"L
2-Simple Forums




2-troughs - 36"L
4-Simple Forums




1-trough - 30"L
2-Simple Forums




2-troughs - 36"L
4-Simple Forums




1-trough - 30"L
2-Simple Forums




2-troughs - 42"L
4-Simple Forums




1-trough - 36"L
2-Simple Forums




3-troughs - 36"L
6-Simple Forums




1-trough - 36"L
2-Simple Forums




3-troughs - 36"L
6-Simple Forums




1-trough - 42"L
2-Simple Forums




3-troughs - 36"L
6-Simple Forums




1-trough - 42"L
3-Simple Forums



3-troughs - 36"L
6-Simple Forums



2-troughs - 30"L
4-Simple Forums



3-troughs - 36"L
6-Simple Forums

VOX® TROUGH

TROUGH WIRING OPTIONS, CABLE MANAGEMENT





Vox® Power Trough combines style and functionality, featuring veneer or plastic laminate to match your tabletop. It offers ample space to conceal excess cables, keeping your workspace tidy. With built-in power and connectivity devices hidden from view, it maintains a clean look. Two access doors allow easy access to power units while remaining closed during operation. Its rectangular design ensures a sleek appearance, and multiple simple forum options provide versatile connectivity. Upgrade your workspace with the Vox® Power Trough.



Vox® Simple Forum is available in a variety of configurations and styles to fit any users needs

Trough doors, body and interior to match table top material and finish

Select your Power Trough and Simple Forums (see page 197 - 206), add prices onto the List price of Vox Table.
For inquires please contact customer service at 1-800-668-9318,

		Model	List Price
		Number	
	Power Trough 30"L x 8½" W x 3¾"H w/ 2 6-port SIMPLE Forums	50061	
		50062	
		50063	
		50064	
		Contact Customer Service at 800.668.9318 for pricing	

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports 6¾” L x 2 “ W)

Model # 39956/6	pre-wired power	<table border="1"> <tr> <td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr> </table> 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord	1P	1P	A5	A5	\$675
1P	1P	A5	A5				
Model # 39957/6	site-wired power	<table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td></tr> </table> 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord	1P-SW	1P-SW	A5	A5	\$545
1P-SW	1P-SW	A5	A5				
Model # 39958/6	pre-wired power	<table border="1"> <tr> <td>1P</td><td>1P</td><td>2U</td><td>A5</td></tr> </table> 2 x pre-wired power with 10ft cord 1 x stacked USB charger A+C 1 x SIEMON CAT6 data with 10ft cord	1P	1P	2U	A5	\$645
1P	1P	2U	A5				
Model # 39959/6	site-wired power	<table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>2U</td><td>A5</td></tr> </table> 2 x site-wired power with 6ft metallic shielded cable 1 x stacked USB charger A+C 1 x SIEMON CAT6 data with 10ft cord;	1P-SW	1P-SW	2U	A5	\$790
1P-SW	1P-SW	2U	A5				
Model # 39961/6	pre-wired power	<table border="1"> <tr> <td>1P</td><td>1P</td><td>A5</td><td>HD</td></tr> </table> 2 x pre-wired power with 10ft cord 1 x SIEMON CAT6 data with 10ft cord 1 x HDMI coupler with 18” cord	1P	1P	A5	HD	\$735
1P	1P	A5	HD				
Model # 39962/6	site-wired power	<table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>A5</td><td>HD</td></tr> </table> 2 x site-wired power with 6ft metallic shielded cable 1 x SIEMON CAT6 data with 10ft cord; 1 x HDMI coupler with 18” cord	1P-SW	1P-SW	A5	HD	\$765
1P-SW	1P-SW	A5	HD				

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports, 6¾” L x 2 “ W)

Model # 39963	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>H</td><td>HD</td></tr></table> 2 x pre-wired power with 10ft cord 1 x USB port 3.0 with 10ft cord 1 x HDMI coupler with 18” cord	1P	1P	H	HD	\$685
1P	1P	H	HD				
Model # 39964	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>H</td><td>HD</td></tr></table> 2 x site-wired power with 6ft metallic shielded cable 1 x USB port 3.0 with 10ft cord 1 x HDMI coupler with 18” cord	1P-SW	1P-SW	H	HD	\$715
1P-SW	1P-SW	H	HD				

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports, for client's own data fitting)

Model # 39956	pre-wired power	<table border="1"> <tr> <td>1P</td><td>1P</td><td>0</td><td>0</td></tr> </table>	1P	1P	0	0	\$520
1P	1P	0	0				
2 x pre-wired power with 10ft cord 2 x open port / data adapter to fit in client's own data fitting & cord							
Model # 39957	site-wired power	<table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>0</td><td>0</td></tr> </table>	1P-SW	1P-SW	0	0	\$545
1P-SW	1P-SW	0	0				
2 x site-wired power with 6ft metallic shielded cable 2 x open port / data adapter to fit in client's own data fitting & cord							
Model # 39958	pre-wired power	<table border="1"> <tr> <td>1P</td><td>1P</td><td>2U</td><td>0</td></tr> </table>	1P	1P	2U	0	\$645
1P	1P	2U	0				
2 x pre-wired power with 10ft cord 1 x stacked USB charger A+C 1 x open port							
Model # 39959	site-wired power	<table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>2U</td><td>0</td></tr> </table>	1P-SW	1P-SW	2U	0	\$675
1P-SW	1P-SW	2U	0				
2 x site-wired power with 6ft metallic shielded cable 1 x stacked USB charger A+C 1 x open port							
Model # 39961	pre-wired power	<table border="1"> <tr> <td>1P</td><td>1P</td><td>0</td><td>HD</td></tr> </table>	1P	1P	0	HD	\$685
1P	1P	0	HD				
2 x pre-wired power with 10ft cord 1 x open port 1 x HDMI coupler with 18" cord							
Model # 39962	site-wired power	<table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>0</td><td>HD</td></tr> </table>	1P-SW	1P-SW	0	HD	\$715
1P-SW	1P-SW	0	HD				
2 x site-wired power with 6ft metallic shielded cable 1 x open port 1 x HDMI coupler with 18" cord							

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (6 ports 9¾” L x 2” W)

Model # 39941/6	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>B</td><td>B</td></tr></table> 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord 2 x blank plate	1P	1P	A5	A5	B	B	\$810
1P	1P	A5	A5	B	B				
Model # 39942/6	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>B</td><td>B</td></tr></table> 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord 2 x blank plate	1P-SW	1P-SW	A5	A5	B	B	\$880
1P-SW	1P-SW	A5	A5	B	B				
Model # 39943/6	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>G</td><td>C</td></tr></table> 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord 1 x HD-DB15/VGA connector with 10ft cord 1 x audio 3.5mm mini stereo jack with 10 ft cord	1P	1P	A5	A5	G	C	\$985
1P	1P	A5	A5	G	C				
Model # 39944/6	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>G</td><td>C</td></tr></table> 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord 1 x HD-DB15/VGA connector with 10ft cord 1 x audio 3.5mm mini stereo jack with 10ft cord	1P-SW	1P-SW	A5	A5	G	C	\$1,060
1P-SW	1P-SW	A5	A5	G	C				

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (6 ports 9¾” L x 2” W)

Model # 39945/6	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>HD</td><td>H</td></tr></table> 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord 1 x HDMI coupler with 18” cord 1 x USB port 3.0 with 10ft cord	1P	1P	A5	A5	HD	H	\$1,010
1P	1P	A5	A5	HD	H				
Model # 39946/6	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>HD</td><td>H</td></tr></table> 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord; 1 x HDMI coupler with 18” cord 1 x USB port 3.0 with 10ft cord	1P-SW	1P-SW	A5	A5	HD	H	\$1,080
1P-SW	1P-SW	A5	A5	HD	H				
Model # 39947/6	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>A5</td></tr></table> 3 x pre-wired power with 10ft cord 3 x SIEMON CAT6 data with 10ft cord	1P	1P	1P	A5	A5	A5	\$965
1P	1P	1P	A5	A5	A5				
Model # 39948/6	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>A5</td></tr></table> 3 x site-wired power with 6ft metallic shielded cable 3 x SIEMON CAT6 data with 10ft cord	1P-SW	1P-SW	1P-SW	A5	A5	A5	\$1,025
1P-SW	1P-SW	1P-SW	A5	A5	A5				

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (6 ports, for client's own data fitting)

Model # 39951	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td><td>O</td><td>O</td></tr></table>	1P	1P	O	O	O	O	\$595
1P	1P	O	O	O	O				
		2 x pre-wired power with 10ft cord 4 x open port/data adapter to fit in client's own data fitting and cord							
Model # 39952	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>O</td><td>O</td><td>O</td><td>O</td></tr></table>	1P-SW	1P-SW	O	O	O	O	\$625
1P-SW	1P-SW	O	O	O	O				
		2 x site-wired power with 6ft metallic shielded cable 4 x open port/data adapter to fit in client's own data fitting and cord							
Model # 39953	pre-wired power	<table><tr><td>1P</td><td>1P</td><td>1P</td><td>O</td><td>O</td><td>O</td></tr></table>	1P	1P	1P	O	O	O	\$615
1P	1P	1P	O	O	O				
		3 x pre-wired power with 10ft cord 3 x open port/data adapter to fit in client's own data fitting and cord							
Model # 39954	site-wired power	<table><tr><td>1P-SW</td><td>1P-SW</td><td>1P-SW</td><td>O</td><td>O</td><td>O</td></tr></table>	1P-SW	1P-SW	1P-SW	O	O	O	\$660
1P-SW	1P-SW	1P-SW	O	O	O				
		3 x site-wired power with 6ft metallic shielded cable 3 x open port/data adapter to fit in client's own data fitting and cord							

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

Adapter "AA"

Systimax/CommScope
Uniprise/CommScope

Adapter "BB"

L-Com Keystone Modular
Tyco SL/110 Connect Series Modular Jacks
Siemon Keystone Style
Allen Tel Versa Tap Series
Leviton Quick Port® Series
Nordx Keystone Style
Tyco SL Conpler Series

Adapter "CC"

Krone 6000 Series/ADC
Hubbell Xcelerator™ Keystone Series

Adapter "DD"

blank

Adapter "EE"

Ortronics TracJack Series

Adapter "FF"

Panduit Mini-Com Series

Adapter "GG"

microphone jack / 3pin XLR, solder type only

Adapter "HH"

Adapter "HH" - video monitor jack / DB-15, pand mount solder type.

CUSTOM SIMPLE FORUM	LIST PRICE
CX4- _____	\$310
CX6- _____	\$335

Select the elements as per below:

	S-1P - 1 power receptacle with 10' white cord	\$145
	S-1P-SW - 1 power receptacle hard wired with a 6' whip	\$165
	A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$180
	C - Audio- 3.5mm Mini stereo Jack with 10' cord	\$90
	H - USB port 3.0 with 10ft cord	\$135
	2U - Stacked USB charger A+C	\$170
	3U - Dual USB C charger	\$170
	G - DB15HD, VGA connector, 10' cord	\$195
	HD - HDMI Coupler with 18" cord	\$195
	B - Blank plate	\$60
	O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit	\$65
	L - Belay 1" dia. hole opening rubber strain relief pass through cords	\$65

VOX® POWER DRAWER

POWER DRAWER WITH BASES

Vox® Power Drawers keep your table top clear and your technology tidy and discreet.


Power and connectivity have migrated from the top and into this sleek and concealed drawer. Introducing the Vox® Power Drawer, the latest addition to Vox® Connectivity.

The drawer is cleverly concealed within the table edge. Internal drawer clearance is 9.5" deep x 13 1/2" wide x 13/4" High. Once opened the drawer reveals a fully configurable, simple connectivity device and large area for containing excess cable.

Vox® table tops with Power Drawers are available with all Vox base styles. Power Drawers can be specified on Rectangular and Square shaped tables, and the straight sides of Racetrack and Boat shaped tables with a minimum table depth of 48" and up. (See typical layouts, pages 209-210)



Power Drawer with Access™ base



Edge Profile



Vox® Access base



Vox® T-leg base



Vox® Duo base



Vox® Tower base


VOX® POWER DRAWER
POWER DRAWER SPECIFICATIONS



Drawer exterior width: 15 1/2"
Drawer interior width: 13 1/2"

1/4" gap to allow for cables to exit drawer

Comes standard with 2 power and 1-stacked USB charger; has 3 open ports that can be populated with data, AV and video connections (see page 211).



VOX® POWER DRAWER
POWER DRAWER TYPICAL LAYOUTS

The following are some examples of Power Drawer typical layouts on Vox® Rectangle, Racetrack, Boat and Square shape tables.













Note: 48” deep table tops must be in one piece (without support rails) in order to accommodate power drawers.

Rectangle shape:

Access base, Duo base, T-base, Taper base







Racetrack shape:

Access base, Duo base, T-base, Taper base







Boat shape:

Access base, Duo base, T-base, Taper base



Square shape:

Square Access base, Quad base, Taper Legs



Step One Select your model of Vox® Conference Table.

Vox® table tops with Power Drawers are available with all Vox® base styles (Access, Duo, T-Base, Taper & Tower). Power Drawers can be specified on Rectangular and Square shaped tables, and the straight sides of Racetrack and Boat shaped tables with a minimum table depth of 48" and up (see page 253-254).

Use this checklist to help select your Vox® conference table:

- (a) Shape: ☐ Rectangle ☐ Racetrack ☐ Boat ☐ Square
- (b) Dimension: _____ L x _____ D x 30"H
- (c) Edge: ☐ Taper Edge (only edge profile available for tables with Power Drawer)
- (d) Finish: ☐ Standard Veneer ☐ Standard Post Forming Grade Plastic Laminate
- (e) Base: ☐ Access Base ☐ Duo Base ☐ T Base ☐ Taper Base ☐ Tower Base ☐ Quad Base ☐ Square Access Base


Step Two Add 3% upcharge to list price of the table selected in step one for additional cost of edge build up around perimeter of the table.

Step Three Add the price of Vox® Power Drawer:

Model #	Dimension	List Price (per Drawer)
50070	Exterior: 15½"W x 21"D x 4¾"H	\$ 1,310
	Interior: 13½ "W x 9½"D x 1¼"H	

The drawer front is in solid wood finish to match veneer or P-Lam top of the table. Drawer is in silver powder coat finish (PC-01). Contact Nienkamper Customer Service at 1-800-668-9318 with any inquiries, or to request a quotation.

Step Four Select pre-wired or site-wired power bar. Each power bar has 2 power and 1 stacked USB charger. Then configure your own required ports at Step Five.




Model #	Description	Base Model List Price (per power bar)
50071	PD-1P-1P-2U 2 pre-wired power with 120" cord & plug and 1 stacked USB charger	\$ 940
50072	PD-1PSW-1PSW-2U 2 site-wired power with 72" whip and 1 stacked USB charger	\$ 985

Step Five Select fittings for 3 open ports with model #50071J (pre-wired power bar) or 50072J (site-wired power bar) that can be populated with and add the price to list price of power bar in step four.

	A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$180
	C - Audio- 3.5mm Mini stereo Jack with 10' cord	\$90
	H - USB port 3.0 with 10ft cord	\$135
	3U - Dual USB C charger	\$170
	G - DB15HD, VGA connector, 10' cord	\$195
	HD - HDMI Coupler with 18" cord	\$195
	B - Blank plate	\$60
	O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit	\$65

Below is an example of power bar with model #50071 & 50071J-A0-A0-HD list price \$1,495.



YOUR CONFIGURATION

BASE:	Power Drawer
FINISH:	White
WIRING:	Pre wired with 120" whip
POSITION 1:	1P Power fitting
POSITION 2:	1P Power fitting
POSITION 3:	2U USB charging
POSITION 4:	A0 AMP CAT5E data fitting with 9' cord
POSITION 5:	A0 AMP CAT5E data fitting with 9' cord
POSITION 6:	HD HDMI couple with 18" cord