


nienkämpfer

VOX[®]
LECTERNS



2026

Prices include freight charges, blanket wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States. Packing and/or crating are available, if required, upcharges apply.

VOX® SPEAKER'S LECTERN

The Vox® Speaker's Lectern is designed to complement the Vox® Collection.

Model Number	L" x	D" x	H"	List Price
--------------	------	------	----	------------

23460	35 1/2	24	46 3/4	10,770
-------	--------	----	--------	--------

Product Description

The lectern is available in standard Nienkämper wood veneers and stains (see page 8).

Vertical legs, and grommet are available in all 5 anodized aluminum finishes (see page 12).

The paper stop is only provided in a silver anodized finish.

The Vox Speaker's Lectern work top is 35 1/2" W x 24" D providing a work area of 30" W x 14" D and has an 8° slope which is 43" high on the user side.


The Facet edge is on the front and user side, with self edges on the sides.

The two fluted aluminum Vox legs with flex panel on the front of the lectern conceal all internal wires.


Standard Features:

- Adjustable reading light
- A 1 1/8" aluminum grommet for additional wires on work top, model #23416
- Aluminum paper stop (silver aluminum only)
- 1 fixed shelf 8" below user side of work top
- Foot rest
- 4 1/4" dia. non-marking wheels for mobility
- The front flex panel is available with either standard flat-cut grain, or herringbone veneer pattern. Specify clearly when ordering.

Front Panel:





Specify:
Standard
Flat Cut



Specify:
Herringbone

or



Model # 23460



Model # 23460
Speaker's Lectern, view of user's side.



Model # 23460
Speaker's Lectern, view of work top.

VOX® PRESENTER'S LECTERN

The enhanced features of the Vox® Presenter's Lectern support electronic presentations with included Vox® M-Series Forum, pre-wired microphone connections, and a pull-out shelf designed to accommodate a laptop or projector.

Model Number	L" x	D" x	H"	List Price
--------------	------	------	----	------------

23465	35 ½	27 ½	51	13,700
Interior Dimensions of storage cabinet				
	25	13 ½	17 ½	

Product Description

The lectern includes a Vox Forum providing voice/data/power connections for enhanced presentations (see details and images at left) and a storage cabinet.

Vertical legs, screen, grommets, and forum are available in aluminum finishes (see page 12).

The Vox Presenter's Lectern work top is 35½" W x 27½" D, providing a work area of 30" W x 17" D.


The work top has an 8° slope and is 43" high on the user side. The Facet edge is on the front and user side, with self-edges on the sides.

The two fluted aluminum Vox® legs with flex panel on the front of the lectern conceal all internal wires.

Standard Features:


- aluminum screen to conceal lectern work area
- adjustable reading light
- a 1½" aluminum grommet for additional wires on work top (Model #23416)
- aluminum microphone grommet (Model # 23413) pre-wired at top and floor level to an XLR jack for easy microphone hook-up
- aluminum paper stop (silver aluminum only)
- 14" wide accessory shelf slides out 17½" on user's right hand side, includes wire access cut-out for equipment wires
- two doors for storage with push-latches and lock, interior dimensions 25" W x 13½" D x 17½" H
- Forum for easy user plug-in mounted into lower shelf surface of cabinet, Model M1 - 3P-7V-1E See layout on the left
- foot rest
- 4¾" dia. non-marking wheels for mobility
- The front flex panel is available with either standard flat-cut grain, or Herringbone veneer pattern. Specify clearly when ordering.

Front Panel:




Specify:
Standard
Flat Cut

or



Specify:
Herringbone



Optional Herringbone Veneer Pattern Shown





PLATE 1: 3P - Pre-wired single module faceplate with a duplex power receptacle / 15A-120V, with 2 USB ports 3 Hubbell/5VDC Type 2.0; with 10 ft. cord & plug.

PLATE 2: 7V - single module blank faceplate.

PLATE 3: 1E - Pre-wired single module faceplate with 2 Hubbell cat 6 data; with 10 ft. cord.
Forum list price \$2,570 included in the list price of Lectern.



The Vox® Presenter's Lectern pricing includes a pre-wired M-series Forum, Model M1.



Lecterns specified with aluminum screens can be ordered with a vinyl art of corporate logos applied. A digital image of the logo must be provided. Add \$925 list (one color logo only) to the lectern for this option.

VOX® PRESENTER'S LECTERN - PHOTOGRAPHS



Model #23465

THE VOX® PRESENTER'S LECTERN (USER'S SIDE) includes a Vox® M-series Forum providing voice/data/power connections for enhanced presentations.



Model #23465

THE VOX® PRESENTER'S LECTERN is pre-wired at top and floor level (see photo below) to an XLR jack assembly for easy microphone hook-up (Model #23413); simply plug in.

Note: Vox® Lectern legs, grommets, screen and Forums are available in all standard Nienkämper anodized aluminum finishes, refer to page 12.



Model #23465

A 14" wide accessory that shelf slides out 17 1/2" on the user's right-hand side includes wire access cut-out for equipment wires. This pull-out shelf accommodates a laptop computer or projector.



Model #23465

A footrest is provided on all Vox® Lecterns. The footrest and non-marking wheels (4 1/2" diameter) can be used for repositioning the lectern.

VOX® KEYNOTE LECTERN

Vox® Keynote™ Lecterns are compact and highly functional. They are available in either desktop, standing and height adjustable options.

	Top Finish	Model Number	W" x D" x H"	List Price
DESK TOP LECTERN	Wood	23468/2	24 x 20 x 9 ½ /12	2,400
	P-Lam	23468/5	24 x 20 x 9 ½ /12	2,185

Product Description

The desktop unit provides a highly portable lectern that is at ease in any environment. Ideal for those spaces that require a less formal setting when addressing a meeting or when space is limited and cannot support a larger freestanding unit.

The lightweight and portable nature of the desktop lectern makes it easy to move from one meeting room to another. Its small size easily stores inside credenza units when not in use.

Standard Features of the Desktop Keynote Lectern:



- Top and base available in wood veneer or laminate
- Top has a taper edge
- Base sits on four feet to protect conference table tops
- Vertical support is aluminum and available in all 5 standard anodized aluminum colors (see page 12).
- Integrated pencil stop (silver aluminum standard but alternative colors available by special order)

The standing height lectern is a compact and versatile presentation tool. The light-weight and robust construction of this lectern makes it ideal for moving from a storage area to various presentation rooms within the workplace.

Standard Features of the Keynote™ Lectern:



- Top and Fascia available in wood veneer or laminate
- Top has a taper edge
- Integrated and concealed wire-management in the vertical support leg.
- Adhesive wire management clips
- Aluminum grommet is standard (model# 23416)
- XLR microphone jack (model# 23413)
- Vertical support, feet and grommets are aluminum and standard in clear anodized finish.
- All five standard anodized colors available-specify when ordering.
- Integrated pencil stop (silver aluminum standard but alternative colors available by special order)
- Fascia is attached with high strength Velcro that permits removal
- integrated rubber treaded aluminum wheels
- Contact customer service for alternative color options for metal components (upcharge will apply).

Company graphics may be applied to Fascia with vinyl art, an upcharge of \$925 list (one color logo only). High resolution digital file of artwork is required.




STANDING HEIGHT LECTERN


Wood	23469/2	24	20	42 ¼ /44 ¾	4,910
P-Lam	23469/5	24	20	42 ¼ /44 ¾	4,635



P-Lam top
Typical corner radius



Veneer top
Typical corner radius






Plan View

VOX® KEYNOTE LECTERN

Vox® Keynote™ Lecterns are compact and highly functional. They are available in either desktop, standing and height adjustable options.

	Top Finish	Model Number	W" x D" x H"	List Price	Product Description
--	------------	--------------	--------------	------------	---------------------

ADJUSTABLE HEIGHT LECTERN



Wood	23467/2	20-24	20	33 3/4 - 45	7,750
P-Lam	23467/5	20-24	20	33 3/4 - 45	7,580

The Adjustable Height Vox® Keynote™ Lectern is a compact and versatile presentation tool. The light-weight and robust construction of this lectern makes it ideal for moving from a storage area to various presentation rooms within the workplace. Pneumatically -adjusted height with a small front side lever provides a range of height from 33 3/4" to 45".

Standard Features of the Keynote™ Lectern:

- Top and Fascia available in wood veneer or laminate.
- Top has a Taper Edge.
- Adjustable height base, chrome top column with silver painted lower finish standard. Alternative foot and lower colors are available with upcharge.
- Wire management clips along the base capture power & data cables.
- Aluminum grommet is standard (model# 23416)
- XLR microphone jack (model# 23413)
- Integrated pencil stop (clear aluminum anodizing is standard but alternative colors available by special order)
- Fixed aluminum shelf mounted to underside of top (clear aluminum standard (other anodized finishes by special order)
- Fascia is attached with high-strength Velcro that permits removal.
- Integrated rubber-treaded aluminum wheels
- Company graphics may be applied to Fascia with vinyl art at an upcharge of \$925 list (one color logo only). High resolution digital file of art work is required.
- Contact customer service for alternative color options for metal components (upcharge will apply).



TERMS AND CONDITIONS OF SALE

PRICES

All prices are list prices, freight included, blanket-wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States.

Brokerage is paid by Nienkämper for product shipped to the United States.

Due to existing conditions in regard to cost of labor and materials, we reserve the right to change prices without notice.

TERMS

Net 30 days from date of invoice to accredited buyers. Two per cent (2%) interest charged monthly on overdue accounts. Deposit of 50% is required with order. Terms will be established upon credit evaluation. Due to delays in processing references, first orders may be treated as C.B.D. orders.

ORDER CONFIRMATION

Orders are accepted upon issuance of our order confirmation and are subject to the terms set forth therein; notwithstanding any variance from the terms of the buyer's order form.

Nienkämper is not liable for any delay or failure to deliver caused by labor or transportation difficulties, accidents, acts of God, failure of sources of supply, or other causes beyond our control, and changes will affect the delivery date.

CHANGE OF ORDERS OR CANCELLATIONS

Changes or cancellations are subject to our ability to conform. A charge will be levied against cancelled or changed orders based on costs already incurred by Nienkämper. All changes must be in writing and submitted on a revised purchase order. Changes will affect the delivery date.

STORAGE

If goods cannot be accepted when ready, we may transfer them to storage (which is to be deemed as delivery for invoice purposes). The customer accepts risks and will be charged at prevailing rates.

FREIGHT

Prices include freight charges, blanket-wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States. Packing and/or crating are available, if required, upcharges apply.

CLAIMS

All furniture is given to the carrier and signed for in good condition. It is the responsibility of the receiver to sign for the goods in the presence of the carrier and note the condition in which they are received. Freight claims should be filed with the carrier.

WARRANTY

There are no express or implied warranties, conditions and obligations of the manufacturer, whether statutory or otherwise that extend beyond the description on the face hereof. Our furniture is made to the highest standard and is warranted free from defects of material and workmanship for five years from the date of delivery. During the warranty period we will repair or replace such merchandise as shall prove to be defective, during normal usage in accordance with manufacturer's specifications. The manufacturer shall not be liable for defect wholly attributable to normal manufacturing process. Replacement or repair of the Product shall be the sole remedy of the Customer, and the manufacturer shall not be liable for any direct, indirect, incidental, or consequential loss or damage suffered by the Customer by reason of any defect in workmanship or manufacture of the Product or inability to use the Product. Moreover, this warranty does not cover accidental damage, abuse, alteration, ordinary wear and tear of Goods, negligence and misuse nor variations over which we have no control such as heat or humidity or damage to which the Goods are connected that is not attributable to the failure of the goods themselves. This warranty is null and void when the product is installed with hardware other than that supplied and/or when installed differently than recommended in the installation guide. Modification to the product or hardware may result in failure of the product and cause damage and/or injury.

WOOD FINISHES

Nienkämper offers a wide variety of standard light finishes on cherry, mahogany and figured anagré wood veneers, and a clear natural finish on figured anagré, figured sycamore, maple, bird's eye maple and curly maple.

Light finishes do not mask the grain and other characteristics of each wood species. It is important to understand that pieces of the same type of wood will not look identical when a light finish is used. The appearance of the finish will also depend on the natural color of the veneer. Cherry darkens over time as the wood ages. Pin knots and gum pockets are inherent traits.

Wood is a naturally variable raw material; its variances are not within the furniture manufacturer's control and are therefore not considered defects under this warranty.