nienkämper

VOX®

FORUMS

2026

"M & N" Series Vox Forums Pages 209-228 **CERTIFIED**



M-Series Forums – 6" wide and N-Series Forums – 12" wide, offer increased capacity and scale. Its modular design makes it simple to configure to your needs

Individual plates can be replaced / retrofitted as required in the field.

POSITIONING VOX® FORUMS ON CONFERENCE TABLES

DETERMINING FORUM PLACEMENT ON TABLES

The following table serves as a guideline for defining and distributing Forums along the tabletop. The rectangular icons on the left are for reference only, as all other shapes in the collection fit within this outline.

For tables with Access, Tower, and Drum bases, Forums can be positioned over the base and share the same placement options shown for the Duo base in the chart below.

For LCS Tables or custom Forum positioning, please contact Customer Service at **800.668.9318**.

	Tables 72 x 36 - 84 x 42			Tables 96 x 42 - 108 x 48			Tables 120 x 42 - 132 x 54			Tables 144 x 48 - 168 x 66		
		M-Series Forum	N-Series Forum		M-Series Forum	N-Series Forum		M-Series Forum	N-Series Forum		M-Series Forum	N-Series Forum
FP1 - At center		•	•		•	•		•	• N/A on Duo Base 42" - 48" D			
 **FP2C -** Centered		•	•		•	•		•	• N/A on Duo Base 42" - 48" D		•	• N/A on Duo Base 48" D
FP2 - Equally Spaced		•	•		•	•		•	• N/A on Duo Base 42" - 48" D		•	• N/A on Duo Base 48" D
FP2E - At ends of table					•	•		•	• N/A on Duo Base 42" - 48" D		•	• N/A on Duo Base 48" D
FP3 - Equally Spaced					•	•		•	• N/A on Duo Base 42" - 48" D			
 **FP4 -** Equally Spaced												
FP4A - Symmetrically Spaced								•	• N/A on Duo Base 42" - 48" D		•	• N/A on Duo Base 48" D

POSITIONING VOX® FORUMS ON CONFERENCE TABLES

DETERMINING FORUM PLACEMENT ON TABLES

The following table serves as a guideline for defining and distributing Forums along the tabletop. The rectangular icons on the left are for reference only, as all other shapes in the collection fit within this outline.

For tables with Access, Tower, and Drum bases, Forums can be positioned over the base and share the same placement options shown for the Duo base in the chart below.

For LCS Tables or custom Forum positioning, please contact Customer Service at **800.668.9318**.

	Tables 180 x 48 - 192 x 72			Tables 204 x 54 - 216 x 78			Tables 204 x 54 - 216 x 78			Tables 228 x 54 - 240 x 84		
		M-Series Forum	N-Series Forum		M-Series Forum	N-Series Forum		M-Series Forum	N-Series Forum		M-Series Forum	N-Series Forum
FP1 - At center		• N/A 180", 192" with Duo Base	• N/A on Duo Base 48" D					•	•		•	•
FP2C - Centered		•	• N/A on Duo Base 48" D		•	•		•	•		•	•
FP2 - Equally Spaced		•	• N/A on Duo Base 48" D		•	•		•			•	•
FP2E - At ends of table		•	• N/A on Duo Base 48" D		•	•		•			•	•
FP3 - Equally Spaced		• N/A 180", 192" with Duo Base	• N/A on Duo Base 48" D					•	•		•	•
FP4 - Equally Spaced												
FP4A - Symmetrically Spaced		•	•		•	•		•	•		•	•
FP5 - Equally Spaced		• N/A 180", 192" with Duo Base	•					•	•		•	•
FP6 - Equally Spaced												
FP6A - Symmetrically Spaced		•	• N/A on Duo Base 48" D		•	•		•	•		•	•

POSITIONING VOX® FORUMS ON CONFERENCE TABLES

DETERMINING FORUM PLACEMENT ON TABLES

The following table serves as a guideline for defining and distributing Forums along the tabletop. The rectangular icons on the left are for reference only, as all other shapes in the collection fit within this outline.

For tables with Access, Tower, and Drum bases, Forums can be positioned over the base and share the same placement options shown for the Duo base in the chart below.

For LCS Tables or custom Forum positioning, please contact Customer Service at **800.668.9318**.

	Tables 42" w/ø – 60" w/ø		Tables 42" w/ø – 60" w/ø		Tables 66" w/ø – 72" w/ø		Tables 66" w/ø – 72" w/ø		Tables 78" w/ø – 96" w/ø		Tables 78" w/ø – 96" w/ø	
												
	Forum Series		Forum Series		Forum Series		Forum Series		Forum Series		Forum Series	
	M	N	M	N	M	N	M	N	M	N	M	N
 Wave Square Round **FP1 -** At center	•	•	• N/A 42"	• N/A 42", 48"	•	•	•	•	•	•	•	•
 Wave Square Round **FP2C -** Centered					•	• N/A 66"	•	•	•	•	•	•
Round tables only **FP3 -** Equally Spaced					•		•		•	• N/A 78"	•	• N/A 78"
 Wave Square Round **FP4 -** Equally Spaced					• N/A 66"	• N/A 66"	• N/A 66"	• N/A 66"	•	• N/A 78"	•	•

DATA/VOICE WIRING OPTIONS

Nienkämper is a **recognized installer** for data systems described in **Vox® Forum products**.

Vox® Forums can be manufactured with several factory wired data systems including “Hubbell”, “Leviton”, “Siemon", “Belden" and “Legrand/ Ortronics”. All of these systems guarantee the highest level of data transmissions.

Vox® Forum products have been tested by the independent laboratories of these companies and are compliant with all aspects of proper installation and performance.

Nienkämper recommends the use of these **pre-wired systems** as they offer the **best value, quality** and **safety**.

Options for data/voice connections

HUBBELL

- CAT 6A
(available in custom plate only)



LEVITON

- CAT 5E
or
- CAT 6

T568A



THE SIEMON COMPANY

- Max® 5E
or
- Max® 6

T5(

BELDEN
SENDING ALL THE RIGHT SIGNALS

- CAT 5E
or
- CAT 6

legrand®
Ortronics

- CAT 5E
or
- CAT 6

UL – PRODUCT IDENTIFICATION

Nienkämper recommends the use of Vox® **pre-wired systems** as they offer the **best value, quality** and **safety** to the consumer.

Standard Vox Forums are listed by Underwriters Laboratories Inc. under several categories. These listings qualify a level of safety guaranteed by UL's published standards for safety which UL uses as a benchmark for testing and listing products.

The right to bear the UL mark is contingent on the fact that absolutely no alteration is made to the product as it was submitted and tested by Underwriters Laboratories. This is to ensure that assemblies are not manufactured with inferior or replacement parts; this would void or alter the result of the original examination and tests conducted by UL.

The UL mark is included on a label that is attached to the underside of listed Vox® products. This label includes:

- The date the component was assembled and tested.
- A serial number for tracking purposes.
- The listing category located under the UL mark.
- UL file number that can be used as a reference at UL for any inquiries about the product.

SAMPLE UL/CSA LABEL

All listed assemblies have POWER/ELECTRICAL components wired by Nienkämper and undergo the following tests:

Production Line Grounding Test - Continuity: This test checks for grounding continuity between the grounding conductor of the attachment plug and the designated main grounding point including any accessible dead-metal parts of the assembly. There must be grounding continuity between all parts.

Production-line Dielectric Voltage Withstand Test - Hi-pot: Each product shall withstand without electrical breakdown, as a routine production-line test, the application of an AC potential at a frequency within the range of 40-70 Hz or a DC potential between the primary wiring, including connected components, and accessible dead metal parts that are likely to become energized. This test is conducted when the product is fully assembled, and cannot be unwired, modified or disassembled afterwards.

Production-line - Polarity Test: This test verifies proper electrical polarity of both the grounded (neutral) and the ungrounded (hot) supply circuit conductors of the Forum and all parts intended to be connected to the grounded (neutral) and ungrounded (hot) supply circuit conductors of the attachment plug. Conductivity indications must confirm the correct connection of all parts specified.

VOX® FORUM CONFIGURATOR

Specifying the “M” and “N” series Vox Forum couldn’t be simpler.

“M” and “N” series Forums can be individually configured online with the **“Vox Forum Configurator”.**

Log onto the Nienkämper website **www.nienkamper.com** and follow the links or simply type **www.vfc3.nienkamper.com** in your browser and go straight to this online tool.

Configuring your Forum is easy: simply drag and drop the options you want to build the product you need.



“M” SERIES VOX® FORUM – 6” FORUM ORDER FORM

Download this form at www.nienkamper.com/vfc/forum

Modular Plate #1	Modular Plate #2	Modular Plate #3

Base Model # - M - _____ – _____ – _____ –

Modular Plate #1	Modular Plate #2	Modular Plate #3

- Select the modular faceplate required from pages 230-234.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in **“CX”** as the model number.
- To create a custom modular plate, turn to pages 236.

$ 630 +_____ +_____ +_____ =_____

Base Model Cost	Plate #1 Cost	Plate #2 Cost	Plate #3 Cost	Total Forum Cost

- Add up the cost.

Use this section when ordering Custom Modular Faceplates

Place your selection of part numbers from page 186.

		Position A	Position B	Position C
Custom Modular Plate #1 -	**CX**1	- _____	- _____	- _____
Custom Modular Plate #2 -	**CX**2	- _____	- _____	- _____
Custom Modular Plate #3 -	**CX**3	- _____	- _____	- _____

Quote # or Order # : _____ Date: _____

Approval Signature: _____

"N" SERIES VOX® FORUM – 12" FORUM ORDER FORM

Download this form at www.nienkamper.com/vfc/forum



Base Model # - N - _____ – _____ – _____ – _____ – _____ – _____ –

Modular Plate #1 | Modular Plate #2 | Modular Plate #3 | Modular Plate #4 | Modular Plate #5 | Modular Plate #6

- Select the modular faceplate required from pages 230-235.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in **"CX"** as the model number.
- To create a custom modular plate, turn to pages 236.

$ 695 + _____ + _____ + _____ + _____ + _____ + _____ = _____

Base Model Cost | **Plate #1 Cost** | **Plate #2 Cost** | **Plate #3 Cost** | **Plate #4 Cost** | **Plate #5 Cost** | **Plate #6 Cost** | **Total Forum Cost**

- Add up the cost.

Use this section when ordering Custom Modular Faceplates

Place your selection of part number from page 186 in the desired location below.

		Position A	Position B	Position C
Custom Modular Plate	**CX1** -	_____	_____	_____
Custom Modular Plate	**CX2** -	_____	_____	_____
Custom Modular Plate	**CX3** -	_____	_____	_____
Custom Modular Plate	**CX4** -	_____	_____	_____
Custom Modular Plate	**CX5** -	_____	_____	_____
Custom Modular Plate	**CX6** -	_____	_____	_____

Quote # or Order # : _____ Date: _____

Approval Signature: _____

"M & N" SERIES VOX® FORUM – MODULAR FACEPLATES

IT! INFORMATION TECHNOLOGY

c UL us

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA

0E

PRE WIRED

0B

SITE WIRED

Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
0E	**395**	**2 - Hubbell Cat5e Data, 10' Cord**
1E	795	2 - Hubbell Cat6 Data, 10' Cord
2E	**585**	**2 - Leviton Cat5e Data, 10' Cord**
3E	795	2 - Leviton Cat6 Data, 10' Cord
4E	**585**	**2 - Siemon Cat5e Data, 16' Cord**
5E	795	2 - Siemon Cat6 Data, 16' Cord
6E	**585**	**2 - Belden Cat5e Data, 10' Cord**
7E	795	2 - Belden Cat6 Data, 10' Cord
8E	**695**	**2 - Ortronics Cat5e Data, 10' Cord**
9E	785	2 -Ortronics Cat6 Data, 10' Cord

Model Number	List Price	Site Wired – Only Jacks Supplied
0B	**350**	**2 - Hubbell Cat5e Data, Site Wiring Required**
1B	490	2 - Hubbell Cat6 Data, Site Wiring Required
2B	**350**	**2 - Leviton Cat5e Data, Site Wiring Required**
3B	490	2 - Leviton Cat6 Data, Site Wiring Required
4B	**350**	**2 - Siemon Cat5e Data, Site Wiring Required**
5B	490	2 - Siemon Cat6 Data, Site Wiring Required
6B	**350**	**2 - Belden Cat5e Data, Site Wiring Required**
7B	490	2 - Belden Cat6 Data, Site Wiring Required
8B	**350**	**2 - Ortronics Cat5e Data, Site Wiring Required**
9B	435	2 -Ortronics Cat6 Data, Site Wiring Required

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 1-DATA, 1-VOICE

0K

PRE WIRED

0J

SITE WIRED

Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
0K	**365**	**1 - Hubbell Cat5e Data & 1-Rj45 Voice - 10' Cords**
1K	585	1 - Hubbell Cat6 Data & 1-Rj45 Voice - 10' Cords
2K	**605**	**1 - Leviton Cat5e Data & 1-Rj45 Voice - 10' Cords**
3K	700	1 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords
4K	**605**	**1 - Siemon Cat5e Data & 1-Rj45 Voice - 16' Cords**
5K	700	1 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords
6K	**605**	**1 - Belden Cat5e Data & 1-Rj45 Voice - 10' Cords**
7K	700	1 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords
8K	**595**	**1 - Ortronics Cat5e Data & 1-Rj45 Voice - 10' Cords**
9K	640	1 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords

Model Number	List Price	Site Wired – Only Jacks Supplied
0J	**325**	**1 - Hubbell Cat5e Data & 1-Rj45 Voice - Site Wired**
1J	375	1 - Hubbell Cat6 Data & 1-Rj45 Voice - Site Wired
2J	**350**	**1 - Leviton Cat5e Data & 1-Rj45 Voice - Site Wired**
3J	410	1 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired
4J	**350**	**1 - Siemon Cat5e Data & 1-Rj45 Voice - Site Wired**
5J	410	1 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired
6J	**350**	**1 - Belden Cat5e Data & 1-Rj45 Voice - Site Wired**
7J	410	1 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired
8J	**350**	**1 - Ortronics Cat5e Data & 1-Rj45 Voice - Site Wired**
9J	400	1 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 3-DATA

0F

PRE WIRED

0C

SITE WIRED

Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
0F	**545**	**3 - Hubbell Cat5e Data, 10' Cord**
1F	1,150	3 - Hubbell Cat6 Data, 10' Cord
2F	**815**	**3 - Leviton Cat5e Data, 10' Cord**
3F	1,150	3 - Leviton Cat6 Data, 10' Cord
4F	**815**	**3 - Siemon Cat5e Data, 16' Cord**
5F	1,150	3 - Siemon Cat6 Data, 16' Cord
6F	**815**	**3 - Belden Cat5e Data, 10' Cord**
7F	1,150	3 - Belden Cat6 Data, 10' Cord
8F	**1,015**	**3 - Ortronics Cat5e Data, 10' Cord**
9F	1,135	3 - Ortronics Cat6 Data, 10' Cord

Model Number	List Price	Site Wired – Only Jacks Supplied
0C	**470**	**3 - Hubbell Cat5e Data, Site Wiring Required**
1C	685	3 - Hubbell Cat6 Data, Site Wiring Required
2C	**470**	**3 - Leviton Cat5e Data, Site Wiring Required**
3C	685	3 - Leviton Cat6 Data, Site Wiring Required
4C	**470**	**3 - Siemon Cat5e Data, Site Wiring Required**
5C	685	3 - Siemon Cat6 Data, Site Wiring Required
6C	**470**	**3 - Belden Cat5e Data, Site Wiring Required**
7C	685	3 - Belden Cat6 Data, Site Wiring Required
8C	**470**	**3 - Ortronics Cat5e Data, Site Wiring Required**
9C	625	3 - Ortronics Cat6 Data, Site Wiring Required

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA, 1-VOICE

0M

PRE WIRED

0L

SITE WIRED

Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
0M	**490**	**2 - Hubbell Cat5e Data & 1-Rj45 Voice - 10' Cords**
1M	905	2 - Hubbell Cat6 Data & 1-Rj45 Voice - 10' Cords
2M	**815**	**2 - Leviton Cat5e Data & 1-Rj45 Voice - 10' Cords**
3M	1,025	2 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords
4M	**815**	**2 - Siemon Cat5e Data & 1-Rj45 Voice - 16' Cords**
5M	1,025	2 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords
6M	**815**	**2 - Belden Cat5e Data & 1-Rj45 Voice - 10' Cords**
7M	1,025	2 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords
8M	**1,015**	**2 - Ortronics Cat5e Data & 1-Rj45 Voice - 10' Cords**
9M	1,095	2 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords

Model Number	List Price	Site Wired – Only Jacks Supplied
0L	**420**	**2 - Hubbell Cat5e Data & 1-Rj45 Voice - Site Wired**
1L	585	2 - Hubbell Cat6 Data & 1-Rj45 Voice - Site Wired
2L	**470**	**2 - Leviton Cat5e Data & 1-Rj45 Voice - Site Wired**
3L	625	2 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired
4L	**470**	**2 - Siemon Cat5e Data & 1-Rj45 Voice - Site Wired**
5L	625	2 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired
6L	**470**	**2 - Belden Cat5e Data & 1-Rj45 Voice - Site Wired**
7L	625	2 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired
8L	**460**	**2 - Ortronics Cat5e Data & 1-Rj45 Voice - Site Wired**
9L	585	2 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired

“M & N” SERIES VOX® FORUM – MODULAR FACEPLATES

1P

POWER-PRE WIRED

1P-SW

POWER-SITE WIRED

Model Number	List Price
1P	605
1P- SW	625

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate contains the following: 2 power receptacles 15A 120V pre wired with 10’ cord and plug. Includes 12.5 amp overload protector.

Single module faceplate with - 1 duplex power receptacle/ 15A~120V. Comes with strain relief and 36” of metallic shielded cable wired to
receptacle. Site Connection to power source required
***Face plate formerly labeled 2P has been changed to 1P-SW.**

2P



POWER-PRE WIRED

2P-SW



POWER-SITE WIRED

Model Number	List Price
2P	1,255
2P- SW	1,225

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A~120V. With Surge Suppressor -, 240 joules/ 15000a per mode and light. Prewired with 10’ cord and plug.

Single module faceplate with - 1 duplex power receptacle/ 15A~120V.
With surge suppressor, 240 joules/ 15000a per mode and light. Comes with strain relief and 36” of metallic shielded cable wired to receptacle. Site Connection to power source required

---

3P



POWER-PRE WIRED

3P-SW



POWER-SITE WIRED

Model Number	List Price
3P	1,040
3P- SW	1,010

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A~120V. With 2 USB ports 3 Amp/ 5VDC Type a 2.0. Pre wired with 10 ‘ cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A~120V. With 2 USB ports 3 Hubbell/ 5VDC Type a 2.0. Comes with strain relief and 36” of metallic shielded cable wired to receptacle. Site Connection to power source required

---

4P

POWER-PRE WIRED

4P-SW

POWER-SITE WIRED

Model Number	List Price
4P	1,200
4P- SW	1,155

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A~120V. With USB A + C charging (5V, 5A) 55W. Pre wired with 10’ cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A~120V. With USB A + C charging (5V, 5A) 55W. With 36” metallic shielded cable wired to receptacle. Site connection to power source required

“M & N” SERIES VOX® FORUM – MODULAR FACEPLATES

5P

POWER-PRE WIRED

5P-SW

POWER-SITE WIRED

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

Model Number	List Price	DESCRIPTION
5P	1,380	Single module faceplate contains the following: 1 duplex power receptacle 15A~120V, with USB C+C charging (5V, 5A) 55W and pre wired 10' cord
5P- SW	1,335	Single module faceplate contains the following: 1 duplex power receptacle 15A~120V, with USB C+C charging (5V, 5A) 55W and 36" metallic shielded cable wired to receptacle. Site connection to power source required.

OT - 9T

SINGLE MODULE FACEPLATE:

Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs	DESCRIPTION
0T	**515**	**1 - Hubbell Cat5e Data, 10' Cord**	Single module faceplate contains the following: 1 - HD-DB15 (female) with 18" cord and male plug. 1 - 3.5mm stereo with 18" cord and male plug. 1 - DATA (0T-9T) with 10' cord and male plug.
1T	700	1 - Hubbell Cat6 Data, 10' Cord	
2T	**605**	**1 - Leviton Cat5e Data, 10' Cord**	
3T	700	1 - Leviton Cat6 Data, 10' Cord	
4T	**605**	**1 - Siemon Cat5e Data, 16' Cord**	
5T	700	1 - Siemon Cat6 Data, 16' Cord	
6T	**605**	**1 - Belden Cat5e Data, 10' Cord**	
7T	700	1 - Belden Cat6 Data, 10' Cord	
8T	**675**	**1 - Ortronics Cat5e Data, 10' Cord**	
9T	695	1 - Ortronics Cat6 Data, 10' Cord	

“M & N” SERIES VOX® FORUM – MODULAR FACEPLATES

1V

2V

3V



Model Number	List Price
1V	125
2V	125
3V	125

SINGLE MODULE FACEPLATE:

DESCRIPTION

Single module split plate assembly contains the following: 3 cutouts - inside diameter sizes - 3/8”, 1/2”, 5/8” for pass- through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 3/8” for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 1/2” for pass-through cable requirements.

7V

single module

8V-8V

double module

Model Number	List Price
7V	105
8V-8V	125

BLANK FACEPLATES:

DESCRIPTION

Single module blank faceplate

Double module blank faceplate

6X



single module vertical alignment

7X-7X

double module horizontal alignment

Model Number	List Price
6X	125
7X-7X	150

EXTRON “AAP” SERIES

DESCRIPTION

Single module adopter
-holds two Extron “AAP” modules in vertical position

Double module adopter
-holds four Extron “AAP” modules in horizontal position

Please refer to your Extron product catalogue for specific “AAP” module model numbers available

8X

single module

9X-9X



double module

Model Number	List Price
8X	125
9X-9X	150

DECORA® INSERT PLATES

Single module, holds 1 Decora style insert (supplied by others)

Double module, holds 2 Decora style inserts (supplied by others)

“M & N” SERIES VOX® FORUM – MODULAR FACEPLATES

5R

6R-6R



Model Number	List Price
5R	470
6R-6R	650

EXTRON RETRACTOR FACEPLATE/RETRACTOR INCLUDED:

(Note: Retractors provided; choose from list below)

5R Retractor Faceplate with R-01 VGA Retractor Series II

5R Retractor Faceplate with R-02 3.5mm Audio Retractor Series II



5R Retractor Faceplate with R-03 Data-CAT 6 Retractor Series II



5R Retractor Faceplate with R-04 HDMI Retractor Series II

5R Retractor Faceplate with R-05 USB (signal) Retractor Series II



5R Retractor Faceplate with R-06 VGA & Audio Retractor Series II

EXTRON RETRACTOR OPTIONS:

Model Number	List Price	Description
RA-02	280	Blank filler plate
SERIES 2		
R-01	**1,560**	**VGA - Retractor series II - with 36” long cord**
R-02	1,560	3.5mm audio - retractor series II - with 36” long cord
R-03	**1,560**	**Data - CAT 6 - retractor series II - with 36” long cord**
R-04	1,560	HDMI - retractor series II - with 36” long cord
R-05	**1,560**	**USB (signal) - retractor series II - with 36” long cord / USB-A to USB-A**
R-06	1,730	VGA & audio - retractor series II - with 36” long cord / VGA M-M & 3.5mm audio
SERIES 2 XL		
R-07	**1,730**	**VGA - Retractor series II XL - with 60” long cord**
R-08	1,730	3.5mm audio - retractor series II XL- with 60” long cord
R-09	**1,730**	**Data - CAT 6 - retractor series II XL- with 60” long cord**
R-10	1,730	HDMI - retractor series II XL- with 60” long cord
R-11	**1,730**	**USB (signal) - retractor series II XL- with 60” long cord / USB-A to USB-A**
R-12	1,905	VGA & audio - retractor series II XL- with 60” long cord / VGA M-M & 3.5mm audio

"M & N" SERIES VOX® FORUM – MODULAR FACEPLATES

7R

8R-8R

Model Number	List Price
7R	370
8R-8R	555

EXTRON RETRACTOR FACEPLATE/RETRACTOR NOT INCLUDED:
(Note: Retractors to be provided and installed by others)

DESCRIPTION

Single faceplate holds 1 Extron Retractor

Double faceplate holds up to 3 Extron Retractors

CX



Model Number	List Price
CX	105

SINGLE CUSTOM MODULE FACEPLATE (SEE BELOW)

DESCRIPTION

To build your Forum, select fittings from page 186.

HOW TO ORDER

1. From the list of jacks select the part number that describes your selection
2. Place the part number in one of three positions on the faceplate illustration "A", "B", or "C".
3. Fill in the associated List $ of each fitting - total the cost.
4. Fill in the model number and transfer it to the proper position on the Forum order page 179 (6" Forum) or page 180 (12" Forum).
5. Add each modular plate price to complete the total Vox Forum list price.

Complete this for each custom plate required.



Model Number CX - _____ (Position A) - _____ (Position B) - _____ (Position C)

“M & N” SERIES VOX® FORUM FACEPLATE CUSTOM MODULE ORDER FORM

Part Number	Pre- Wired	List Price
A0	**Hubbell - CAT 5E Data - 10' Cord**	**255**
A1	Hubbell - CAT 6 Data - 10' Cord	460
A1A	**Hubbell CAT 6A Data - 10' Cord**	**655**
A2	**Leviton - CAT 5E Data - 10' Cord**	**365**
A3	Leviton - CAT 6 Data - 10' Cord	460
A3A	**Leviton - CAT 6A Data - 10' Cord**	**730**
A4	**Siemon - CAT 5E Data - 16' Cord**	**365**
A5	Siemon - CAT 6 Data - 16' Cord	460
A5A	**Siemon - CAT 6A Data - 16' Cord**	**625**
A6	**Beldon - CAT 5E Data - 10' Cord**	**365**
A7	Beldon - Cat 6 Data - 10' Cord	460
A7A	**Beldon - CAT 6A Data - 10' Cord**	**615**
A8	**Ortronics - CAT 5E Data - 10' Cord**	**410**
A9	Ortronics - CAT 6 Data - 10' Cord	455
A9A	**Ortronics - CAT 6A Data - 10' Cord**	**640**

Part Number	Site- Wired	List Price
AX	**Hubbell - CAT 5E Data - No Cord**	**200**
A1X	Hubbell - CAT 6 Data - No Cord	310
A1AX	**Hubbell - CAT 6A Data - No Cord**	**330**
A2X	**Leviton - CAT 5E Data - No Cord**	**200**
A3X	Leviton- CAT 6 Data - No Cord	310
A3AX	**Leviton- CAT 6A Data - No Cord**	**370**
A4X	**Siemon - CAT 5E Data - No Cord**	**200**
A5X	Siemon - CAT 6 Data - No Cord	310
A5AX	**Siemon - CAT 6A Data - No Cord**	**330**
A6X	**Beldon - CAT 5E Data - No Cord**	**200**
A7X	Beldon - CAT 6 Data - No Cord	310
A7AX	**Beldon - CAT 6A Data - No Cord**	**330**
A8X	**Ortronics - CAT 5E Data - No Cord**	**200**
A9X	Ortronics - CAT 6 Data - No Cord	290
A9AX	**Ortronics - CAT 6A Data - No Cord**	**315**
A11AX	Hubbell - CAT 6A Data - No Cord	330

B	Hubbell - Voice - 10' Cord	190
B1	Leviton - Voice - 10' Cord	365
B2	Siemon - Voice - 10' Cord	365
B3	Belden/ CDT - Voice - 10' Cord	365
B4	Ortronics - Voice - 10' Cord	410
C	Audio - 3.5mm - 18" Cord	185
G	HD-DB15 - 18" Cord	290
H	USB - 24" Cord	225
HB	USB Type B - 24" Cord	175
HD	HDMI - 24" Cord	310
J1	XLR / 3 Pin / - 18" Cord	330

BX	Hubbell - Voice - No Cord	175
B1X	Leviton- Voice - No Cord	200
B2X	Siemon - Voice - No Cord	200
B3X	Beldon - Voice - No Cord	200
B4X	Ortronics - Voice - No Cord	200
O	Custom Fitting -No Cord Sample Req	145
P	Empty / No Fitting Required	

FACEPLATE CONNECTIONS ARE FEMALE, SUPPLY CORD PLUGS ARE MALE. DB9 FACEPLATE FITTINGS ARE MALE, DB9 SUPPLY CORD PLUGS ARE FEMALE.

THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED OR DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER INTERNATIONAL INC.

VOX® DOUBLE SIDED FORUM

INTRODUCTION

Standard Features
The Vox® Double-Sided Forum features a multi-directional hinged lid, providing access from either side of the table. The Forum sits flush with the tabletop, and the lid matches the work surface finish. A thin aluminum bezel lines the cutout in both the tabletop and lid for added durability and a color detail.

The Vox® Double-Sided Forum is available in a 4-module configuration. Modules can be specified as Power/Charging, Data/AV, Split Plates, or Retractors. Modules can be swapped or repositioned on site if your power or AV requirements change.

Power modules include:

3 simplexes, or 2 simplexes with USB-A or USB-C charging
Power units are available with a pre-wired cord, hardwired feed, or daisy-chain feed.

Data/AV plates contain 4 fittings. Individual fittings can be swapped out, or the entire plate can be replaced on site as needed.

FINISHES

The Vox® Double-Sided Forum is constructed from sturdy aluminum and finished with a durable powder coat. The body is available in Black, Gray, or White powder coat. The lid is matched to the veneer, plastic laminate or engineered stone used on the tabletop for a seamless look.

Custom powder coat colors are available upon request; please note that this may affect pricing and lead times. Contact Nienkamper Customer Service at **800.668.9318.**

BLACK



GRAY

WHITE

CUSTOM

VOX® DOUBLE SIDED FORUM - ORDER FORM

THE VOX® DOUBLE SIDED FORUM HAS 4 PORTS THAT CAN BE POPULATED WITH VARIOUS FACE PLATES.



Base Model# - G- ____ – ____ – ____ – ____

PLATE 1 | PLATE 2 | PLATE 3 | PLATE 4

- Select the modular faceplate required from pages 241-243.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in "CX" as the model number.

$970 + ____ + ____ + ____ + ____ = ____

BASE MODEL COST | PLATE #1 COST | PLATE #2 COST | PLATE #3 COST | PLATE #4 COST

- Add up the cost

*Base model cost includes finished veneer or plastic laminate lid.



POWER FACEPLATES

DS-1P

Model Number	List Price
DS-1P	$265
DS-1P-SW	$300
DS-1P-4T	$295

DESCRIPTION

- Single module faceplate contains 3 power receptacles 15A 120V
- Pre wired with a 10’ cord.
- Site wired with a 72” metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

DS-2P

Model Number	List Price
DS-2P	$365
DS-2P-SW	$410
DS-2P-4T	$400

DESCRIPTION

- Single module faceplate contains 2 power receptacles 15A 120V,
- 2 USB-A, with 2 Amps per port.
- Pre wired with a 10’ cord.
- Site wired with a 72” metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

POWER FACEPLATES

DS-3P

MODEL NUMBER	LIST PRICE
DS-3P	$365
DS-3P-SW	$410
DS-3P-4T	$400

DESCRIPTION

- Single module faceplate contains 2 power receptacles 15A 120V,
- USB-A+C, with 2 Amps per port 18W.
- Pre wired with a 10’ cord.
- Site wired with a 72” metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

DS-4P

MODEL NUMBER	LIST PRICE
DS-4P	$555
DS-4P-SW	$605
DS-4P-4T	$595

DESCRIPTION

- Single module faceplate contains 1 power receptacle 15A 120V,
- 1 USB-C, with 60W
- Pre wired with a 10’ cord.
- Site wired with a 72” metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

SPLIT PLATE

DS-SP



MODEL NUMBER	LIST PRICE
DS-SP	$100
	PLATE ONLY

DESCRIPTION

- Split plate has 2 openings that are 3/8" diameter and 2 openings at 7/16" diameter.

BLANK PLATE

DS-BP



MODEL NUMBER	LIST PRICE
DS-BP	$100
	PLATE ONLY

DESCRIPTION

- Blank plate used as filler within Forum.

CUSTOM AV/DATA FACE-PLATES

DS-CX



MODEL NUMBER

POSITION A

POSITION B

POSITION C

POSITION D

+ $100 PLATE COST

DESCRIPTION

The CX plate has 4 spaces for fittings and can be used in any position in the forum.

CX- ____ — ____ — ____ — ____

MODEL NUMBER	POSITION A	POSITION B	POSITION C	POSITION D

A5 $190

SIEMON CAT 6 data fitting with 10' connector cable
(Female to Male)

H $145

USB port 3.0 with 10' cord
(Female to Male)

HD $205

HDMI coupler (female to female) with 18" cord



O $70

Open port for clients own data fitting. Each port selected will be supplied with one set of data adapter kit.

C $95

Audio- 3.5mm Mini stereo Jack with 10' cord
(Female to Male)

G $205

DB15HD, VGA connector, 10' cord
(Female to Male)

B $70

Blank Plate

RETRACTOR FACE-PLATES

DS-6R



MODEL NUMBER	LIST PRICE
DS-6R	$100
	PLATE ONLY

DESCRIPTION

- Extron Retractor faceplate fits 3 Extron retractors. The 6R retractor faceplate can only be placed in position 1 and 4 on the G forum.
- Retractors can be bought through Nienkämper or Users can supply there own Extron retractor components. *See page 246 for req'd Filler Module.
- Note: This plate holds 3 Extron Retractors. Any spot not using a retractor will require a filler module. If client is suppling there own retractors order filler model #70-1065-35.



	MODEL NUMBER	LIST PRICE
	R-01	$1,560
	R-02	$1,560
	R-03	$1,560
	R-04	$1,560
	R-05	$1,560
	R-06	$1,730
	R-01 - XL	$1,670
	R-02 - XL	$1,670
	R-03- XL	$1,670
	R-04- XL	$1,670
	R-05- XL	$1,670
	R-06- XL	$1,840

DESCRIPTION

- R-01: VGA - Retractor series II - with 36" long cord.
- R-02: 3.5mm audio - retractor series II - with 36" long cord
- R-03: Data - CAT 6 - retractor series II - with 36" long cord
- R-04: HDMI - retractor series II - with 36" long cord
- R-05: USB (signal) - retractor series II - with 36" long cord / USB-A to USB-A
- R-06: VGA & audio - retractor series II - with 36" long cord / VGA M-M & 3.5mm audio

- R-01 - XL: VGA - Retractor series II - with 60" long cord.
- R-02 - XL: 3.5mm audio - retractor series II - with 60" long cord
- R-03 - XL: Data - CAT 6 - retractor series II - with 60" long cord
- R-04 - XL: HDMI - retractor series II - with 60" long cord
- R-05 - XL: USB (signal) - retractor series II - with 60" long cord / USB-A to USB-A
- R-06 - XL: VGA & audio - retractor series II - with 60" long cord / VGA M-M & 3.5mm audio

SPLIT PLATE

DS-FM

MODEL NUMBER	LIST PRICE
DS-FM	$190

DESCRIPTION

- A Filler Module is required if less than 3 Extron retractors are ordered on each Plate 1 & Plate 4.
- A Filler Module is required for clients suppling their own retractors.

FORUMS

M & N SERIES FORUM

M & N Series Forum are available in a wide range of configurations for power, data and audio/video requirement. Configure your require M & N Series Forum on our web site at this link www.nienkämper.com/vfc

SIMPLE POP UP FORUM - Single sided (Surface mounted)

List Price

Pre-configured SIMPLE Pop Up Forum

Model # 85190	pre-wired power (2 ports)	1P | 1P cutout dimension: 5”W x 4”D 2 x pre-wired power with 10ft cord	$660
Model # 85191	pre-wired power (3 ports)	1P | 1P | 1P cutout dimension: 61/2”W x 4”D 3 x pre-wired power with 10ft cord	$680
Model # 85193	pre-wired power (3 ports)	1P | 1P | A5 cutout dimension: 61/2”W x 4”D 2 x pre-wired power with 10ft cord 1 x Siemon CAT6 data with 10ft cord	$810
Model # 85197	pre-wired power (4 ports)	1P | 1P | O cutout dimension: 61/2”W x 4”D 2 x pre-wired power with 10ft cord 1 x open port / data adapter to fit in client’s own data fitting and cord	$680
Model # 85194	pre-wired power (3 ports)	1P | 1P | 2U cutout dimension: 61/2”W x 4”D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked)	$775
Model # 85196	pre-wired power (4 ports)	1P | 1P | A5 | A5 cutout dimension: 8”W x 4”D 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord	$930
Model # 85198	pre-wired power (4 ports)	1P | 1P | O | O cutout dimension: 8”W x 4”D 2 x pre-wired power with 10ft cord 2 x open port / data adapter to fit in client’s own data fitting and cord	$710

FORUMS

			List Price
Model # 85199	pre-wired power (4 ports)	 cutout dimension: 8”W x 4”D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x HDMI coupler with 18” cord	$955
Model # 85200	pre-wired power (4 ports)	 cutout dimension: 8”W x 4”D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x open port / data adapter to fit in client’s own data fitting and cord	$830
Model # 85202	pre-wired power (6 ports)	 cutout dimension: 11”W x 4”D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x HDMI coupler with 18” cord 2 x Siemon CAT6 data with 10ft cord	$1,290
Model # 85203	pre-wired power (6 ports)	 cutout dimension: 11”W x 4”D 2 x pre-wired power with 10ft cord 2 x USB-A+C charger (stacked) 1 x HDMI coupler with 18” cord 2 x open port/ data adapter to fit in client’s own data fitting and cord	$1,030

SIMPLE POP UP FORUM – DOUBLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Pop Up Forum

Model # 85205 pre-wired power (each side - 2 ports) — $1,335

Side A: | 1P | 1P |

Side B: | 1P | 1P |

cutout dimension: 5”W x 7-11/16”D
Side A: 2 x pre-wired power with 10ft cord
Side B: 2 x pre-wired power with 10ft cord
(Provides a total of 4 x pre wired power)

Model # 85206 pre-wired power (each side - 3 ports) — $1,665

Side A: | 1P | 1P | 2U |

Side B: | 1P | 1P | 2U |

cutout dimension: 6-1/2”W x 7-11/16”D
Side A: 2 x pre-wired power with 10ft cord
2 x USB-A+C Charger (stacked)
Side B: 2 x pre-wired power with 10ft cord
2 x USB-A+C Charger (stacked)
(Provides a total of 4 x pre wired power & 4 x USB Charger)

Model # 85208 pre-wired power (each side - 4 ports) — $1,885

Side A: | 1P | 1P | A5 | A5 |

Side B: | 1P | 1P | A5 | A5 |

cutout dimension: 8”W x 7-11/16”D
Side A: 2 x pre-wired power with 10ft cord
2 x Siemon CAT6 data with 10ft cord
Side B: 2 x pre-wired power with 10ft cord
2 x Siemon CAT6 data with 10ft cord
(Provides a total of 4 x pre wired power & 4 x Siemon CAT6 data)

FORUMS - SIMPLE POP UP FORUM

			List Price
Model # 85209	pre-wired power (each side - 4 ports)	Side A: Side B: cutout dimension: 8”W x 7-11/16”D Side A: 2 x pre-wired power with 10ft cord 2 x open port/data adapter to fit in client’s own data fitting and cord Side B: 2 x pre-wired power with 10ft cord 2 x open port/data adapter to fit in client’s own data fitting and cord (Provides a total of 4 x pre wired power & 4 x open ports)	$1,375
Model # 85210	pre-wired power (each side - 4 ports)	Side A: Side B: cutout dimension: 8”W x 7-11/16”D Side A: 2 x pre-wired power with 10ft cord, 2 x USB-A+C Charger (stacked) 1 x open port/ data adapter to fit in client’s own data fitting and cord Side B: 2 x pre-wired power with 10ft cord, 2 x USB-A+C Charger (stacked) 1 x open port/ data adapter to fit in client’s own data fitting and cord (Provides a total of 4 x pre wired power, 4 x USB Charger & 2 x open ports)	$1,690

FORUMS - SIMPLE POP UP FORUM

Note:
- Finish is standard in clear anodized aluminum.
- For power cord with 6ft long, please add a letter “B” at the end of model #.
- Site-wired / hard-wired power with 72” metallic shielded cable is available with an upcharge of $95 list per 2 power. Please add a letter “H” at the end of model #.

Each open port selected will be supplied with one set of data adapter kit contains 2 “AA”, 2 “BB”, 2 “CC”, 2 “DD”, 2 “EE”, 2 “FF”, 1 “GG” and 1 “HH”. adapter. The data adapter can accommodate the following data fitting from manufacturer:

Adapter “AA”
Systimax/CommScope
Uniprise/CommScope

Adapter “BB”
L-Com Keystone Modular
Tyco SL/110 Connect Series Modular Jacks
Siemon Keystone Style
Allen Tel Versa Tap Series
Leviton Quick Port® Series
Nordx Keystone Style
Tyco SL Conpler Series

Adapter “CC”
Krone 6000 Series/ADC
Hubbell Xcelerator™ Keystone Series

Adapter “DD”
blank

Adapter “EE”
Ortronics TracJack Series

Adapter “FF”
Panduit Mini-Com Series

Adapter “GG”
microphone jack / 3pin XLR, solder type only

Adapter “HH”
Adapter “HH” - video monitor jack / DB-15, pand mount solder type.



- Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)

FORUMS - SIMPLE POP UP FORUM

	List Price
To create a unique Vox® SIMPLE Pop Up Forum configuration, simply choose a base model and select the required elements.	
Base Model For Simple Pop Up Forum (4 Ports) Model #: CX4P - _ _ _ _	$575
Base Model For Simple Pop Up Forum (6 Ports) Model #: CX6P - _ _ _ _	$650
Base Model For Simple Pop Up Forum – Double Sided (Each Side – 4 Ports) Model #: CX8PD-A _ _ _ _ (Side A) CX8PD-B _ _ _ _ (Side B)	$1,210
Base Model For Simple Pop Up Forum – Side By Side (Each Side – 4 Ports) Model #: CX8PS-1_ _ _ _ (Side 1) CX8PS-2 _ _ _ _ (Side 2)	



Select the elements as per below:

S-1P - 1 power receptacle with 10' white cord	$155
S-1P-SW - 1 power receptacle hard wired with a 6' whip	$175
A5 - SIEMON CAT 6 data fitting with 10' connector cable	$190
C - Audio- 3.5mm Mini stereo Jack with 10' cord	$95
H - USB port 3.0 with 10ft cord	$145
2U - Stacked USB charger A+C	$180
3U - Dual USB C charger	$180
G - DB15HD, VGA connector, 10' cord	$205
HD - HDMI Coupler with 18" cord	$205
B - Blank plate	$70
O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit	$70
L - Belay 1" dia. hole opening rubber strain relief pass through cords	$70

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports 6¾" L x 2 " W)

Model # 39956/6 — pre-wired power — $710

2 x pre-wired power with 10ft cord
2 x SIEMON CAT6 data with 10ft cord

Model # 39957/6 — site-wired power — $750

2 x site-wired power with 6ft metallic shielded cable
2 x SIEMON CAT6 data with 10ft cord

Model # 39958/6 — pre-wired power — $805

2 x pre-wired power with 10ft cord
1 x stacked USB charger A+C
1 x SIEMON CAT6 data with 10ft cord

Model # 39959/6 — site-wired power — $830

2 x site-wired power with 6ft metallic shielded cable
1 x stacked USB charger A+C
1 x SIEMON CAT6 data with 10ft cord;

Model # 39961/6 — pre-wired power — $775

2 x pre-wired power with 10ft cord
1 x SIEMON CAT6 data with 10ft cord
1 x HDMI coupler with 18" cord

Model # 39962/6 — site-wired power — $805

2 x site-wired power with 6ft metallic shielded cable
1 x SIEMON CAT6 data with 10ft cord;
1 x HDMI coupler with 18" cord

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports, 6¾" L x 2 " W)

Model # 39963	pre-wired power	 2 x pre-wired power with 10ft cord 1 x USB port 3.0 with 10ft cord 1 x HDMI coupler with 18" cord	$720
Model # 39964	site-wired power	 2 x site-wired power with 6ft metallic shielded cable 1 x USB port 3.0 with 10ft cord 1 x HDMI coupler with 18" cord	$755

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports, for client's own data fitting)

Model # 39956 — pre-wired power — $550



2 x pre-wired power with 10ft cord
2 x open port / data adapter to fit in client's own data fitting & cord

Model # 39957 — site-wired power — $575



2 x site-wired power with 6ft metallic shielded cable
2 x open port / data adapter to fit in client's own data fitting & cord

Model # 39958 — pre-wired power — $680

2 x pre-wired power with 10ft cord
1 x stacked USB charger A+C
1 x open port

Model # 39959 — site-wired power — $710

2 x site-wired power with 6ft metallic shielded cable
1 x stacked USB charger A+C
1 x open port

Model # 39961 — pre-wired power — $720

2 x pre-wired power with 10ft cord
1 x open port
1 x HDMI coupler with 18" cord

Model # 39962 — site-wired power — $755

2 x site-wired power with 6ft metallic shielded cable
1 x open port
1 x HDMI coupler with 18" cord

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (6 ports 9¾" L x 2" W)

Model # 39941/6 — pre-wired power — $855



2 x pre-wired power with 10ft cord
2 x SIEMON CAT6 data with 10ft cord
2 x blank plate

Model # 39942/6 — site-wired power — $925



2 x site-wired power with 6ft metallic shielded cable
2 x SIEMON CAT6 data with 10ft cord
2 x blank plate

Model # 39943/6 — pre-wired power — $1,035



2 x pre-wired power with 10ft cord
2 x SIEMON CAT6 data with 10ft cord
1 x HD-DB15/VGA connector with 10ft cord
1 x audio 3.5mm mini stereo jack with 10 ft cord

Model # 39944/6 — site-wired power — $1,115



2 x site-wired power with 6ft metallic shielded cable
2 x SIEMON CAT6 data with 10ft cord
1 x HD-DB15/VGA connector with 10ft cord
1 x audio 3.5mm mini stereo jack with 10ft cord

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (6 ports 9¾" L x 2" W)

Model # 39945/6 — pre-wired power — $1,065



2 x pre-wired power with 10ft cord
2 x SIEMON CAT6 data with 10ft cord
1 x HDMI coupler with 18" cord
1 x USB port 3.0 with 10ft cord

Model # 39946/6 — site-wired power — $1,135



2 x site-wired power with 6ft metallic shielded cable
2 x SIEMON CAT6 data with 10ft cord;
1 x HDMI coupler with 18" cord
1 x USB port 3.0 with 10ft cord

Model # 39947/6 — pre-wired power — $1,015

3 x pre-wired power with 10ft cord
3 x SIEMON CAT6 data with 10ft cord

Model # 39948/6 — site-wired power — $1,080

3 x site-wired power with 6ft metallic shielded cable
3 x SIEMON CAT6 data with 10ft cord

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (6 ports, for client's own data fitting)

Model # 39951 — pre-wired power — $625



2 x pre-wired power with 10ft cord
4 x open port/data adapter to fit in client's own data fitting and cord

Model # 39952 — site-wired power — $660



2 x site-wired power with 6ft metallic shielded cable
4 x open port/data adapter to fit in client's own data fitting and cord

Model # 39953 — pre-wired power — $650

3 x pre-wired power with 10ft cord
3 x open port/data adapter to fit in client's own data fitting and cord

Model # 39954 — site-wired power — $695

3 x site-wired power with 6ft metallic shielded cable
3 x open port/data adapter to fit in client's own data fitting and cord

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

Adapter "AA"
Systimax/CommScope
Uniprise/CommScope

Adapter "BB"
L-Com Keystone Modular
Tyco SL/110 Connect Series Modular Jacks
Siemon Keystone Style
Allen Tel Versa Tap Series
Leviton Quick Port® Series
Nordx Keystone Style
Tyco SL Conpler Series

Adapter "CC"
Krone 6000 Series/ADC
Hubbell Xcelerator™ Keystone Series

Adapter "DD"
blank

Adapter "EE"
Ortronics TracJack Series

Adapter "FF"
Panduit Mini-Com Series

Adapter "GG"
microphone jack / 3pin XLR, solder type only

Adapter "HH"
Adapter "HH" - video monitor jack / DB-15, pand mount solder type.