


# nienkämpfer

**VOX®**  
FORUMS



**2026**

**"M & N" Series Vox Forums Pages 209-228**



M-Series Forums – 6" wide and N-Series Forums – 12" wide, offer increased capacity and scale. Its modular design makes it simple to configure to your needs

Individual plates can be replaced / retrofitted as required in the field.

# POSITIONING VOX® FORUMS ON CONFERENCE TABLES



## DETERMINING FORUM PLACEMENT ON TABLES

The following table serves as a guideline for defining and distributing Forums along the tabletop. The rectangular icons on the left are for reference only, as all other shapes in the collection fit within this outline.

For tables with Access, Tower, and Drum bases, Forums can be positioned over the base and share the same placement options shown for the Duo base in the chart below.

For LCS Tables or custom Forum positioning, please contact Customer Service at **800.668.9318**.

|                                                                                                                                      | <div>Tables<br/>72 x 36 - 84 x 42</div> <div></div> | M-Series<br>Forum | N-Series<br>Forum | <div>Tables<br/>96 x 42 - 108 x 48</div> <div></div> | M-Series<br>Forum | N-Series<br>Forum | <div>Tables<br/>120 x 42 - 132 x 54</div> <div></div> | M-Series<br>Forum | N-Series<br>Forum                      | <div>Tables<br/>144 x 48 - 168 x 66</div> <div></div> | M-Series<br>Forum                | N-Series<br>Forum |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------------|
| <div></div> <div>FP1 - At center</div>              |                                                                                                                                                                                                                                                                                                        | •                 | •                 |                                                                                                                                                                                                                                                                                                         | •                 | •                 |                                                                                                                                                                                                                                                                                                               | •                 | •<br>N/A on Duo<br>Base<br>42" - 48" D |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                  |                   |
| <div></div> <div>FP2C - Centered</div>              |                                                                                                                                                                                                                                                                                                        | •                 | •                 |                                                                                                                                                                                                                                                                                                         | •                 | •                 |                                                                                                                                                                                                                                                                                                               | •                 | •<br>N/A on Duo<br>Base<br>42" - 48" D | •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | •<br>N/A on Duo<br>Base<br>48" D |                   |
| <div></div> <div>FP2 - Equally Spaced</div>         |                                                                                                                                                                                                                                                                                                        | •                 | •                 |                                                                                                                                                                                                                                                                                                         | •                 | •                 |                                                                                                                                                                                                                                                                                                               | •                 | •<br>N/A on Duo<br>Base<br>42" - 48" D | •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | •<br>N/A on Duo<br>Base<br>48" D |                   |
| <div></div> <div>FP2E - At ends of table</div>     |                                                                                                                                                                                                                                                                                                        |                   |                   |                                                                                                                                                                                                                                                                                                         | •                 | •                 |                                                                                                                                                                                                                                                                                                               | •                 | •<br>N/A on Duo<br>Base<br>42" - 48" D | •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | •<br>N/A on Duo<br>Base<br>48" D |                   |
| <div></div> <div>FP3 - Equally Spaced</div>        |                                                                                                                                                                                                                                                                                                        |                   |                   |                                                                                                                                                                                                                                                                                                         | •                 | •                 |                                                                                                                                                                                                                                                                                                               | •                 | •<br>N/A on Duo<br>Base<br>42" - 48" D |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                  |                   |
| <div></div> <div>FP4 - Equally Spaced</div>        |                                                                                                                                                                                                                                                                                                        |                   |                   |                                                                                                                                                                                                                                                                                                         |                   |                   |                                                                                                                                                                                                                                                                                                               |                   |                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                  |                   |
| <div></div> <div>FP4A - Symmetrically Spaced</div> |                                                                                                                                                                                                                                                                                                        |                   |                   |                                                                                                                                                                                                                                                                                                         |                   |                   |                                                                                                                                                                                                                                                                                                               | •                 | •<br>N/A on Duo<br>Base<br>42" - 48" D | •                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | •<br>N/A on Duo<br>Base<br>48" D |                   |



DETERMINING FORUM PLACEMENT ON TABLES

The following table serves as a guideline for defining and distributing Forums along the tabletop. The rectangular icons on the left are for reference only, as all other shapes in the collection fit within this outline.

For tables with Access, Tower, and Drum bases, Forums can be positioned over the base and share the same placement options shown for the Duo base in the chart below.

For LCS Tables or custom Forum positioning, please contact Customer Service at 800.668.9318.

|                                                    | <div>Tables<br/>180 x 48 - 192 x 72</div> <div></div> <div>M-Series<br/>Forum</div> <div>N-Series<br/>Forum</div> | <div>Tables<br/>204 x 54 - 216 x 78</div> <div></div> <div>M-Series<br/>Forum</div> <div>N-Series<br/>Forum</div> | <div>Tables<br/>204 x 54 - 216 x 78</div> <div></div> <div>M-Series<br/>Forum</div> <div>N-Series<br/>Forum</div> | <div>Tables<br/>228 x 54 - 240 x 84</div> <div></div> <div>M-Series<br/>Forum</div> <div>N-Series<br/>Forum</div> |                                                 |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| <div></div> <div>FP1 - At center</div>             | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP2C - Centered</div>             | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP2 - Equally Spaced</div>        | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP2E - At ends of table</div>     | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP3 - Equally Spaced</div>        | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP4 - Equally Spaced</div>        | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP4A - Symmetrically Spaced</div> | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP5 - Equally Spaced</div>        | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP6 - Equally Spaced</div>        | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |
| <div></div> <div>FP6A - Symmetrically Spaced</div> | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div>                                                                   | <div></div> <div></div> <div></div> <div></div> |

|                                                  | Tables<br>42" w/o<br>-60" w/o                                                     | Tables<br>42" w/o<br>-60" w/o                                                     | Tables<br>66" w/o<br>-72" w/o                                                     | Tables<br>66" w/o<br>-72" w/o                                                     | Tables<br>78" w/o<br>-96" w/o                                                       | Tables<br>78" w/o<br>-96" w/o                                                       |
|--------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                  |  |  |  |  |  |  |
|                                                  | M                                                                                 | N                                                                                 | M                                                                                 | N                                                                                 | M                                                                                   | N                                                                                   |
| Wave Square Round<br><b>FP1 - At center</b>      | •                                                                                 | •                                                                                 | •<br>N/A 42"                                                                      | •<br>N/A 42",<br>48"                                                              | •                                                                                   | •                                                                                   |
| Wave Square Round<br><b>FP2C - Centered</b>      |                                                                                   |                                                                                   |                                                                                   | •<br>N/A 66"                                                                      | •                                                                                   | •                                                                                   |
| Round tables only<br><b>FP3 - Equally Spaced</b> |                                                                                   |                                                                                   |                                                                                   | •                                                                                 | •                                                                                   | •<br>N/A 78"                                                                        |
| Wave Square Round<br><b>FP4 - Equally Spaced</b> |                                                                                   |                                                                                   | N/A 66"                                                                           | •<br>N/A 66"                                                                      | •                                                                                   | •<br>N/A 78"                                                                        |

# DATA/VOICE WIRING OPTIONS



Nienkämper is a **recognized installer** for data systems described in **Vox® Forum products**.

Vox® Forums can be manufactured with several factory wired data systems including "Hubbell", "Leviton", "Siemon", "Belden" and "Legrand/ Ortronics". All of these systems guarantee the highest level of data transmissions.


**Vox® Forum products have been tested by the independent laboratories of these companies and are compliant with all aspects of proper installation and performance.**

Nienkämper recommends the use of these **pre-wired systems** as they offer the **best value, quality** and **safety**.

Options for data/voice connections




- CAT 6A  
(available in custom plate only)



**LEVITON®**

- CAT 5E  
or  
• CAT 6 T568A



**THE SIEMON COMPANY**

- Max® 5E  
or  
• Max® 6 T568A



- CAT 5E  
or  
• CAT 6



- CAT 5E  
or  
• CAT 6

Nienkämper recommends the use of Vox® **pre-wired systems** as they offer the **best value, quality** and **safety** to the consumer.


**Standard Vox Forums** are listed by Underwriters Laboratories Inc. under several categories. These listings qualify a level of safety guaranteed by UL's published standards for safety which UL uses as a benchmark for testing and listing products.

The right to bear the UL mark is contingent on the fact that absolutely no alteration is made to the product as it was submitted and tested by Underwriters Laboratories. This is to ensure that assemblies are not manufactured with inferior or replacement parts; this would void or alter the result of the original examination and tests conducted by UL.

The UL mark is included on a label that is attached to the underside of listed Vox® products. This label includes:

- The date the component was assembled and tested.
- A serial number for tracking purposes.
- The listing category located under the UL mark.
- UL file number that can be used as a reference at UL for any inquiries about the product.

## SAMPLE UL/CSA LABEL



**All listed assemblies have POWER/ELECTRICAL components wired by Nienkämper and undergo the following tests:**

**Production Line Grounding Test - Continuity:** This test checks for grounding continuity between the grounding conductor of the attachment plug and the designated main grounding point including any accessible dead-metal parts of the assembly. There must be grounding continuity between all parts.

**Production-line Dielectric Voltage Withstand Test - Hi-pot:** Each product shall withstand without electrical breakdown, as a routine production-line test, the application of an AC potential at a frequency within the range of 40-70 Hz or a DC potential between the primary wiring, including connected components, and accessible dead metal parts that are likely to become energized. This test is conducted when the product is fully assembled, and cannot be unwired, modified or disassembled afterwards.

**Production-line - Polarity Test:** This test verifies proper electrical polarity of both the grounded (neutral) and the ungrounded (hot) supply circuit conductors of the Forum and all parts intended to be connected to the grounded (neutral) and ungrounded (hot) supply circuit conductors of the attachment plug. Conductivity indications must confirm the correct connection of all parts specified.

# VOX® FORUM CONFIGURATOR


Specifying the “M” and “N” series Vox Forum couldn’t be simpler.

“M” and “N” series Forums can be individually configured online with the “**Vox Forum Configurator**”.

Log onto the Nienkämper website [www.nienkamper.com](http://www.nienkamper.com) and follow the links or simply type [www.vfc3.nienkamper.com](http://www.vfc3.nienkamper.com) in your browser and go straight to this online tool.



Configuring your Forum is easy: simply drag and drop the options you want to build the product you need.





Download this form at [www.nienkamper.com/vfc/forum](http://www.nienkamper.com/vfc/forum)

Modular  
Plate #1

Modular  
Plate #2

Modular  
Plate #3



Base Model # - M - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ -

Modular  
Plate #1

Modular  
Plate #2

Modular  
Plate #3

- Select the modular faceplate required from pages 230-234.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in “CX” as the model number.
- To create a custom modular plate, turn to pages 236.

\$ 630 + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ = \_\_\_\_\_

Base Model  
Cost

Plate #1  
Cost

Plate #2  
Cost

Plate #3  
Cost

Total Forum  
Cost

- Add up the cost.

Use this section when ordering Custom Modular Faceplates

Place your selection of part numbers from page 186.

|                           |     | Position A |   | Position B |   | Position C |
|---------------------------|-----|------------|---|------------|---|------------|
| Custom Modular Plate #1 - | CX1 | - _____    | - | _____      | - | _____      |
| Custom Modular Plate #2 - | CX2 | - _____    | - | _____      | - | _____      |
| Custom Modular Plate #3 - | CX3 | - _____    | - | _____      | - | _____      |

Quote # or Order # : \_\_\_\_\_ Date: \_\_\_\_\_

Approval Signature: \_\_\_\_\_

Download this form at [www.nienkamper.com/vfc/forum](http://www.nienkamper.com/vfc/forum)

Modular Plate #1    Modular Plate #2    Modular Plate #3    Modular Plate #4    Modular Plate #5    Modular Plate #6



- Select the modular faceplate required from pages 230-235.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in "CX" as the model number.
- To create a custom modular plate, turn to pages 236.

Base Model # - N - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

Modular Plate #1    Modular Plate #2    Modular Plate #3    Modular Plate #4    Modular Plate #5    Modular Plate #6

\$ 695 + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ = \_\_\_\_\_

Base Model Cost    Plate #1 Cost    Plate #2 Cost    Plate #3 Cost    Plate #4 Cost    Plate #5 Cost    Plate #6 Cost    Total Forum Cost

- Add up the cost.

## Use this section when ordering Custom Modular Faceplates

Place your selection of part number from page 186 in the desired location below.

|                      | Position A  | Position B | Position C |
|----------------------|-------------|------------|------------|
| Custom Modular Plate | CX1 - _____ | - _____    | - _____    |
| Custom Modular Plate | CX2 - _____ | - _____    | - _____    |
| Custom Modular Plate | CX3 - _____ | - _____    | - _____    |
| Custom Modular Plate | CX4 - _____ | - _____    | - _____    |
| Custom Modular Plate | CX5 - _____ | - _____    | - _____    |
| Custom Modular Plate | CX6 - _____ | - _____    | - _____    |

Quote # or Order # : \_\_\_\_\_ Date: \_\_\_\_\_

Approval Signature: \_\_\_\_\_

# "M & N" SERIES VOX® FORUM – MODULAR FACEPLATES



SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA



| Model Number | List Price | Pre Wired – All Cords Terminated With Male Plugs |
|--------------|------------|--------------------------------------------------|
| <b>0E</b>    | <b>395</b> | <b>2 - Hubbell Cat5e Data, 10' Cord</b>          |
| 1E           | 795        | 2 - Hubbell Cat6 Data, 10' Cord                  |
| <b>2E</b>    | <b>585</b> | <b>2 - Leviton Cat5e Data, 10' Cord</b>          |
| 3E           | 795        | 2 - Leviton Cat6 Data, 10' Cord                  |
| <b>4E</b>    | <b>585</b> | <b>2 - Siemon Cat5e Data, 16' Cord</b>           |
| 5E           | 795        | 2 - Siemon Cat6 Data, 16' Cord                   |
| <b>6E</b>    | <b>585</b> | <b>2 - Belden Cat5e Data, 10' Cord</b>           |
| 7E           | 795        | 2 - Belden Cat6 Data, 10' Cord                   |
| <b>8E</b>    | <b>695</b> | <b>2 - Ortronics Cat5e Data, 10' Cord</b>        |
| 9E           | 785        | 2 - Ortronics Cat6 Data, 10' Cord                |

| Model Number | List Price | Site Wired – Only Jacks Supplied                      |
|--------------|------------|-------------------------------------------------------|
| <b>0B</b>    | <b>350</b> | <b>2 - Hubbell Cat5e Data, Site Wiring Required</b>   |
| 1B           | 490        | 2 - Hubbell Cat6 Data, Site Wiring Required           |
| <b>2B</b>    | <b>350</b> | <b>2 - Leviton Cat5e Data, Site Wiring Required</b>   |
| 3B           | 490        | 2 - Leviton Cat6 Data, Site Wiring Required           |
| <b>4B</b>    | <b>350</b> | <b>2 - Siemon Cat5e Data, Site Wiring Required</b>    |
| 5B           | 490        | 2 - Siemon Cat6 Data, Site Wiring Required            |
| <b>6B</b>    | <b>350</b> | <b>2 - Belden Cat5e Data, Site Wiring Required</b>    |
| 7B           | 490        | 2 - Belden Cat6 Data, Site Wiring Required            |
| <b>8B</b>    | <b>350</b> | <b>2 - Ortronics Cat5e Data, Site Wiring Required</b> |
| 9B           | 435        | 2 - Ortronics Cat6 Data, Site Wiring Required         |

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 1-DATA, 1-VOICE



| Model Number | List Price | Pre Wired – All Cords Terminated With Male Plugs               |
|--------------|------------|----------------------------------------------------------------|
| <b>0K</b>    | <b>365</b> | <b>1 - Hubbell Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b>   |
| 1K           | 585        | 1 - Hubbell Cat6 Data & 1-Rj45 Voice - 10' Cords               |
| <b>2K</b>    | <b>605</b> | <b>1 - Leviton Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b>   |
| 3K           | 700        | 1 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords               |
| <b>4K</b>    | <b>605</b> | <b>1 - Siemon Cat5e Data &amp; 1-Rj45 Voice - 16' Cords</b>    |
| 5K           | 700        | 1 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords                |
| <b>6K</b>    | <b>605</b> | <b>1 - Belden Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b>    |
| 7K           | 700        | 1 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords                |
| <b>8K</b>    | <b>595</b> | <b>1 - Ortronics Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b> |
| 9K           | 640        | 1 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords             |

| Model Number | List Price | Site Wired – Only Jacks Supplied                                |
|--------------|------------|-----------------------------------------------------------------|
| <b>0J</b>    | <b>325</b> | <b>1 - Hubbell Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>   |
| 1J           | 375        | 1 - Hubbell Cat6 Data & 1-Rj45 Voice - Site Wired               |
| <b>2J</b>    | <b>350</b> | <b>1 - Leviton Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>   |
| 3J           | 410        | 1 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired               |
| <b>4J</b>    | <b>350</b> | <b>1 - Siemon Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>    |
| 5J           | 410        | 1 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired                |
| <b>6J</b>    | <b>350</b> | <b>1 - Belden Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>    |
| 7J           | 410        | 1 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired                |
| <b>8J</b>    | <b>350</b> | <b>1 - Ortronics Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b> |
| 9J           | 400        | 1 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired             |

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 3-DATA



| Model Number | List Price   | Pre Wired – All Cords Terminated With Male Plugs |
|--------------|--------------|--------------------------------------------------|
| <b>0F</b>    | <b>545</b>   | <b>3 - Hubbell Cat5e Data, 10' Cord</b>          |
| 1F           | 1,150        | 3 - Hubbell Cat6 Data, 10' Cord                  |
| <b>2F</b>    | <b>815</b>   | <b>3 - Leviton Cat5e Data, 10' Cord</b>          |
| 3F           | 1,150        | 3 - Leviton Cat6 Data, 10' Cord                  |
| <b>4F</b>    | <b>815</b>   | <b>3 - Siemon Cat5e Data, 16' Cord</b>           |
| 5F           | 1,150        | 3 - Siemon Cat6 Data, 16' Cord                   |
| <b>6F</b>    | <b>815</b>   | <b>3 - Belden Cat5e Data, 10' Cord</b>           |
| 7F           | 1,150        | 3 - Belden Cat6 Data, 10' Cord                   |
| <b>8F</b>    | <b>1,015</b> | <b>3 - Ortronics Cat5e Data, 10' Cord</b>        |
| 9F           | 1,135        | 3 - Ortronics Cat6 Data, 10' Cord                |


| Model Number | List Price | Site Wired – Only Jacks Supplied                      |
|--------------|------------|-------------------------------------------------------|
| <b>0C</b>    | <b>470</b> | <b>3 - Hubbell Cat5e Data, Site Wiring Required</b>   |
| 1C           | 685        | 3 - Hubbell Cat6 Data, Site Wiring Required           |
| <b>2C</b>    | <b>470</b> | <b>3 - Leviton Cat5e Data, Site Wiring Required</b>   |
| 3C           | 685        | 3 - Leviton Cat6 Data, Site Wiring Required           |
| <b>4C</b>    | <b>470</b> | <b>3 - Siemon Cat5e Data, Site Wiring Required</b>    |
| 5C           | 685        | 3 - Siemon Cat6 Data, Site Wiring Required            |
| <b>6C</b>    | <b>470</b> | <b>3 - Belden Cat5e Data, Site Wiring Required</b>    |
| 7C           | 685        | 3 - Belden Cat6 Data, Site Wiring Required            |
| <b>8C</b>    | <b>470</b> | <b>3 - Ortronics Cat5e Data, Site Wiring Required</b> |
| 9C           | 625        | 3 - Ortronics Cat6 Data, Site Wiring Required         |

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA, 1-VOICE



| Model Number | List Price   | Pre Wired – All Cords Terminated With Male Plugs               |
|--------------|--------------|----------------------------------------------------------------|
| <b>0M</b>    | <b>490</b>   | <b>2 - Hubbell Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b>   |
| 1M           | 905          | 2 - Hubbell Cat6 Data & 1-Rj45 Voice - 10' Cords               |
| <b>2M</b>    | <b>815</b>   | <b>2 - Leviton Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b>   |
| 3M           | 1,025        | 2 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords               |
| <b>4M</b>    | <b>815</b>   | <b>2 - Siemon Cat5e Data &amp; 1-Rj45 Voice - 16' Cords</b>    |
| 5M           | 1,025        | 2 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords                |
| <b>6M</b>    | <b>815</b>   | <b>2 - Belden Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b>    |
| 7M           | 1,025        | 2 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords                |
| <b>8M</b>    | <b>1,015</b> | <b>2 - Ortronics Cat5e Data &amp; 1-Rj45 Voice - 10' Cords</b> |
| 9M           | 1,095        | 2 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords             |

| Model Number | List Price | Site Wired – Only Jacks Supplied                                |
|--------------|------------|-----------------------------------------------------------------|
| <b>0L</b>    | <b>420</b> | <b>2 - Hubbell Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>   |
| 1L           | 585        | 2 - Hubbell Cat6 Data & 1-Rj45 Voice - Site Wired               |
| <b>2L</b>    | <b>470</b> | <b>2 - Leviton Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>   |
| 3L           | 625        | 2 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired               |
| <b>4L</b>    | <b>470</b> | <b>2 - Siemon Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>    |
| 5L           | 625        | 2 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired                |
| <b>6L</b>    | <b>470</b> | <b>2 - Belden Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b>    |
| 7L           | 625        | 2 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired                |
| <b>8L</b>    | <b>460</b> | <b>2 - Ortronics Cat5e Data &amp; 1-Rj45 Voice - Site Wired</b> |
| 9L           | 585        | 2 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired             |



## SINGLE MODULE FACEPLATE - POWER RECEPTACLES:


| Model Number | List Price |
|--------------|------------|
| 1P           | 605        |
| 1P- SW       | 625        |

### DESCRIPTION

Single module faceplate contains the following: 2 power receptacles 15A 120V pre wired with 10' cord and plug. Includes 12.5 amp overload protector.

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required

**\*Face plate formerly labeled 2P has been changed to 1P-SW.**




## SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

| Model Number | List Price |
|--------------|------------|
| 2P           | 1,255      |
| 2P- SW       | 1,225      |

### DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With Surge Suppressor -, 240 joules/ 15000a per mode and light. Prewired with 10' cord and plug.

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With surge suppressor, 240 joules/ 15000a per mode and light. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required



## SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

| Model Number | List Price |
|--------------|------------|
| 3P           | 1,040      |
| 3P- SW       | 1,010      |

### DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With 2 USB ports 3 Amp/ 5VDC Type a 2.0. Pre wired with 10' cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With 2 USB ports 3 Amp/ 5VDC Type a 2.0. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required



## SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

| Model Number | List Price |
|--------------|------------|
| 4P           | 1,200      |
| 4P- SW       | 1,155      |

### DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With USB A + C charging (5V, 5A) 55W. Pre wired with 10' cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With USB A + C charging (5V, 5A) 55W. With 36" metallic shielded cable wired to receptacle. Site connection to power source required



SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

| Model Number | List Price |
|--------------|------------|
| 5P           | 1,380      |
| 5P- SW       | 1,335      |

DESCRIPTION

Single module faceplate contains the following: 1 duplex power receptacle 15A-120V, with USB C+C charging (5V, 5A) 55W and pre wired 10' cord

Single module faceplate contains the following: 1 duplex power receptacle 15A-120V, with USB C+C charging (5V, 5A) 55W and 36" metallic shielded cable wired to receptacle. Site connection to power source required.



SINGLE MODULE FACEPLATE:


| Model Number | List Price | Pre Wired – All Cords Terminated With Male Plugs |
|--------------|------------|--------------------------------------------------|
| OT           | 515        | 1 - Hubbell Cat5e Data, 10' Cord                 |
| 1T           | 700        | 1 - Hubbell Cat6 Data, 10' Cord                  |
| 2T           | 605        | 1 - Leviton Cat5e Data, 10' Cord                 |
| 3T           | 700        | 1 - Leviton Cat6 Data, 10' Cord                  |
| 4T           | 605        | 1 - Siemon Cat5e Data, 16' Cord                  |
| 5T           | 700        | 1 - Siemon Cat6 Data, 16' Cord                   |
| 6T           | 605        | 1 - Belden Cat5e Data, 10' Cord                  |
| 7T           | 700        | 1 - Belden Cat6 Data, 10' Cord                   |
| 8T           | 675        | 1 - Ortronics Cat5e Data, 10' Cord               |
| 9T           | 695        | 1 - Ortronics Cat6 Data, 10' Cord                |

DESCRIPTION

Single module faceplate contains the following:

- 1 - HD-DB15 (female) with 18" cord and male plug.
- 1 - 3.5mm stereo with 18" cord and male plug.
- 1 - DATA (OT-9T) with 10' cord and male plug.

# "M & N" SERIES VOX® FORUM – MODULAR FACEPLATES



| Model Number | List Price |
|--------------|------------|
| 1V           | 125        |
| 2V           | 125        |
| 3V           | 125        |


## SINGLE MODULE FACEPLATE:

### DESCRIPTION

Single module split plate assembly contains the following: 3 cutouts - inside diameter sizes - 3/8", 1/2", 5/8" for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 3/8" for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 1/2" for pass-through cable requirements.



single module


double module

## BLANK FACEPLATES:

### DESCRIPTION

Single module blank faceplate

Double module blank faceplate



single module  
vertical  
alignment

double module  
horizontal alignment


## EXTRON "AAP" SERIES

### DESCRIPTION

Single module adopter  
-holds two Extron "AAP" modules in vertical position

Double module adopter  
-holds four Extron "AAP" modules in horizontal position

Please refer to your Extron product catalogue for specific "AAP" module model numbers available



single module

double module

| Model Number | List Price |
|--------------|------------|
| 8X           | 125        |
| 9X-9X        | 150        |

## DECORA® INSERT PLATES

Single module, holds 1 Decora style insert (supplied by others)


Double module, holds 2 Decora style inserts (supplied by others)

# "M & N" SERIES VOX® FORUM – MODULAR FACEPLATES




## EXTRON RETRACTOR FACEPLATE/RETRACTOR INCLUDED:

(Note: Retractors provided; choose from list below)


| 5R                                                                               | 6R-6R                                                                             | Model Number | List Price |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|------------|
|  |  | 5R           | 470        |
|                                                                                  |                                                                                   | 6R-6R        | 650        |




5R Retractor Faceplate with R-01 VGA Retractor Series II



5R Retractor Faceplate with R-02 3.5mm Audio Retractor Series II



5R Retractor Faceplate with R-03 Data-CAT 6 Retractor Series II



5R Retractor Faceplate with R-04 HDMI Retractor Series II




5R Retractor Faceplate with R-05 USB (signal) Retractor Series II



5R Retractor Faceplate with R-06 VGA & Audio Retractor Series II

## EXTRON RETRACTOR OPTIONS:


| Model Number | List Price   | Description                                                                        |
|--------------|--------------|------------------------------------------------------------------------------------|
| RA-02        | 280          | Blank filler plate                                                                 |
| SERIES 2     |              |                                                                                    |
| <b>R-01</b>  | <b>1,560</b> | <b>VGA - Retractor series II - with 36" long cord</b>                              |
| R-02         | 1,560        | 3.5mm audio - retractor series II - with 36" long cord                             |
| <b>R-03</b>  | <b>1,560</b> | <b>Data - CAT 6 - retractor series II - with 36" long cord</b>                     |
| R-04         | 1,560        | HDMI - retractor series II - with 36" long cord                                    |
| <b>R-05</b>  | <b>1,560</b> | <b>USB (signal) - retractor series II - with 36" long cord / USB-A to USB-A</b>    |
| R-06         | 1,730        | VGA & audio - retractor series II - with 36" long cord / VGA M-M & 3.5mm audio     |
| SERIES 2 XL  |              |                                                                                    |
| <b>R-07</b>  | <b>1,730</b> | <b>VGA - Retractor series II XL - with 60" long cord</b>                           |
| R-08         | 1,730        | 3.5mm audio - retractor series II XL - with 60" long cord                          |
| <b>R-09</b>  | <b>1,730</b> | <b>Data - CAT 6 - retractor series II XL - with 60" long cord</b>                  |
| R-10         | 1,730        | HDMI - retractor series II XL - with 60" long cord                                 |
| <b>R-11</b>  | <b>1,730</b> | <b>USB (signal) - retractor series II XL - with 60" long cord / USB-A to USB-A</b> |
| R-12         | 1,905        | VGA & audio - retractor series II XL - with 60" long cord / VGA M-M & 3.5mm audio  |



| Model Number | List Price |
|--------------|------------|
| 7R           | 370        |
| 8R-8R        | 555        |

EXTRON RETRACTOR FACEPLATE/RETRACTOR NOT INCLUDED:  
(Note: Retractors to be provided and installed by others)

| DESCRIPTION                                      |
|--------------------------------------------------|
| Single faceplate holds 1 Extron Retractor        |
| Double faceplate holds up to 3 Extron Retractors |



SINGLE CUSTOM MODULE FACEPLATE (SEE BELOW)

| Model Number | List Price |
|--------------|------------|
| CX           | 105        |

| DESCRIPTION                                         |
|-----------------------------------------------------|
| To build your Forum, select fittings from page 186. |

HOW TO ORDER

1. From the list of jacks select the part number that describes your selection
2. Place the part number in one of three positions on the faceplate illustration "A", "B", or "C".
3. Fill in the associated List \$ of each fitting - total the cost.
4. Fill in the model number and transfer it to the proper position on the Forum order page 179 (6" Forum) or page 180 (12" Forum).
5. Add each modular plate price to complete the total Vox Forum list price.

Complete this for each custom plate required.

Position A

Position B

Position C

Fitting Cost

-

-

-

+ \$105.00 plate cost

Total Cost

Position A

Position B

Position C

Model Number

CX -

-

-

# "M & N" SERIES VOX® FORUM FACEPLATE

## CUSTOM MODULE ORDER FORM



**Part Number Pre- Wired List Price**



|            |                                         |            |
|------------|-----------------------------------------|------------|
| <b>A0</b>  | <b>Hubbell - CAT 5E Data - 10' Cord</b> | <b>255</b> |
| A1         | Hubbell - CAT 6 Data - 10' Cord         | 460        |
| <b>A1A</b> | <b>Hubbell CAT 6A Data - 10' Cord</b>   | <b>655</b> |



|            |                                         |            |
|------------|-----------------------------------------|------------|
| <b>A2</b>  | <b>Leviton - CAT 5E Data - 10' Cord</b> | <b>365</b> |
| A3         | Leviton - CAT 6 Data - 10' Cord         | 460        |
| <b>A3A</b> | <b>Leviton - CAT 6A Data - 10' Cord</b> | <b>730</b> |



|            |                                        |            |
|------------|----------------------------------------|------------|
| <b>A4</b>  | <b>Siemon - CAT 5E Data - 16' Cord</b> | <b>365</b> |
| A5         | Siemon - CAT 6 Data - 16' Cord         | 460        |
| <b>A5A</b> | <b>Siemon - CAT 6A Data - 16' Cord</b> | <b>625</b> |



|            |                                        |            |
|------------|----------------------------------------|------------|
| <b>A6</b>  | <b>Beldon - CAT 5E Data - 10' Cord</b> | <b>365</b> |
| A7         | Beldon - Cat 6 Data - 10' Cord         | 460        |
| <b>A7A</b> | <b>Beldon - CAT 6A Data - 10' Cord</b> | <b>615</b> |



|            |                                           |            |
|------------|-------------------------------------------|------------|
| <b>A8</b>  | <b>Ortronics - CAT 5E Data - 10' Cord</b> | <b>410</b> |
| A9         | Ortronics - CAT 6 Data - 10' Cord         | 455        |
| <b>A9A</b> | <b>Ortronics - CAT 6A Data - 10' Cord</b> | <b>640</b> |



|   |                            |     |
|---|----------------------------|-----|
| B | Hubbell - Voice - 10' Cord | 190 |
|---|----------------------------|-----|



|    |                            |     |
|----|----------------------------|-----|
| B1 | Leviton - Voice - 10' Cord | 365 |
|----|----------------------------|-----|



|    |                           |     |
|----|---------------------------|-----|
| B2 | Siemon - Voice - 10' Cord | 365 |
|----|---------------------------|-----|



|    |                                |     |
|----|--------------------------------|-----|
| B3 | Belden/ CDT - Voice - 10' Cord | 365 |
|----|--------------------------------|-----|



|    |                              |     |
|----|------------------------------|-----|
| B4 | Ortronics - Voice - 10' Cord | 410 |
|----|------------------------------|-----|



|   |                          |     |
|---|--------------------------|-----|
| C | Audio - 3.5mm - 18" Cord | 185 |
|---|--------------------------|-----|



|   |                    |     |
|---|--------------------|-----|
| G | HD-DB15 - 18" Cord | 290 |
|---|--------------------|-----|



|   |                |     |
|---|----------------|-----|
| H | USB - 24" Cord | 225 |
|---|----------------|-----|



|    |                       |     |
|----|-----------------------|-----|
| HB | USB Type B - 24" Cord | 175 |
|----|-----------------------|-----|



|    |                 |     |
|----|-----------------|-----|
| HD | HDMI - 24" Cord | 310 |
|----|-----------------|-----|



|    |                          |     |
|----|--------------------------|-----|
| J1 | XLR / 3 Pin / - 18" Cord | 330 |
|----|--------------------------|-----|

**Part Number Site- Wired List Price**



|             |                                        |            |
|-------------|----------------------------------------|------------|
| <b>AX</b>   | <b>Hubbell - CAT 5E Data - No Cord</b> | <b>200</b> |
| A1X         | Hubbell - CAT 6 Data - No Cord         | 310        |
| <b>A1AX</b> | <b>Hubbell - CAT 6A Data - No Cord</b> | <b>330</b> |



|             |                                        |            |
|-------------|----------------------------------------|------------|
| <b>A2X</b>  | <b>Leviton - CAT 5E Data - No Cord</b> | <b>200</b> |
| A3X         | Leviton- CAT 6 Data - No Cord          | 310        |
| <b>A3AX</b> | <b>Leviton- CAT 6A Data - No Cord</b>  | <b>370</b> |



|             |                                       |            |
|-------------|---------------------------------------|------------|
| <b>A4X</b>  | <b>Siemon - CAT 5E Data - No Cord</b> | <b>200</b> |
| A5X         | Siemon - CAT 6 Data - No Cord         | 310        |
| <b>A5AX</b> | <b>Siemon - CAT 6A Data - No Cord</b> | <b>330</b> |



|             |                                       |            |
|-------------|---------------------------------------|------------|
| <b>A6X</b>  | <b>Beldon - CAT 5E Data - No Cord</b> | <b>200</b> |
| A7X         | Beldon - CAT 6 Data - No Cord         | 310        |
| <b>A7AX</b> | <b>Beldon - CAT 6A Data - No Cord</b> | <b>330</b> |



|             |                                          |            |
|-------------|------------------------------------------|------------|
| <b>A8X</b>  | <b>Ortronics - CAT 5E Data - No Cord</b> | <b>200</b> |
| A9X         | Ortronics - CAT 6 Data - No Cord         | 290        |
| <b>A9AX</b> | <b>Ortronics - CAT 6A Data - No Cord</b> | <b>315</b> |
| A11AX       | Hubbell - CAT 6A Data - No Cord          | 330        |



|    |                           |     |
|----|---------------------------|-----|
| BX | Hubbell - Voice - No Cord | 175 |
|----|---------------------------|-----|



|     |                          |     |
|-----|--------------------------|-----|
| B1X | Leviton- Voice - No Cord | 200 |
|-----|--------------------------|-----|



|     |                          |     |
|-----|--------------------------|-----|
| B2X | Siemon - Voice - No Cord | 200 |
|-----|--------------------------|-----|



|     |                          |     |
|-----|--------------------------|-----|
| B3X | Beldon - Voice - No Cord | 200 |
|-----|--------------------------|-----|



|     |                             |     |
|-----|-----------------------------|-----|
| B4X | Ortronics - Voice - No Cord | 200 |
|-----|-----------------------------|-----|

|   |                                    |     |
|---|------------------------------------|-----|
| O | Custom Fitting -No Cord Sample Req | 145 |
|---|------------------------------------|-----|

|   |                             |  |
|---|-----------------------------|--|
| P | Empty / No Fitting Required |  |
|---|-----------------------------|--|

**FACEPLATE CONNECTIONS ARE FEMALE, SUPPLY CORD PLUGS ARE MALE.  
DB9 FACEPLATE FITTINGS ARE MALE, DB9 SUPPLY CORD PLUGS ARE FEMALE.**

THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED OR DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER INTERNATIONAL INC.



**VOX® DOUBLE SIDED FORUM**

# INTRODUCTION



## Standard Features

The Vox® Double-Sided Forum features a multi-directional hinged lid, providing access from either side of the table. The Forum sits flush with the tabletop, and the lid matches the work surface finish. A thin aluminum bezel lines the cutout in both the tabletop and lid for added durability and a color detail.

The Vox® Double-Sided Forum is available in a 4-module configuration. Modules can be specified as Power/Charging, Data/AV, Split Plates, or Retractors. Modules can be swapped or repositioned on site if your power or AV requirements change.

Power modules include:

3 simplexes, or 2 simplexes with USB-A or USB-C charging

Power units are available with a pre-wired cord, hardwired feed, or daisy-chain feed.

Data/AV plates contain 4 fittings. Individual fittings can be swapped out, or the entire plate can be replaced on site as needed.

## FINISHES

The Vox® Double-Sided Forum is constructed from sturdy aluminum and finished with a durable powder coat. The body is available in Black, Gray, or White powder coat. The lid is matched to the veneer, plastic laminate or engineered stone used on the tabletop for a seamless look.

Custom powder coat colors are available upon request; please note that this may affect pricing and lead times. Contact Nienkamper Customer Service at **800.668.9318**.



BLACK



GRAY




WHITE



CUSTOM

# VOX® DOUBLE SIDED FORUM - ORDER FORM

THE VOX® DOUBLE SIDED FORUM HAS 4 PORTS THAT CAN BE POPULATED WITH VARIOUS FACE PLATES.



Base Model# - G-


|         |   |         |   |         |   |         |
|---------|---|---------|---|---------|---|---------|
| _____   | - | _____   | - | _____   | - | _____   |
| PLATE 1 |   | PLATE 2 |   | PLATE 3 |   | PLATE 4 |

- Select the modular faceplate required from pages 241-243.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in "CX" as the model number.

|                 |   |               |   |               |   |               |   |               |   |       |
|-----------------|---|---------------|---|---------------|---|---------------|---|---------------|---|-------|
| \$970           | + | _____         | + | _____         | + | _____         | + | _____         | = | _____ |
| BASE MODEL COST |   | PLATE #1 COST |   | PLATE #2 COST |   | PLATE #3 COST |   | PLATE #4 COST |   |       |

Add up the cost

\*Base model cost includes finished veneer or plastic laminate lid.



# POWER FACEPLATES

## DS-1P



| Model Number | List Price |
|--------------|------------|
| DS-1P        | \$265      |
| DS-1P-SW     | \$300      |
| DS-1P-4T     | \$295      |

### DESCRIPTION

- Single module faceplate contains 3 power receptacles 15A 120V
- Pre wired with a 10' cord.
- Site wired with a 72" metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

## DS-2P



| Model Number | List Price |
|--------------|------------|
| DS-2P        | \$365      |
| DS-2P-SW     | \$410      |
| DS-2P-4T     | \$400      |

### DESCRIPTION

- Single module faceplate contains 2 power receptacles 15A 120V,
- 2 USB-A, with 2 Amps per port.
- Pre wired with a 10' cord.
- Site wired with a 72" metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

# POWER FACEPLATES

## DS-3P




| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| DS-3P        | \$365      |
| DS-3P-SW     | \$410      |
| DS-3P-4T     | \$400      |

### DESCRIPTION

- Single module faceplate contains 2 power receptacles 15A 120V,
- USB-A+C, with 2 Amps per port 18W.
- Pre wired with a 10' cord.
- Site wired with a 72" metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

## DS-4P



| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| DS-4P        | \$555      |
| DS-4P-SW     | \$605      |
| DS-4P-4T     | \$595      |


### DESCRIPTION

- Single module faceplate contains 1 power receptacle 15A 120V,
- 1 USB-C, with 60W
- Pre wired with a 10' cord.
- Site wired with a 72" metallic shielded cable.
- Site connection to power source required.
- Comes with a daisy chain wire system that runs on two circuits
- Site connection to power source required.

# SPLIT PLATE

---

## DS-SP



| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| DS-SP        | \$100      |
| PLATE ONLY   |            |


### DESCRIPTION

- Split plate has 2 openings that are 3/8" diameter and 2 openings at 7/16" diameter.

# BLANK PLATE

---

## DS-BP




| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| DS-BP        | \$100      |
| PLATE ONLY   |            |

### DESCRIPTION

- Blank plate used as filler within Forum.

# CUSTOM AV/DATA FACE-PLATES

## DS-CX



MODEL NUMBER

POSITION A

POSITION B

POSITION C

POSITION D

+ \$100 PLATE COST

### DESCRIPTION

The CX plate has 4 spaces for fittings and can be used in any position in the forum.

### CX-

MODEL  
NUMBER

POSITION  
A

POSITION  
B

POSITION  
C

POSITION  
D



A5 \$190

SIEMON CAT 6 data fitting with 10' connector cable (Female to Male)



C \$95

Audio- 3.5mm Mini stereo Jack with 10' cord (Female to Male)



H \$145

USB port 3.0 with 10' cord (Female to Male)



G \$205

DB15HD, VGA connector, 10' cord (Female to Male)



HD \$205

HDMI coupler (female to female) with 18" cord



B \$70

Blank Plate




O \$70

Open port for clients own data fitting. Each port selected will be supplied with one set of data adapter kit.

# RETRACTOR FACE-PLATES


## DS-6R



| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| DS-6R        | \$100      |
| PLATE ONLY   |            |

### DESCRIPTION

- Extron Retractor faceplate fits 3 Extron retractors. The 6R retractor faceplate can only be placed in position 1 and 4 on the G forum.
- Retractors can be bought through Nienkämper or Users can supply there own Extron retractor components. \*See page 246 for req'd Filler Module.
- Note: This plate holds 3 Extron Retractors. Any spot not using a retractor will require a filler module. If client is supplying there own retractors order filler model #70-1065-35.



| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| R-01         | \$1,560    |
| R-02         | \$1,560    |
| R-03         | \$1,560    |
| R-04         | \$1,560    |
| R-05         | \$1,560    |
| R-06         | \$1,730    |
| R-01 - XL    | \$1,670    |
| R-02 - XL    | \$1,670    |
| R-03 - XL    | \$1,670    |
| R-04 - XL    | \$1,670    |
| R-05 - XL    | \$1,670    |
| R-06 - XL    | \$1,840    |

### DESCRIPTION

- R-01: VGA - Retractor series II - with 36" long cord.
- R-02: 3.5mm audio - retractor series II - with 36" long cord
- R-03: Data - CAT 6 - retractor series II - with 36" long cord
- R-04: HDMI - retractor series II - with 36" long cord
- R-05: USB (signal) - retractor series II - with 36" long cord / USB-A to USB-A
- R-06: VGA & audio - retractor series II - with 36" long cord / VGA M-M & 3.5mm audio
- R-01 - XL: VGA - Retractor series II - with 60" long cord.
- R-02 - XL: 3.5mm audio - retractor series II - with 60" long cord
- R-03 - XL: Data - CAT 6 - retractor series II - with 60" long cord
- R-04 - XL: HDMI - retractor series II - with 60" long cord
- R-05 - XL: USB (signal) - retractor series II - with 60" long cord / USB-A to USB-A
- R-06 - XL: VGA & audio - retractor series II - with 60" long cord / VGA M-M & 3.5mm audio

# SPLIT PLATE

---

## DS-FM



| MODEL NUMBER | LIST PRICE |
|--------------|------------|
| DS-FM        | \$190      |

**DESCRIPTION**

- A Filler Module is required if less than 3 Extron retractors are ordered on each Plate 1 & Plate 4.
- A Filler Module is required for clients supplying their own retractors.

## FORUMS

### M & N SERIES FORUM

M & N Series Forum are available in a wide range of configurations for power, data and audio/video requirement. Configure your require M & N Series Forum on our web site at this link [www.nienkämper.com/vfc](http://www.nienkämper.com/vfc)



### SIMPLE POP UP FORUM - Single sided (Surface mounted)

List Price

#### Pre-configured SIMPLE Pop Up Forum

|               |                              |                                                                      |    |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
|---------------|------------------------------|----------------------------------------------------------------------|----|----|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Model # 85190 | pre-wired power<br>(2 ports) | <table><tr><td>1P</td><td>1P</td></tr></table>                       | 1P | 1P | cutout dimension: 5"W x 4"D<br>2 x pre-wired power with 10ft cord | \$660                                                                                                                                              |                                                                                                                                                |       |
| 1P            | 1P                           |                                                                      |    |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
| Model # 85191 | pre-wired power<br>(3 ports) | <table><tr><td>1P</td><td>1P</td><td>1P</td></tr></table>            | 1P | 1P | 1P                                                                | cutout dimension: 6 1/2"W x 4"D<br>3 x pre-wired power with 10ft cord                                                                              | \$680                                                                                                                                          |       |
| 1P            | 1P                           | 1P                                                                   |    |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
| Model # 85193 | pre-wired power<br>(3 ports) | <table><tr><td>1P</td><td>1P</td><td>A5</td></tr></table>            | 1P | 1P | A5                                                                | cutout dimension: 6 1/2"W x 4"D<br>2 x pre-wired power with 10ft cord<br>1 x Siemon CAT6 data with 10ft cord                                       | \$810                                                                                                                                          |       |
| 1P            | 1P                           | A5                                                                   |    |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
| Model # 85197 | pre-wired power<br>(4 ports) | <table><tr><td>1P</td><td>1P</td><td>O</td></tr></table>             | 1P | 1P | O                                                                 | cutout dimension: 6 1/2"W x 4"D<br>2 x pre-wired power with 10ft cord<br>1 x open port / data adapter to fit in client's own data fitting and cord | \$680                                                                                                                                          |       |
| 1P            | 1P                           | O                                                                    |    |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
| Model # 85194 | pre-wired power<br>(3 ports) | <table><tr><td>1P</td><td>1P</td><td>2U</td></tr></table>            | 1P | 1P | 2U                                                                | cutout dimension: 6 1/2"W x 4"D<br>2 x pre-wired power with 10ft cord<br>2 x USB-A+C charger (stacked)                                             | \$775                                                                                                                                          |       |
| 1P            | 1P                           | 2U                                                                   |    |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
| Model # 85196 | pre-wired power<br>(4 ports) | <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr></table> | 1P | 1P | A5                                                                | A5                                                                                                                                                 | cutout dimension: 8"W x 4"D<br>2 x pre-wired power with 10ft cord<br>2 x Siemon CAT6 data with 10ft cord                                       | \$930 |
| 1P            | 1P                           | A5                                                                   | A5 |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |
| Model # 85198 | pre-wired power<br>(4 ports) | <table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td></tr></table>   | 1P | 1P | O                                                                 | O                                                                                                                                                  | cutout dimension: 8"W x 4"D<br>2 x pre-wired power with 10ft cord<br>2 x open port / data adapter to fit in client's own data fitting and cord | \$710 |
| 1P            | 1P                           | O                                                                    | O  |    |                                                                   |                                                                                                                                                    |                                                                                                                                                |       |

## FORUMS

|               |                              |                                                                                                                                                                                                                                                                                                                       | List Price |    |    |    |       |    |         |
|---------------|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----|----|----|-------|----|---------|
| Model # 85199 | pre-wired power<br>(4 ports) | <table><tr><td>1P</td><td>1P</td><td>2U</td><td>HD</td></tr></table> <p>cutout dimension: 8"W x 4"D<br/>2 x pre-wired power with 10ft cord<br/>2 x USB-A+C charger (stacked)<br/>1 x HDMI coupler with 18" cord</p>                                                                                                   | 1P         | 1P | 2U | HD | \$955 |    |         |
| 1P            | 1P                           | 2U                                                                                                                                                                                                                                                                                                                    | HD         |    |    |    |       |    |         |
| Model # 85200 | pre-wired power<br>(4 ports) | <table><tr><td>1P</td><td>1P</td><td>2U</td><td>O</td></tr></table> <p>cutout dimension: 8"W x 4"D<br/>2 x pre-wired power with 10ft cord<br/>2 x USB-A+C charger (stacked)<br/>1 x open port / data adapter to fit in client's own data fitting and cord</p>                                                         | 1P         | 1P | 2U | O  | \$830 |    |         |
| 1P            | 1P                           | 2U                                                                                                                                                                                                                                                                                                                    | O          |    |    |    |       |    |         |
| Model # 85202 | pre-wired power<br>(6 ports) | <table><tr><td>1P</td><td>1P</td><td>2U</td><td>HD</td><td>A5</td><td>A5</td></tr></table> <p>cutout dimension: 11"W x 4"D<br/>2 x pre-wired power with 10ft cord<br/>2 x USB-A+C charger (stacked)<br/>1 x HDMI coupler with 18" cord<br/>2 x Siemon CAT6 data with 10ft cord</p>                                    | 1P         | 1P | 2U | HD | A5    | A5 | \$1,290 |
| 1P            | 1P                           | 2U                                                                                                                                                                                                                                                                                                                    | HD         | A5 | A5 |    |       |    |         |
| Model # 85203 | pre-wired power<br>(6 ports) | <table><tr><td>1P</td><td>1P</td><td>2U</td><td>HD</td><td>O</td><td>O</td></tr></table> <p>cutout dimension: 11"W x 4"D<br/>2 x pre-wired power with 10ft cord<br/>2 x USB-A+C charger (stacked)<br/>1 x HDMI coupler with 18" cord<br/>2 x open port/ data adapter to fit in client's own data fitting and cord</p> | 1P         | 1P | 2U | HD | O     | O  | \$1,030 |
| 1P            | 1P                           | 2U                                                                                                                                                                                                                                                                                                                    | HD         | O  | O  |    |       |    |         |



SIMPLE POP UP FORUM – DOUBLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Pop Up Forum

|               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |    |    |    |         |    |         |    |         |
|---------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|----|----|---------|----|---------|----|---------|
| Model # 85205 | pre-wired power<br>(each side - 2 ports) | Side A: <table><tr><td>1P</td><td>1P</td></tr></table><br>Side B: <table><tr><td>1P</td><td>1P</td></tr></table><br>cutout dimension: 5"W x 7-11/16"D<br>Side A: 2 x pre-wired power with 10ft cord<br>Side B: 2 x pre-wired power with 10ft cord<br>(Provides a total of 4 x pre wired power)                                                                                                                                                  | 1P | 1P | 1P | 1P | \$1,335 |    |         |    |         |
| 1P            | 1P                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |    |    |    |         |    |         |    |         |
| 1P            | 1P                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |    |    |    |         |    |         |    |         |
| Model # 85206 | pre-wired power<br>(each side - 3 ports) | Side A: <table><tr><td>1P</td><td>1P</td><td>2U</td></tr></table><br>Side B: <table><tr><td>1P</td><td>1P</td><td>2U</td></tr></table><br>cutout dimension: 6-1/2"W x 7-11/16"D<br>Side A: 2 x pre-wired power with 10ft cord<br>2 x USB-A+C Charger (stacked)<br>Side B: 2 x pre-wired power with 10ft cord<br>2 x USB-A+C Charger (stacked)<br>(Provides a total of 4 x pre wired power & 4 x USB Charger)                                    | 1P | 1P | 2U | 1P | 1P      | 2U | \$1,665 |    |         |
| 1P            | 1P                                       | 2U                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |    |    |    |         |    |         |    |         |
| 1P            | 1P                                       | 2U                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |    |    |    |         |    |         |    |         |
| Model # 85208 | pre-wired power<br>(each side - 4 ports) | Side A: <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr></table><br>Side B: <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr></table><br>cutout dimension: 8"W x 7-11/16"D<br>Side A: 2 x pre-wired power with 10ft cord<br>2 x Siemon CAT6 data with 10ft cord<br>Side B: 2 x pre-wired power with 10ft cord<br>2 x Siemon CAT6 data with 10ft cord<br>(Provides a total of 4 x pre wired power & 4 x Siemon CAT6 data) | 1P | 1P | A5 | A5 | 1P      | 1P | A5      | A5 | \$1,885 |
| 1P            | 1P                                       | A5                                                                                                                                                                                                                                                                                                                                                                                                                                              | A5 |    |    |    |         |    |         |    |         |
| 1P            | 1P                                       | A5                                                                                                                                                                                                                                                                                                                                                                                                                                              | A5 |    |    |    |         |    |         |    |         |

FORUMS - SIMPLE POP UP FORUM

|               |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | List Price |    |    |   |    |    |    |   |         |
|---------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----|----|---|----|----|----|---|---------|
| Model # 85209 | pre-wired power<br>(each side - 4 ports) | <div>Side A:<table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td></tr></table></div> <div>Side B:<table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td></tr></table></div> <div>cutout dimension: 8"W x 7-11/16"D<br/>Side A: 2 x pre-wired power with 10ft cord<br/>2 x open port/data adapter to fit in client's own data fitting and cord<br/>Side B: 2 x pre-wired power with 10ft cord<br/>2 x open port/data adapter to fit in client's own data fitting and cord<br/>(Provides a total of 4 x pre wired power &amp; 4 x open ports)</div>                                                                                            | 1P         | 1P | O  | O | 1P | 1P | O  | O | \$1,375 |
| 1P            | 1P                                       | O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | O          |    |    |   |    |    |    |   |         |
| 1P            | 1P                                       | O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | O          |    |    |   |    |    |    |   |         |
| Model # 85210 | pre-wired power<br>(each side - 4 ports) | <div>Side A:<table><tr><td>1P</td><td>1P</td><td>2U</td><td>O</td></tr></table></div> <div>Side B:<table><tr><td>1P</td><td>1P</td><td>2U</td><td>O</td></tr></table></div> <div>cutout dimension: 8"W x 7-11/16"D<br/>Side A: 2 x pre-wired power with 10ft cord,<br/>2 x USB-A+C Charger (stacked)<br/>1 x open port/ data adapter to fit in client's own data fitting and cord<br/>Side B: 2 x pre-wired power with 10ft cord,<br/>2 x USB-A+C Charger (stacked)<br/>1 x open port/ data adapter to fit in client's own data fitting and cord<br/>(Provides a total of 4 x pre wired power, 4 x USB Charger &amp; 2 x open ports)</div> | 1P         | 1P | 2U | O | 1P | 1P | 2U | O | \$1,690 |
| 1P            | 1P                                       | 2U                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | O          |    |    |   |    |    |    |   |         |
| 1P            | 1P                                       | 2U                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | O          |    |    |   |    |    |    |   |         |

## FORUMS - SIMPLE POP UP FORUM

---

- Note:
- Finish is standard in clear anodized aluminum.
  - For power cord with 6ft long, please add a letter "B" at the end of model #.
  - Site-wired / hard-wired power with 72" metallic shielded cable is available with an upcharge of \$95 list per 2 power. Please add a letter "H" at the end of model #.
- 

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

### Adapter "AA"

Systimax/CommScope

Uniprise/CommScope

### Adapter "BB"

L-Com Keystone Modular

Tyco SL/110 Connect Series Modular Jacks

Siemon Keystone Style

Allen Tel Versa Tap Series

Leviton Quick Port® Series

Nordx Keystone Style

Tyco SL Conpler Series

### Adapter "CC"

Krone 6000 Series/ADC

Hubbell Xcelerator™ Keystone Series

### Adapter "DD"

blank

### Adapter "EE"

Ortronics TracJack Series

### Adapter "FF"


Panduit Mini-Com Series

### Adapter "GG"

microphone jack / 3pin XLR, solder type only


### Adapter "HH"

Adapter "HH" - video monitor jack / DB-15, panel mount solder type.



- Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)

## FORUMS - SIMPLE POP UP FORUM

|                                                                                                                                                                                                       |                                                                                   | List Price |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|
| To create a unique Vox® SIMPLE Pop Up Forum configuration, simply choose a base model and select the required elements.                                                                               |                                                                                   |            |
| <b>Base Model For Simple Pop Up Forum</b><br>(4 Ports)<br>Model #: CX4P - _____                                                                                                                       |  | \$575      |
| <b>Base Model For Simple Pop Up Forum</b><br>(6 Ports)<br>Model #: CX6P - _____                                                                                                                       |  | \$650      |
| <b>Base Model For Simple Pop Up Forum – Double Sided</b><br>(Each Side – 4 Ports)<br>Model #: CX8PD-A _____ (Side A)<br>CX8PD-B _____ (Side B)                                                        |  | \$1,210    |
| <b>Select the elements as per below:</b>                                                                                                                                                              |                                                                                   |            |
|  S-1P - 1 power receptacle with 10' white cord                                                                      |                                                                                   | \$155      |
|  S-1P-SW - 1 power receptacle hard wired with a 6' whip                                                             |                                                                                   | \$175      |
|  A5 - SIEMON CAT 6 data fitting with 10' connector cable                                                            |                                                                                   | \$190      |
|  C - Audio- 3.5mm Mini stereo Jack with 10' cord                                                                    |                                                                                   | \$95       |
|  H - USB port 3.0 with 10ft cord                                                                                    |                                                                                   | \$145      |
|  2U - Stacked USB charger A+C                                                                                       |                                                                                   | \$180      |
|  3U - Dual USB C charger                                                                                            |                                                                                   | \$180      |
|  G - DB15HD, VGA connector, 10' cord                                                                                |                                                                                   | \$205      |
|  HD - HDMI Coupler with 18" cord                                                                                    |                                                                                   | \$205      |
|  B - Blank plate                                                                                                    |                                                                                   | \$70       |
|  O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit |                                                                                   | \$70       |
|  L - Belay 1" dia. hole opening rubber strain relief pass through cords                                             |                                                                                   | \$70       |

## SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

### Pre-configured SIMPLE Forum (4 ports 6¾” L x 2 “ W)

|                    |                     |                                                                                                                                                                                                                                   |       |       |    |    |       |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|----|----|-------|
| Model #<br>39956/6 | pre-wired<br>power  | <table border="1"> <tr> <td>1P</td><td>1P</td><td>A5</td><td>A5</td></tr> </table> <p>2 x pre-wired power with 10ft cord<br/>2 x SIEMON CAT6 data with 10ft cord</p>                                                              | 1P    | 1P    | A5 | A5 | \$710 |
| 1P                 | 1P                  | A5                                                                                                                                                                                                                                | A5    |       |    |    |       |
| Model #<br>39957/6 | site-wired<br>power | <table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td></tr> </table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>2 x SIEMON CAT6 data with 10ft cord</p>                                     | 1P-SW | 1P-SW | A5 | A5 | \$750 |
| 1P-SW              | 1P-SW               | A5                                                                                                                                                                                                                                | A5    |       |    |    |       |
| Model #<br>39958/6 | pre-wired<br>power  | <table border="1"> <tr> <td>1P</td><td>1P</td><td>2U</td><td>A5</td></tr> </table> <p>2 x pre-wired power with 10ft cord<br/>1 x stacked USB charger A+C<br/>1 x SIEMON CAT6 data with 10ft cord</p>                              | 1P    | 1P    | 2U | A5 | \$805 |
| 1P                 | 1P                  | 2U                                                                                                                                                                                                                                | A5    |       |    |    |       |
| Model #<br>39959/6 | site-wired<br>power | <table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>2U</td><td>A5</td></tr> </table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>1 x stacked USB charger A+C<br/>1 x SIEMON CAT6 data with 10ft cord;</p>    | 1P-SW | 1P-SW | 2U | A5 | \$830 |
| 1P-SW              | 1P-SW               | 2U                                                                                                                                                                                                                                | A5    |       |    |    |       |
| Model #<br>39961/6 | pre-wired<br>power  | <table border="1"> <tr> <td>1P</td><td>1P</td><td>A5</td><td>HD</td></tr> </table> <p>2 x pre-wired power with 10ft cord<br/>1 x SIEMON CAT6 data with 10ft cord<br/>1 x HDMI coupler with 18” cord</p>                           | 1P    | 1P    | A5 | HD | \$775 |
| 1P                 | 1P                  | A5                                                                                                                                                                                                                                | HD    |       |    |    |       |
| Model #<br>39962/6 | site-wired<br>power | <table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>A5</td><td>HD</td></tr> </table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>1 x SIEMON CAT6 data with 10ft cord;<br/>1 x HDMI coupler with 18” cord</p> | 1P-SW | 1P-SW | A5 | HD | \$805 |
| 1P-SW              | 1P-SW               | A5                                                                                                                                                                                                                                | HD    |       |    |    |       |

SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

Pre-configured SIMPLE Forum (4 ports, 6¾” L x 2 “ W)

|                  |                     |                                                                                                                                                                                                               |       |       |   |    |       |
|------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|---|----|-------|
| Model #<br>39963 | pre-wired<br>power  | <table><tr><td>1P</td><td>1P</td><td>H</td><td>HD</td></tr></table> <p>2 x pre-wired power with 10ft cord<br/>1 x USB port 3.0 with 10ft cord<br/>1 x HDMI coupler with 18” cord</p>                          | 1P    | 1P    | H | HD | \$720 |
| 1P               | 1P                  | H                                                                                                                                                                                                             | HD    |       |   |    |       |
| Model #<br>39964 | site-wired<br>power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>H</td><td>HD</td></tr></table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>1 x USB port 3.0 with 10ft cord<br/>1 x HDMI coupler with 18” cord</p> | 1P-SW | 1P-SW | H | HD | \$755 |
| 1P-SW            | 1P-SW               | H                                                                                                                                                                                                             | HD    |       |   |    |       |

## SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

### Pre-configured SIMPLE Forum (4 ports, for client's own data fitting)

|                                                                                                                                  |                     |                                                                                         |       |       |    |    |       |
|----------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------|-------|-------|----|----|-------|
| Model #<br>39956                                                                                                                 | pre-wired<br>power  | <table border="1"> <tr> <td>1P</td><td>1P</td><td>0</td><td>0</td></tr> </table>        | 1P    | 1P    | 0  | 0  | \$550 |
| 1P                                                                                                                               | 1P                  | 0                                                                                       | 0     |       |    |    |       |
| 2 x pre-wired power with 10ft cord<br>2 x open port / data adapter to fit in client's own data fitting & cord                    |                     |                                                                                         |       |       |    |    |       |
| Model #<br>39957                                                                                                                 | site-wired<br>power | <table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>0</td><td>0</td></tr> </table>  | 1P-SW | 1P-SW | 0  | 0  | \$575 |
| 1P-SW                                                                                                                            | 1P-SW               | 0                                                                                       | 0     |       |    |    |       |
| 2 x site-wired power with 6ft metallic shielded cable<br>2 x open port / data adapter to fit in client's own data fitting & cord |                     |                                                                                         |       |       |    |    |       |
| Model #<br>39958                                                                                                                 | pre-wired<br>power  | <table border="1"> <tr> <td>1P</td><td>1P</td><td>2U</td><td>0</td></tr> </table>       | 1P    | 1P    | 2U | 0  | \$680 |
| 1P                                                                                                                               | 1P                  | 2U                                                                                      | 0     |       |    |    |       |
| 2 x pre-wired power with 10ft cord<br>1 x stacked USB charger A+C<br>1 x open port                                               |                     |                                                                                         |       |       |    |    |       |
| Model #<br>39959                                                                                                                 | site-wired<br>power | <table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>2U</td><td>0</td></tr> </table> | 1P-SW | 1P-SW | 2U | 0  | \$710 |
| 1P-SW                                                                                                                            | 1P-SW               | 2U                                                                                      | 0     |       |    |    |       |
| 2 x site-wired power with 6ft metallic shielded cable<br>1 x stacked USB charger A+C<br>1 x open port                            |                     |                                                                                         |       |       |    |    |       |
| Model #<br>39961                                                                                                                 | pre-wired<br>power  | <table border="1"> <tr> <td>1P</td><td>1P</td><td>0</td><td>HD</td></tr> </table>       | 1P    | 1P    | 0  | HD | \$720 |
| 1P                                                                                                                               | 1P                  | 0                                                                                       | HD    |       |    |    |       |
| 2 x pre-wired power with 10ft cord<br>1 x open port<br>1 x HDMI coupler with 18" cord                                            |                     |                                                                                         |       |       |    |    |       |
| Model #<br>39962                                                                                                                 | site-wired<br>power | <table border="1"> <tr> <td>1P-SW</td><td>1P-SW</td><td>0</td><td>HD</td></tr> </table> | 1P-SW | 1P-SW | 0  | HD | \$755 |
| 1P-SW                                                                                                                            | 1P-SW               | 0                                                                                       | HD    |       |    |    |       |
| 2 x site-wired power with 6ft metallic shielded cable<br>1 x open port<br>1 x HDMI coupler with 18" cord                         |                     |                                                                                         |       |       |    |    |       |

### SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

#### Pre-configured SIMPLE Forum (6 ports 9¾" L x 2" W)

|                    |                     |                                                                                                                                                                                                                                                                                                      |       |       |    |    |   |   |         |
|--------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|----|----|---|---|---------|
| Model #<br>39941/6 | pre-wired<br>power  | <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>B</td><td>B</td></tr></table> <p>2 x pre-wired power with 10ft cord<br/>2 x SIEMON CAT6 data with 10ft cord<br/>2 x blank plate</p>                                                                                                       | 1P    | 1P    | A5 | A5 | B | B | \$855   |
| 1P                 | 1P                  | A5                                                                                                                                                                                                                                                                                                   | A5    | B     | B  |    |   |   |         |
| Model #<br>39942/6 | site-wired<br>power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>B</td><td>B</td></tr></table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>2 x SIEMON CAT6 data with 10ft cord<br/>2 x blank plate</p>                                                                              | 1P-SW | 1P-SW | A5 | A5 | B | B | \$925   |
| 1P-SW              | 1P-SW               | A5                                                                                                                                                                                                                                                                                                   | A5    | B     | B  |    |   |   |         |
| Model #<br>39943/6 | pre-wired<br>power  | <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>G</td><td>C</td></tr></table> <p>2 x pre-wired power with 10ft cord<br/>2 x SIEMON CAT6 data with 10ft cord<br/>1 x HD-DB15/VGA connector with 10ft cord<br/>1 x audio 3.5mm mini stereo jack with 10 ft cord</p>                         | 1P    | 1P    | A5 | A5 | G | C | \$1,035 |
| 1P                 | 1P                  | A5                                                                                                                                                                                                                                                                                                   | A5    | G     | C  |    |   |   |         |
| Model #<br>39944/6 | site-wired<br>power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>G</td><td>C</td></tr></table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>2 x SIEMON CAT6 data with 10ft cord<br/>1 x HD-DB15/VGA connector with 10ft cord<br/>1 x audio 3.5mm mini stereo jack with 10ft cord</p> | 1P-SW | 1P-SW | A5 | A5 | G | C | \$1,115 |
| 1P-SW              | 1P-SW               | A5                                                                                                                                                                                                                                                                                                   | A5    | G     | C  |    |   |   |         |

## FORUMS - SIMPLE FORUM

---

### SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

#### Pre-configured SIMPLE Forum (6 ports 9¾" L x 2" W)

|                    |                     |                                                                                                                                                                                                                                                                              |       |       |       |    |    |    |         |
|--------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|----|----|----|---------|
| Model #<br>39945/6 | pre-wired<br>power  | <table><tr><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>HD</td><td>H</td></tr></table> <p>2 x pre-wired power with 10ft cord<br/>2 x SIEMON CAT6 data with 10ft cord<br/>1 x HDMI coupler with 18" cord<br/>1 x USB port 3.0 with 10ft cord</p>                           | 1P    | 1P    | A5    | A5 | HD | H  | \$1,065 |
| 1P                 | 1P                  | A5                                                                                                                                                                                                                                                                           | A5    | HD    | H     |    |    |    |         |
| Model #<br>39946/6 | site-wired<br>power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>HD</td><td>H</td></tr></table> <p>2 x site-wired power with 6ft metallic shielded cable<br/>2 x SIEMON CAT6 data with 10ft cord;<br/>1 x HDMI coupler with 18" cord<br/>1 x USB port 3.0 with 10ft cord</p> | 1P-SW | 1P-SW | A5    | A5 | HD | H  | \$1,135 |
| 1P-SW              | 1P-SW               | A5                                                                                                                                                                                                                                                                           | A5    | HD    | H     |    |    |    |         |
| Model #<br>39947/6 | pre-wired<br>power  | <table><tr><td>1P</td><td>1P</td><td>1P</td><td>A5</td><td>A5</td><td>A5</td></tr></table> <p>3 x pre-wired power with 10ft cord<br/>3 x SIEMON CAT6 data with 10ft cord</p>                                                                                                 | 1P    | 1P    | 1P    | A5 | A5 | A5 | \$1,015 |
| 1P                 | 1P                  | 1P                                                                                                                                                                                                                                                                           | A5    | A5    | A5    |    |    |    |         |
| Model #<br>39948/6 | site-wired<br>power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>1P-SW</td><td>A5</td><td>A5</td><td>A5</td></tr></table> <p>3 x site-wired power with 6ft metallic shielded cable<br/>3 x SIEMON CAT6 data with 10ft cord</p>                                                                     | 1P-SW | 1P-SW | 1P-SW | A5 | A5 | A5 | \$1,080 |
| 1P-SW              | 1P-SW               | 1P-SW                                                                                                                                                                                                                                                                        | A5    | A5    | A5    |    |    |    |         |

## SIMPLE FORUM – SINGLE SIDED (SURFACE MOUNTED)

List Price

### Pre-configured SIMPLE Forum (6 ports, for client's own data fitting)

|               |                  |                                                                                                                                  |       |       |       |   |   |   |       |
|---------------|------------------|----------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|---|---|---|-------|
| Model # 39951 | pre-wired power  | <table><tr><td>1P</td><td>1P</td><td>O</td><td>O</td><td>O</td><td>O</td></tr></table>                                           | 1P    | 1P    | O     | O | O | O | \$625 |
| 1P            | 1P               | O                                                                                                                                | O     | O     | O     |   |   |   |       |
|               |                  | 2 x pre-wired power with 10ft cord<br>4 x open port/data adapter to fit in client's own data fitting and cord                    |       |       |       |   |   |   |       |
| Model # 39952 | site-wired power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>O</td><td>O</td><td>O</td><td>O</td></tr></table>                                     | 1P-SW | 1P-SW | O     | O | O | O | \$660 |
| 1P-SW         | 1P-SW            | O                                                                                                                                | O     | O     | O     |   |   |   |       |
|               |                  | 2 x site-wired power with 6ft metallic shielded cable<br>4 x open port/data adapter to fit in client's own data fitting and cord |       |       |       |   |   |   |       |
| Model # 39953 | pre-wired power  | <table><tr><td>1P</td><td>1P</td><td>1P</td><td>O</td><td>O</td><td>O</td></tr></table>                                          | 1P    | 1P    | 1P    | O | O | O | \$650 |
| 1P            | 1P               | 1P                                                                                                                               | O     | O     | O     |   |   |   |       |
|               |                  | 3 x pre-wired power with 10ft cord<br>3 x open port/data adapter to fit in client's own data fitting and cord                    |       |       |       |   |   |   |       |
| Model # 39954 | site-wired power | <table><tr><td>1P-SW</td><td>1P-SW</td><td>1P-SW</td><td>O</td><td>O</td><td>O</td></tr></table>                                 | 1P-SW | 1P-SW | 1P-SW | O | O | O | \$695 |
| 1P-SW         | 1P-SW            | 1P-SW                                                                                                                            | O     | O     | O     |   |   |   |       |
|               |                  | 3 x site-wired power with 6ft metallic shielded cable<br>3 x open port/data adapter to fit in client's own data fitting and cord |       |       |       |   |   |   |       |

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

#### Adapter "AA"

Systimax/CommScope  
Uniprise/CommScope

#### Adapter "BB"

L-Com Keystone Modular  
Tyco SL/110 Connect Series Modular Jacks  
Siemon Keystone Style  
Allen Tel Versa Tap Series  
Leviton Quick Port® Series  
Nordx Keystone Style  
Tyco SL Conpler Series

#### Adapter "CC"

Krone 6000 Series/ADC  
Hubbell Xcelerator™ Keystone Series

#### Adapter "DD"

blank

#### Adapter "EE"

Ortronics TracJack Series

#### Adapter "FF"

Panduit Mini-Com Series

#### Adapter "GG"

microphone jack / 3pin XLR, solder type only

#### Adapter "HH"


Adapter "HH" - video monitor jack / DB-15, pand mount solder type.

## FORUMS - SIMPLE FORUM

---


### CUSTOM SIMPLE FORUM

#### LIST PRICE



\$350

CX4- \_ \_ \_ \_ \_



\$375

CX6- \_ \_ \_ \_ \_

#### Select the elements as per below:

|  |                                                                                                                    |       |
|--|--------------------------------------------------------------------------------------------------------------------|-------|
|  | S-1P - 1 power receptacle with 10' white cord                                                                      | \$155 |
|  | S-1P-SW - 1 power receptacle hard wired with a 6' whip                                                             | \$175 |
|  | A5 - SIEMON CAT 6 data fitting with 10' connector cable                                                            | \$190 |
|  | C - Audio- 3.5mm Mini stereo Jack with 10' cord                                                                    | \$95  |
|  | H - USB port 3.0 with 10ft cord                                                                                    | \$145 |
|  | 2U - Stacked USB charger A+C                                                                                       | \$180 |
|  | 3U - Dual USB C charger                                                                                            | \$180 |
|  | G - DB15HD, VGA connector, 10' cord                                                                                | \$205 |
|  | HD - HDMI Coupler with 18" cord                                                                                    | \$205 |
|  | B - Blank plate                                                                                                    | \$70  |
|  | O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit | \$70  |
|  | L - Belay 1" dia. hole opening rubber strain relief pass through cords                                             | \$70  |