



DURO BOARD

HEAVY DUTY RIGID SURFACE PROTECTION



WATER RESISTANT



SLIP RESISTANT



IMPACT RESISTANT



HEAVY TRAFFIC



REUSABLE



FABRIC BACK



FIRE RETARDANT



LIGHTWEIGHT

ABOUT DURO BOARD

CPS Duro Board is a synthetic, rigid floor protection board that is a lightweight, high-performance solution designed to safeguard hard surfaces during construction, renovation, or heavy equipment use. Measuring 8' x 4' with a 1/4" thickness, each board offers full coverage and durability while remaining easy to handle and install.

Built for tough job site conditions, this protective board shields valuable floor finishes—such as polished concrete, raw concrete, marble, terrazzo, and natural stone—from damage caused by forklifts, pallet jacks, carts, and foot traffic. Its rigid structure features high compression strength, effectively dispersing weight and absorbing impact from dropped tools or equipment.

Duro Board users can save tens to hundreds of thousands of dollars annually. Switch today and stop overpaying for surface protection.

BENEFITS

- Cost effective and reusable
- Fabric attached to boards
- Superior resistance to heavy traffic and impacts
- Slip/Water resistant
- Fire retardant
- Lightweight and easy to handle and install
- Replaces the need for curling Masonite and plywood
- Thoroughly 3rd party tested
- Millions of square feet installed

MAKE PROTECTION PART OF THE PACKAGE

FEEL THE QUALITY FOR YOURSELF. CONTACT OUR TEAM TO REQUEST A SAMPLE BOARD.



DURO BOARD TECHNICAL DATA

Property	Test Standard	Units	Result (AVG)	Deviation
Board Thickness		mm	5.50	0.30
Unit Weight		g/m ²	1550	50
Flexural Strength, MD	ASTM D790 (Modified)	psi	1520	85
Flexural Strength, TD	ASTM D790 (Modified)	psi	1388	75
Flexural Strength, MD	ASTM D790 (Modified)	Kpsi	125	10
Flexural Strength, TD	ASTM D790 (Modified)	Kpsi	115	5
Gardner Impact Mean-Failure Impact	ASTM D5420	in	4.5	1.0
Flat Crush Resistance	ISO 3035 TAPPI-825	psi	>1000	-
Edge Crush Resistance	ISO 3037 TAPPI-811	lb./in	90	23

TESTING DATA NOTES

Flexural Test: 12 x 12" sample with 10" span, 3 point bending

Gardner Impact Test: 8 lbs steel-rod impact mass

MD: Machine Direction

TD: Transverse Direction

Kpsi: 10³ psi

TECHNICAL DATA

Item #: SPFPBFB-0804


Dims: 4' W x 8' H x 1/4" D

Area: 32 sqft per board

Weight: 10 lbs per board

Color: Grey

EASY. TOUGH. PROTECTION.



SHIPPING DETAILS

- Minimum order quantity is 10 boards packed in shrink wrap
- Full crate order totals 180 boards
 - Orders not in multiples of 180 will require shipping product on a double-skid pallet
- Flatbed truck load maximum capacity is 15 crates and ships from our headquarters in Norris, TN
 - Crates include forklift access on all sides for easy offloading

