

LEARN MORE www.plantergo.com

THE TRUE SELF-WATERING PLANTER SYSTEM

GO FARM ANYWHERE







Easy Assembling

Fence

The Fence can be quickly assembled with a few screws and bolts and stacked up to 3 decks for deeper soil.

Wicking Board

The Wicking Board enables selfirrigation through capillary action with 8 wicking chambers connected to the Reservoir. Wicking chambers also provide water drainage to the Reservoir.

Reservoir

The Reservoir is made with a single sheet of ABS plastic to prevent water leakage and enhance durability. The Reservoir can hold up enough water to provide constant water supply.



PlanterGo Mimics Nature

Sub-irrigation & Self-watering

Water is wicked up from the planter's Reservoir to provide a continuous and optimal amount of moisture for the soil.



Easily Movable by Forklift




Water Indicator

Every planter comes with an individual water indicator. Whenever you see water inside the tube, water is enough.



3 Models with Different Soil Depth



BASIC

Single Deck
Double Deck
Triple Deck

PRO-1

Single Deck
Double Deck
Triple Deck

PRO-2

Single Deck
Double Deck
Triple Deck

All Planters are **Connectable** to any irrigation and gardening hoses system

No more manual watering!

Auto Refill Valve (ARV)

Auto Refill Value (ARV) is connected to the water supply to feed water into the planter/s automatically. Automatically maintains optimal water levels, completely eliminating the need for manual watering!



When water level drops, ARV will open and release water in from the water source.

L 12cm (4 ¾ in) W 8cm (3 ½ in) H 20cm (7 ½ in)



Safeguards your crops!

Greenhouse

The greenhouse **safeguards your crops** from insects, birds, and adverse weather conditions such as rain, snow, and hail.



Water proof rooftop against rain, hail and snow



Air Flow through Greenhouse



Insect netting against Insect and bird



Strap fasten Greenhouse to the planter







L 68cm (26 ¾ in)

W 68cm (26 ³/₄ in)

H 120cm (47 ¼ in)





PRO-2 Greenhouse

L 136cm (53 ½ in)


W 68cm (26 ³/₄ in)

H 120cm (47 ¼ in)





Connect Modules Anyway You Want!









Serial Connection





Product List

BASIC MODEL

L 68cm | 26 ¾ in W 34cm | 13 ¾ in



Single Deck	29 11 ¾	8 17.6	30 7.9	20 5.3
Double Deck	43 16 %	13 28.7	50 13.2	20 5.3
Triple Deck	57 22 ½	18 39.7	70 18.5	20 5.3
Additional Deck	14 5 ½	5 11	20 5.3	N/A

PRO-1 L 68cm | 26 ¾ in



Single Deck	29 11 ¾	13 28.7	60 15.9	35 9.2
Double Deck	43 16 %	20 44.1	100 26.4	35 9.2
Triple Deck	57 22 ½	27 59.5	140 37	35 9.2
Additional Deck	14 5 ½	7 15.4	40 10.6	N/A

PRO-2 L 136cm | 53 ½ in W 68cm | 26 ¾ in



Single Deck	29 11 %	21 46.3	120 31.7	50 13.2
Double Deck	43 16 %	31.5 69.4	200 52.8	50 13.2
Triple Deck	57 22 ½	42 92.6	280 74	50 13.2
Additional Deck	14 5 ½	10.5 23.1	80 21.1	N/A

Auto Refill Valve



L 12cm | 4 ¾ in W 8cm | 3 ½ in H 20cm | 7 % in

PRO-1 Greenhouse



L 68cm | 26 ¾ in W 68cm | 26 ¾ in H 120cm | 47 ¼ in

PRO-2 Greenhouse



L 136cm | 53 ½ in W 68cm | 26 ¾ in H 120cm | 47 ¼ in

From a Planter



...to a Garden



...to a Farm



CONTACT

LEARN MORE www.plantergo.com