



# Table of Contents

---

Conditions of Sale .....	3
<b>INGROUND BOXES .....</b>	<b>4</b>
Pedestrian Midi Boxes .....	4
Pedestrian Jumbo Boxes .....	5
Pedestrian Toby Boxes .....	6
Pedestrian Taper Boxes .....	6
Trafficable Midi & Jumbo Boxes .....	7
Trafficable Mega Boxes .....	8
Bases, Lids & Spare Parts .....	9
<b>BOUNDARY CONNECTIONS.....</b>	<b>11</b>
Manifolds and Meter Manifold Assemblies.....	11
Flow Control Manifolds & Assemblies .....	12
Backflow Assemblies .....	13
Multi-Outlet Assemblies .....	14
Manifold Parts & Tools .....	15
<b>VALVES .....</b>	<b>16</b>
Diaphragm Valves .....	16
In-line Top Access Valves .....	16
In-line Flow Control Valves .....	17
<b>WATER METERS .....</b>	<b>18</b>
Residential Manifold Meters .....	18
Residential Apartment Meters .....	18
Industrial-Agricultural In-line Meters .....	19

## Conditions of Sale

---

### 1. PRICES

All prices shown herein are subject to the addition of GOODS AND SERVICES TAX (GST).

### 2. RETURNS/ CREDITS/ RESTOCKING FEES

All products returned for credit having been correctly supplied against customer order, and returned freight paid to Acuflo Levin within 30 days of original supply, are subject to a minimum of 20% restocking fee, calculated from the invoiced value excluding freight, and being subject to Acuflo assessing the products returned are unused and "as new and in resaleable condition".

All items supplied which have been manufactured or imported as result of a customer's requested specification or imported against a customer's specified supply contract quantity will be deemed as strictly non-refundable.

### 3. WARRANTY

The product Manufacturer warrant to the purchaser of their products, for a period of one (1) year from date of original purchase for use, that any defective product proved to be caused by faulty workmanship or faulty materials, when correctly installed and used in a normal manner, will be repaired or replaced at the Manufacturer's factory, or Acuflo Industries Limited, Levin, with transport charges prepaid. This warranty does not apply to damage or malfunction resulting from accidents, damage in transit, misuse, or neglect. No allowances will be made for labour, removal or reinstallation of any so-claimed defective products.

### 4. TERMS & CONDITIONS

All orders supplied against this price list are done so strictly against Acuflo's Terms and Conditions of Trade document sighted and agreed to when opening a credit trading account. Additional copies are available upon request.

*WHILST EVERY EFFORT WILL BE MADE TO MAINTAIN PRICES LISTED HEREIN, CIRCUMSTANCES BEYOND OUR CONTROL MAY REQUIRE AMENDMENTS WITHOUT PRIOR NOTICE*

## INGROUND BOXES

Acuflo Meter Boxes have been the industry standard for 30 years. Quality engineered design using UV stabilised, recyclable polypropylene materials. Available in **Midi** and **Jumbo** sizes. Each size offers three different heights to suit various applications.

Outward taper design prevents uplift and allows stacking to reduce freight costs. The wide base flange provides load bearing stability. Boxes can be fitted with selection of standard coloured lids. Personalised lids and colours available on request and may be subject to minimum order quantity.

### Pedestrian Midi Boxes

The Midi Box range is suitable for 20mm inline water meters 20 & 25mm manifold meters and manifold meter assemblies.

MIDI BOX 200 TALL		
AMB200BBL	BOX MIDI 200 BLACK BLANK	\$ 33.00
AMB200BW	BOX MIDI 200 BLACK WATER	\$ 33.00
AMB200GB	BOX MIDI 200 GREEN BLANK	\$ 33.00
AMB200GS	BOX MIDI 200 GREEN STORMWATER	\$ 33.00
AMB200RSS	BOX MIDI 200 RED SS	\$ 33.00
AMB200UW	BOX MIDI 200 BLUE WATER	\$ 33.00
AMB200WHSS	BOX MIDI 200 WHITE SS	\$ 33.00

MIDI BOX 300 TALL		
AMB300BBL	BOX MIDI 300 BLACK BLANK	\$ 34.00
AMB300BW	BOX MIDI 300 BLACK WATER	\$ 34.00
AMB300BWCC	BOX MIDI 300 WELLINGTON CITY COUNCIL	\$ 34.00
AMB300GB	BOX MIDI 300 GREEN BLANK	\$ 34.00
AMB300GS	BOX MIDI 300 GREEN STORMWATER	\$ 34.00
AMB300RSS	BOX MIDI 300 RED SS	\$ 34.00
AMB300UW	BOX MIDI 300 BLUE WATER	\$ 34.00
AMB300WHSS	BOX MIDI 300 WHITE SS	\$ 34.00

MIDI BOX 350 TALL		
AMB350BBL	BOX MIDI 350 BLACK BLANK	\$ 35.00
AMB350BW	BOX MIDI 350 BLACK WATER	\$ 35.00
AMB350UW	BOX MIDI 350 BLUE WATER	\$ 35.00

DIMENSIONS			
	INTERNAL L x W x H	CLEAR OPENING L x W	LID L x W
AMB200	360 x 355 x 215	230 x 182	258 x 212
AMB300	361 x 355 x 275	↑	↑
AMB350	362 x 355 x 325	↑	↑



## Pedestrian Jumbo Boxes

Acuflo's Jumbo Meter Boxes follow the Midi Box design philosophy, only bigger. Jumbo boxes are suitable for larger assemblies and in-line water meters. Maximum of three manifolds can be installed in one Jumbo box using the 3-pce Jumbo base. Multi-port distribution manifolds can also be accommodated, up to 3 outlets.

JUMBO BOX 200 TALL		
AMBJ200UW	BOX JUMBO 200 BLUE WATER	\$ 53.80

JUMBO BOX 250 TALL		
AMBJ250BW	BOX JUMBO 250 BLACK WATER	\$ 56.90
AMBJ250GB	BOX JUMBO 250 GREEN BLANK	\$ 56.90
AMBJ250RSS	BOX JUMBO 250 RED SS	\$ 56.90
AMBJ250UW	BOX JUMBO 250 BLUE WATER	\$ 56.90
AMBJ250WHSS	BOX JUMBO 250 WHITE SS	\$ 56.90

JUMBO BOX 320 TALL		
AMBJ320BW	BOX JUMBO 320 BLACK WATER	\$ 61.60
AMBJ320GB	BOX JUMBO 320 GREEN BLANK	\$ 61.60
AMBJ320RSS	BOX JUMBO 320 RED SS	\$ 61.60
AMBJ320UW	BOX JUMBO 320 BLUE WATER	\$ 61.60
AMBJ320WHSS	BOX JUMBO 320 WHITE SS	\$ 61.60


DIMENSIONS			
	INTERNAL L x W x H	CLEAR OPENING L x W	LID L x W
AMBJ200	520 x 320 x 200	393 x 233	420 x 260
AMBJ250	560 x 365 x 250	↑	↑
AMBJ320	560 x 365 x 320	↑	↑



Double and Triple Jumbo Boxes made to order for those larger assemblies which require long but narrow boxes. Only available in 320 box height; bases are included.

MULTI-JUMBO BOX 320 TALL		
AMBJD320	BOX DOUBLE JUMBO 320	\$ 442.90
AMBJT320	BOX TRIPLE JUMBO 320	\$ 664.40

INTERNAL DIMENSIONS	
	L x W x H
AMBJD320	970 x 365 x 320
AMBJT320	1400 x 365 x 320



## Pedestrian Toby Boxes

Round Toby Boxes are ideally suited for use with Acuflo Diaphragm Valves or other isolating valve types. Polypropylene lid frame and base fit onto standard 150mm PVC pipe providing variable depth boxes. Toby Box includes lid frame connected to lid with stainless steel wire & lid fitted with metal detection rods. Bases sold separately. PVC pipe not supplied.

ROUND TOBY BOX		
ATC160CBV	BOX TOBY BLACK V	\$ 20.60
ATC160CUV	BOX TOBY BLUE V	\$ 20.60

ROUND TOBY BOX PARTS		
ATB160	BASE TOBY	\$ 15.00
ATC004BV	LID TOBY BLACK V	\$ 8.00
ATC004UV	LID TOBY BLUE V	\$ 8.00



**FULLY OPTIONED  
TOBY BOX**



**ATC160BV**

**ATC160UV**



**ATC160BV**



**ATC160UV**



**ATC160BV**

## Pedestrian Taper Boxes

Acuflo Taper Boxes use the same lids as the AMBJ (Jumbo). Suitable for inline water meter connections.

SHORT JUMBO TAPER BOX		
AMBT240BW	BOX TAPER 200 BLACK WATER	\$ 46.60
AMBT240UW	BOX TAPER 200 BLUE WATER	\$ 46.60
TALL JUMBO TAPER BOX		
AMBT285BW	BOX TAPER 285 BLACK WATER	\$ 49.70
AMBT285UW	BOX TAPER 285 BLUE WATER	\$ 49.70



**AMBT240UW**

**AMBT285BW**

## Trafficable Midi & Jumbo Boxes

High strength SMC lids with steel skeletons inside polypropylene frames, provide 2600kg wheel loading (AS/NZS 3996 Class B). Lids come standard in black finish fitted with coloured & engraved pucks to identify the box application. Lids have AS/ NZS 4586 compliant tread pattern, AMR radio compatible and can be retrofitted to existing Pedestrian Midi and Jumbo boxes.

MIDI TRAFFICABLE BOX 200 TALL		
AMBT200UW	BOX MIDI TRAFFICABLE 200 BLUE WATER	\$ 178.00
AMBT200RSS	BOX MIDI TRAFFICABLE 200 RED SS	\$ 178.00
AMBT200WHSS	BOX MIDI TRAFFICABLE 200 RED SS	\$ 178.00

MIDI TRAFFICABLE BOX 300 TALL		
AMBT300UW	BOX MIDI TRAFFICABLE 300 BLUE WATER	\$ 187.00
AMBT300RSS	BOX MIDI TRAFFICABLE 300 RED SS	\$ 187.00
AMBT300WHSS	BOX MIDI TRAFFICABLE 300 WHITE SS	\$ 187.00

MIDI TRAFFICABLE BOX 350 TALL		
AMBT350UW	BOX MIDI TRAFFICABLE 350 BLUE WATER	\$ 198.00
AMBT350RSS	BOX MIDI TRAFFICABLE 350 RED SS	\$ 198.00
AMBT350WHSS	BOX MIDI TRAFFICABLE 350 WHITE SS	\$ 198.00

JUMBO TRAFFICABLE BOX 250 TALL		
AMBJT250UW	BOX JUMBO TRAFFICABLE 250 BLUE WATER	\$ 265.00
AMBJT250RSS	BOX JUMBO TRAFFICABLE 250 RED SS	\$ 265.00
AMBJT250WHSS	BOX JUMBO TRAFFICABLE 250 WHITE SS	\$ 265.00

JUMBO TRAFFICABLE BOX 320 TALL		
AMBJT320UW	BOX JUMBO TRAFFICABLE 320 BLUE WATER	\$ 275.00
AMBJT320RSS	BOX JUMBO TRAFFICABLE 320 RED SS	\$ 275.00
AMBJT320WHSS	BOX JUMBO TRAFFICABLE 320 WHITE SS	\$ 275.00



## Trafficable Mega Boxes

Mega boxes are suitable for multi-port distribution manifolds and large sized water meter assemblies. Boxes capable of withstanding minimum 2600kg wheel load). Constructed from high strength fibre reinforced SMC, making them lighter than comparable iron or concrete lids. SMC material is UV and corrosion resistant and AMR radio compatible.

600 MEGA BOX		
AMBG-600-UW	BOX MEGA 600 DEEP BLUE ACUFLO	\$ 775.00
External L x W x H	860 x 530 x 615	
Internal L x W x H	780 x 450 x 560	
Wheel Load	5000kg	



**AMBG-600-UW**

900 MEGA BOX		
AMBG-900-UW	BOX MEGA 900 DEEP BLUE ACUFLO	\$ 1,975.00
External L x W x H	1270 x 820 x 915	
Internal L x W x H	1170 x 710 x 820	
Wheel Load	2600kg	




**AMBG-900-UW**

## Bases, Lids & Spare Parts


**Bases** are available for all boxes and sold separately. Made from recyclable polypropylene, bases provide quick and repeatable installation of Acuflo manifolds, by providing fixed mounting points moulded into the base: no bolts or screws required.

MIDI BASES		
AMB005W	BASE MIDI FLAT	\$ 11.80
AMB0062P	BASE MIDI DUAL GM900	\$ 11.80
AMB006CM	BASE MIDI CM2000	\$ 11.80
AMB006W	BASE MIDI GM900	\$ 11.80



**AMB006CM**

JUMBO BASES		
AMBJ005W	BASE JUMBO FLAT	\$ 27.90
AMBJ006P	BASE JUMBO 3-PART GM900	\$ 37.30
AMBJ006TR	BASE JUMBO GM900STR	\$ 27.90



**AMB006W**

MEGA BASE		
AMBG006F	BASE MEGA 600 FLAT	\$ 121.00

**Pedestrian lids** are available in a wide selection of colours and text for both Midi & Jumbo. Items listed are ex-stock. Further colours and text are available on request. Talk to our sales team about your needs.

MIDI Pedestrian Lid		
AMB004BBL	LID MIDI BLACK BLANK	\$ 13.40
AMB004BW	LID MIDI BLACK WATER	\$ 13.40
AMB004BWCC	LID MIDI WELLINGTON CITY COUNCIL	\$ 13.40
AMB004GB	LID MIDI GREEN BLANK	\$ 13.40
AMB004GS	LID MIDI GREEN STORMWATER	\$ 13.40
AMB004RSS	LID MIDI RED SS	\$ 13.40
AMB004UW	LID MIDI BLUE WATER	\$ 13.40
AMB004WHSS	LID MIDI WHITE SS	\$ 13.40
AMB004YB	LID MIDI YELLOW BLANK	\$ 13.40

JUMBO Pedestrian Lid		
AMBJ004BW	LID JUMBO BLACK WATER	\$ 28.50
AMBJ004GB	LID JUMBO GREEN BLANK	\$ 28.50
AMBJ004RSS	LID JUMBO RED SS	\$ 28.50
AMBJ004UW	LID JUMBO BLUE WATER	\$ 28.50
AMBJ004WHSS	LID JUMBO WHITE SS	\$ 28.50



**Midi Lids**



**Jumbo Lids**

**Trafficable lids** available in black with a range of interchangeable coloured ID pucks for both Midi & Jumbo. Items listed are ex-stock. Can be retrofitted to existing Pedestrian midi and Jimbo boxes. Further puck colours and text can be made but MOQ may apply.

MIDI Trafficable Lid		
AMBT004RSS	LID MIDI TRAFFICABLE RED SS	\$ 47.40
AMBT004UW	LID MIDI TRAFFICABLE BLUE WATER	\$ 47.40
AMBT004WHSS	LID MIDI TRAFFICABLE WHITE SS	\$ 47.40

JUMBO Trafficable Lid		
AMBJT004RSS	LID JUMBO TRAFFICABLE RED SS	\$ 76.50
AMBJT004UW	LID JUMBO TRAFFICABLE BLUE WATER	\$ 76.50
AMBJT004WHSS	LID JUMBOI TRAFFICABLE WHITE SS	\$ 76.50



**Risers** are available separately. The taper design allows risers to be stacked on top of each other enabling different depths. Often used where ground freezing can occur.

MIDI Riser		
AMB003	RISER MIDI 300 TALL	\$ 27.40
AMB035	RISER MIDI 350 TALL	\$ 28.40



**Service Parts** for Midi, Jumbo, Toby and Taper boxes are common and readily available.

BOX SPARE PARTS		
AMB008-300	WIRE ROPE LID TETHER 300mm	\$ 2.30
AMB009	CRIMP FOR WIRE ROPE	\$ 0.60
AMB010	STEEL ROD 100mm LG	\$ 0.80
PBUW	PUCK CLASS B BLUE WATER	\$ 5.20
PBRSS	PUCK CLASS B RED SS	\$ 5.20
PBWHSS	PUCK CLASS B WHITE SS	\$ 5.20

## BOUNDARY CONNECTIONS

### **Manifolds and Meter Manifold Assemblies**

**Dual Check Manifolds** are AS/NZS 2845.1 compliant and provide a fast, low cost, universal installation combining isolating valve, strainer and dual check features within a single boundary connection. They allow a universal co-axial OIMLR49 water meter to be easily retro-fitted. Available in DZR, lead free brass or composite materials. Security valve options are available which prevent tampering of meters and flow controllers but still allow customer to isolate their supply.

DUAL CHECK MANIFOLDS		
GM900S	LF BRASS DN20F	\$ 145.40
GM900S25	LF BRASS DN25M	\$ 160.60
CM2000	COMPOSITE DN20M	\$ 90.80
CM3	COMPOSITE DN20MF BALL VALVE	\$ 70.70
GM900DDV	LF BRASS DOUBLE VALVE DN20F	\$ 172.00



**GM900S**



**CM2000**



**CM3**



**GM900S25**

**Metered Manifolds** can be supplied ex-factory fitted with Sensus 620 composite meter. Meters are fitted with additional security wire tag.

METER MANIFOLD ASSEMBLIES		
GM900S620MC	MANIFOLD LF BRASS DN20F + COMPOSITE METER	\$ 267.10
CM2000620MC	MANIFOLD COMPOSITE DN20M + COMPOSITE METER	\$ 203.90



**GM900S620MC**



**CM2000620MC**

## Flow Control Manifolds & Assemblies

**Flow Control Dual Check Manifolds** are AS/ NZS 2845.1 compliant and provide a means of limiting the water supply from 0.4 lpm to 70 lpm.

Flow Control Manifolds are supplied with FCDC cartridge and an additional 456-micron stainless steel mesh filter fitted inside the cap. A security tag is fitted between cap and manifold.

FLOW CONTROL DUAL CHECK MANIFOLDS		
GFC900S	LF BRASS DN20 + FLOW CONTROLLER	\$ 232.30
GFC900S25	LF BRASS DN25 + FLOW CONTROLLER	\$ 247.50
CFC2000	COMPOSITE DN20 + FLOW CONTROL	\$ 178.80



**GFC900S**

**Testable Flow Control Assemblies** are a flow control, dual check manifold fitted with a test port & isolating valve, downstream of the manifold. Closing the downstream valve allows for quick and easy testing of flow rate.

TESTABLE FLOW CONTROL ASSEMBLIES		
GFC900STP	MANIFOLD LF BRASS DN20 + FLOW CONTROLLER & TEST PORT	\$ 292.90
CFC2000TP	MANIFOLD COMPOSITE DN20 + FLOW CONTROL & TEST PORT	\$ 242.10



**GFC900STP**



**CFC2000TP**

## Backflow Assemblies

**Testable Backflow Assemblies** combine a Wilkins 350 series double check backflow preventer with choice of Acuflo manifold and downstream isolating valve. Manifolds are fitted standard with 400-micron filter cartridge which is easily serviced from above ground, eliminating need for y-strainers.

Assemblies can be built to specific requirements by adding any combination of flow controller, Sensus 620 meter or y-strainers. To prevent tampering a security valve option is available

Backflow assemblies are available for inline water meters. Price on Request

TESTABLE BACKFLOW ASSEMBLIES		
GM900STR	BACKFLOW ASSY LF BRASS DN20F	\$ 534.40
GM900S25TR	BACKFLOW ASSY LF BRASS DN25M	\$ 567.00
CM2000TR	BACKFLOW ASSY COMPOSITE DN20M	\$ 482.00



**CM2000TR**



**GM900STR**



**GM900STR**  
*Security Valve Option*

TESTABLE BACKFLOW ASSEMBLIES WITH METER		
GM900S620MCTR	BACKFLOW ASSY LF BRASS DN20F + 620C METER	\$ 616.50
CM2000620MCTR	BACKFLOW ASSY COMPOSITE DN20M + 620C METER	\$ 548.00
GM900S25620MCTR	BACKFLOW ASSY LF BRASS DN25F + 620C METER	\$ 638.50



**CM2000620MCTR**



**GM900S620MBTR**



TESTABLE BACKFLOW ASSEMBLIES WITH FLOW RESTRICTOR		
GFC900STR	BACKFLOW ASSY LF BRASS DN20F + FLOWCONTROLLER	\$ 609.00
CFC2000TR	BACKFLOW ASSY COMPOSITE DN20M + FLOW CONTROL	\$ 565.50

## Multi-Outlet Assemblies

**Dual Outlet – Mains Outlet with Secondary Controlled Flow Outlet.** A single, compact boundary manifold connection providing full mains outlet with a second, downstream, trickle feed outlet. Supplied with mounting base. Box sold separate.

DUAL OUTLET ASSEMBLIES		
FFCKGM	DUAL OUTLET ASSY GM DN20 + BASE	\$ 463.50
FFCK300P	BOX MIDI 300 PEDISTRIAN FFCK BLUE	\$ 39.10
FFCK300T	BOX MIDI 300 TRAFFICABLE FFCK BLUE	\$ 190.70



**Multi-Port Distribution Assemblies.** A modular, compact, boundary distribution assembly with a single inlet and from 2 to 6 outlets. Assemblies are supplied ready to connect direct to pipework. Purchase includes inground box & base, 50NB 316 SS multi-port distribution bulkhead with gate valve, mac-union and choice of manifolds connected to the bulkead.

*Being a modular system, not all configurations can be listed. Please contact Acuflo Industries Ltd if your configuration is not listed below.*

MULTI-PORT DISTRIBUTION ASSEMBLIES		
MP3GM-3	TRAFFICABLE JUMBO R/H 3-PORT GM900S & GATE VALVE	\$ 2,140.00
MP4GM-1	MEGA 600 4-PORT GM900S & GATE VALVE	\$ 3,290.00
MP5GM-1	MEGA 600 5-PORT GM900S & GATE VALVE	\$ 3,470.00
MP6GM-1	MEGA 600 6-PORT GM900S & GATE VALVE	\$ 3,625.00
MP3CM-3	TRAFFICABLE JUMBO R/H 3-PORT CM2000 & GATE VALVE	\$ 1,975.00
MP4CM-1	MEGA 600 4-PORT CM2000 & GATE VALVE	\$ 3,055.00
MP5CM-1	MEGA 600 5-PORT CM2000 & GATE VALVE	\$ 3,175.00
MP6CM-1	MEGA 600 6-PORT CM2000 & GATE VALVE	\$ 3,265.00



## Manifold Parts & Tools

MANIFOLD SPARE PARTS		
DC100	CARTRIDGE DUAL CHECK -SCREW IN	\$ 23.70
DC200	CARTRIDGE DUAL CHECK -PUSH IN	\$ 23.70
GM008S	STRAINER	\$ 0.90
FCDC	CARTRIDGE - FLOW CONTROL DUAL CHECK -XX	\$ 89.80
DC008-20	FILTER CYLINDRICAL 841 MICRON - BACK FLOW	\$ 1.30
DC008-36	FILTER CYLINDRICAL 456 MICRON - FLOW CONTROL	\$ 1.30
GM006	BLANKING CAP	\$ 13.00
OR002	O'RING FOR GM006 BLANKING CAP	\$ 0.70
DV100	VALVE TOP - BLUE	\$ 29.70
DV002F	MK 1 HANDLE & SCREW - 2 FLATS, BLUE	\$ 7.10
DV002	MK 2 HANDLE & SCREW - 4 FLATS, BLUE	\$ 7.10



**DC100**



**DC200**



**FCDC**



**DV100**



**GM006**



**DC008-20**



**DC008-36**

MANIFOLD SERVICE TOOLS		
TBC100	TOOL FOR ACUFLO MANIFOLD CAP	\$ 54.00
TCV100L	TOOL FOR ACUFLO CHECK CARTRIDGE	\$ 44.00
TS100	TOOL FOR ACUFLO MANIFOLD STRAINER	\$ 11.10
T620M	TOOL FOR SENSUS 620 METER	\$ 29.50
TDV100	DIAPHRAGM VALVE EXTENSION TOOL	\$ 120.00



**TBC100**



**TS100**



**TCV100L**



**T620M**



**TDV100**



# VALVES

## Diaphragm Valves

**Diaphragm Isolating Valves** are AS/NZS 4020 compliant with low head loss and ease of operation. The “dry” actuator & spindle design eliminates leaks as there are no stem seals. Available in DZR brass or composite materials.

DIAPHRAGM VALVES		
DV25020	DIAPHRAGM VALVE LF BRASS DN20	\$ 51.00
DV25025	DIAPHRAGM VALVE LF BRASS DN25	\$ 57.60
DVC25015	DIAPHRAGM VALVE COMPOSITE DN15	\$ 36.40
DVC25020	DIAPHRAGM VALVE COMPOSITE DN20	\$ 36.40
DVC25020MT	DIAPHRAGM VALVE COMPOSITE DN20	\$ 36.80



DV250



DVC250



DV25020MT

## In-line Top Access Valves

**In-Line Top Access Valves** are available with choice of dual check or combination flow control dual check cartridge. Readily serviceable by removing the blanking cap, DC2000 and CFC50020 units are AS4020 compliant. The CFC50020 provide a means of limiting the water supply from 0.4 lpm to 70 lpm.

IN-LINE TOP ENTRY FLOW CONTROL & DUAL CHECK VALVES		
CFC50020	FLOW CONTROL INLINE ASSY COMPOSITE DN20	\$ 131.30
DC2000	DUAL CHECK INLINE ASSY COMPOSITE DN20	\$ 50.50



CFC50020



DC2000

## In-line Flow Control Valves

**In-Line Screwed Body Flow Control Valves** are a female threaded body available with fixed flow rate. Flow rate ranges vary with threaded body size. Bodies are made from Lead Free DZR brass, Stainless Steel and PVC. Table below is for LF brass bodies only.

IN-LINE BRASS SCREWED BODY FLOW CONTROL VALVES		
FCBF/F015	FLOW CONTROLLER INLINE LF BRASS DN15FF 0.4-23	\$ 205.00
FCBF/F020	FLOW CONTROLLER INLINE LF BRASS DN20FF 0.4-23	\$ 215.00
FCBF/F025	FLOW CONTROLLER INLINE LF BRASS DN25FF 0.4-23	\$ 245.00
FCBF/F032	FLOW CONTROLLER INLINE LF BRASS DN32FF	\$ 550.00
FCBF/F040	FLOW CONTROLLER INLINE LF BRASS DN40FF	\$ 604.80
FCBF/F050	FLOW CONTROLLER INLINE LF BRASS DN50FF	\$ 832.00

Body Sizes	Configurations <i>First letter specifies inlet</i>	Flow Rate Availability <i>See all Available Flow Rates below</i>
6mm (1/4")	F&F	from 0.2 to 9 l/m
10mm	F&F	from 0.2 to 9 l/m
15mm	F&F, M&F, F&M	from 0.2 to 23 l/m
20mm	F&F, M&F, F&M	from 0.2 to 59 l/m
25mm	F&F, M&F, F&M	from 0.4 to 114 l/m
32mm	F&F	from 15 to 114 l/m
40mm	F&F	from 15 to 233 l/m
50mm	F&F	from 15 to 342 l/m



# WATER METERS

## **Residential Manifold Meters**

**Sensus 620MC Manifold meters** (also known as concentric meters) are OIML R49 R160 certified and HRI ready. Meters are compatible with full range of Acuflo manifolds and can be fitted with ease aftermarket.

DOMESTIC MANIFOLD (CONCENTRIC) METER		
620MC	SENSUS MANIFOLD CLASS C COMPOSITE	\$ 118.10
HRI	PULSER FOR ALL SENSUS 620 METERS	\$ 262.50



**620MC**



**HRI**

## **Residential Apartment Meters**

**Maddalena Apartment meters** offer a compact design suitable for horizontal and vertical installation. These single jet, cold water meters are supplied with meter tails and ready for optional reed switch or static pulse emitter.

APARTMENT METER		
SJONE15	MADDALENA INLINE S/JET CLASS C DN15 + 2 TAIL SETS	\$ 96.90
SJONE20	MADDALENA INLINE S/JET CLASS C DN20 + 2 TAIL SETS	\$ 111.20
RSCD	REED SWITCH FOR CD/ SJ ONE METER	\$ 67.00



**SJ ONE 20**



**RSCD**

## Industrial-Agricultural In-line Meters

**Maddalena DSTRP** is a premium in line **multi-jet turbine meter**, providing low flow accuracy for non-potable water supply. OIML R49 certified the DS TRP is PN16 rated, with a sapphire & stainless bearing providing a robust, long lasting water meter, suitable for the most challenging environments. Compatible with all types of water and can be equipped with the latest remote data transmission technologies.

DOMESTIC INLINE - MULTI JET TYPE		
DSTRP15	MADDALENA INLINE M/JET CLASS C DN15 x 134	\$ 151.00
DSTRP20	MADDALENA INLINE M/JET CLASS C DN20 x 165	\$ 174.00
DSTRP25	MADDALENA INLINE M/JET CLASS C DN25 x 260	\$ 425.30
DSTRP32	MADDALENA INLINE M/JET CLASS C DN32 x 260	\$ 601.80
DSTRP40	MADDALENA INLINE M/JET CLASS C DN40 x 300	\$ 808.90
DSTRP50	MADDALENA INLINE M/JET CLASS C DN50 x 300	\$ 968.00
RSDS	REED SWITCH FOR ALL DSTRP METERS	\$ 94.00



**Maddalena**  
**DSTRP**



**RSDS**