

GALDERMA

EST. 1981



C. BOTULINUM TYPE A TOXIN – HAEMAGGLUTININ COMPLEX

Uniquely You. Definitely Dysport®.

Dysport is used for the temporary improvement of frown lines and/or crow's feet¹

Information for patients treated with Dysport



For further information about Dysport, please consult your cosmetic practitioner.
Model used for pictorial purposes

How Dysport works

Over time, the muscles responsible for creating facial expressions cause wrinkles to form and deepen²

Your Cosmetic Practitioner has recommended treatment with Dysport, which temporarily improves the appearance of wrinkles by relaxing and reducing the movement of the muscles that cause them.¹

As the treated muscles relax, your skin will look smoother.^{2,3} Dysport allows you to express your unique self, but with fewer wrinkles.^{1,4}





Model used for pictorial purposes





Natural-looking results

Patient at maximum frown before and after Dysport treatment



Patient at maximum smile before and after Dysport treatment



Individual results may vary

Frequently asked questions about Dysport

How quickly will I see results with Dysport?

You may notice **visible improvements in as little as 2 days**; however results will vary between individuals, and it may take longer to see the full effect.⁴⁻⁶

How long will the effects of Dysport treatment last?

Though the duration of effect can vary between individuals, Dysport may last up to 5 months for frown lines.⁵ Speak to your Cosmetic Practitioner to discuss when you should be scheduled for your next treatment.

Model used for pictorial purposes

Model used for pictorial purposes

Aftercare with Dysport

Treatment with Dysport requires no recovery time. To get the best out of your treatment, it's recommended you:



Avoid intense exercise or activities that could increase blood flow for 24 hours, as this may increase the potential risk of bruising^{7,8}



Avoid exposure to very hot temperatures or activities that could cause flushing for 24 hours to prevent unwanted spread^{7,9}



Avoid lying flat for the first 4 hours after treatment to prevent unwanted spread^{8,9}



Avoid rubbing or massaging the injected area for the first 4 hours after treatment to prevent unwanted spread⁸⁻⁹

Model used for pictorial purposes

Understanding side effects

In clinical studies, the most commonly reported side effects were headache and injection site reactions (like pain, redness, bruising, itching, and rash).¹



Most side-effects are injection-procedure related and last only for a short time.¹

If you have any questions or concerns about your treatment, please contact your Cosmetic Practitioner.

References

1. Dysport Product Information.
2. Finn CJ et al. *Dermatol Surg.* 2003;29:450-5.
3. Carruthers A et al. *J Cosmet Laser Ther* 2007; 9(Suppl 1):6-10.
4. Schlessinger J et al. *Dermatol Surg.* 2021; 47:504-9.
5. Monheit GD et al. *Dermatol Surg.* 2020; 46:61-9.
6. Moy R et al. *Arch Facial Plast Surg.* 2009; 11:77-83.
7. King M et al. *J Clin Aesthet Dermatol.* 2017; 10:E1-4.
8. Kane MA, Monheit G. *Aesthet Surg J.* 2017; 37(suppl_1):S12-S19.
9. Small R. *Am Fam Physician.* 2014;90:168-75.

Model used for pictorial purposes

Important instructions from your Cosmetic Practitioner

Dysport treatment follow up

Your Cosmetic Practitioner will generally recommend that you attend a follow-up appointment about 2 weeks after your treatment to review the result.

As the onset and duration of results may vary from person to person, please speak to your Cosmetic Practitioner about a personalised treatment plan.

Clinic details

Clinic name:

Clinic phone number:

Follow up appointment

Date: Time:

Cosmetic Practitioner Name:

Next Dysport treatment

Date: Time:

Comments:

Dysport is a prescription medicine containing 300 or 500 U of botulinum toxin. It is used for the treatment of frown lines and crow's feet around the eyes. Dysport lasts up to 6 months and further courses of treatment may be necessary. It should only be administered by trained medical professionals. Dysport has risks and benefits. Ask your healthcare professional if Dysport is right for you. For details on precautions and side effects consult your healthcare professional or the Consumer Medicine Information (CMI) at www.medsafe.govt.nz. If you have side effects, see your doctor. ALWAYS FOLLOW THE INSTRUCTIONS YOU ARE GIVEN. Product and treatment costs will apply.

Galderma Australia Pty Ltd, 58 Richard Pearse Drive, Airport Oaks, Mangere 2022. NZBN 9429051812249. Distributed in NZ by Healthcare Logistics, 58 Richard Pearse Drive, Airport Oaks, Mangere 2022, Phone: 0800 174 104 (NZ). Dysport Sponsor: Ipsen Pty Ltd, Level 5, 627 Chapel Street, South Yarra, VIC 3141, Australia. Dysport is a registered trademark of Ipsen Pty Ltd. Galderma is a registered trademarks of Galderma Holding S.A. NZ-DYS-2100014. NZ-DYS-2100014. NZ Code: 1153374. TAPS Approval NP23427. September 2025.