

Neurological Assessment

Patient Name:		Date:																																																			
DoB:	Age:	Sex:	Gender:																																																		
Insurance:																																																					
CC & Significant History:																																																					
Key Consideration ☐ Headache ☐ Dizziness/Vertigo ☐ Tremors ☐ Incoordination ☐ Difficulty Swallowing ☐ Head Injury ☐ Seizures ☐ Weakness ☐ Numbness/Tingling ☐ Difficulty Speaking ☐ Significant Past History ☐ Environmental Hazards ☐ Other:																																																					
☐ Refer to secondary consultation: ☐ Refer to diagnostic imaging:																																																					
<table style="width: 100%;"> <tr> <td colspan="3"></td> <td style="text-align: center;"><u>Mental Status</u></td> <td style="text-align: center;">☐ WNL (Within Normal Limits)</td> </tr> <tr> <td>Development</td> <td>☐ Good</td> <td>☐ Fair</td> <td>☐ Poor</td> <td></td> </tr> <tr> <td>Behavior</td> <td>☐ Alert</td> <td>☐ Lethargic</td> <td>☐ Confusion</td> <td>☐ Speech</td> </tr> <tr> <td>Orientation</td> <td>☐ Time</td> <td>☐ Person</td> <td>☐ Place & Situation</td> <td></td> </tr> <tr> <td colspan="5">Memory/Concentration</td> </tr> <tr> <td colspan="2">☐ Name president/recent newsworthy events</td> <td colspan="3">☐ 3 word or place recall at 0 and 5 minutes</td> </tr> <tr> <td colspan="2">☐ (100) - (7) up to five times (93, 86, 79...)</td> <td colspan="3">☐ Spell word backwards</td> </tr> <tr> <td colspan="2">☐ Draw a clock (make the time 12:30)</td> <td colspan="3">☐ Draw overlapping pentagons</td> </tr> <tr> <td colspan="5">Comments</td> </tr> <tr> <td colspan="5" style="height: 50px;"></td> </tr> </table>							<u>Mental Status</u>	☐ WNL (Within Normal Limits)	Development	☐ Good	☐ Fair	☐ Poor		Behavior	☐ Alert	☐ Lethargic	☐ Confusion	☐ Speech	Orientation	☐ Time	☐ Person	☐ Place & Situation		Memory/Concentration					☐ Name president/recent newsworthy events		☐ 3 word or place recall at 0 and 5 minutes			☐ (100) - (7) up to five times (93, 86, 79...)		☐ Spell word backwards			☐ Draw a clock (make the time 12:30)		☐ Draw overlapping pentagons			Comments									
			<u>Mental Status</u>	☐ WNL (Within Normal Limits)																																																	
Development	☐ Good	☐ Fair	☐ Poor																																																		
Behavior	☐ Alert	☐ Lethargic	☐ Confusion	☐ Speech																																																	
Orientation	☐ Time	☐ Person	☐ Place & Situation																																																		
Memory/Concentration																																																					
☐ Name president/recent newsworthy events		☐ 3 word or place recall at 0 and 5 minutes																																																			
☐ (100) - (7) up to five times (93, 86, 79...)		☐ Spell word backwards																																																			
☐ Draw a clock (make the time 12:30)		☐ Draw overlapping pentagons																																																			
Comments																																																					
For the remaining sections, N = Normal, A = Abnormal. If Abnormal, Describe in Comments Section																																																					
<table style="width: 100%;"> <tr> <td colspan="3"></td> <td style="text-align: center;"><u>Reflexes</u></td> <td style="text-align: center;">☐ WNL (Within Normal Limits)</td> </tr> <tr> <td>DTR (Rate from 0-4)</td> <td>Right</td> <td>Left</td> <td>Pathologic</td> <td></td> </tr> <tr> <td>Biceps (C5)</td> <td> </td> <td> </td> <td>Babinski</td> <td>☐ N ☐ A ☐ N ☐ A</td> </tr> <tr> <td>Brachioradialis (C6)</td> <td> </td> <td> </td> <td>Abdominal</td> <td>☐ N ☐ A ☐ N ☐ A</td> </tr> <tr> <td>Triceps (C7)</td> <td> </td> <td> </td> <td>Hoffman's</td> <td>☐ N ☐ A ☐ N ☐ A</td> </tr> <tr> <td>Patella (L4)</td> <td> </td> <td> </td> <td></td> <td></td> </tr> <tr> <td>Hamstring (L5)</td> <td> </td> <td> </td> <td></td> <td></td> </tr> <tr> <td>Achilles (S1)</td> <td> </td> <td> </td> <td></td> <td></td> </tr> <tr> <td colspan="5">Comments</td> </tr> <tr> <td colspan="5" style="height: 60px;"></td> </tr> </table>							<u>Reflexes</u>	☐ WNL (Within Normal Limits)	DTR (Rate from 0-4)	Right	Left	Pathologic		Biceps (C5)			Babinski	☐ N ☐ A ☐ N ☐ A	Brachioradialis (C6)			Abdominal	☐ N ☐ A ☐ N ☐ A	Triceps (C7)			Hoffman's	☐ N ☐ A ☐ N ☐ A	Patella (L4)					Hamstring (L5)					Achilles (S1)					Comments									
			<u>Reflexes</u>	☐ WNL (Within Normal Limits)																																																	
DTR (Rate from 0-4)	Right	Left	Pathologic																																																		
Biceps (C5)			Babinski	☐ N ☐ A ☐ N ☐ A																																																	
Brachioradialis (C6)			Abdominal	☐ N ☐ A ☐ N ☐ A																																																	
Triceps (C7)			Hoffman's	☐ N ☐ A ☐ N ☐ A																																																	
Patella (L4)																																																					
Hamstring (L5)																																																					
Achilles (S1)																																																					
Comments																																																					

Motor Function		☐ WNL (Within Normal Limits)	
Motor (Rate from 0-5)	Right	Left	Comments
Deltoid (C5, C6) (axillary)			
Brachioradialis (C5, C6) (radial)			
Biceps (C5, C6) (musculocut.)			
Triceps (C6, C7, C8, T1) (radial)			
Wrist flexors (C6, C7) (med /ulnar)			
Wrist extensors (C6, C7, C8) (rad.)			
Interossei (C7, C8, T1) (ulnar)			
Tib. anterior (L4, L5) (deep per.)			
Extensor hallucis longus (L4, L5, S1) (deep peroneal)			
Fibularis (peroneus) longus (L5, S1) (superficial peroneal)			

Cranial Nerve				☐ WNL (Within Normal Limits)			
I - Olfactory				VII - Facial			
	Right	Left			Right	Left	
Scent #1	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Facial expressions	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Scent #2	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Facial expression #2	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
II - Optic				Normal eye movement			
	Right	Left			☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Visual acuity	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	VIII - Vestibulocochlear			
Visual fields	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A		Right	Left	
Funduscopy exam	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Rhomberg's test	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
III, IV, VI				Auditory acuity	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
"H pattern	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Weber	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Convergence	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Rinne	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Nystagmus	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	IX, X			
Consensual light reflex	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Gag reflex	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
V - Trigeminal				Elevation of palate	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
	Right	Left		XI - Spinal Accessory			
Lateral jaw deviation	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A		Right	Left	
Masseter contraction	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Trapezius muscle test	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Face sensation	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	SCM muscle test	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Corneal touch reflex	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	XII - Hypoglossal			
				Stick out tongue	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Comments							

Cerebellar				☐ WNL (Within Normal Limits)			
	Right	Left			Right	Left	
Rapid finger movement	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Heel down shin	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Rapid pro/supination	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Holme's rebound sign	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Finger-to-nose/finger	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A	Gait/heel-toe walk	☐ N ☐ A	☐ N ☐ A	☐ N ☐ A
Comments							

<u>Nerve Tension</u>					☐ WNL (Within Normal Limits)				
	Right		Left			Right		Left	
Straight Leg Raise	☐ N	☐ A	☐ N	☐ A	Median nerve traction	☐ N	☐ A	☐ N	☐ A
Maximal SLR	☐ N	☐ A	☐ N	☐ A	Radial nerve traction	☐ N	☐ A	☐ N	☐ A
Bragard's	☐ N	☐ A	☐ N	☐ A	Ulnar nerve traction	☐ N	☐ A	☐ N	☐ A
Femoral nerve traction	☐ N	☐ A	☐ N	☐ A	Tinel's	☐ N	☐ A	☐ N	☐ A

Comments

<u>Sensory</u>					☐ WNL (Within Normal Limits)				
	Right		Left			Right		Left	
Light touch	☐ N	☐ A	☐ N	☐ A	Position sense	☐ N	☐ A	☐ N	☐ A
Vibration	☐ N	☐ A	☐ N	☐ A	Proprioception	☐ N	☐ A	☐ N	☐ A
Stereognosis	☐ N	☐ A	☐ N	☐ A	Romberg	☐ N	☐ A	☐ N	☐ A
Graphesthesia	☐ N	☐ A	☐ N	☐ A	Sharp/Dull	☐ N	☐ A	☐ N	☐ A
2-point discrim	☐ N	☐ A	☐ N	☐ A	Hot/Cold	☐ N	☐ A	☐ N	☐ A

Comments

Differential Diagnosis

Additional Comments

Signature:	Date:
-------------------	--------------