

## Archi-Line Battens by Knotwood

**Designated Building Product:** Class 1

### Declaration

PSP Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022. See [Regulations](#).

### Company Details:

<b>Name</b>	PSP Limited
<b>Role</b>	Supplier
<b>NZBN</b>	9429038193958
<b>Address</b>	320 Rosedale Road, Albany, Auckland 0632
<b>Website</b>	<a href="http://www.psp.co.nz">www.psp.co.nz</a>
<b>Email</b>	<a href="mailto:info@psp.co.nz">info@psp.co.nz</a>
<b>Phone</b>	0800 786 883

### Description of Building Product

PSP Limited supplies Archi-Line Battens manufactured by [Knotwood](#) in Australia.

Archi-Line Battens are non-structural, intended for internal/external wall, ceiling, and louvre applications. They are manufactured from extruded aluminium, and are supplied in various sizes with different coatings. Knotwood also supplies the aluminium extruded accessories for installation including mounting plates and joiners, batten spacers and endcaps.

The batten system may be installed vertical, horizontal, or diagonally. Archi-Line Battens can be fixed directly to the substrate, mounted on a subframe (top hat), or used in conjunction with a base mounting plate. Archi-Line is suitable for use on the following substrates; Timber, Aluminium, Steel, Concrete, and Masonry.

Archi-Line Battens have been subject to engineering and testing to AS/NZS standards. The battens are non-combustible and suitable for use where Group Number 1-S is permitted. Installation calculations have concluded that, subject to the conditions of the applicable engineering certificate, battens may be installed in all wind zones up to and including extra high, and at building heights of ≤20m.

### Contribution to Building Code Obligations

PSP Limited relies on the information supplied by [Knotwood](#) in making the following compliance claims. When used in building work, Archi-Line Battens will comply with or contribute to compliance with:

#### Code Clauses

##### B1 Structure

- B1.3.1
- B1.3.2
- B1.3.3 (a, h, j, q)

##### B2 Durability

- B2.3.1 (b)

##### C3 Fire affecting areas beyond the source

- C3.5
- C3.6
- C3.7 (a)

##### F1 Hazardous Building Materials

- F2.3.1

---

### **Additional Information**

Archi-Line Battens must be designed, specified, installed, and maintained in accordance with all information supplied by PSP Limited.

For all design, installation, and maintenance-related information and for information supporting PSP Limited claims refer to [www.psp.co.nz](http://www.psp.co.nz).

### **Responsible Person**

In accordance with Regulation 8, as the responsible person, we confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's processes and is, therefore, to the best of my knowledge, correct.

We can also confirm that Archi-Line Battens as referred to in this statement, are not subject to a warning or ban under s26 of the [Building Act](#).

Signed for and on behalf PSP Limited,

**PSP Technical Team**