

PATIENT & ORDER INFORMATION

PATIENT INITIALS

DIAGNOSIS

PRESCRIBING CLINICIAN

ATP NAME (REQUIRED)

PAYER / INSURANCE SOURCE

BILL TO – DEALER / SUPPLIER (ALTIMATEMEDICAL/LEGGERO APPROVED SUPPLIER ONLY)

PURCHASE ORDER #

QUOTE #

ACCOUNT #

TAG FOR

SUPPLIER / DEALER COMPANY

PHONE

EMAIL

SHIP TO (IF DIFFERENT THAN SHIP TO ADDRESS ON FILE FOR ACCOUNT ABOVE)

SHIP-TO NAME

ADDRESS

CITY / STATE

ZIP

PHONE

COLOR SELECTION ALL COLOR SELECTIONS – FRAME, DECAL & SUNSHADE

FRAME COLOR – SELECT ONE

- ☐ Graphite Grey
 ☐ Azure Blue
 ☐ Voltage Green
 ☐ Dragon Fruit Red
 ☐ Sunset Orange
 ☐ Magenta Pink
 ☐ Galaxy Purple
 ☐ Starburst Yellow
 ☐ Fluro Yellow

DECAL / STRIPE COLOR – SELECT ONE

- ☐ Voltage Green
 ☐ Azure Blue
 ☐ Sunset Orange
 ☐ Dragon Fruit Red
 ☐ Starburst Yellow
 ☐ Galaxy Purple
 ☐ Magenta Pink
 ☐ Midnight Black
 ☐ Fluro Yellow
 ☐ Omit Decal

SUNSHADE Black is the only available sunshade color

COLOR

- ☐ Black
 ☐ No Sunshade

CONFIGURATION LOGIC | **REQUIRES** must also order **ONLY WITH** frame/config-specific **MUST MATCH** match a choice elsewhere
LINKED DEFAULT preset by width **NOT WITH** cannot combine | SKU order / product code HCPCS · E0000 HCPCS billing code

► **Ventilator dependency – read before selecting a frame.** If the client uses a ventilator (LTV) and needs an Equipment Tray, the optimal configuration is the Enzo™ SE Rigid frame.

FRAME TYPE SELECT ONE

Enzo™ SE frames ship without transit. RESNA WC-19 Transit and the Sure-Lok Lap Belt are priced add-ons and **are not retrofittable – they must be ordered with the chair.**

☐ **Enzo™ SE Rigid** **ADD TRANSIT + BELT**
 3101-0002 Transit not included HCPCS · E1233

\$2,699

☐ **Enzo™ SE Side-Fold** **ADD TRANSIT + BELT**
 3101-0200 Transit not included HCPCS · E1234

\$2,799
ALL BASE MODELS INCLUDE

Aluminum frame in selected color & width · Fixed seat pan · Back cane with bolt-adjustable angle · Width-matched seat rails · Tilt mechanism · Adjustable wheelbase position

Transit & Securement – Add-on

RESNA WC-19 Transit: \$250
 Sure-Lok Lap Belt: \$90



TRANSIT & SECUREMENT OPTIONAL ADD-ON – NOT RETROFITTABLE

- | | |
|---|--------------|
| ☐ Transit Option – RESNA WC-19 Must be ordered with the chair | \$250 |
| ☐ Sure-Lok Lap Belt – 12–14" / 30.5–35.6 cm MATCH WIDTH | \$90 |
| ☐ Sure-Lok Lap Belt – 15–18" / 38.1–45.7 cm MATCH WIDTH | \$90 |
| ☐ Navigo Ready Option SIDE-FOLD ONLY | \$200 |

SEAT DIMENSIONS CHAIR WIDTH DRIVES SEAT RAIL, BACK CANE & RIGIDIZER DEFAULTS

CHAIR WIDTH – SELECT ONE

- ☐ 12" / 30.5 cm
 ☐ 13" / 33.0 cm
 ☐ 14" / 35.6 cm
 ☐ 15" / 38.1 cm
 ☐ 16" / 40.6 cm
 ☐ 17" / 43.2 cm
 ☐ 18" / 45.7 cm

SEAT PAN WIDTH [MATCH CHAIR WIDTH](#)

FIXED SOLID SEAT PAN WIDTH – MATCH CHAIR WIDTH (depth set by seat-rail length)

SIDE-FOLD FRAME – PICK RANGE, THEN MARK SETTING

- | | |
|--|--------------|
| ☐ 12–14" / 30.5–35.6 cm set: ☐ 12" ☐ 13" ☐ 14" | \$200 |
| ☐ 14–16" / 35.6–40.6 cm set: ☐ 14" ☐ 15" ☐ 16" | \$200 |
| ☐ 16–18" / 40.6–45.7 cm set: ☐ 16" ☐ 17" ☐ 18" | \$200 |

RIGID FRAME – SINGLE-INCH LENGTH

- | | |
|--|--|
| ☐ 12" / 30.5 cm \$200 | ☐ 16" / 40.6 cm \$200 |
| ☐ 13" / 33.0 cm \$200 | ☐ 17" / 43.2 cm \$200 |
| ☐ 14" / 35.6 cm \$200 | ☐ 18" / 45.7 cm \$200 |
| ☐ 15" / 38.1 cm \$200 | |

SEAT PAN TYPE

- | | |
|--|--------------|
| ☐ Standard Fixed Solid Pan HCPCS · E2231 | \$200 |
| ☐ Solid Seat Pan, Removable RIGID ONLY HCPCS · E2231 | \$290 |
| ☐ Removable Pan Hardware REQUIRED FOR REMOVABLE PAN HCPCS · K0108 | \$198 |

REAR EXTENSION

- ☐ Extended Rear Seat Rail – Long Rear Rails (+3" / 8 cm)

SEAT DEPTH [WIDTH-LINKED](#)

TARGET _____ in _____ cm CSR verifies the seat-rail range achieves this target.

SEAT RAIL LENGTH A – HANGER & OFFSET · SELECT ONE

- | | |
|---|------------|
| ☐ Standard Hanger LENGTH SET BY CHAIR WIDTH | N/C |
| ☐ 3101-3040 1" Offset – Length A 13–19" / 33–48 cm 12–16" WIDTH | N/C |
| ☐ 3101-3050 1" Offset – Length A 17–22" / 43–56 cm 16–18" WIDTH | N/C |

SEAT TILT RANGE AVAILABILITY DEPENDS ON SEAT-TO-FLOOR HEIGHT

- ☐ –5° to 45° incl. 5° anterior [NOT WITH 13.5" SEAT-TO-FLOOR](#)
☐ 0° to 45° posterior only · range limiter installed

► The 5° anterior (–5°) range requires a seat-to-floor height above the 13.5"/34 cm minimum. At the lowest seat-to-floor height, only 0°–45° (posterior) is available.

BACK CANE & RIGIDIZER [WIDTH-LINKED](#)

BACK CANE

CLAMP HEIGHT

- ☐ Up to 18" / 46 cm default 12–14" / 30.5–35.6 cm
☐ Up to 20" / 51 cm default 14–16" / 35.6–40.6 cm
☐ Up to 22" / 56 cm default 16–18" / 40.6–45.7 cm

SEAT-TO-BACK ANGLE recline / open angle

- ☐ 90°
 ☐ 95°
 ☐ 100°
 ☐ 105°
 ☐ 110°

RIGIDIZER BAR [WIDTH-SPECIFIC SIZING](#)

- | | |
|---|--------------|
| ☐ Non-Folding Rigidizer Bar | \$125 |
| ☐ Flip-Up Rigidizer Bar | \$194 |
| ☐ None | N/C |

RIGIDIZER BAR WIDTH [REQUIRES RIGIDIZER BAR](#)

- ☐ 12–14" / 30.5–35.6 cm
☐ 14–16" / 35.6–40.6 cm
☐ 16–18" / 40.6–45.7 cm

ARMRESTS SELECT MOUNTING TYPE THEN PAD LENGTH · SEE TRAYS SECTION FOR CLEAR POSITIONING TRAY OPTION

1 · ARMREST MOUNTING TYPE – SELECT ONE PAIR

BACK CANE MOUNTED

- | | |
|---|--------------|
| ☐ Back Cane Locking Flip-Up HCPCS · E0973 | \$265 |
| ☐ Back Cane Non-Locking Flip-Up HCPCS · E0973 | \$265 |

SEAT RAIL MOUNTED

- | | |
|--|--------------|
| ☐ Seat Rail Short, Height Adjustable HCPCS · E0973 | \$285 |
| ☐ Seat Rail Tall, Height Adjustable HCPCS · E0973 | \$285 |

2 · ARMREST PAD LENGTH – REQUIRED WITH ARMRESTS

- ☐ Desk Pad 10" / 25 cm
☐ Full Pad 13.5" / 34 cm

TRAYS SELECT ONE TRAY TYPE · THEN ITS SIZE & MATCHING HARDWARE

1 · TRAY TYPE – SELECT ONE

- ☐ **No Tray** N/C
- ☐ Clear Positioning Tray – clear platform, mounts to armrests
- ☐ Full Lap Tray – Therafin clear, custom-cut

2 · SIZE & REQUIRED HARDWARE – COMPLETE ONLY THE BLOCK MATCHING YOUR STEP 1 CHOICE

IF CLEAR POSITIONING TRAY HCPCS · E0950

A · CLEAR POSITIONING TRAY – SIZE · SELECT ONE

- ☐ 3101-6006-1 Clear Positioning Tray 12–14" / 30.5–35.6 cm \$150
- ☐ 3101-6007-1 Clear Positioning Tray 14–16" / 35.6–40.6 cm \$150
- ☐ 3101-6008-1 Clear Positioning Tray 16–18" / 40.6–45.7 cm \$150

B · MOUNTING HARDWARE REQUIRED HCPCS · E1028

- ☐ 3101-6009 Tray Hardware, Height Adjustable \$209

IF FULL LAP TRAY – THERAFIN CLEAR, CUSTOM-CUT W/ BOWL CUTOUT



A · SIZE – SELECT ONE

- | | |
|---|--|
| ☐ 33206 18W × 16D · 46×41 cm · BC 8.5×5" · 21.6×12.7 cm \$243 | ☐ 33207 18W × 16D · 46×41 cm · BC 9.5×5.5" · 24.1×14 cm \$249 |
| ☐ 33208 19W × 18D · 48×46 cm · BC 9.5×5.5" · 24.1×14 cm \$243 | ☐ 33209 19W × 18D · 48×46 cm · BC 10.5×6" · 26.7×15.2 cm \$243 |
| ☐ 33210 20W × 18D · 51×46 cm · BC 10.5×6" · 26.7×15.2 cm \$243 | ☐ 33211 20W × 18D · 51×46 cm · BC 11.5×6.5" · 29.2×16.5 cm \$249 |
| ☐ 33212 21W × 18D · 53×46 cm · BC 11.5×6.5" · 29.2×16.5 cm \$275 | ☐ 33213 21W × 18D · 53×46 cm · BC 12.5×7" · 31.8×17.8 cm \$275 |
| ☐ 33214 22W × 21D · 56×53 cm · BC 12.5×7.5" · 31.8×19.1 cm \$282 | ☐ 33215 22W × 21D · 56×53 cm · BC 13.5×8" · 34.3×20.3 cm \$295 |
| ☐ 33216 23.5W × 22D · 60×56 cm · BC 13.5×8" · 34.3×20.3 cm \$290 | ☐ 33217 23.5W × 22D · 60×56 cm · BC 14.5×9.5" · 36.8×24.1 cm \$323 |
| ☐ 33218 24.5W × 22D · 62×56 cm · BC 14.5×9.5" · 36.8×24.1 cm \$316 | ☐ 33219 24.5W × 22D · 62×56 cm · BC 15.5×10.5" · 39.4×26.7 cm \$316 |

B · MOUNTING HARDWARE REQUIRED WITH FULL LAP TRAY

- ☐ 31098 EZ Lock Tray Clamps, Pair \$169

FULL LAP TRAY FITMENT CHAIR WIDTH → TRAY PART NUMBER

DIMENSIONS

		Tray Part Number						
		33206 / 33207	33208 / 33209	33210 / 33211	33212 / 33213	33214 / 33215	33216 / 33217	33218 / 33219
		Tray Width						
		18W	19W	20W	21W	22W	23.5W	24.5W
Enzo Chair Width	12"	Flip Up Armrest Single Post Armrest						
	13"		Flip Up Armrest Single Post Armrest					
	14"			Flip Up Armrest Single Post Armrest				
	15"				Flip Up Armrest Single Post Armrest			
	16"					Flip Up Armrest Single Post Armrest		
	17"						Flip Up Armrest Single Post Armrest	
	18"							Flip Up Armrest Single Post Armrest

FULL LAP TRAY FITMENT – CHAIR WIDTH → TRAY PART NUMBER

HANDLE STYLE SELECT ONE – REQUIRED · OPTIONS SHOWN APPLY TO THE FRAME TYPE SELECTED ON THE FRAME & TRANSIT PAGE

☐ Push Handle **N/C**
☐ Stroller Handle **N/C**
☐ Split Stroller Handle **SIDE-FOLD ONLY \$75**

► Handle, tilt & locking are ordered as one combination – not all combinations exist. Split Stroller add-on: +\$75 (Push-to-Lock / Hub Lock) · +\$145 (Push-to-Lock + Hub Lock).

TILT ACTIVATION SELECT ONE – REQUIRED · DRUM BRAKE LOCKING REQUIRES FOOT TILT

☐ Foot Tilt
 ☐ Hand Tilt

WHEELS, CASTERS & LOCKING FIND THE PRESCRIBED HEIGHT

HOW TO CONFIGURE THIS SECTION

1. Find the desired seat-to-floor height in the left column. 2. Select an available wheel type in that row. 3. Select a caster size – note that combinations differ in how far the seat-to-floor height can later be adjusted, shown on each caster option. 4. Select an available locking mechanism. 5. For 20 / 22 / 24" wheels, complete the tire and handrim block below.

1 STF HEIGHT	2 WHEEL TYPE	3 CASTER SIZE · Item no. → adjusts up to	4 LOCKING MECHANISM
☐ 13.5" 34 cm	12" Poly Mag 3101-2010	☐ 5" -05-135 → 17"	☐ Push-to-Lock
☐ 14" 35 cm	12" Poly Mag 3101-2010	☐ 5" -05-140 → 17"	☐ Push-to-Lock
	16" Poly Mag 3101-2011	☐ 5" -05-140 → 18"	☐ Push-to-Lock
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-140 → 18"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
☐ 14.5" 37 cm	16" Poly Mag 3101-2011	☐ 5" -05-145 → 18"	☐ Push-to-Lock
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-145 → 18"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
☐ 15" 38 cm	12" Poly Mag 3101-2010	☐ 5" -05-150 → 17" ☐ 6" -06-150 → 17"	☐ Push-to-Lock
	16" Poly Mag 3101-2011	☐ 5" -05-150 → 18" ☐ 6" -06-150 → 18.5"	☐ Push-to-Lock
	12" Hub Lock 3101-2012	☐ 5" -05-150 → 17" ☐ 6" -06-150 → 17"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-150 → 18" ☐ 6" -06-150 → 18.5"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
☐ 15.5" 39 cm	12" Poly Mag 3101-2010	☐ 5" -05-155 → 17" ☐ 6" -06-155 → 17" ☐ 7" -07-155 → 17"	☐ Push-to-Lock
	16" Poly Mag 3101-2011	☐ 5" -05-155 → 18" ☐ 6" -06-155 → 18.5" ☐ 7" -07-155 → 19"	☐ Push-to-Lock
	12" Hub Lock 3101-2012	☐ 5" -05-155 → 17" ☐ 6" -06-155 → 17" ☐ 7" -07-155 → 17"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-155 → 18" ☐ 6" -06-155 → 18.5" ☐ 7" -07-155 → 19"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	20" Mag 3101-2015	☐ 5" -05-155 → 17.5" ☐ 6" -06-155 → 18.5" ☐ 7" -07-155 → 20"	☐ Push-to-Lock
☐ 16" 40 cm	12" Poly Mag 3101-2010	☐ 5" -05-160 → 17" ☐ 6" -06-160 → 17" ☐ 7" -07-160 → 17"	☐ Push-to-Lock
	16" Poly Mag 3101-2011	☐ 5" -05-160 → 18" ☐ 6" -06-160 → 18.5" ☐ 7" -07-160 → 19"	☐ Push-to-Lock
	12" Hub Lock 3101-2012	☐ 5" -05-160 → 17" ☐ 6" -06-160 → 17" ☐ 7" -07-160 → 17"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-160 → 18" ☐ 6" -06-160 → 18.5" ☐ 7" -07-160 → 19"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	20" Mag 3101-2015	☐ 5" -05-160 → 17.5" ☐ 6" -06-160 → 18.5" ☐ 7" -07-160 → 20"	☐ Push-to-Lock

WHEELS, CASTERS & LOCKING CONTINUED – FIND THE PRESCRIBED HEIGHT

1 STF HEIGHT	2 WHEEL TYPE	3 CASTER SIZE · Item no. → adjusts up to	4 LOCKING MECHANISM
☐ 16.5" 42 cm	12" Poly Mag 3101-2010	☐ 5" -05-165 → 17" ☐ 6" -06-165 → 17" ☐ 7" -07-165 → 17"	☐ Push-to-Lock
	12" Hub Lock 3101-2012	☐ 5" -05-165 → 17" ☐ 6" -06-165 → 17" ☐ 7" -07-165 → 17"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	20" Mag 3101-2015	☐ 5" -05-165 → 17.5" ☐ 6" -06-165 → 18.5" ☐ 7" -07-165 → 20"	☐ Push-to-Lock
	22" Spoke \$204 3101-2018	☐ 5" -05-165 → 18" ☐ 6" -06-165 → 18.5" ☐ 7" -07-165 → 20"	☐ Push-to-Lock
☐ 17" 43 cm	12" Poly Mag 3101-2010	☐ 5" -05-170 max ☐ 6" -06-170 max ☐ 7" -07-170 max	☐ Push-to-Lock
	16" Poly Mag 3101-2011	☐ 5" -05-170 → 18" ☐ 6" -06-170 → 18.5" ☐ 7" -07-170 → 19"	☐ Push-to-Lock
	12" Hub Lock 3101-2012	☐ 5" -05-170 max ☐ 6" -06-170 max ☐ 7" -07-170 max	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Hub Lock 3101-2013	☐ 5" -05-170 → 18" ☐ 6" -06-170 → 18.5" ☐ 7" -07-170 → 19"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-170 → 18" ☐ 6" -06-170 → 18.5" ☐ 7" -07-170 → 19"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	20" Mag 3101-2015	☐ 5" -05-170 → 17.5" ☐ 6" -06-170 → 18.5" ☐ 7" -07-170 → 20"	☐ Push-to-Lock
	22" Spoke \$204 3101-2018	☐ 5" -05-170 → 18" ☐ 6" -06-170 → 18.5" ☐ 7" -07-170 → 20"	☐ Push-to-Lock
☐ 17.5" 44 cm	16" Poly Mag 3101-2011	☐ 5" -05-175 → 18" ☐ 6" -06-175 → 18.5" ☐ 7" -07-175 → 19"	☐ Push-to-Lock
	16" Hub Lock 3101-2013	☐ 5" -05-175 → 18" ☐ 6" -06-175 → 18.5" ☐ 7" -07-175 → 19"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-175 → 18" ☐ 6" -06-175 → 18.5" ☐ 7" -07-175 → 19"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	20" Mag 3101-2015	☐ 5" -05-175 max ☐ 6" -06-175 → 18.5" ☐ 7" -07-175 → 20"	☐ Push-to-Lock
	22" Spoke \$204 3101-2018	☐ 5" -05-175 → 18" ☐ 6" -06-175 → 18.5" ☐ 7" -07-175 → 20"	☐ Push-to-Lock
	24" Spoke \$204 3101-2021	☐ 5" -05-175 → 18" ☐ 6" -06-175 → 18.5" ☐ 7" -07-175 → 19.5"	☐ Push-to-Lock
☐ 18" 46 cm	16" Poly Mag 3101-2011	☐ 5" -05-180 max ☐ 6" -06-180 → 18.5" ☐ 7" -07-180 → 19"	☐ Push-to-Lock
	16" Hub Lock 3101-2013	☐ 5" -05-180 → max ☐ 6" -06-180 → 18.5" ☐ 7" -07-180 → 19"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 5" -05-180 max ☐ 6" -06-180 → 18.5" ☐ 7" -07-180 → 19"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	22" Spoke \$204 3101-2018	☐ 5" -05-180 → max ☐ 6" -06-180 → 18.5" ☐ 7" -07-180 → 20"	☐ Push-to-Lock
	24" Spoke \$204 3101-2021	☐ 5" -05-180 → max ☐ 6" -06-180 → 18.5" ☐ 7" -07-180 → 19.5"	☐ Push-to-Lock

WHEELS, CASTERS & LOCKING CONTINUED – FIND THE PRESCRIBED HEIGHT

1 STF HEIGHT	2 WHEEL TYPE	3 CASTER SIZE · Item no. · → adjusts up to	4 LOCKING MECHANISM
☐ 18.5" 47 cm	16" Poly Mag 3101-2011	☐ 6" -06-185 max ☐ 7" -07-185 → 19"	☐ Push-to-Lock
	16" Hub Lock 3101-2013	☐ 6" -06-185 max ☐ 7" -07-185 → 19"	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 6" -06-185 max ☐ 7" -07-185 → 19"	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	20" Mag 3101-2015	☐ 6" -06-185 max ☐ 7" -07-185 → 20"	☐ Push-to-Lock
	22" Spoke \$204 3101-2018	☐ 6" -06-185 max ☐ 7" -07-185 → 20"	☐ Push-to-Lock
	24" Spoke \$204 3101-2021	☐ 6" -06-185 ‡ max ☐ 7" -07-185 ‡ → 19.5"	☐ Push-to-Lock
☐ 19" 48 cm	16" Poly Mag 3101-2011	☐ 7" -07-190 max	☐ Push-to-Lock
	16" Hub Lock 3101-2013	☐ 7" -07-190 max	☐ Hub Lock ☐ Push-to-Lock + Hub Lock \$70
	16" Drum Brake 3101-2014 FOOT TILT	☐ 7" -07-190 max	☐ Drum Brake \$1,200 ☐ Drum Brake + Push-to-Lock \$1,275
	20" Mag 3101-2015	☐ 7" -07-190 → 20"	☐ Push-to-Lock
	24" Spoke \$204 3101-2021	☐ 7" -07-190 ‡ → 19.5"	☐ Push-to-Lock
☐ 19.5" 49 cm	20" Mag 3101-2015	☐ 7" -07-195 → 20"	☐ Push-to-Lock
	22" Spoke \$204 3101-2018	☐ 7" -07-195 → 20"	☐ Push-to-Lock
	24" Spoke \$204 3101-2021	☐ 7" -07-195 max	☐ Push-to-Lock
☐ 20" 51 cm	20" Mag 3101-2015	☐ 7" -07-200 max	☐ Push-to-Lock
	22" Spoke \$204 3101-2018	☐ 7" -07-200 max	☐ Push-to-Lock

5 TIRE & HANDRIM 20" / 22" / 24" WHEELS ONLY


20" MAG	22" / 24" SPOKE handrims included
☐ 3101-2027 20" Poly Tire N/C	☐ 3101-2023 22" Poly Tire 24": 3101-2025 N/C
☐ 3101-2017 20" Rubber Tire w/ Airless Insert HCPCS · E2213 \$90	☐ 3101-2024 22" Pneumatic Tire 24": 3101-2026 N/C
☐ 3101-2016 20" Anodized Aluminum Handrim \$119	☐ 3101-2019 22" Airless Insert 24": 3101-2022 HCPCS · E2213 \$90
	☐ 3101-2099 Omit Anodized Handrim 24": 3101-2199 N/C

‡ wheel position is not compatible with the Extended Rear Seat Rail (3101-3110). * anterior tilt is not available with the 13.5" / 34 cm seat-to-floor option. Tire and handrim choices apply to 20" / 22" / 24" wheels only. Front rigging length must be shorter than the seat-to-floor height selected. → 19" on a caster option is its **seat-to-floor adjustment range** – the highest seat-to-floor height that same wheel and caster reach, so a chair ordered at 15.5" can later be raised to 19"; **max** means the combination is already at its highest – adjusting within it does not require a new wheel or caster.

WHEELBASE POSITION WIDTH-LINKED

- ☐ Default – Leggero selects optimal by chair width
- ☐ Position 1 – Minimum 17.5" / 44 cm
- ☐ Position 2 – Medium, Shifted Front 18.5" / 47 cm
- ☐ Position 3 – Medium, Shifted Rear 18.5" / 47 cm
- ☐ Position 4 – Maximum 19.5" / 49 cm

FRAME GEOMETRY REFERENCE



ANTI-TIPPERS SELECTION REQUIRED HCPCS · E0971

FLIP-UP, ADJUSTABLE – CURB-ASSIST OR STANDARD PAIR

- ☐ Curb Assist Flip-Up, Adjustable Rear \$150/pr
- ☐ Standard Flip-Up, Adjustable Rear \$150/pr
- ☐ No Anti-Tippers N/C

► Anti-tipper wheel size matched to the wheel selected in Wheels, Casters & Locking.

LATERAL & MEDIAL SUPPORTS

LATERAL / PELVIC THIGH SUPPORT NOT WITH SEAT-RAIL MOUNT ARMRESTS

- ☐ 3101-6111 Left – Height, Width, Depth & Angle Adj. \$310
- ☐ 3101-6112 Right – Height, Width, Depth & Angle Adj. \$310

► Thigh supports are **not compatible with seat-rail mount armrests** – select back-cane mount armrests if thigh supports are required.

MEDIAL KNEE BLOCK

- ☐ 3005-7001 Flip-Down Medial Knee Block Hardware \$240

PAD SIZE REQUIRES HARDWARE

- ☐ MTMD-12 Small Wedge 3×5×3" / 8×13×8 cm HCPCS · E0957 \$150
- ☐ MTMD-13 Medium Wedge 5×5×3" / 13×13×8 cm HCPCS · E0957 \$150


THERAFIN LATERAL KNEE SUPPORTS




HARDWARE – SELECT ARM LENGTH (PAIR)

- ☐ 30248 Flipdown, Short Arm, No Pad (Pair) \$673
- ☐ 30284 Flipdown, Long Arm, No Pad (Pair) \$673

DIMENSIONS



30248 – SHORT ARM



30284 – LONG ARM


PAD REQUIRES HARDWARE

- ☐ 50490 Small Pad w/ Neoprene Cover HCPCS · E0953 \$131
- ☐ 50491 Medium Pad w/ Neoprene Cover HCPCS · E0953 \$131

DIMENSIONS

	A	B
	IN / CM	IN / CM
Small	4 / 10.2	3 / 7.6
Medium	6 / 15.2	4 / 10.2

50490 / 50491 – PAD DIMENSIONS



50490 / 50491 – PAD SHAPE

LEG HANGERS – FRONT RIGGING SELECT ONE HANGER STYLE – SWING-AWAY OR DIRECT-MOUNT

HANGER ANGLE ☐ 70° Swing Away ☐ 80° Swing Away ☐ 90° Swing Away ☐ 90° Direct Mount HCPCS · K0040 ☐ Swing Away ELR HCPCS · E0990 \$255 ☐ Omit Front Rigging		UPPER LENGTH ☐ Short 7.5–11.5" / 19–29 cm NO CALF PAD ☐ Medium 9–13" / 23–33 cm ☐ Long 11–17" / 28–43 cm STANDARD EXTENSION		EXTENSION ☐ Short (max +2" / 5 cm) ☐ Standard (max +4" / 10 cm)
FOOT PLATE – SELECT ONE · ENTER SIZE IN INCHES (12–18" / 30.5–45.7 CM)				
☐ Flip-Up, Height & Angle Adjustable Aluminum HCPCS · K0040 \$165 ☐ Omit Foot Plate N/C		☐ 90° Direct Mount Flip-Up Aluminum DIRECT-MOUNT HANGER \$185 HCPCS · K0040		
HEEL LOOPS REQUIRES FOOT PLATE				
☐ Heel Loop, Short 12–15" / 30.5–38.1 cm HCPCS · E0951 \$40		☐ Heel Loop, Long 16–18" / 40.6–45.7 cm HCPCS · E0951 \$40		
CALF PADS NOT WITH SHORT UPPER				
☐ Calf Pad, Left 12–15" / 30.5–38.1 cm HCPCS · E0995 \$40		☐ Calf Pad, Right 12–15" / 30.5–38.1 cm HCPCS · E0995 \$40		
☐ Calf Pad, Left 16–18" / 40.6–45.7 cm HCPCS · E0995 \$40		☐ Calf Pad, Right 16–18" / 40.6–45.7 cm HCPCS · E0995 \$40		
► Calf Pad is not available with the Short Upper. Long Upper requires the Standard Extension · front rigging length must be shorter than the seat-to-floor height.				

ANKLE SUPPORTS & FOOTSURE LEGGERO & THERAFIN ANKLE POSITIONING

LEGGERO CHAIR-MOUNTED ANKLE SUPPORTS

☐ 3001-6009-03 Ankle Support, Left Small (2 × 10" / 5 × 25 cm) \$72 HCPCS · E0951	☐ 3001-6010-03 Ankle Support, Right Small (2 × 10" / 5 × 25 cm) \$72 HCPCS · E0951
--	---

THERAFIN FOOTSURE ANKLE SUPPORTS




WITH BUCKLE		HOOK-&-LOOP		MAGNETIC BUCKLE	
☐ 60250	X-Small \$198/pr	☐ 60255	X-Small \$198/pr	☐ 36001	Small \$243
☐ 60251	Small \$198/pr	☐ 60256	Small \$198/pr	☐ 36002	Medium \$243
☐ 60252	Medium \$198/pr	☐ 60257	Medium \$198/pr		

DIMENSIONS



FOOTSURE – ANKLE SUPPORT



FOOTSURE – MIN / MAX RANGE

	MIN	MAX
	IN / CM	IN / CM
X-Small	6 / 15.2	8 / 20.3
Small	7 / 17.8	8.5 / 21.6
Medium	8 / 20.3	11 / 27.9

FOOTSURE – BUCKLE (60250–60252 · 36001–36002)

	MIN	MAX
	IN / CM	IN / CM
X-Small	5 / 12.7	6 / 15.2
Small	6 / 15.2	8 / 20.3
Medium	8 / 20.3	10.5 / 26.7

FOOTSURE – HOOK-&-LOOP (60255–60257)

FLEXSURE, FOOTBOXES & SHOEHOLDERS

THERAFIN FLEXSURE FEET



- ☐ 31765 Small, Hook-&-Loop Pair **\$355**
- ☐ 31772 Medium, Buckle Pair **\$385**
- ☐ 31773 Large, Buckle Pair **\$385**

THERAFIN FOOTBOXES



- ☐ 30111 Small **\$330**
- ☐ 30112 Medium **\$355**
- ☐ 30152 Split Adjustable, Small **\$469**
- ☐ 30153 Split Adjustable, Medium **\$470**

THERAFIN SHOEHOLDERS




- ☐ 30233 Padded, Small Pair **\$189**
- ☐ 30234 Padded, Medium Pair **\$189**
- ☐ 30293 Plain, Small Pair **\$171**
- ☐ 30303 Plain, Medium Pair **\$171**

THERAFIN SOFT TOE STRAPS

- ☐ 30489 Soft Toe Straps, Small **\$60**
- ☐ 30490 Soft Toe Straps, Medium **\$60**

DIMENSIONS FLEXSURE FEET




31765 / 31772 / 31773

FOOTBOX

	A	B	C
	IN / CM	IN / CM	IN / CM
Small	6 / 15	8 / 20	11 / 28
Medium	8 / 20	10 / 25	13 / 33


30111 / 30112 – DIMENSIONS



SPLIT FOOTBOX

	A	B	C
	IN / CM	IN / CM	IN / CM
Small	6 / 15	8 / 20	5.5 / 14
Medium	8 / 20	10 / 25	13 / 33


30152 / 30153 – DIMENSIONS



SHOEHOLDERS

	A	B	C
	IN / CM	IN / CM	IN / CM
Small	3.5 / 8.9	3.38 / 8.6	5.25 / 13.3
Medium	4.0 / 10.2	3.63 / 9.2	6.50 / 16.5


30233 / 30234 / 30293 / 30303



TOE STRAPS

	A	B	C
	IN / CM	IN / CM	IN / CM
Small	3.5 / 8.9	3.38 / 8.6	5.25 / 13.3
Medium	4 / 10.2	3.63 / 9.2	13 / 33

30489 / 30490 – DIMENSIONS



SHOEHOLDER WITH SOFT TOE STRAP

CHEST STRAPS & ANTERIOR SUPPORT

CHEST STRAPS

WIPEABLE STATIC CHEST STRAP



☐ 60550	Small	\$148
☐ 60551	Medium	\$148


STATIC CHEST STRAP



☐ 60153	Small	\$160
☐ 60154	Medium	\$160

DIMENSIONS

	A	B	C
	IN / CM	IN / CM	IN / CM
Small	44 / 111.7	16 / 40.6	3 / 7.6
Medium	72 / 182.8	20 / 50.8	4 / 10.1



STATIC CHEST STRAP – 60153 / 60154

WIPEABLE STATIC CHEST STRAP – 60550 / 60551

SP ANTERIOR POSTURE SUPPORT HCPCS · E0960 · includes TRAK/REACH mounting hardware

CLASSIC DYNAMIC	CLASSIC STRUCTURED	CONTOURED DYNAMIC	CONTOURED STRUCTURED
☐ IFPS1101-03 X-Small \$142	☐ IFPS1201-03 X-Small \$142	☐ IFPS2101-03 X-Small \$142	☐ IFPS2201-03 X-Small \$142
☐ IFPS1102-03 Small \$142	☐ IFPS1202-03 Small \$142	☐ IFPS2102-03 Small \$142	☐ IFPS2202-03 Small \$142
☐ IFPS1103-03 Medium \$142	☐ IFPS1203-03 Medium \$142	☐ IFPS2103-03 Medium \$142	☐ IFPS2203-03 Medium \$142

PIVOT POINT HARNESS STATIC · DYNAMIC · WIPEABLE STATIC

HARNESES


PIVOT POINT HARNESS



STATIC	DYNAMIC	WIPEABLE STATIC
☐ 32021 Small \$193	☐ 32031 Small \$193	☐ 60651 Small \$193
☐ 32022 Medium \$193	☐ 32032 Medium \$193	☐ 60652 Medium \$193

DIMENSIONS

	A	B
	IN / CM	IN / CM
Small	11.8 / 29.9	8.7 / 22
Medium	13.7 / 34.7	10.3 / 26.1



PIVOT POINT HARNESS – 32021 / 32022 / 32031 / 32032

THERAFIT SHOULDER HARNESS WITH CLIPS

THERAFIT SHOULDER HARNESS W/ CLIPS


☐ 61403 Small

\$167

☐ 61503 Medium

\$173

DIMENSIONS



THERAFIT SHOULDER HARNESS — 61403 / 61503


THERAFIT VESTS FULL & TRIM SIZING

VESTS


DYNAMIC COMFORTFIT 	DYNAMIC EXTENDED STRAPS 	ZIP-UP CLOSE — STATIC 	ZIP-UP CLOSE — DYNAMIC 
☐ 30589 Full / Small \$179	☐ 30594 Full / Small \$179	☐ 30771 Full / Small \$195	☐ 30777 Full / Small \$195
☐ 30590 Full / Medium \$179	☐ 30595 Full / Medium \$179	☐ 30772 Full / Medium \$195	☐ 30778 Full / Medium \$195
☐ 30618 Trim / Small \$181	☐ 30604 Trim / Small \$181	☐ 30773 Full / Large \$195	☐ 30779 Full / Large \$195
☐ 30619 Trim / Medium \$181	☐ 30624 Trim / Medium \$181	☐ 30774 Trim / Small \$195	☐ 30780 Trim / Small \$195
		☐ 30775 Trim / Medium \$195	☐ 30781 Trim / Medium \$195
		☐ 30776 Trim / Large \$195	☐ 30782 Trim / Large \$195

► See Vest Dimensions on the next page for ComfortFit, extended-strap and zip-up sizing diagrams before selecting a size.


VEST DIMENSIONS COMFORTFIT · EXTENDED STRAPS · ZIP-UP CLOSE




COMFORTFIT FULL – 30589 / 30590



COMFORTFIT TRIM – 30618 / 30619




EXT. STRAPS FULL – 30594 / 30595



EXT. STRAPS TRIM – 30604 / 30624

	A	B	C	D	E	F
	IN / CM	IN / CM	IN / CM	IN / CM	IN / CM	IN / CM
Small	10.5 / 26.6	14 / 35.5	6.5 / 16.5	6 / 15.2	2 / 5	5.25 / 13.3
Medium	12 / 30.4	16.25 / 41.2	7.5 / 19	6.5 / 16.5	2 / 5	6.5 / 16.5
Large	15.5 / 39.3	18.5 / 46.9	9.25 / 23.4	7.5 / 19	2.5 / 6.3	6.75 / 17.1


ZIP-UP FULL – 30771-30773 / 30777-30779



FULL VEST – MEASUREMENT POINTS

	A	B	C	D	E	F
	IN / CM	IN / CM	IN / CM	IN / CM	IN / CM	IN / CM
Small	10.5 / 26.6	14 / 35.5	6.25 / 15.8	3.5 / 8.8	2 / 5	5.25 / 13.3
Medium	12 / 30.4	16.25 / 41.2	7.25 / 18.4	3.5 / 8.8	2 / 5	6.5 / 16.5
Large	15.5 / 39.3	18.5 / 46.9	9 / 22.8	3.75 / 9.5	2.5 / 6.3	6.75 / 17.1

ZIP-UP TRIM – 30774-30776 / 30780-30782



TRIM VEST – MEASUREMENT POINTS

PELVIC POSITIONING BELT SELECT ONE BELT TYPE

SP PELVIC BELT – ENZO-MOUNTED WITH TRAK / REACH HARDWARE HCPCS · E0978

☐	IFPB5141-03	4-Point Push Button · 1" X-Small Pads	\$130	☐	IFPB5242-03	4-Point Push Button · 1.5" Small Pads	\$130
☐	IFPB5243-03	4-Point Push Button · 1.5" Medium Pads	\$130	☐	IFPB5111-03	2-Point Push Button · 1" X-Small Pads	\$130
☐	IFPB5112-03	2-Point Push Button · 1" Small Pads	\$130	☐	IFMDBC10/15	Buckle Cover Kit – ☐ 1" ☐ 1.5"	\$25

THERAFIN 4-POINT Y-STYLE HIP BELT



☐	36080	Magnetic Buckle · 1" Small	\$205	☐	36082	Magnetic Buckle · 1.5" Medium	\$205
☐	60046	Metal Security Buckle · Small	\$201	☐	60047	Metal Security Buckle · Medium	\$201
☐	51034	1.5" Padded Push Button Security Buckle	\$198				

THERAFIN REAR-PULL HIP BELT



☐	60161	1" Rear Pull Pads · 6.25×1.75" · 15.9×4.4 cm	\$130	☐	60171	1.5" Rear Pull Pads · 7.25×2.25" · 18.4×5.7 cm	\$127
☐	60181	1.5" Rear Pull Pads · 9.25×2.5" · 23.5×6.4 cm	\$145	☐	60321	1.5" Rear Pull Security · 7.25×2.25" · 18.4×5.7 cm	\$135

THERAFIN SINGLE-PULL, PADDED – STANDARD METAL CLIPS



☐	62001	1.5" Small · 5.25×2.25" · 13.3×5.7 cm	\$101	☐	62101	1.5" Medium · 7.25×2.25" · 18.4×5.7 cm	\$101
☐	62201	1.5" Large · 9.25×2.5" · 23.5×6.4 cm	\$101				

THERAFIN SINGLE-PULL, PADDED – PUSH BUTTON SECURITY BUCKLE (NEW)



☐	60411	1" X-Small · 4.25×1.75" · 10.8×4.4 cm	\$107	☐	60421	1" Small · 5.25×1.75" · 13.3×4.4 cm	\$110
☐	60431	1" Medium · 6.25×1.75" · 15.9×4.4 cm	\$112	☐	60441	1.5" Small · 5.25×2.25" · 13.3×5.7 cm	\$113
☐	60451	1.5" Medium · 7.25×2.25" · 18.4×5.7 cm	\$113	☐	60461	1.5" Large · 9.25×2.5" · 23.5×6.4 cm	\$119
☐	60471	2" Medium · 9.25×3" · 23.5×7.6 cm	\$130	☐	60481	2" Large · 11.25×3" · 28.6×7.6 cm	\$132

THERAFIN SINGLE-PULL, UNPADDED



☐	60310	1.5" Single Front Pull · Push Button Security Buckle	\$69
-----------------------	-------	--	-------------

MEDICAL MOUNTING ACCESSORIES

☐	3101-7007	IV Pole HCPCS · K0105	\$150
☐	3101-7008	Oxygen Tank Holder, D Size NO STANDARD LOCKS 12"/16" WHEEL · SEAT-TO-FLOOR 17-19" HCPCS · E2208	\$175

EQUIPMENT TRAY – FRAME-SPECIFIC

☐	3101-7010	Equipment Tray RIGID FRAME HCPCS · E1029	\$350
☐	3101-7012	Equipment Tray SIDE-FOLD 12" / 14" / 16" WIDTHS ONLY HCPCS · E1029	\$350

LTV 950 VENTILATOR MOUNTING

☐	3101-7009	LTV Bracket – bracket only RIGIDIZER BAR + 14"+ HCPCS · E1029	\$250
☐	3101-7011	LTV Bracket + Equipment Tray RIGIDIZER BAR + 14"+	\$495

► **Equipment Tray is frame-specific** – order the Rigid tray for rigid frames, or the Side-Fold tray, which fits **12" / 14" / 16" (30 / 36 / 41 cm) widths only**. LTV mounting can be spec'd on either rigid or side-fold frames – it requires a **Rigidizer Bar** (non-folding on rigid, Flip-Up on side-fold – see Frame Configuration) and a **14" / 36 cm-or-wider** chair. Flag ventilator dependency on the Frame Configuration page. When an Equipment Tray is ordered with the **O2 Holder**, a **Hub Lock is required**.

CONFIGURATION NOTES