



Corporate Overview

January 2026

NASDAQ: LTRN

Forward Looking Statements

This presentation contains forward-looking statements within the meaning of Section 27A of the Securities Act of 1933, as amended, and Section 21E of the Securities Exchange Act of 1934, as amended. These forward-looking statements include, among other things, statements relating to: future events or our future financial performance; the potential advantages of our RADR® platform in identifying drug candidates and patient populations that are likely to respond to a drug candidate; our strategic plans to advance the development of our drug candidates and antibody drug conjugate (ADC) development program; estimates regarding the development timing for our drug candidates and ADC development program; expectations and estimates regarding clinical trial timing and patient enrollment; our research and development efforts of our internal drug discovery programs and the utilization of our RADR® platform to streamline the drug development process; our intention to leverage artificial intelligence, machine learning and genomic data to streamline and transform the pace, risk and cost of oncology drug discovery and development and to identify patient populations that would likely respond to a drug candidate; estimates regarding patient populations, potential markets and potential market sizes; sales estimates for our drug candidates and our plans to discover and develop drug candidates and to maximize their commercial potential by advancing such drug candidates ourselves or in collaboration with others. Any statements that are not statements of historical fact (including, without limitation, statements that use words such as "anticipate," "believe," "contemplate," "could," "estimate," "expect," "intend," "seek," "may," "might," "plan," "potential," "predict," "project," "target," "model," "objective," "aim," "upcoming," "should," "will," "would," or the negative of these words or other similar expressions) should be considered forward-looking statements. There are a number of important factors that could cause our actual results to differ materially from those indicated by the forward-looking statements, such as (i) the risk that we may not be able to secure sufficient future funding when needed and as required to advance and support our existing and planned clinical trials and operations, (ii) the risk that observations in preclinical studies and early or preliminary observations in clinical studies do not ensure that later observations, studies and development will be consistent or successful, (iii) the risk that our research and the research of our collaborators may not be successful, (iv) the risk that we may not be successful in licensing potential candidates or in completing potential partnerships and collaborations, (v) the risk that none of our product candidates has received FDA marketing approval, and we may not be able to successfully initiate, conduct, or conclude clinical testing for or obtain marketing approval for our product candidates, (vi) the risk that no drug product based on our proprietary RADR® AI platform has received FDA marketing approval or otherwise been incorporated into a commercial product, and (vii) those other factors set forth in the Risk Factors section in our Annual Report on Form 10-K for the year ended December 31, 2024, filed with the Securities and Exchange Commission on March 27, 2025. You may access our Annual Report on Form 10-K for the year ended December 31, 2024 under the investor SEC filings tab of our website at www.lanternpharma.com or on the SEC's website at www.sec.gov. Given these risks and uncertainties, we can give no assurances that our forward-looking statements will prove to be accurate, or that any other results or events projected or contemplated by our forward-looking statements will in fact occur, and we caution investors not to place undue reliance on these statements. All forward-looking statements in this presentation represent our judgment as of the date hereof, and, except as otherwise required by law, we disclaim any obligation to update any forward-looking statements to conform the statement to actual results or changes in our expectations.

Lantern's AI platform, RADR[®], is transforming the **cost, pace, and timeline** of cancer drug discovery and development

12

Lead drug programs*
powered by AI

5

Clinical stage lead drug candidates*

100+

Issued patents &
pending applications

\$100M

Approximate total capital raised since 2019

2.5 years

Avg. time for new LTRN programs to Ph. 1 Trial

\$2M

Avg. cost for new LTRN programs to Ph. 1 Trial

* Includes drug programs being developed in collaboration

Lantern is Transforming Drug Discovery Timelines & Costs with AI

AI insights and biomarkers can increase the odds of clinical trial success by **12X***

(*Parker et al., 2021)

RADR® can predict and stratify real-world patients for clinical trials with **88% accuracy**



Lantern can **compress the timeline** of early-stage drug development by **70%** and **reduce the cost** by **80%**

Lantern has launched **10 new programs in 2 years**, and has active ongoing Ph.1 and Ph.2 clinical trials

LANTERN'S DRUG DEVELOPMENT MODEL AND OBJECTIVES



Large Scale/Multi-omics Oncology Data




Proprietary AI platform RADR®



Accelerated timelines; reduced costs and risks

Lantern's AI-Driven Business Model has Multiple Routes Towards Success



Lantern's Diverse & Unique AI Driven Pipeline of Drug Programs

Lantern has 10 disclosed drug programs including the Phase 2 Harmonic™ trial

Lantern Pharma (NASDAQ: LTRN)



Program	Indication	Discovery	Preclinical	Phase 1a	Phase 1b	Phase II	Orphan Designation	Rare Pediatric Disease	Fast Track
LP-300	Non-Small Cell Lung Cancer for Never Smokers					Harmonic			
LP-184	Monotherapy & Combination w/ Olaparib for TNBC								●
	Combination w/ Immune Checkpoint Inhibitors for NSCLC								
	Advanced Bladder Cancer (Investigator led trial in Denmark)								
	Recurrent Non-Hodgkin's Lymphomas (Mantle cell, Double-hit lymphomas)							●	
ADC	Select Solid Tumors								

Starlight Therapeutics (Wholly Owned Subsidiary)



STAR-001 (LP-184 for CNS and Brain Cancers Only)	First Recurrent Glioblastoma in adults						●	●	
	Newly Diagnosed MGMT Unmethylated Glioblastoma (investigator led trial)						●	●	●
	Phase 1a monotherapy including ATRT, DIPG and Medulloblastoma						●	●	
	Phase 1b combination select pediatric CNS cancers						●	●	

RADR® AI-Driven Strategic Collaborations


Collaborating with top-tier oncology innovators to unlock data-driven therapeutic breakthroughs

Collaborator	Program	Indication	Stage
 ACTUATE THERAPEUTICS	Elraglusib (9-ING-41)	Multiple Solid Tumors	Phase 2 Completed
 OREGON THERAPEUTICS	XCE853	Protein Disulfide Isomerase (PDI) Inhibitor	Preclinical
 ttc oncology™	TTC-352	ER+ Breast Cancers	Phase 1
 UNIVERSITÄT BIELEFELD	ADC	Cryptophycin Conjugate for Solid Tumors	Preclinical



Precision
Medicine
Platform

200+ Billion*



Data points from oncology focused real-world patient and clinical data and preclinical studies

80%+

Prediction
Success

130K+

Patient
Records

200+

Advanced ML
Algorithms

8,163+

Data Sets

A proprietary integrated experimental biology, oncology-focused, machine-learning-based drug development platform

AI-Powered RADR® Modules for Oncology Drug Discovery and Development

m1

Discover mechanism
of action

m2

Identify/prioritize disease
indications or subtypes

m3

Determine optimal
drug combinations

m4

Generate ML-driven
biomarker signatures

m5

Characterize specialized
attributes of a molecule

m6

Understand potential
binding site interactions


m7

Discover combinations
with checkpoint inhibitors

m8

ADC design and
optimization

Lantern Pharma is a Top 10 End-to-End AI Drug Discovery Company




According to Deep Pharma Intelligence

Integrating Data, AI, and Science Across the Drug Development Cycle

Lantern's comprehensive computational drug discovery platform roadmap

predict
 BBB

predictbbb.ai



- Less than 6% of molecules cross the Blood Brain Barrier (BBB) - one of pharmaceutical development's most persistent challenges
- PredictBBB™ achieves **94%** accuracy with real-time machine learning, providing open-access to critical CNS drug development technology

Predict BBB is just the beginning — the first in a series of transformative AI modules

- Powered by RADR®, our unified data lake and ensemble AI engine for drug discovery
- Next modules to predict dozens of molecular properties vital to drug success
- Specialized & broad-use tools to accelerate oncology and other therapeutic areas
- Building a full AI-driven platform to reshape how drugs are discovered and developed

Zeta – The Multi-Agentic Co-Scientist & AI System For Rare Cancers



Zeta addresses the fundamental challenge in rare cancer research and drug development where critical insights are scattered across disconnected data sources. Our platform integrates curated databases and external sources into an agential LLM architecture, leveraging recursive reasoning loops to transform fragmented biomedical knowledge into an interconnected investigation platform.

Core Capabilities


- Curated rare cancer databases and ontology
- Integrated 500k+ clinical trials, 250k+ publications, 1.2M knowledge objects
- Real-time bioinformatics and chemo informatics toolkits
- Links to RADR® predictive modules (e.g., PredictBBB.ai)

Industry & Business Value

- Faster timelines: weeks → minutes for insights
- Smarter decisions: enhanced oncology guidance
- Novel discovery: identify new drug connections
- Improved outcomes: faster access to treatments
- Efficiency: major cost and time savings

Strategic Impact

- Unified AI interface for complex, scattered data
- Accelerates novel therapy discovery and trial design
- Shortens drug development by months or more
- Positions Lantern as the “Perplexity for cancer research”



Collaborations

Strategic collaborations that are providing unique real-world insights and accelerating timelines

World-Class Academic and Research Institutions



Cornell University



Biopharma Collaborations




Eleven FDA Designations Demonstrate our Data-driven, AI-enabled Approach to Transform Drug Development & Strengthen Commercial Value



11 designations

Designation	Candidate	Indication	Date
Fast Track Designation	LP-184	Glioblastoma	Sep. 2024
	LP-184	Triple Negative Breast Cancer	Dec. 2024
Orphan Drug Designation	LP-184	Pancreatic Cancer	Aug. 2021
	LP-184	Glioblastoma	Aug. 2021
	LP-184	Malignant Glioma	Aug. 2021
	LP-284	Mantle Cell Lymphoma	Jan. 2023
	LP-284	High Grade B-Cell Lymphoma	Nov. 2023
	LP-184	ATRT	Jan. 2022
Orphan Drug and Rare Pediatric Disease Designation	LP-184	Malignant Rhabdoid Tumors	Sep. 2024
	LP-184	Rhabdomyosarcoma	Sep. 2024
	LP-184	Hepatoblastoma	Sep. 2024

LP-300 for the Treatment of Non-Small Cell Lung Cancer (NSCLC) in Never Smokers



Lead Indication	Relapsed NSCLC for Never Smokers
Clinical Status	Phase 2 (multiple patients dosed globally, Japan enrollment complete)
Market Potential*	\$4+ billion
Indication Size*	150,000 + Cases
Target/ MOA	Tyrosine Kinases & Cell Redox Enzymes
Molecule Type	Disulfide Small Molecule
Combination	With Carboplatin and Pemetrexed
IP Estate	Claims extending to at least 2032


*Estimated Annual Global

Disease Overview – NSCLC in Never Smokers – LP-300

NSCLC in never smokers is one of the largest unaddressed cancer populations

Global Annual Market Potential: \$ 4+ Billion

Lung cancer is the **#1 cause of death** among cancer patients in the US



lung cancer deaths will occur in patients that are never smokers with NSCLC


150,000~175,000

never smokers will be diagnosed with **NSCLC** Globally
Cancer.gov

NSCLC in Never Smokers is a Different Disease

Lung Cancer in never smokers has **higher percentage of genetic mutations in Tyrosine Kinases (TK)**, a family of cancer-promoting genes, such as EGFR, ALK, ROS and MET


Mutation Frequency by Smoker Status




Mechanism of Action – LP-300

LP-300's multimodal MoA resensitizes NSCLC to chemo in the never smoker population

1. LP-300 Directly Engages with TKI Receptors via Cysteine Modification



2. LP-300 Modulates Cellular Redox in Key Signaling Pathways in NSCLC



A-B. LP-300 adduct at **Cys1235 Cys1156** C. Molecular surface of ALK with the LP-300-derived adduct at **Cys1156** (yellow highlight)
D. Binding site of the LP-300-derived adduct at **Cys 1235** (yellow highlight)

- Restoring apoptosis sensitivity
- Oxidative stress modulation
- Anti-angiogenesis
- Reduced DNA synthesis and gene expression
- Reduce glutathione/thioredoxin mediated tumor resistance to therapy
- Nephrotoxicity protection against chemotherapy

Clinical Trial – The Harmonic™ Phase 2 Trial for LP-300

Accelerating recruitment efforts for a growing indication with limited treatment options



[NCT05456256](#)



Non-Small Cell
Lung Cancer



Never Smokers

90

Patients



Two arm, Open-label,
Randomized Trial



Multi-Site
in US & Asia

Trial Highlights

- Completed Japanese patient cohort enrollment ahead of schedule at multiple clinical sites including the National Cancer Center in Tokyo
- Patient showed durable complete response with survival continuing for nearly **two years**
- Preliminary patient data and clinical readouts showed an **86% clinical benefit rate**

Primary Outcomes: Overall and progression free survival

Announced preliminary patient data showing an 86% clinical benefit rate - Scan the QR code for the full initial result release



Multi-national Phase 2 Trial with 8 sites in the **US**, 5 sites in **Japan**, and 5 sites in **Taiwan**



KEY PATIENT CHARACTERISTICS

- ✓ Patients who are never smokers with lung cancer and histopathological evidence of stage III or IV primary lung adenocarcinoma
- ✓ Molecular alterations, including EGFR, MET exon 14 skipping, ROS1, BRAF, ALK, and NTRK fusions
- ✓ Relapsed after one or more lines of therapy with tyrosine kinase inhibitors

STUDY ENDPOINTS

- ✓ Primary: Progression-free survival (PFS) and overall survival (OS)
- ✓ Secondary: Objective response rate (ORR), duration of response (DOR), and clinical benefit rate (CBR)



Tumor Response	LP-300+ Carboplatin + Pemetrexed
Partial Response	3/7 (43%)
Stable Disease	3/7 (43%)
Progressive Disease (clinical)	1/7 (14%)
Clinical Benefit Rate (CBR)	6/7 (86%)
Objective Response Rate (ORR)	3/7 (43%)


All patient data as of July 25, 2024

Patient Highlights from Initial Cohort


- 7 patients enrolled from different geographies
- Sites included were in CA, VA, TX
- 3 Female and 4 Male
- Average age of 62
- Median prior lines of therapy: 2 (1 to 4)
- Recent historical trials in similar patient groups receiving the chemo doublet have had an ORR of 26% to 36% with a PFS of 5.1 months

Initial patient responses in the Harmonic™ trial include an **86% disease control rate** in the cohort of lead-in patients and a **43% objective response rate (ORR)** including one patient maintaining a **50+%** reduction in tumor size over 14 months

Percent change in cancer lesion size over time



Percent change in cancer lesion size by patient



All patient data as of July 25, 2024

107-002

Osimertinib

107-003

Carboplatin
Keytruda
Alimta

Radiotherapy

Osimertinib

Radiotherapy

110-001

Radiotherapy

Osimertinib

103-001

Osimertinib

110-002

Osimertinib

110-003

Selpercatinib

Radiotherapy

Selpercatinib

110-004

Osimertinib

Radiotherapy

Dabrafenib
Trametinib

LP-300 + Carboplatin + Pemetrexed

PD

PR

SD

PR

SD

PR

SD

All patient data as of July 25, 2024


TKI

PR: Partial Response, SD: Stable Disease, PD: Progressive Disease


LP-300 Nearly Doubled Survival Outcomes for Never Smoker Subgroups with NSCLC in Previous Clinical Trial*

*Subpopulations receiving paclitaxel/cisplatin

+ 125% increase in median 2 year survival



+ 91% increase in median overall survival



*Overall study did not meet clinical efficacy endpoints


Clinicaltrials.gov ([NCT00966914](https://clinicaltrials.gov/ct2/show/NCT00966914))

Initiated East Asia: Boosting Patient Enrollment in Countries with High Incidences of NSCLC in Never Smokers

2 in 5


of all lung cancer patients in East Asia are **never smokers***

*Approximately



% of **never smokers** among lung cancer patients in Taiwan and Japan

Lung cancer in East Asian never-smokers is a **distinct subtype** that can be largely defined by targetable mutations



(Zhou & Zhou, 2018)

Highlights

- Study expansion to Taiwan and Japan with 5 sites in each country
- Enrollment completed in Japan

Key Opinion Leaders



Dr. Yasushi Goto
National Cancer Center Hospital



Dr. Chun-Hui Lee
National Cheng Kung University Hospital

Q2-Q3 2024

Regulatory and Site Submissions


Q4 2024

Site Activation and First Patients Dosed

Q4 2025

Review of initial patient response in Asia and updates from first US cohort

LP-184 for the Treatment of Advanced Solid Tumors



Lead Indications	DDR deficient solid tumors including Pancreatic cancer, Bladder cancer, and TNBC
Clinical Status	Phase 1a completed, Phase 1b/2 planned
Market Potential*	\$10+ Billion
Indication Size*	170,000 + Cases, Estimated 400,000 + Cases Global
Target/ MOA	Double-stranded DNA breaks; alkylates DNA in the 3' of Adenine
Molecule Type	Acylfulvene Class
Combination Potential	Checkpoint inhibitors, PARP inhibitors, Spironolactone, Chemotherapy and Radiation Therapy
IP Estate	10+ patents/pending apps., Claims extending into 2041

*Estimated Annual USA

Disease Overview – Advanced Solid Tumors with DDR Deficiencies

LP-184 has Blockbuster Potential Across Multiple Cancers as a Single Agent or in Combination Therapy

Annual US Market Potential: \$10+ Billion

(DDR Deficient Solid Tumors)



1 in 4

people have solid tumors with DDR Deficiencies




Pancreatic Cancer



Triple Negative Breast Cancer



Bladder Cancer



Lung Cancer

Advanced Solid Tumors

- Advanced solid tumor cancers, having spread beyond the primary site, are often more challenging to treat than earlier stage tumors due to their advanced progression
- Demonstrated preclinical synergy with multiple FDA approved drugs (e.g. PARPi, PD-1, and Spironolactone)
- Many of these indications - *reinforced with AI insights* - have limited or no standard of care, making them ideal and efficient entry points for LP-184 as an approved therapy

DNA Damage Response (DDR) Deficiency

DDR is essential for maintaining genomic stability by repairing different types of DNA damage. Inhibition of DDR has been shown to increase the effectiveness of anticancer immunotherapies

Cancer cells with high underlying levels of DNA damage are **more dependent on DDR** for survival when compared to normal cells



DDR Deficiencies result in the accumulation of DNA damage, which produces an "Achilles Heel" for drugs leveraging synthetic lethality




LP-184's MoA was Predicted by RADR® and Validated in Multiple Lab Studies

In silico




Using RADR®, PTGR1 was Identified as a Biomarker that Predicts LP-184 Response

A.



B.




In vitro



Validated using CRISPR Experiments

C.




- **Prostaglandin Reductase 1 (PTGR1)** is an oxidoreductase enzyme that is frequently elevated in cancers
- PTGR1 activates LP-184 into its highly potent and cytotoxic form
- RADR® insights predicted that LP-184 activity positively correlates with PTGR1 transcript levels in the NCI60 cancer cell line panel

- CRISPR-mediated depletion of PTGR1 expression in a pancreatic cancer cell line is sufficient to **fully diminish LP-184 activity**
- This **confirmed the RADR® insights** and that LP-184 was highly potent in cells with PTGR1

LP-184 Treatment Results in Complete Regression in Multiple DDR Deficient PDX Models


Pancreatic Cancer

In-vitro PDX pancreatic mouse models treated with LP-184 - CTG-1522 and CTG-1643 models showed a **tumor growth inhibition of >100%**



Triple Negative Breast Cancer (TNBC)

Across 10 TNBC PDX mouse models (*All 10 TNBC PDX models were HR deficient*) LP-184 treatment resulted in 107-141% tumor growth inhibition



In collab.
with **FOX CHASE**
CANCER CENTER
TEMPLE HEALTH

Poster: **AACR**

- LP-184 exhibits nanomolar potency in PTGR1 overexpressing tumors with DDR deficiencies
- Positioned for 2nd and 3rd line treatment, where there is unmet need for novel therapies
- FDA **Orphan Drug Designation** granted in pancreatic and **Fast Track Designation** in TNBC
- Combination therapy potential with SOC agents: Spironolactone, PARP inhibitors, Gemcitabine, Irinotecan, Oxaliplatin, and PD-1

Clinical Trial – Completed LP-184 Phase 1a Basket Trial

Potential blockbuster molecule with a market of \$10+ billion in annual sales

First-In-Human Trial for LP-184

[Clinicaltrials.gov \(NCT05933265\)](https://clinicaltrials.gov/ct2/show/NCT05933265)



Solid Tumors /
Brain & CNS Cancers

~60

\$10+ Bn




Annual US market potential in
DDR deficient solid tumors

Multi-Site

Phase 1 Trial Highlights

- Successfully **completed** with all primary endpoints met, demonstrating a favorable safety and pharmacokinetic (PK) profile, and early signs of antitumor activity.
- Potential future studies: Phase 2 in GBM (through Starlight) and Phase 1b/2 in other solid tumors** to be initiated after determination of MTD
- Enrollment is complete, with several patients continuing treatment due to ongoing clinical benefit.




LP-184 Phase 1a Trial Achieved All Primary Endpoints with Robust Safety Profile and Promising Antitumor Activity in Multiple Advanced Solid Tumors

■ LP-184 exhibited a robust safety profile, with no dose-limiting toxicities in the majority of cohorts

89%

of treatment emergent
adverse events (AEs)
were Grade 1-2



TRIAL RESULT HIGHLIGHTS


- **Clinical benefit observed in 48%** of evaluable cancer patients at or above the therapeutic dose threshold
- **Durable clinical benefits** were observed in hard-to-treat tumors like glioblastoma multiforme (GBM), gastrointestinal stromal tumor (GIST) and thymic carcinoma
- PK data confirmed that therapeutic concentrations were achieved at dose level 8 (0.25 mg/kg) and above
- Biomarker insights highlight potential in DDR-mutated cancers, with marked tumor reductions in patients with CHK2, ATM, and STK11/KEAP1 alterations
- **Recommended Phase 2 dose (RP2D)** established for targeted Phase 1b/2 trials in triple-negative breast cancer (TNBC), non-small cell lung cancer (NSCLC), and bladder cancer

Planned Clinical Trials – LP-184 Phase 1b/2 Trials informed by RADR® AI Insights


Trial	Indication	Market potential	Trial Size	Trial Highlights
Phase 1b/2 Monotherapy & Combination with Olaparib for TNBC	 Triple Negative Breast Cancer	\$4+Bn Annual US market potential	~60 Patients expected to be enrolled	<ul style="list-style-type: none"> Granted FDA Fast Track Designation for monotherapy of LP-184 Monotherapy Trial: Evaluating optimal dose and early efficacy of LP-184 in advanced TNBC with DNA repair gene mutations. Combination Trial: Assessing safety and efficacy of LP-184 + Olaparib in advanced TNBC with BRCA mutations.
Phase 1b/2 Combination with Immune Checkpoint Inhibitors for NSCLC	 KEAP1 and/or STK11 mutated NSCLC	\$2+Bn Annual US market potential	~34 Patients expected to be enrolled	<ul style="list-style-type: none"> Submission for FDA Fast Track Designation in process Open-label study evaluating safety and early efficacy of LP-184 with nivolumab and ipilimumab in advanced NSCLC with KEAP1/STK11 mutations and low PD-L1.
Phase 1b/2 Investigator Led Trial in Denmark for Bladder Cancer	 Bladder cancer with TC-NER deficiency	\$0.5+Bn Annual Global market potential	~39 Patients expected to be enrolled	<ul style="list-style-type: none"> Investigator-sponsored trial (Dr. Helle Pappot, Rigshospitalet University, Denmark) Open-label study evaluating safety and early efficacy of LP-184 in advanced/metastatic urothelial carcinoma with PTGR1 positive and TC-NER/HR deficiency
Phase 1b/2a Combination with Spironolactone for Glioblastoma	 Recurrent Glioblastoma	\$1+Bn Annual US market potential	~38 Patients expected to be enrolled	<ul style="list-style-type: none"> Granted FDA Fast Track Designation and Orphan Drug Designation for monotherapy of LP-184 First recurrent Glioblastoma Simon 2-stage design 2 arms; IDHm and IDHwt

LP-184 + Olaparib Combination Achieves 3-14x Greater Tumor Regression Compared To Olaparib Alone In TNBC PDX Models

Tumor regression is achieved using 5x lower doses of LP-184 in combination as compared to doses used as monotherapy



Tumor Volume in HBCx-10 PARPi sensitive TNBC PDX Model Treated with LP-184 (days 1, 8), Olaparib (daily), or Combination





Tumor Volume in HBCx-28 PARPi resistant TNBC PDX Model Treated with LP-184 (days 1, 4, 8, 11), Olaparib (daily), or Combination

LP-184 + Anti-PD1 Combination Significantly Inhibits Tumor Growth And Delays Progression In T11 Mouse TNBC Model

T11 mouse TNBC tumors treated with LP-184 and anti-PD1 antibody


LP-184 Demonstrates Anti-Tumor Efficacy in Mouse TNBC Models and Potential to Sensitize Tumors Non-Responsive to Anti-PD1 Therapy



Treatment arm	Day 22 TGI
■ Anti-PD1 (10mg/kg)	17%
▲ LP-184 (4mg/kg)	51%
▼ LP-184 + anti-PD1	72%

In collaboration with Dr. Shiaw-Yih Lin, MD Anderson Cancer Center

LP-284 for the Treatment of B-cell Non-Hodgkin's Lymphomas (NHL)



Lead Indications	Mantle Cell, Double Hit Lymphomas, DDR Deficient Non-Hodgkin's Lymphomas
Clinical Status	Phase 1 (Complete response in heavily pre-treated lymphoma patient)
Market Potential*	\$3.75 - 4 Billion
Indication Size*	375,000+
Target/ MOA	Synthetic Lethality
Molecule Type	Acylfulvene Class
Designations	Orphan Drug - Mantle Cell Lymphoma
Combination Potential	Rituximab and Spironolactone
IP Estate	Claims extending into 2039

*Estimated Annual Global

Disease Overview – B-cell Non-Hodgkin's Lymphomas

Superior responses to LP-284 are observed preclinically

Annual Global Market Potential: \$ 3-4 Billion

(NHL)

B-cell Non-Hodgkin's Lymphomas


- NHL is a cancer of the lymphatic system and occurs when normal B-cells, T-cells, or Natural Killer (NK)-cells grow out of control
- There are over 30 subtypes of NHL including mantle cell lymphoma (MCL), high-grade b-cell lymphoma(HGBL), and diffuse large B-cell lymphoma

7th

leading cause
of cancer in
the US

4%

of all cancers
are NHL in
the US



Mantle Cell Lymphoma

(MCL)

- A rare, aggressive type of B-cell NHL distinguished by overexpression of CCND1
- Small-medium size cancer cells in the lymph nodes, spleen, bone marrow, blood, and gastrointestinal system
- Rarely curable with current standard-of-care treatments and poor prognosis


High-Grade B-Cell Lymphoma

(HGBL)


- A rare, aggressive type of B-cell NHL characterized by rearrangements of MYC and BCL2 and/or BCL6 genes
- Often occurs in neck, armpit, groins and can spread to central nervous system
- No standard treatment approach and poor prognosis

Superior Responses to LP-284 are Observed Preclinically in Several NHLs Including those Resistant to SOC Agents

MCL tumor volumes drastically reduced compared to FDA approved agents in mice models



Tumors resistant to Ibrutinib and Bortezomib has significantly reduced volume



Nearly all MCL Patients Relapse from SOC Therapies

In cell-derived xenograft MCL models, LP-284 can completely reduce tumors that are resistant to Ibrutinib and Bortezomib

LP-284 Highlights from NHL Clinical Trial & Potential New Indications

Phase 1a trial for recurrent NHLs with scarce therapeutic options and potential in SLE / Lupus

First-In-Human Trial for LP-284



Non-Hodgkin's Lymphomas

30-35

Patients expected to be enrolled

\$4.0Bn

Estimated global annual market potential in NHL



Multi-Site

Highlights


- Heavily pretreated patient with aggressive Grade 3 B-cell lymphoma (DLBCL) achieved a **complete metabolic response**
- Exploring LP-284 and Rituximab as an alternative to Cyclophosphamide (CP) and Methotrexate in Systemic Lupus Erythematosus (SLE)
- Presented at the Lymphoma Leukemia and Myeloma Congress 2025

Check out the poster now



Lymphoma · Leukemia & Myeloma Congress
Celebrating 25 Years of Excellence

LP-284 + Rituximab: A Potential Next-Generation B-Cell Depleting Therapy for SLE




- LP-284 reduced urinary **microalbumin ~10x** and **B cells ~4x** in an SLE mouse model
- LP-284 + Rituximab combination **further depletes B-lymphoma cells than alone.**

LP-284 was Highly Synergistic when Used in Combination with Rituximab in HGBL Xenograft Models

High Grade B-cell Lymphoma (HGBL) Tumor Volumes in Mice LP-284 – in combination with rituximab

HGBL have universally poor prognosis after chemotherapy, such as EPOCH, Hyper CVAD, and CODOX-M/IVAC - all are given with Rituximab. Novel agents are critically needed for more effective treatments in HGBL



LP-284 treatment led to **near complete tumor growth** inhibition and showed synergistic effects with the FDA-approved agent rituximab

At half of the optimal dose (2mg/kg v. 4mg/kg) **LP-284 when combined with rituximab led to a 63% improvement** in anti-cancer activity (as measured by tumor volumes) versus rituximab alone

Rituximab alone = 57% TGI
LP-284+ Rituximab = 93% TGI

Results presented at:





Developed from Billions
of Datapoints Using AI



\$5-6 Billion Market Potential



Multiple Clinical Stage CNS
Cancer Indications



Received Fast Track & Orphan Drug
Designation for GBM, Orphan Drug & Rare
Pediatric Designation for ATRT



Completed Enrollment for Adult Phase 1a Trial



World Class Collaborators from Johns Hopkins,
and UT Health San Antonio



starlight
therapeutics

Scan the QR code
for the full Starlight
Corporate Overview



THERE ARE OVER 120 TYPES OF CNS CANCERS AND A MAJORITY HAVE NO CURATIVE TREATMENT OPTIONS

Starlight's Unique Areas of Focus

01

Glioblastoma (GBM)

13,000/yr in USA

No effective systemic therapies have been approved for GBM in over 18 years

02

Brain Metastases

100,000+/yr

More effective therapies are needed to improve outcomes for brain metastases

03

Pediatric CNS Cancers

4,000/yr in USA

There are no approved therapies for atypical teratoid rhabdoid tumors (ATRT)

ORIGINATION OF STAR-001: RADR PREDICTIONS POWERED BY AI



Developed by
Lantern Pharma

**Leading AI Technology developed by
Lantern Pharma, RADR®, Helped Identify**

- PTGR1 levels correlate with drug response
- Brain penetrant
- GBM has higher levels of PTGR1 relative to normal brain
- Novel alkylation site (at the N³ adenine base) causing replication stress and double-strand DNA breaks
- Agnostic to MGMT promoter methylation
- Increased activity with alterations in EGFR and SMARCB1
- Synthetic lethality when co-administered with spironolactone or in tumors deficient in DNA damage repair

STAR-001 HAS MULTI-BILLION USD MARKET POTENTIAL IN CNS CANCERS

Annual **5-6B** (USD)
Estimated Market Potential

Glioblastoma

1.5-2B*

Annual US Cases **13K**

Other Gliomas

1.2 B*

Annual US Cases **22K**

Brain metastases

3 B*

Annual US Cases **100K**

Pediatric CNS Tumors

0.1 B*

Annual US Cases **4,000**

*Annual Estimated Market Potential


STAR-001

Treatment Results in Prolongation of Survival in Orthotopic Mouse Models

KEY TAKEAWAYS


- STAR-001 increased survival of animals by >20%
- STAR-001 reduced M1123 and U87 tumor volume by >75%

A STAR-001 treatment increased survival of animals:



a: Mice with orthotopic M1123 or U87 xenografts received vehicle or STAR-001 (4mg/kg iv) on days indicated by arrow, 10 mice were evaluated for survival. **b:** Tumor volumes, pre-treatment (post implantation day 8 and post treatment-post day 16 implantation for M1123 and for U87 pretreatment (day 16) and post treatment day 25.

B Tumor volumes before and after STAR-001 treatment



Pediatric Brain Cancers


ATRT *in vivo* Tumors are Exceptionally Sensitive to STAR-001

KEY TAKEAWAYS

- RADR® identified the near universal SMARCB1 mutation and chromatin remodeling deficiency that make ATRT susceptible to STAR-001
- STAR-001 increases survival in ATRT mouse models, decreases tumor volume by >80%
- STAR-001 was granted FDA Rare Pediatric Disease and Orphan Drug Designations to treat ATRT (*Atypical Teratoid Rhabdoid Tumors*)


A

STAR-001 treatment with Spironolactone in the **ATRT Cell Line CHLA06**



B

STAR-001 treatment of **ATRT mouse tumors**



Poster LP-184, a clinical stage acylfulvene-derived tumor site activated small molecule, inhibits adult and pediatric CNS tumor cell growth

RESEARCH SUGGEST INCREASING INVESTOR AND INDUSTRY INTEREST IN CNS ONCOLOGY

COMPANY	VALUE	TRANSACTION	DATE	STAGE	COMPOUND	INDICATION
 CHIMERIX A Jazz Pharmaceuticals Company	953 M	Acquired by Jazz Pharma	April 21, 2025	PDUFA After Phase II Trial	Dordaviprone	H3K27M Mutant Gliomas
	1.3 B	Acquired by Merck	October 23, 2024	Preclinical	MOD246	TMZ-Resistant GBM
	461 M	Ex-US rights only sold to Ipsen	July 25, 2024	Phase III Trial	Tovorafenib	RAF-altered PLGG (pediatric low-grade glioma)
	2 B	Servier acquired Agios CNS oncology	April 1, 2021	Phase II	Vorasidenib	Grade 2 IDH Mutant Gliomas

IP Portfolio

Intellectual property portfolio builds expanding protections with additional barriers to competition

100+

Issued Patents &
Pending Applications

5 Families

Drug Sensitivity & Response
Signatures using Biomarkers

11 Families

Methods of Use

2 Families

Composition of Matter

RADR



2041*

Identifying suitable cancer types and subtypes for a drug candidate



2041*

Determining sensitivity to LP-300 based on biomarkers

LP-184



2041

Treating rhabdoid tumors with LP-184



2040

Composition of Matter



2043*

Applying ensemble methods in machine learning and deep learning for drug discovery



2041*

Treating female (non-smoker) patients with non-small cell lung cancer



2039*

Treating solid tumor cancers using LP-184 and biomarker



2041*

Treating blood cancers with LP-284



2044*

Predicting blood-brain barrier permeability



Increasing cancer patient survival time using LP-300



2042*

Treating cancers with spironolactone and LP-184

*Patent
Highlights*

*Pending patent application. Date referenced indicates estimated year of expiration if the patent is granted.

Financial Highlights And Cap Table

- Approx. \$12.4 M of cash, cash equivalents and marketable securities as of September 30, 2025
- Committed to creating enduring growth and value for LTRN shareholders

LANTERN PHARMA INC. (LTRN)	
Exchange	Nasdaq
52 Week Per Share Price Range (through 1/8/26)	\$2.56 - \$6.12
Common Shares Outstanding (9/30/25)	11.04M
Options (Employees, Management and Directors) (9/30/25)	1.22M
Fully Diluted Shares Outstanding (9/30/25)	12.26M



Leadership & Board of Directors

Leadership



PANNA SHARMA

Chief Executive Officer & President

PRIOR: President & CEO, Cancer Genetics (CGIX); CEO & Managing Partner, TSG Partners; Managing Member, Oncospire Genomics (Joint Venture with Mayo Clinic); CSO, iXL Services



DAVID MARGRAVE

Chief Financial Officer

PRIOR: 20+ years of oncology focused management experience; Chairman, Texas Healthcare & Bioscience Institute (current); President & CAO, BioNumerik Pharmaceuticals



KISHOR BHATIA, Ph.D.

Chief Scientific Officer

PRIOR: 40+ years experience in cancer research; Director, Children's cancer Center Riyadh; Director Office of AIDS Malignancy Program, NCI



REGINALD EWESUEDO, M.D.,

M.S.c., MBA

VP of Clinical Development

PRIOR: VP, Kymera Therapeutics
VP, Tesaro/GSK
VP, Pfizer



MARC CHAMBERLAIN, M.D.

Chief Medical Officer of Starlight

PRIOR: Co-director of Neuro-oncology program, UC San Diego; USC; Moffitt Cancer Center; Fred Hutchinson Cancer Center; Medical Director, Cascadian Therapeutics; SeaGen; SystImmune; Pionyr Immunotherapeutics

Board of Directors

Donald "Jeff" Keyser, J.D., MPH, Ph.D.

Non-executive Chairman

Maria Maccecchini, Ph.D.

David Silberstein, Ph.D.

Panna Sharma
CEO and President

Vijay Chandru, Ph.D.

2026 Investment Highlights

Recent Milestones

-  Preliminary patient data showing an 86% clinical benefit rate in the initial safety lead-in cohort of the Harmonic™ Phase 2 Trial
-  Reported a durable complete response in a Harmonic™ trial patient, with survival continuing for nearly two years
-  Delivered complete metabolic response after two cycles of LP-284 for in a heavily pre-treated lymphoma patient
-  Received three rare pediatric disease designations for LP-184 in malignant rhabdoid tumors (MRT), rhabdomyosarcoma (RMS), and hepatoblastoma
-  Received fast track designation from US FDA for LP-184 in Glioblastoma and Triple Negative Breast Cancer
-  Expanded RADR® AI platform to 200+ billion datapoints and launched initial modules publicly
-  Expanded the Harmonic™ trial to Taiwan and Japan with 5 sites in each country and completed enrollment in Japan

Upcoming Milestones & objectives

-  Complete Phase 1a clinical trial for LP-184; pursue Phase 1b/2 and investigator led trials
-  Advance enrollment in first-in-human clinical trial for LP-284 in NHL + other cancers
-  Report initial clinical data for Asian cohort in the Harmonic™ Trial and updates on the US patient population
-  Progress and monetize Starlight Therapeutics towards Phase 1/2 adult & pediatric clinical trials
-  Expand and commercialize RADR® AI platform modules; PredictBBB™ and withZeta.ai
-  Further ADC preclinical and IND development to support future Phase 1 launch and/or partnership
-  Develop and communicate combination programs and trials for Lantern's portfolio with existing FDA approved drugs



NASDAQ: LTRN

IR Contact:
IR@lanternpharma.com
1-972-277-1136

 www.lanternpharma.com

 [@LanternPharma](https://twitter.com/@LanternPharma)

 [linkedin.com/company/lanternpharma](https://www.linkedin.com/company/lanternpharma)



CONNECT WITH US