Equipment Share®

COMMERCIAL CONSTRUCTION SOLUTIONS FOR YOUR NEXT JOB

Onsite rental, local yards, and connected technology for commercial contractors building offices, retail centers, and data centers.

Onsite equipment rental solutions for commercial contractors, reducing downtime and transportation costs.

Full-service rental yards staffed locally to support large-scale commercial builds and developments.

Improve jobsite productivity with reliable machinery and tool availability close to your project hub.



OFFICE BUILDINGS

From mid-rise offices to downtown towers, our fleet covers each stage of vertical construction, with electric and hybrid options that help you meet noise and sustainability requirements in busy urban areas.



DATA CENTERS

Solutions built around the unique demands of data center construction, from heavy-duty earthmoving for site prep to clean precision tools for electrical and HVAC installations.



RETAIL CENTERS

Whether it's a single storefront or a full shopping center, you'll have what you need from sitework through exterior finishes.

SCAN TO GET CONNECTED WITH OUR SITE SOLUTIONS TEAM.

EQUIPMENTSHARE.COM/INDUSTRIES/COMMERCIAL-CONSTRUCTION

WEB
EQUIPMENTSHARE.COM

TEL
(888) 80-RENTS

Equipment Share®

EQUIPMENT FOR EVERY PHASE OF YOUR BUILD

From breaking ground to final finishes, we keep the right equipment on or near your site.

Sitework



- Excavators
- Skid Steers
- Compact Track Loaders
- Compaction

Structural Work



- Boom Lifts
- Telehandlers
- Material Handlers

Interior & Finishes



- Scissor Lifts
- Aerial Work Platforms
- Power Tools

Site Support



- Generators
- Light Towers
- Pumps
- HVAC

EquipmentShare maintains a modern, young rental fleet, routinely updating and expanding our inventory to meet the needs of tough jobsites.



Powered by T3. Backed by experts.

T3 Technology

T3 connects your equipment and jobsite data in one platform, giving you visibility into location, utilization, and maintenance.

Our Team of Experts

Day-one deployment of dedicated technicians to fully integrate with superintendents, equipment coordinators, and project leads.

SCAN TO GET CONNECTED WITH OUR SITE SOLUTIONS TEAM.

EQUIPMENTSHARE.COM/INDUSTRIES/COMMERCIAL-CONSTRUCTION

WEB
EQUIPMENTSHARE.COM

TEL
(888) 80-RENTS

AERIAL WORK PLATFORMS



ARTICULATING BOOM LIFT

JLG 450AJ


MEC 1330SE


MEC MICRO 19-XD


GENIE GS-2646


GENIE GS-3232

ELECTRIC SCISSOR LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	PLATFORM CAPACITY	PLATFORM SIZE	EXTENDED PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Electric Scissor Lift, 10'–12'	LGMG SS1230E	12'	530 lbs	4' 5" x 2' 4"	1' 8"	1,940 lbs	2' 6"
Electric Scissor Lift, 13'–14'	MEC 1330SE	13'	530 lbs	5' 4" x 2' 6"	3'	2,000 lbs	2' 6"
Electric Scissor Lift, 19' Micro	MEC Micro 19	19'	500 lbs	4' 6" x 2' 3.5"	2'	2,860 lbs	2' 8"
Electric Scissor Lift, 19' Micro with Step-up Platform	MEC Micro 19-XD	19' + 20"	500 lbs	4' 6" x 2' 3.5"	2'	2,860 lbs	2' 8"
Electric Scissor Lift, 19' Narrow	GENIE GS-1930	19'	500 lbs	5' 4" x 2' 5"	3'	3,209 lbs	2' 6"
Electric Scissor Lift, 26' Micro	MEC Micro 26	26'	500 lbs	6' 2" x 2' 8"	2'	4,190 lbs	2' 7.9"
Electric Scissor Lift, 26' Micro with Step-up Platform	MEC Micro 26-XD	26' + 20"	550 lbs	6' 2" x 2' 8"	2'	4,450 lbs	2' 8"
Electric Scissor Lift, 26' Narrow	GENIE GS-2632	26'	500 lbs	7' 5" x 2' 8"	3'	4,729 lbs	2' 8"
Electric Scissor Lift, 26' Wide	GENIE GS-2646	26'	1,000 lbs	7' 5" x 3' 9"	3'	4,346 lbs	3' 10"
Electric Scissor Lift, 32' Narrow	GENIE GS-3232	32' 1"	500 lbs	7' 5" x 2' 8"	3'	5,185 lbs	2' 8"
Electric Scissor Lift, 32' Wide	Genie GS-3246 JLG R3246	32'	700 lbs	7' 5" x 382' 1"	3'	5,218 lbs	3' 10"
Electric Scissor Lift, 40' Narrow	GENIEGS-4046 E Drive	39' 2"	770 lbs	7' 5" x 3' 9"	3'	6,871 lbs	3' 10"
Electric Scissor Lift, 40' Wide	JLG4069LE	40'	800 lbs	5' 5" x 9' 7"	3' 6"	10,560 lbs	5' 9"
Electric Scissor Lift, 45'–46'	MEC4555SE	45'	500 lbs	8' 8" x 3' 8"	3'	7,600 lbs	4' 7"



SKYJACK SJ6832 RT



GENIE GS-4069 RT



GENIE GS-5390 RT

ROUGH TERRAIN SCISSOR LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	EXTENDED PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Rough Terrain Scissor Lift, 26'–29'	SKYJACK SJ6826 RT	26'	1,250 lbs	4' 8" x 8'	5'	6,460 lbs	5' 9.5"
Rough Terrain Scissor Lift, 30'–35'	SKYJACK SJ6832 RT	32'	1,000 lbs	4' 8" x 8'	5'	7,660 lbs	5' 9.5"
Rough Terrain Scissor Lift, 36'–45'	GENIE GS-4069 RT	40' 3"	800 lbs	9' 2" x 5' 3"	5'	10,392 lbs	5' 9"
Rough Terrain Scissor Lift, 30'–35' Wide Deck	GENIE GS-3390 RT	33'	2,500 lbs	12' 11" x 6'	5'	11,977 lbs	7' 8"
Rough Terrain Scissor Lift, 30'–35' Wide Deck High Capacity	SKYJACK SJ9233 RT	33'	2,750 lbs	5' 11" x 14' 3"	5' (Single Extension)	13,479 lbs	92"
Rough Terrain Scissor Lift, 36'–45' Electric	JLG ERT4069	40' 3"	800 lbs	10' 10" x 5' 3"	3' 6"	10,560 lbs	5' 9"
Rough Terrain Scissor Lift, 36'–45' Wide Deck	Genie GS-5390 RT JLG 430LRT JLG RT4394 SKYJACK SJ8841RT	Genie: 43'	1,500 lbs	7' 2" x 1255' 7"	Genie: 5'	12,894 lbs	Genie: 7' 8"
Rough Terrain Scissor Lift, 50'–55' Wide Deck	GENIE GS-5390 RT	53'	1,500 lbs	12' 11" x 6'	5'	16,567 lbs	7' 6"
Rough Terrain Scissor Lift, 60'–65' Wide Deck	MEC 6092RT	60'	1,200 lbs	7' 3"	4'	21,780 lbs *varies	7' 8"
Hybrid Rough Terrain Scissor Lift, 36'–45' Wide Deck	HAULOTTE HS4390 E PRO	42' 8"	1,654 lbs	12' 10" x 6' 2"	3' 3"	16,577 lbs	7' 7"
Hybrid Rough Terrain Scissor Lift, 50'–55' Wide Deck	HAULOTTE HS5390	52' 6"	1,654 lbs	12' 10" x 6' 2"	3' 3"	17,746 lbs	7' 7"







TELESCOPIC BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Telescopic Boom Lift, 40' IC	JLG 400S	40'	RSTD - 1,000 lbs UNRSTD - 600 lbs	3' x 8'	14,520 lbs	7' 7"
Telescopic Boom Lift, 45'–46' IC	JLG 460SJ	46'	UNRSTD - 600 lbs	3' x 8'	16,600 lbs	7' 7"
Telescopic Boom Lift, 60' IC	JLG 600S	59' 8"	RSTD - 1,000 lbs UNRSTD - 600 lbs	3' x 8'	22,700 lbs	8' 2"
Telescopic Boom Lift, 65'–67' IC	JLG 660SJ GENIE S-65 XC	66'	RSTD - 1,000 lbs UNRSTD - 660 lbs	3' x 8'	25,160 lbs	8' 2"
Telescopic Boom Lift, 80' IC	JLG 800S	80'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	33,030 lbs	8' 2"
Telescopic Boom Lift, 85'–86' IC	JLG 860SJ	86'	RSTD - 750 lbs UNRSTD - 500 lbs	3' x 8'	36,888 lbs	8' 2"
Telescopic Boom Lift, 120'–125' IC	JLG 1200SJP	125'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	40,900 lbs	8' 2"
Telescopic Boom Lift, 135' IC	JLG 1350SJP	135'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	45,000 lbs	8' 2" (Axles Retracted)
Telescopic Boom Lift, 150' IC	JLG 1500SJ	150'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	48,000 lbs	8' 2" (Axles Retracted)
Telescopic Boom Lift, 180'–185' IC	JLG 1850SJ	185' 7"	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	59,900 lbs	8' 2" (Axles Retracted)
Tracked Telescopic Boom Lift, 60'–70' IC	GENIE S-65 TRAX	65'	RSTD - 1,000 lbs UNRSTD - 660 lbs	3' x 8'	~27,600–29,000 lbs *may vary	8' 6"

RSTD = Restricted
UNRSTD = Unrestricted







ARTICULATING BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Articulating Boom Lift, 30'–35' IC	GENIE Z-34 IC	34' 7"	UNRSTD - 550 lbs	4' 8" x 2' 6"	11,200 lbs	5' 8"
Articulating Boom Lift, 40'–45' IC	JLG 450AJ	45'	UNRSTD - 550 lbs	2' 6" x 6'	12,650 lbs	7' 9"
Articulating Boom Lift, 60'–65' IC	JLG 600AJ	60' 7"	UNRSTD - 500 lbs	3' x 8'	22,691 lbs	8'
Articulating Boom Lift, 80'–85' IC	GENIE Z-80/60	84'	UNRSTD - 500 lbs	8' x 3'	37,500 lbs	8' 2"
Articulating Boom Lift, 125' IC	JLG 1250AJP	125'	500 lbs	3' x 8'	44,000 lbs	8' 2"
Articulating Boom Lift, 135' IC	GENIE Z-135/70	135'	UNRSTD - 600 lbs	3'/2'6" x 8'/6'	46,500 lbs	8' 2"
Articulating Boom Lift, 150' IC	JLG 1500AJP	150'	600 lbs	3' x 8'	57,380 lbs	8' 2"
Hybrid Articulating Boom Lift, 40'–45'	GENIE Z-45 FE	45' 8"	660 lbs	6' x 2' 6"	14,460 lbs	7' 6"
Hybrid Articulating Boom Lift, 60'–65'	GENIE Z-60/37 FE	59' 7"	500 lbs	3'/2'6" x 8'/6'	17,100 lbs	8' 2"

UNRSTD = Unrestricted



GENIE Z-30/20N RJ



GENIE Z-40/23N RJ



GENIE Z-45/25N RJ

ELECTRIC BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Electric Articulating Boom Lift, 30'–34'	GENIE Z-30/20N RJ	29' 2"	UNRSTD - 500 lbs	3' 10" x 2' 6"	14,330 lbs	3' 11"
Electric Articulating Boom Lift, 40' Narrow	GENIE Z-40/23N RJ	40' 5"	UNRSTD - 500 lbs	4' 8" x 2' 6"	15,230 lbs	4' 11"
Electric Articulating Boom Lift, 45' Wide	GENIE Z-45/25J DC	45' 9"	UNRSTD - 500 lbs	6' 0" x 2' 6"	16,315 lbs	5' 10.3"
Electric Articulating Boom Lift, 60'–65'	JLG E600JP	60' 4"	500 lbs	2' 6" x 6'	15,750 lbs	7' 11"
Electric Telescopic Boom Lift, 60'–66'	JLG EC600SJP	60' 4"	500 lbs	2' 6" x 6'	17,210 lbs	7' 11"

* UNRSTD = Unrestricted







ATRIUM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Atrium Lift, 60'–65'	JLG X600AJ	59' 3"	500 lbs	2' 6" x 4' 7"	6,571 lbs *may vary	2' 7"
Atrium Lift, 70'–80'	JLG X770AJ	77' 5"	500 lbs	4' 10" x 2' 6"	9,665 lbs	3' 3"
Atrium Lift, 100'	JLG X1000AJ	100'	500 lbs	5' 3" x 2' 4"	16,790 lbs	3' 11"







TOWABLE BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Towable Boom Lift, 30'–35'	JLG T350	34' 5"	500 lbs	2' 6" x 4'	3,600 lbs	4' 9"
Towable Boom Lift, 50'	JLG T500J	50'	500 lbs	2' 6" x 4'	5,200 lbs	5' 7"
Towable Boom Lift, 50' Hybrid	GENIE TZ-50 Hybrid	49' 6"	500 lbs	3' 8" x 2' 2.8"	4,400 lbs	5' 6"



GENIE AWP-30S



GENIE GR-20



JLG 1030P

VERTICAL MAST LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	EXTENDABLE PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Drivable One Man Lift, 10-19'	GENIE GR-12	11' 4"	500 lbs	2' 11.5" x 2' 5.5"	1' 8"	~1,581 lbs	2' 5.5"
Pusharound Vertical Mast Lift 7'	JLG Ecolift 70	7'	330 lbs	2' 9" x 2' 1"	-	672 lbs	2' 4"
Pusharound Vertical Mast Lift 10'–20'	JLG 1030P	10' 2"	550 lbs	5' x 2'6"	-	753 lbs	2' 6"
Pusharound Vertical Mast Lift, 30'	GENIE AWP-30S	29' 6"	360 lbs	2' 3" x 2' 2"	-	777 lbs	2' 5"
Pusharound Vertical Mast Lift 40'	GENIE AWP-40S	40' 3"	300 lbs	2' 3" x 2' 2"	-	1,040 lbs	2' 5"
Vertical Mast Lift Single Operator, 12'	JLG 1230ES	12'	500 lbs	4' 2" x 2' 3"	-	1,740 lbs	2' 6"
Vertical Mast Lift Single Operator, 15'–16'	GENIE GR-15	14' 8"	500 lbs	4' 7" x 2' 5.5"	1' 8"	2,192 lbs	2' 5.5"
Vertical Mast Lift Single Operator, 20'	GENIE GR-20	19' 9"	350 lbs	2' 11" x 2' 5.5"	1' 8"	2,513 lbs	2' 7.5"
Vertical Mast Lift Single Operator, 25'	MEC MME25	25'	350 lbs	2' 5.5" x 2' 4.5"	1' 9"	3,310 lbs	2' 7.5"
Vertical Mast Lift with Jib, 26'	JLG Toucan 26E	26' 5"	500 lbs	2' 5" x 3'	-	6,834 lbs	3' 3"
Vertical Mast Lift with Jib, 30'	MEC MME30-RJ	30'	500 lbs	3' x 2'	-	6,600 lbs	3' 4"

AGRICULTURE AND LANDSCAPING



STUMP GRINDER

BARRETO ES30SGB



COLUMBIA
PAYLOADER 4X



POLARIS
PRO XD



KUBOTA
RTVX2C

UTILITY VEHICLES

CLASS	MODEL	SEATING CAPACITY	PAYLOAD
Burden Carrier 4 Wheel, 2–3 Passenger Electric	Columbia Vehicle Group Payloader 2X	2–3	1,100 lbs
Burden Carrier 4 Wheel, 4–6 Passenger Electric	Columbia Vehicle Group Payloader 4X	4–6	1,100 lbs
Utility Vehicle 2–3 Passenger Electric, Open ROPS	Columbia Vehicle Group Journeyman 2X	2–3	800 lbs
Utility Vehicle 4–6 Passenger Electric, Open ROPS	Columbia Vehicle Group Journeyman 2+2	4–6	800 lbs
Utility Vehicle 2–3 Passenger Gas, Open ROPS	Club Car CA1500G	2–3	1,900 lbs
Utility Vehicle 2–3 Passenger Gas, Open ROPS Half Doors	Polaris Pro XD Mid Sized Gas	2–3	946 lbs
Utility Vehicle 2–3 Passenger Diesel, Open ROPS	JOHN DEERE HPX815E (Canopy)	2–3	1,000 lbs
Utility Vehicle 4–6 Passenger Diesel, Open ROPS	Kubota RTVX4	4–6	1,100 lbs
Utility Vehicle 4–6 Passenger Diesel, Open ROPS Half Doors	Polaris Pro XD Crew	4–6	1,850 lbs
Utility Vehicle 2–3 Passenger Gas, Cab Heat Only	Polaris Pro XD Mid Sized Cab Heat only	2–3	946 lbs
Utility Vehicle 4–6 Passenger Diesel, Cab Heat Only	JOHN DEERE XUV855M S4 Cab Heat Only	4–6	1,000 lbs
Utility Vehicle Luxury 2–3 Passenger Gas, Cab Heat and AC	Polaris Ranger XP1000 Northstar	2–3	1,275 lbs
Utility Vehicle Luxury 2–3 Passenger Diesel, Cab Heat and AC	Kubota RTVX2C	2–3	1,100 lbs
Utility Vehicle Luxury 4–6 Passenger Gas, Cab Heat and AC	Polaris Ranger XP1000 Northstar Crew	4–6	1,230 lbs





COMMERCIAL MOWERS

CLASS	MODEL	SEATING CAPACITY
Commercial Zero Turn Mower 50–54" Deck	BOBCAT ZT5000 52"	2–3
Commercial Zero Turn Mower 60–65" Deck	BOBCAT ZT5000 61"	4–6
Commercial Zero Turn Mower 70–75" Deck	BOBCAT ZT7000 72"	2–3



STUMP GRINDERS

CLASS	MODEL	CUTTING DEPTH	CUTTING WIDTH	WEIGHT
Walk-Behind Stump Grinder 30–40 hp	BARRETO E30SGB	12"	18"	1,700 lbs

COMPACTION



TRENCH ROLLER

WACKER NEUSON RTKX-SC3



WACKER NEUSON
BS60-4AS



DYNAPAC
DRQ30



WACKER NEUSON
WP1550AW

LIGHT DUTY COMPACTION

CLASS	MODEL	WEIGHT	PLATE WIDTH
Jumping Jack Rammer 2500-3600 lbs/Blow	WACKER NEUSON BS60-4As	160 lbs	11"
Plate Compactor Gas Reversible	DYNAPAC DRQ30	622 lbs	21.7"
Plate Compactor Electric Vibratory	WACKER NEUSON DPU90r	1,699 lbs	30"
Plate Compactor Diesel Reversible	WACKER NEUSON DPU6555	545 lbs	28"
Plate Compactor Gas Vibratory	WACKER NEUSON WP1550AW	216 lbs	19.7"



WACKER NEUSON
RD12A



DYNAPAC
CC1200VI

DOUBLE DRUM ROLLERS

CLASS	MODEL	WEIGHT	DRUM WIDTH	DRUM DIAMETER
Ride-On Double Drum Roller, 1.5 ton, 36" Width	WACKER NEUSON RD12A	2,675 lbs	35"	22"
Ride-On Double Drum Roller, 3 ton, 48" Width	DYNAPAC CC 1200 WACKER NEUSON RD24-100	6,500 lbs	47"	32"







SINGLE DRUM ROLLERS

CLASS	MODEL	WEIGHT	DRUM WIDTH	DRUM DIAMETER
Ride-On Single Drum Roller, 5–6 Ton, 54" Width	DYNAPAC CA1300D	12,588 lbs	53"	48"
Ride-On Single Drum Roller, 7–8 Ton, 66" Width	DYNAPAC CA1400D	15,432 lbs	66"	48"
Ride-On Single Drum Roller, 10–12 Ton, 84" Width	DYNAPAC CA2500D / CA30D HAMM HC100i	22,266 lbs	84"	59"







TRENCH ROLLERS

CLASS	MODEL	WEIGHT	DRUM WIDTH
Walk-Behind Trench Roller, 24-34", Pad	WACKER NEUSON RTKx-SC3	3,230 lbs	24–36"
Walk-Behind Trench Roller, 24-34", Pad	DYNAPAC D.ONE	3,516 lbs	24–36"
Walk-Behind Trench Roller, 24-34", Pad	HUSQVARNA LP 9505	3,693 lbs	24–36"

CONCRETE AND MASONRY



GAS POWER CUTTER

HUSQVARNA K 1270



WACKER NEUSON
IRFU57



WACKER NEUSON
M1500



MULTIQUIP
J36H55

CONCRETE PREP AND FINISHING

CLASS	MODEL	OPERATING WEIGHT	POWER SOURCE
Concrete Vibrator Internal High Frequency	WACKER NEUSON IRFU57	56.22 lbs	Electric
Concrete Vibrator Internal High Frequency	WACKER NEUSON IRFU65	66.58 lbs	Electric
Concrete Vibrator 1 hp Motor Electric	MINNICH SD1	14.5 lbs	Electric
Concrete Vibrator 1 hp Motor Electric	MULTIQUIP CV1A	11 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	NORTHROCK 25L2	19 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	NORTHROCK 25N14	20 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	NORTHROCK 25J2	8 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	MULTIQUIP CV2A	12.5 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	WACKER NEUSON M1500	10.8 lbs	Electric
Concrete Vibrator 3 hp Motor Electric	WACKER NEUSON M2500	11.9 lbs	Electric
Concrete Vibrator 3 hp Motor Electric	MULTIQUIP CV3A	13.5 lbs	Electric
Concrete Vibrator Cordless	MILWAUKEE 2911-21	14.3 lbs	Battery
Concrete Vibrator Internal High Frequency	WACKER NEUSON IEC58/120/8	42.3 lbs	Electric
Power Trowel Walk-Behind 36" Gas	MULTIQUIP J36H55	182 lbs	Gas
Power Trowel Walk-Behind 48" Gas	MULTIQUIP B46H90	285 lbs	Gas







CONCRETE PREP AND FINISHING (CONTINUED)

CLASS	MODEL
Bender Cutter Rebar 3/4" Electric Handheld	MULTIQUIP HBC19B
Bender Rebar 1" Electric Handheld	BN Products DBR-25WH
Bender Rebar 1" Electric Bench	MULTIQUIP MB25A
Bender Rebar 1" Electric Bench	FASCUT 800C
Shear Pocket Hydraulic	GTI PSH05







MASONRY AND TILE SAWS

CLASS	MODEL	CUTTING CAPACITY	WEIGHT
Saw Tile 10"	EDCO TMS10	Max Cut - Diagonally 12", Length 20"	111 lbs
Saw Brick Masonry 14" Electric	EDCO BB14E	Max Cut - Depth 5"	165 lbs
Saw Brick Masonry 20" Electric	EDCO MS-20	Fixed Position 8", Chop Position 16"	440 lbs







SAWS

CLASS	MODEL	CUTTING CAPACITY
Saw Cut-Off Hand 12" Gas	HILTI DSH 600-X	4 3/4"
Saw Cut-Off Hand 14" Gas	STIHL TS420	4.9"
Saw Cut-Off Hand 14" Gas	HILTI DSH 700-X	5"
Saw Cut-Off Hand 16" Gas	HILTI DSH 900-X	6”
Saw Cut-Off Hand 16" Gas	HUSQVARNA K760	16"
Saw Cut-Off Hand 16" Gas	HUSQVARNA K970-16"	5"
Saw Cut-Off Hand 16" Gas	MAKITA EK8100	5 3/4"
Saw Cut-Off Hand 12" Electric	HILTI DCH 300-X	4 23/32"
Saw Cut-Off Hand 14" Electric	HUSQVARNA K4000	5"
Saw Cut-Off Hand 14" Electric	HUSQVARNA K770	5"
Saw Cut-Off Hand 14" Electric	DIAMOND PRODUCTS C14	5"
Saw Cut-Off Hand 14" Gas	HUSQVARNA K970-11"	5"
Saw Concrete 14" Pneumatic Handheld	UNITEC CSH 135	5"







DRILLS

CLASS	MODEL
Drill Core Hand 6" Cordless	MILWAUKEE MXF301-2CP
Drill Core Stand 6" Cordless	MILWAUKEE MXF301-2CXS
Drill Core Hand 6"	HUSQVARNA DM220
Drill Core Hand 6"	HILTI DD150-U
Drill Core Hand 6"	HUSQVARNA DM220
Drill Core Stand 6"	HILTI DD250E
Drill Core Stand 12"	MULTIQUIP DM4096
Drill Core Stand 14"	UNITEC EBM 352/3 PSV
Drill Core Stand 18"	HILTI DD-250
Drill Core Vacuum Pump Small	MILWAUKEE 49-50-0200
Drill Core Vacuum Pump	HILTI DD VP-U
E-Z Drill 2 1/2"	E-Z DRILL 210B



TORNADO
98451



TEXAS PNEUMATIC
TX-DCS-MU5



EDCO
VAC-200

SURFACE PREPARATION AND CLEANING / SUBSTRATE PREPARATION

CLASS	MODEL
Vacuum Concrete Dust	MASTERCRAFT P307A-HEPA
Vacuum Concrete Dust	TEXAS PNEUMATIC TOOLS, INC. TX-DCS-MU5
Vacuum Drum Pneumatic 55 gal 4 Head	TORNADO 98451
Vacuum Wet/Dry Electric 10–12 gal	DAYTON 3VE20
Vacuum Wet/Dry Electric 10–12 gal	DAYTON 45UZ57
Vacuum Wet/Dry Electric 16 gal	RIDGID HD1600
Vacuum Wet/Dry Electric Concrete Dust	HILTI DD-WMS 100
Vacuum Wet/Dry Electric Concrete Dust	HILTI DWP10
Vacuum Concrete Dust	MASTERCRAFT H10QBP
Vacuum Concrete Dust	EDCO VAC-200
Vacuum Concrete Dust	CRATOS SHERPA VACUUM


EDCO CD-5


TRELAWNY MHS 5


BLASTRAC BDC22

SURFACE PREPARATION AND CLEANING/SUBSTRATE PREPARATION (CONTINUED)

CLASS	MODEL	CFM/INPUT POWER	REMOVAL RATE
Scabbler Air 5 Head Walk-Behind	EDCO CD-5	160 cfm	250 sq ft/hr
Scabbler Air 5 Head Walk-Behind	TRELAWNY MHS 5	80 cfm	430 sq ft/hr
Scabbler Air 11 Head Walk-Behind	NOVATEK MHS-11	70 cfm	300 sq ft/hr
Blast Pot Abrasive 300 lb	CLEMCO BLASTER 11260	-	-
Blast Pot Abrasive 600 lb	AXXIOM 8624-286-01	-	-
Blast Pot Abrasive 600 lb	POT CLEMCO 2452	-	-
Dust Collector, Industrial, 2" inlet	BLASTRAC BDC22	-	-


SKILSAW MEDUSAW SPT79-00


HUSQVARNA K 1270


EDCO 2EC-NG

SAWS AND GRINDERS

CLASS	MODEL	CAPACITY	RPM
Saw Concrete 7" Electric Handheld	SKILSAW MEDUSAW SPT79-00	2" Cutting Depth, Max	550–3,000 rpm
Saw Concrete Cut-off 16" Handheld Gas	HUSQVARNA K 1270	5.7" Cutting Depth, Max	4,700 rpm
Dual Disk Floor Grinder	EDCO 2EC-NG	21.5" Working Width, 400–500 sq ft/hr Removal Rate	231 rpm



MULTIQUIP
WBH-21EFP



TORO
MBTX 2500-TS

CONCRETE BUGGIES

CLASS	MODEL	OPERATING WEIGHT	CAPACITY	POWER SOURCE
Wheeled Concrete Buggy, Propane	MULTIQUIP WBH-21EFP	1,570 lbs	21 cu ft	Propane
Tracked Concrete Buggy, Gas	TORO MBTX 2500-TS	1,886 lbs	16 cu ft	Gas



MULTIQUIP
MC12PH



MULTIQUIP
WM90PH8



MULTIQUIP
WM120PH8

CONCRETE AND MORTAR MIXERS

CLASS	MODEL	OPERATING WEIGHT	CAPACITY	POWER SOURCE
Concrete Mixer 12 CF Poly Drum Gas	MULTIQUIP MC12PH	800–1,000 lbs	12 cu ft, 1.5 –2 bags	Gas
Mortar Mixer 9 CF Poly Drum Gas	MULTIQUIP WM90PH8	785 lbs	9 cu ft, 2 1/2–3 1/2 bags	Gas
Mortar Mixer 12 CF Poly Drum Gas	MULTIQUIP WM120PHD	1,090 lbs	12 cu ft, 3 1/2–4 bags	Gas

EARTHMOVING



TRACKED SKID LOADER

BOBCAT T62







BACKHOE AND SKIP LOADERS

CLASS	MODEL	WEIGHT	DIGGING DEPTH	CAPACITY
Backhoe Loader 68–74 hp, Extendable Stick	JOHN DEERE 310LEP - Extendable Stick CASE 580N EP - Extendable Backhoe	14,200 lbs	14' 4"	1.0 cu yds
Backhoe Loader 68–74 hp, Standard Stick	JOHN DEERE 310LEP JCB 3CX-14	17,196 lbs	14' 7"	1.3 cu yds
Backhoe Loader 90–99 hp, Extendable Stick	CASE 580SV	19,709 lbs	18' 4"	1.3 cu yds
Backhoe Loader 90–99 hp, Standard Stick	CASE 580N	17,500 lbs	14' 11"	1.03 cu yds
Backhoe Loader 110–115 hp, Extendable Stick	JOHN DEERE 410P Cab Extendable Stick	19,156 lbs	19' 8"	1.31 cu yds
Backhoe Loader 110–115 hp, Standard Stick	JOHN DEERE 410P Cab Standard Stick	18,280 lbs	15' 11"	1.31 cu yds
Skip Loader 60–85 hp	CASE 570N EP JOHN DEERE 210G-EP	11,134 lbs	-	1.31 cu yds







MINI EXCAVATORS

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH	CAPACITY
Mini Excavator 2,500–4,000 lbs	TAKEUCHI TB210R	2,370 lbs	5' 9"	.81 cu ft
Mini Excavator 5,000–6,500 lbs	BOBCAT E26	5,908 lbs	9' 3"	1.89 cu ft
Mini Excavator 7,000–9,000 lbs	BOBCAT E35	8,499 lbs	10' 2"	3.24 cu ft
Mini Excavator 10,000–14,000 lbs	BOBCAT E55	11,357 lbs	11' 6"	4.86 cu ft
Mini Excavator 15,000–20,000 lbs	TAKEUCHI TB290CR	18,630 lbs	15'	20.52 cu ft







TRENCHING AND SHORING

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH
Ride-On Trencher, 45–50 hp	DITCH WITCH RT45A VERMEER RT450 VERMEER RTX450	5,375 lbs	5'
Tracked Walk Behind Trencher	TORO TRX-250 BARRETO 13STK	1,200 lbs	30"







DOZERS

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH	CAPACITY (BLADE)
Track Dozer 16,000–18,000 lbs, 65–80 hp	JOHN DEERE 450K CASE 650M JOHN DEERE 450P LGP JOHN DEERE 450P XLT	16,244 lbs	21"	59.4 cu ft
Track Dozer 20,000 lbs, 85–95 hp	JOHN DEERE 550K JOHN DEERE 550K-II JOHN DEERE 550P LGP	19,800 lbs	21"	64.8 cu ft
Track Dozer 22,000 lbs, 100–115 hp	JOHN DEERE 650K-II	19,000 lbs	18"	59.4 cu ft
Track Dozer 30,000–32,000 lbs, 125–135 hp	JOHN DEERE 700L	32,088 lbs	21"	129.6 cu ft
Track Dozer 30,000–32,000 lbs, 125–135 hp, SmartGrade 3D GPS integrated	JOHN DEERE 700L LGP SmartGrade 3D GPS Integrated	32,088 lbs	21"	129.6 cu ft
Track Dozer 45,000–55,000 lbs, 215–235 hp	JOHN DEERE 850P	51,313 lbs	28"	170.1 cu ft



LINK-BELT
145X4DZ



JOHN DEERE
160P



CASE
CX380E

TRACK EXCAVATORS

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH	MAX REACH
Track Excavator 25,000–35,000 lbs	LINK-BELT 145X4	32,100 lbs	18' 1"	27' 2"
Track Excavator 25,000–35,000 lbs, Reduced Tailswing	LINK-BELT 145X4DZ	33,600 lbs	19' 9"	28'
Track Excavator 36,000–44,000 lbs	JOHN DEERE 160P	39,526 lbs	19' 7"	29' 1"
Track Excavator 45,000–55,000 lbs	CASE CX220E	50,000 lbs	21' 2"	31' 11"
Track Excavator 56,000–65,000 lbs, Reduced Tailswing	LINK-BELT 245X4DZ	56,900 lbs	21' 10"	21' 4"
Track Excavator 56,000–65,000 lbs	JOHN DEERE 250P	60,600 lbs	25'	33' 9"
Track Excavator 66,000–75,000 lbs	JOHN DEERE 300P	68,674 lbs	23' 8"	35' 2"
Track Excavator 77,000–85,000 lbs	CASE CX380E	83,114 lbs	23' 8"	36' 9"
Track Excavator 110,000–120,000 lbs	CASE CX490D	109,300 lbs	24' 10"	39' 3"







COMPACT TRACK LOADERS

CLASS	MODEL	WEIGHT	CAPACITY @35%
Ride-On Mini Skid Steer 800–1,100 lbs ROC	BOBCAT MT100	3,390 lbs	1,014 lbs
	DITCH WITCH SK800A	2,290 lbs	911 lbs
	TORO Dingo TX420	1,830 lbs	500 lbs
	TORO TX525	1,904 lbs	553 lbs
	VERMEER S925TX	3,465 lbs	925 lbs
Track Skid Loader 1,700–1,900 lbs ROC	TAKEUCHI TL6CR	7,485 lbs	1,841 lbs
Track Skid Loader 2,000–2,300 lbs ROC	BOBCAT T62 KUBOTA SVL65-2	7,961 lbs	2,100 lbs
Track Skid Loader 2,500–2,800 lbs ROC	TAKEUCHI TL10V2-CR	10,130 lbs	2,522 lbs
Track Skid Loader 3,100–3,400 lbs ROC	TAKEUCHI TL12R2-CR	12,650 lbs	2,975 lbs
Track Skid Loader 3,600–4,000 lbs ROC	JOHN DEERE 333P Cabbed	12,183 lb	3,850 lbs
Track Skid Loader 4,000–4,500 lbs ROC	TAKEUCHI TL12V2	12,705 lbs	4,107 lbs







VACUUM EXCAVATORS

CLASS	MODEL	WEIGHT	GVWR
Vacuum Excavator 1000 CFM, Gas	VAC-TRON CV573SGT	4,850 lbs	9,995 lbs
Vacuum Excavator 500–600 CFM, Diesel	VAC-TRON LP573XDT	6,300 lbs	9,995 lbs
Vacuum Excavator 1,000 CFM, Diesel	DITCH WITCH HX50A	8,640 lbs	17,000 lbs







WHEEL LOADERS

CLASS	MODEL	WEIGHT	CAPACITY (BUCKET)
Wheel Loader 145–155 hp, 3 cu yd	JOHN DEERE 524P	29,000 lbs	67.5 cu ft
Wheel Loader 165–175 hp, 3 cu yd	JOHN DEERE 544P	30,115 lbs	81 cu ft
Wheel Loader 190–200 hp, 4 cu yd	JOHN DEERE 624P	33,560 lbs	94.5 cu ft
Wheel Loader 230–255 hp, 4 cu yd	JOHN DEERE 644P	41,246 lbs	108 cu ft







WHEELED SKID LOADERS

CLASS	MODEL	WEIGHT	CAPACITY (BUCKET)
Wheeled Skid Loader 700–1,400 lbs ROC	BOBCAT S70	2,892 lbs	6 cu ft
Wheeled Skid Loader 1,500–2,200 lbs ROC	BOBCAT S510	6208 lbs	16.9 cu ft
Wheeled Skid Loader 2,300–2,900 lbs ROC	BOBCAT S650	8061 lbs	18.5 cu ft
Wheeled Skid Loader 3,000–4,000 lbs ROC	BOBCAT S770	9314 lbs	20.1 cu ft







MATERIAL MOVERS

CLASS	MODEL	WEIGHT	PAYLOAD	CAPACITY
Dumper All-Terrain 3 Ton	WACKER NEUSON DW30	5,524.8 lbs	6,613.9 lbs	2.3 cu yd
Dumper All-Terrain 5–6 Ton	WACKER NEUSON DV60	10,028.8 lbs	13,227.7 lbs	4.6 cu yd
Dumper All-Terrain 9 Ton	WACKER NEUSON DV90	11,245.8 lbs	19,841.6 lbs	6 cu yd
Dumper All-Terrain 11 Ton	WACKER NEUSON DV125	14,517 lbs	27,557.8 lbs	9.2 cu yd
Tracked Crawler Dumper 2.5–3 cu yd	TAKEUCHI TCR 50-2CR	14,440 lbs	8,157 lbs	2.7 cu yd

FORKLIFTS AND MATERIAL HANDLING









TELEHANDLERS

CLASS	MODEL	WEIGHT	MAX LIFT CAPACITY	LIFT HEIGHT
Telehandler 2,500–4,500 lbs, 12'–14' Reach	SKYTRAK 3013	5,280 lbs	2,700 lbs	13' 1"
Telehandler 5,000–5,500 lbs, 18'–20' Reach	GENIE GTH-5519	10,000 lbs	5,500 lbs	18'
Telehandler 6,000–7,000 lbs, 34'–44' Reach	GENIE GTH-636	20,500 lbs	6,000 lbs	36'
Telehandler 8,000–9,000 lbs, 40'–44' Reach	GENIE GTH-844	26,000 lbs	8,000 lbs	43'
Telehandler 10,000 lbs, 54'–56' Reach	JCB 510-56	34,000 lbs	10,000 lbs	56'
Telehandler 12,000 lbs, 54'–56' Reach	JCB 512-56	34,612 lbs	12,000 lbs	56'
Telehandler 14,000–15,000 lbs, 44'–56' Reach	JCB 514-56	32,143 lbs	14,000 lbs	56'
Telehandler 16,000–17,000 lbs, 32'–44' Reach	JLG 1732	31,145 lbs	16,755 lbs	31' 8"
Telehandler 20,000–29,000 lbs, 32'–44' Reach	MAGNI HTH-10.10	29,100 lbs	22,046 lbs	31' 2"
Telehandler 30,000–39,000 lbs, 32'–44' Reach	MAGNI HTH 16.10	45,200 lbs	35,273 lbs	31' 2"
Telehandler 40,000–49,000 lbs, 32'–44' Reach	MAGNI HTH 20.10	52,900 lbs	44,100 lbs	32'
Electric Telehandler 5,000–5,500 lbs, 18'–20' Reach	JCB 505-20E	11,464 lbs	5,250 lbs	20'
High Reach Telehandler 8,500 lbs, 66' Reach	JCB 508-66TC	28,627 lbs	8,500 lbs	65' 7"
High Reach Telehandler 10,000 lbs, 75' Reach	JLG 1075	43,600 lbs	10,000 lbs	75'
High Reach Telehandler 12,000 lbs, 80' Reach	MAGNI TH 12.80	35,500 lbs	12,100 lbs	78' 5"







ROTATING TELEHANDLERS, CARRY DECK CRANES AND COMPACT TRACK CRANES

CLASS	MODEL	WEIGHT	CAPACITY	SHEAVE HEIGHT
Rotator 10,000–11,000 lbs	MAGNI RTH 5.25	36,595 lbs	11,000 lbs	82'
Rotator 13,000–14,000 lbs	MAGNI RTH 6.31	50,050 lbs	13,200 lbs	101' 6"
Carry Deck Crane 9,000lbs Diesel	BRODERSON IC-40-2D	8,920 lbs	9,000 lbs	33' 6" (with boom extension)
Carry Deck Crane 18,000lbs Diesel	BRODERSON IC-80-3L - Diesel	16,750 lbs	18,000 lbs	46' 8" (with boom extension)
Carry Deck Crane 18,000lbs Dual Fuel	BRODERSON IC-80-3L - Dual Fuel	16,750 lbs	18,000 lbs	46' 8" (with boom extension)
Carry Deck Crane 30,000lbs Diesel	BRODERSON IC-200-3J - Diesel	31,080 lbs	30,000 lbs	73' 8" (with boom extension)
Carry Deck Crane 30,000lbs Dual Fuel	BRODERSON IC-200-3J - Dual Fuel	31,080 lbs	30,000 lbs	73' 8" (with boom extension)
Carry Deck Crane 36,000lbs Diesel	BRODERSON IC-250-3E	37,700 lbs	36,000 lbs	79' 6" (with boom extension)
Carry Deck Crane 40,000lbs Diesel	BRODERSON IC-280-A	41,340 lbs	40,000 lbs	88' 9" (with boom extension)
Compact Tracked Crane 5,500–6,500 lbs Diesel	MAEDA MC305C-3	8,600 lbs	6,560 lbs	41'
Compact Tracked Crane 5,500–6,500 lbs Diesel Electric	MAEDA MC305CRME-3	8,900 lbs	6,560 lbs	41'
Compact Tracked Crane 5,500–6,500 lbs Electric	JEKKO SPX328CL	5070 lbs	5,950 lbs	42' 8"







INDUSTRIAL FORKLIFTS

CLASS	MODEL	WEIGHT	MAX LIFT CAPACITY	LIFT HEIGHT
Industrial Forklift 3,000–4,000 lbs, Dual Fuel	HELI CPQYD18-KU1H	7,165 lbs	3,527 lbs	11' 10"
Industrial Forklift 5,000 lbs, Diesel	CLARK S25D	8,320 lbs	5,000 lbs	10' 10"
Industrial Forklift 5,000 lbs, Dual Fuel	KOMATSU FG25T-16	7,941 lbs	5,000 lbs	15'
	CATERPILLAR 2C5000	8,110 lbs		
	CLARK S25	7,562 lbs		
	DOOSAN G25E-3 G/LP	8,180 lbs		
	DOOSAN G25E-5	8,686 lbs		
	DOOSAN G25P-7	9,259 lbs		
	HELI CPQYD25-KU1H	9,260lbs		
	HYSTER H50UT	8,030 lbs		
	HYUNDAI HLF25CII	8,100 lbs		
	KOMATSU FG25HT-16	7,950 lbs		
	KOMATSU FG25TU-16	7,941 lbs		
	NISSAN MPL02A25LV	8,500 lbs		
	UNICARRIER AF50DF LOWPRO	7,910 lbs		
	UNICARRIER AF50DF STD	7,910 lbs		
	UNICARRIER MAP1F2A25DV	8,710 lbs		
Industrial Forklift 5,000 lbs, Propane	TOYOTA 50-8FGU25	9,195 lbs	5,500 lbs	15'
	HELI CPYD25-KU1H			
Industrial Forklift 5,000 lbs, Electric Li-ion & Universal Onboard Charger	LINDE E25Bhp	8,604 lbs	5,000 lbs	13' 5"
Industrial Forklift 6,000 lbs Quad Mast, Dual Fuel	HELI CPQYD30-KU1H - QUAD	10,965 lbs	6,000 lbs	21'
Industrial Forklift 6,000 lbs Quad Mast, Propane	TOYOTA 50-8FGU30 LP - Quad	9,281 lbs	6,000 lbs	20'
Industrial Forklift 6,000 lbs, Diesel	CLARK S30D	9,354 lbs	6,000 lbs	10' 10"
Industrial Forklift 6,000 lbs, Dual Fuel	HELI CPQYD30-KU1H	10,965 lbs	6,000 lbs	15' 5"







INDUSTRIAL FORKLIFTS (CONTINUED)

CLASS	MODEL	WEIGHT	MAX LIFT CAPACITY	LIFT HEIGHT
Industrial Forklift 8,000 lbs, Diesel	BOBCAT D35S-9	12,900 lbs	8,000 lbs	9' 10"
Industrial Forklift 8,000 lbs, Dual Fuel	UNICARRIER MJ1F4A35DV	14,170 lbs	7,000 lbs	10' 10"
Industrial Forklift 8,000 lbs, Electric	TOYOTA 7FBCU35	10,450 lbs	8,000 lbs	10'
Industrial Forklift 8,000 lbs, Propane	TOYOTA 8FG35U	12,860 lbs	8,000 lbs	10'
Industrial Forklift 10,000 lbs, Diesel	UNICARRIER MW1F4A45V	14,905 lbs	10,000 lbs	10' 10"
Industrial Forklift 10,000 lbs, Dual Fuel	BOBCAT G45S-7DF	14,396 lbs	10,000 lbs	9' 10"
Industrial Forklift 10,000 lbs, Propane	HELI CPYD50-KUH	15,430 lbs	10,000 lbs	15' 5"
Industrial Forklift 12,000 lbs, Propane	DOOSAN G55C-7	16,292 lbs	12,000 lbs	15'
Industrial Forklift 15,000 lbs, Diesel	CLARK C70	21,230 lbs	15,500 lbs	10' 10"
Industrial Forklift 15,000–20,000 lbs, Duel Fuel	HELI CPQYD70-KUG	20,569 lbs	15,500 lbs	15' 8"
Industrial Forklift 21,000 lbs–23,000 lbs, Diesel	KOMATSU FD100T-8	28,620 lbs	22,000 lbs	9' 10"
Industrial Forklift 33,000 lbs–36,000 lbs, Diesel	SANY SCP160	42,990 lbs	35,000 lbs	12' 4"





ROUGH TERRAIN FORKLIFTS

CLASS	MODEL	WEIGHT	CAPACITY	LIFT HEIGHT
Rough Terrain Forklift 6,000 lbs, Diesel	CASE 586H	15,061 lbs	6,000 lbs	15'
Rough Terrain Forklift 8,000 lbs, Diesel	CASE 588H	17,418 lbs	8,000 lbs	15'



HARRINGTON
CF010-20



HARRINGTON
TCK3000P



HARRINGTON
SNER1-872745

MANUAL, ELECTRIC AND AIR HOISTS

CLASS	MODEL	PULL TO LIFT LOAD (LBS)
Hoist Chain Manual 1/2 Ton to 15 Ton	Harrington	60-115 lbs
Hoist Chain Air 2 Ton to 18 Ton	Harrington, Ingersoll Rand, JD Neuhouse	-
Hoist Chain Electric 1/2 Ton to 2 Ton	Harrington	-
Hoist Cable Electric 1 ton	Tractel TR50	-



HARRINGTON
L5LB015-20

WINCHES AND COME-A-LONGS

CLASS	MODEL	WEIGHT	CAPACITY	LIFT HEIGHT
Hoist Lever Come-a-long 1 1/2 Ton 20' Lift	HARRINGTON L5LB015-20	19 lbs	3,000 lbs	20'







MATERIAL HANDLING

CLASS	MODEL	WEIGHT	CAPACITY	LIFT HEIGHT
Forklift Stand-Up 4,000 lbs, Electric	CLARK ESX20	9,450 lbs	4,000 lbs	15' 8"
Reach Truck Stand-Up 3,000–3,999 lbs, Electric	CROWN RD5725-32	7,211 lbs	3,200 lbs	16' 6"
Ride-On Pallet Jack 6,000 lbs	BOBCAT BER30S-9	2,968 lbs	6,000 lbs	5.9"
Forklift Walk Behind 3,000 lbs, Electric	BIG JOE PDS 30	2,042 lbs	3,000 lbs	14' 9"
Pallet Stacker Electric	VESTIL RT-S-62-AF	1,218 lbs	3,000 lbs	2' 9"
Pallet Jack 3,300 lbs Electric	MIGHTY LIFT EPT33L	309 lbs	3,300 lbs	7.5"
Pallet Jack 4,000–4,500 lbs Electric	HYSTER W45ZHD	1,375 lbs	4,400 lbs	8.4"
Pallet Jack 4,000–4,500 lbs Manual	STRONGWAY 55833	147 lbs	4,400 lbs	8"
Pallet Jack 5,000 lbs Manual	BIG JOE hpT-A55-2748	170 lbs	5,500 lbs	7.6"
Pallet Jack 5,500 lbs Manual 4-Way	HIT 20-PJ2748DN-1	140 lbs	5,500 lbs	7.7"
Pallet Jack 5,500–6,000 lbs Electric	HYSTER W60Z	1,022 lbs	6,000 lbs	9.3"
Pallet Jack 6,000 to 7,000 lbs Manual	JET PTW-2748	162 lbs	6,000 lbs	7.5"
Pallet Jack 8,000 lbs Manual	DAYTON 493X17A	220 lbs	8,000 lbs	7.5"
Pallet Jack 11,400 lbs Manual	MIGHTY LIFT ML110	255 lbs	11,000 lbs	8.1"
Material Lift 8–12'	GENIE SLC-12	225 lbs	650 lbs	12' 11"
Material Lift 15–18'	GENIE SLC-18	307 lbs	650 lbs	18' 6"
Material Lift 20–24'	GENIE SLC-24	347 lbs	650 lbs	24'

LIGHTING AND SECURITY



LIGHT TOWER

MILWAUKEE MXF041-1XC







HAZARDOUS LOCATION LIGHTING

CLASS	MODEL	APPROVALS	LUMENS
Light Area LED Explosion Proof	LIND EQUIPMENT XP1830LED39WLED	cETLus approved for Class 1, Division 1, Groups C & D, Class 1, Division 2, Groups A, B, C & D, Class 2, Divisions 1 & 2, Groups F & G	3,600 lm
Light Area LED Explosion Proof	WORKSITE LIGHTING XP 980	cULus Certified for Class 1, Division 1, Groups B, C & D, Class 2, Division 1	24,000 lm
Light Area LED Explosion Proof Magnetic	WORKSITE LIGHTING PetroPRO Handy	120 V	12,500 lm
Light Area LED Explosion Proof Magnetic	WORKSITE LIGHTING PetroPRO-MAX	120 V	12,500 lm
Light Hand LED Explosion Proof w/Transformer	LIND EQUIPMENT GST50	UL approved for Class 1, Division 1, Groups C & D (light head only)	1,430 lm
Light Hand LED Explosion Proof w/Transformer	WORKSITE LIGHTING DWXPLEDIL50-12V	Class 1, Division 1, Groups C & D Class 2, Division 2, Groups F & G	600 lm
Light String 8 Head Explosion Proof	LIND EQUIPMENT TLS-80XPLEDRE-LV	cUL and UL approved Class 1, Division 1, Groups C & D	800 lm per bulb
Light String 8 Head Explosion Proof	WORKSITE LIGHTING SLDWXPLED8-12	Class 1 Division 1 Groups C&D (Oil & Gas) and F&G (Dust)	650 lm per bulb



MILWAUKEE
MXF041-1XC



MULTIQUIP
GB8LED



LIND
LE360LED-TR

GENERAL CONSTRUCTION LIGHTING

CLASS	MODEL	POWER REQUIREMENTS	LUMENS
Light String Daisy Chain LED	LIND EQUIPMENT LELED360S-10P10C	90–277V	14,300 lm
Light Tower Cordless	Milwaukee MXF041-1XC	120V	27,000 lm
Light Wobble 400W Metal Halide	WOBBLE LIGHT 111104	120V	40,000 lm
Light Wobble LED Cordless	Milwaukee 2150-20	18V	9,000 lm
Light Wobble LED Electric	Southwire Company 111303LED	120V	15,000
Light Stand Balloon Diesel	Multiquip GBX24BK	Diesel	399,000 lm
Light Stand Balloon LED	Multiquip GB8LED	115V	Max 110,000 lm
Light Stand LED	LIND EQUIPMENT LE360-LED-TR	120V	14,300 lm
Light Stand LED Explosion Proof	WORKSITE LIGHTING PetroPRO-MAX T-Bracket	120V	12,500 lm
Light String 50'	SOUTHWIRE COMPANY 121050	120V	1,500 lm
Light Stand 1 Head LED	CEPCO 7309	120V	22,000 lm
Light Stand 1 Head LED	LIND EQUIPMENT LE978LED-CART-W	90–277V	22,500 lm
Light Stand 1 Head LED	LIND EQUIPMENT LE980LED-CART-W	90–277V	30,000 lm
Light Stand 2 Head LED	CEPCO 7322	120V	44,000 lm
Light Stand 2 Head LED	LIND EQUIPMENT LE978LED-CART-TD-W	90–277V	45,000 lm



LIND
LE980LED-CART-TD-W



LIND
LE980LED-T4B



CANADA TOWERS
LED64-24C2C

GENERAL CONSTRUCTION LIGHTING (CONTINUED)

CLASS	MODEL	POWER REQUIREMENTS	LUMENS
Light Stand 2 Head LED	LIND EQUIPMENT LE980LED-CART-TD-W	90–277V	60,000 lm
Light Cart Electric	LIND EQUIPMENT LE978LEDV-T4B	90–277V	120,000 lm
Light Cart Electric	LIND EQUIPMENT LE980LED-T4B	90–277V	120,000 lm
Light Cart Electric	LIND EQUIPMENT LE980LEDV-T4B	90–277V	120,000 lm
Light Tower Stadium LED	Canada Towers LED64-24C2C	14 kVa	1,222,000 lm



GENERAC
SLT-DCUBEHYPRK2

STATIONARY LIGHT PLANTS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT	TOTAL LUMINOUS FLUX	RUN TIME	FUEL TANK
Light Plant Stationary 2.4–4 kW - LED	GENERAC SLT-DCUBEHYPRK2	330"	49.6" x 48.4" x 104.7"	~2,389 lbs	184,000 lm	300 hrs	64.4 gal



WANCO WLTT-4MM4K



WANCO WLT-4M



ALLMAND MAXI-LITE

TOWABLE LIGHT PLANTS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT	TOTAL LUMINOUS FLUX	RUN TIME	FUEL TANK
Light Plant 2.4–4 kW - LED	GENERAC MLTS-4	276"	118" x 57" x 101"	~1,185 lbs	198,400 lm	165 hrs	39.9 gal
Light Plant 2.4–4 kW - LED, Electric Mast	WANCO WLTT-4MM4K Electric Mast	285"	70" x 62" x 90"	~1,580 lbs	210,100 lm	240 hrs	60 gal
Light Plant 6 kW - Metal Halide	WANCO WLT-4M	360"	176" x 47" x 66"	~1,550 lbs	347,400 lm	62 hrs	30 gal
Light Plant 6 kW - LED	GENERAC MLT6SMDS	276"	118" x 57" x 101"	~1,310 lbs	198,400 lm	164 hrs	39.9 gal
Light Plant 8 kW - LED	WANCO WLTT-4MK8K	294"	70" x 62" x 90"	~1,580 lbs	210,100 lm	240 hrs	60 gal
Light Plant 14 kW - LED	WACKER NEUSON LTG14	283"	136" x 76.1" x 78.4"	~2,767 lbs	192,000 lm	359 hrs	59 gal
Light Plant 20 kW - LED	ALLMAND MAXI-LITE	322"	126" x 77" x 105"	~3,430 lbs	228,560 lm	277 hrs	100 gal
Hybrid Diesel Light Plant 2.4–4 kW	WANCO WLTT-4LK4K-H	276"	70" x 62" x 90"	~1,500 lbs	128,180 lm	700 hrs	60 gal



GENERAC
VT SOLAR



PROGRESS SOLAR SOLUTIONS
HELIOS-2XP



NATIONAL SIGNAL
SUNRAY LTS-300H

SOLAR LIGHT PLANTS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT	TOTAL LUMINOUS FLUX	RUN TIME	FUEL TANK
Solar Light Plant 0.7–1.2 kW	GENERAC VT SOLAR	255"	142" x 54" x 99"	~ 2,401 lbs	60,000 lm	N/A (Solar)	-
Solar Light Plant 1.6–2.3 kW	PROGRESS SOLAR SOLUTIONS Helios-2XP	276"	107" x 61" x 93"	~1,800 lbs	64,000 lm	N/A (Solar)	-
Hybrid Solar Light Plant 0.7–1.2 kW	NATIONAL SIGNAL Sunray LTS-300H	236"	145" x 79" x 105"	~3,400 lbs	165,000 lm	~600 Hours	24 gal



NATIONAL SIGNAL
SUNRAY TOWER



SUN SURVEILLANCE
SS-GEN-4463-2

SECURITY SYSTEMS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT
Solar Security Plant, Single Surveillance Cam	SUN SURVEILLANCE SS-GEN-2865-001-0001	240"	120" x 78" x 102"	~2,150 lbs
Solar Security Plant, Single Surveillance Cam + Radar	SUN SURVEILLANCE SS-GEN-4529-1	240"	120" x 78" x 102"	~2,350 lbs
Solar Security Plant, Dual Surveillance Cam + Radar	SUN SURVEILLANCE SS-GEN-4535-1	240"	120" x 78" x 102"	~2,400 lbs
Solar Security Plant, Triple Surveillance Cam	NATIONAL SIGNAL Sunray Solar-Powered Mobile Integrator Tower	240"	121" x 78" x 104"	~2,250 lbs
Solar Security Plant, Triple Surveillance Cam + Radar	SUN SURVEILLANCE SS-GEN-4463-2	240"	120" x 82" x 108"	~2,800 lbs

SURFACE PREPARATION AND CLEANING



PRESSURE WASHER

SIMPSON 61023







PRESSURE WASHERS

CLASS	MODEL
Pressure Washer 2,700 psi, 2.3 gpm, Cold	SIMPSON 61023
Pressure Washer 4,000 psi, 4 gpm, Hot	SIMPSON 65106
Pressure Washer 3,500 psi, 2.5 gpm, Hot	SIMPSON 65123
Towable Pressure Washer 4,000 psi, 4 gpm, 200 gal, Hot	SIMPSON 95005
Towable Pressure Washer 3,500 psi, 5.5 gpm, 525 gal, Hot	SIMPSON 95122
Pressure Washer 2,000 psi–7,000 psi / 2gpm–26gpm / Cold & Hot	MI-T-M CW-3504-5MGH







FLOORING REMOVAL

CLASS	MODEL
Floor Scraper, Ride-On, Battery	NATIONAL FLOORING 5000DL
Floor Scraper, Ride-On, Propane	NATIONAL FLOORING 5625DL
Floor Scraper, Walk-Behind 8", Electric	EDCO TS-8







SWEEPERS AND SCRUBBERS

CLASS	MODEL	TYPE	SWEEP WIDTH	BRUSH SPEED
Walk-Behind Floor Scrubber 13", Battery	TENNANT CS16	Walk-Behind	13"	140 rpm
Walk-Behind Floor Scrubber 28", Battery	KARCHER BD70 W BP	Walk-Behind	28"	180 rpm
Walk-Behind Floor Sweeper 30", Battery	TENNANT S10	Walk-Behind	34"	550 rpm
Walk-Behind Floor Scrubber 36", Battery	TENNANT T500E	Walk-Behind	26"	220 rpm
Walk-Behind Floor Scrubber 36", Battery	TENNANT T600	Walk-Behind	36"	300–2,200 rpm
Ride-on Floor Scrubber 36", Battery	TENNANT T16	Ride-On	36"	300–500 rpm
Ride-On Floor Scrubber 40", Battery	KARCHER B 75 R BP	Ride-On	30"	180–1,200 rpm
Ride-On Floor Scrubber 40", LPG	TENNANT M20	Ride-On	40"	480 rpm
Ride-On Floor Scrubber 48", LPG	TENNANT M30	Ride-On	48"	480 rpm
Ride-On Floor Sweeper 50", Battery	TENNANT S20E	Ride-On	50"	550 rpm
Ride-On Floor Sweeper 50", LPG	TENNANT S20	Ride-On	50"	550–600 rpm
Ride-On Floor Sweeper 60", Battery	TENNANT S30	Ride-On	62.5"	500–550 rpm



BROCE BW260



LAYMOR SM450-ST



BROCE RCT350

JOBSITE SWEEPERS

CLASS	MODEL	SWEEPING WIDTH	HORSEPOWER	BRUSH SPEED
3-Wheel Sweeper, Mid-Mount Broom, Diesel	BROCE BW260	8'	24 hp	192 rpm
4-Wheel Sweeper, Front-Mount Broom, Diesel	SB MANUFACTURING SM74J	8'	74 hp	200–250 rpm
4-Wheel Sweeper, Mid-Mount Broom, Diesel	LAYMOR SM450	8'	74 hp	210 rpm
4-Wheel Sweeper, Mid-Mount Broom, Diesel	BROCE RCT350	8'	74 hp	192 rpm
4-Wheel Sweeper, Mid-Mount Broom, Diesel	BROCE RK350	8'	74 hp	192 rpm

COMPRESSED AIR



DIESEL AIR COMPRESSOR

ANA AIRMAN PDS185S-6EZ1



AIRMAN
PDS185S-6EZ1



ATLAS COPCO
XAS 188 CW



KAESER
M58 Utility

DIESEL AIR COMPRESSORS

CLASS	MODEL	PRESSURE	L X W X H (TOWING PACKAGE)	WEIGHT	FUEL CONSUMPTION (FULL LOAD)	FUEL CONSUMPTION FULL / 70%LOAD	DEF CAPACITY	DEF USAGE (GALLONS)	AIR OUTLET
Diesel Air Compressor 185 CFM	AIRMAN TIER 4 PDS185S-6EZ1	58–120 psi	129" x 67" x 61"	2,300 lbs	2.4 gal/hr	2.4 gal / 1.7gal hr.	-	-	(2) 3/4'' Valves
Diesel Air Compressor 185 CFM	ATLAS COPCO XAS 188 CW	58–125 psi	130" x 62" x 69"	2,100 lbs	2.37 gal/hr	2.37 gal @ 100% Load	-	-	(2) 3/4'' Valves
Diesel Air Compressor 210 CFM	KAESER M58 UILITY	145 psi	84 5/8"x33 1/x" x 55"	2,043 lbs	2.8 gal/hr	2.8 gal @ 100% Load	-	-	2 x 3/4" /1 x 1"
Diesel Air Compressor 375–425 CFM	AIRMAN PDSF375DP-6E1	100–150 psi	156" x 74" x 73"	4,330 lbs	5.9 gal/hr	5.9 gal/hr @ 100% Load	5.3 gal	0.3 gal/hr	1 x 2" / 2 x 3/4"
Diesel Air Compressor IQ 400 CFM	ATLAS COPCO XAS 400-200 PACE PFF	72–200 psi	167 x72.8"x80.6"	4,700 lbs	7 gal/hr	7gal/ hr @ 100% Load	5 gal	0.33 gal/hr.	2 x 3/4" /1 x1 1/2"
Diesel Air Compressor IQ 750 CFM	ATLAS COPCO XAS 900PFF JD8 T4F	58–175 psi	203"x80"x86"	7,980 lbs	10.7 gal/hr	10.7gal @ 100% Load	11.3 gal	3.5% of Diesel Consumption	1 x 2" / 2 x 3/4"
Diesel Air Compressor IQ 900 CFM	ATLAS COPCO XAS 850-175 PACE	58–175 psi	262"x 94"x 33"	8,213.16 lbs	10.7 gal/hr	10.7 gal @ 100% Load	15.8 gal	TBD	2 x 3/4" /1 x 2"
Diesel Air Compressor IQ 1600 CFM	ATLAS COPCO XAS1800 JD8 T4F	58–150 psi	179" x 88" x 82"	19,025 lbs	22 gal/hr	22 gal @ 100% Load	12.5 gal	0.37gal/hr	2 x 2" Hot / Cold
Diesel Air Compressor High Pressure 1170 CFM	DOOSAN TIER 4 XHP1170WCU	140–365 psi	292.4"x 90.1"x 99.5"	18,835 lbs	23.5 gal/hr	23.5 gal @ 100% Load	15.6 gal	-	1 x 3" Cold / 1x 2" Hot
Diesel Air Compressor Oil Free 1500–1600 CFM	BOBCAT PA1500NCU-T4F	150psi	237" x 90" x98.7"	23,000 lbs	23 gal/hr	23 gal. @ 100% Load	23 gal	-	1 x 3"



ATLAS COPCO
E-AIR H185 VSD



ATLAS COPCO
E-AIR H250 VSD



INGERSOLL RAND
HH100

ELECTRIC AIR COMPRESSORS

CLASS	MODEL	PRESSURE	TOWING PACKAGE (L X W X H)	WEIGHT	VOLTAGE RANGE	AIR OUTLET
Electric Air Compressor 185 CFM	ATLAS COPCO E-AIR H185 VSD	87–174 psi	113.7"x53" x 55.9"	2,645 lbs	460 V @ 50 A 35 hp Motor	-
Electric Air Compressor 250 CFM	ATLAS COPCO E-AIR H250 VSD	87–174 psi	113.7"x53" x 55.9"	2,645 lbs	460 V @ 63 A	-
Electric Air Compressor 450 CFM	ATLAS COPCO E-AIR H450 VSD	72–150 psi	149.9"x 62.7"x 63.4"	2,646 lbs	460 V @ 135 A 75 hp Motor	3 x 3/4" / 1 x 1 1/2"
Electric Air Compressor 1100 CFM	ATLAS COPCO E-AIR V1100 VSD	72–203 psi	135.6" x 48" x 72.6"	6,062 lbs	460 V @ 350 A 280 hp Motor	-
Electric Air Compressor Oil Free 400 CFM	INGERSOLL RAND HH100	150 psi	89" x 54" x 75"	5,500 lbs	460 V @ 138 A 100 hp Motor	-
Electric Air Compressor Oil Free 800 CFM	INGERSOLL RAND E132I-A155	155 psi	108" x 65" x 79"	7,800 lbs	460 V @ 224 A 200 hp Motor	-
Electric Air Compressor Oil Free 1500–1600 CFM	ROGERS GEN 3 KNW6A-400H	150 psi	192"x 90"x 96"	13,500 lbs	460 V @ 652 A Use 800 A breaker	1 x 3" Cold / 1 x 2" Hot







DRYERS AND AFTERCOOLERS

CLASS	MODEL	PRESSURE	L X W X H	WEIGHT
Desiccant Air Dryer 450 CFM OIL FLOODED AFTERCOOLED	HANKISON RDH-450G	250psi	70" x 50" x 82"	2,200 lbs
Desiccant Air Dryer 900 CFM OIL FLOODED	HANKISON RDH 930	250psi	80" x76" x 72"	3,800 lbs
Desiccant Air Dryer 1600 CFM OIL FLOODED	HANKISON RDH 1550	250psi	100" x 78" x 96"	5,000 lbs
Desiccant Air Dryer 450 CFM OIL FREE	HANKISON RDH-450G0F	250psi	70" x 50" x 82"	2,200 lbs
Desiccant Air Dryer 900 CFM OIL FREE	HANKISON RDH-930G0F	250psi	80" x 75" x 71"	3,800 lbs
Desiccant Air Dryer 1600 CFM OIL FREE	HANKISON RDH-1550G0F	250psi	79" x 78" x 83"	5,000 lbs

FLUID SOLUTIONS



DIESEL TRASH PUMP

ATLAS COPCO PAC H108



INGERSOLL RAND
PD20A



INGERSOLL RAND
PD30A



INGERSOLL RAND
PD30SS

AIR OPERATED DIAPHRAGM PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	WEIGHT
Pump AOD 2" Aluminum	INGERSOLL RAND PD20A	172 gpm	120 psi	42 lbs
Pump AOD 2" Poly	INGERSOLL RAND PD20P	172 gpm	120 psi	74 lbs
Pump AOD 2" Stainless Steel	INGERSOLL RAND PD20SS	172 gpm	120 psi	55 lbs
Pump AOD 3" Aluminum	INGERSOLL RAND PD30A	275 gpm	120 psi	58 lbs
Pump AOD 3" Poly	INGERSOLL RAND PD30P	275 gpm	120 psi	122 lbs
Pump AOD 3" Stainless Steel	INGERSOLL RAND PD30SS	275 gpm	120 psi	98 lbs



AID
AUTO CONTROL PANEL

PUMP HOSES AND ACCESSORIES

CLASS	MODEL	VOLTAGE	AMPERAGE	HORSEPOWER	WEIGHT
Auto Control Panel 480v 3Phase with Stand/8–65A	AID MDNB-P0065A43B0000ZJG-EQS1	480 V	65 A	Up to 35 hp	250 lbs







DIESEL CENTRIFIGUL HIGH HEAD PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" x 3" Diesel Trash Pump 49hp High Head	ATLAS COPCO PAC H43 KD	660 gpm	130 psi	74 hp	3,665 lbs
6" x 3" Diesel Trash Pump 173hp High Head	ATLAS COPCO PAC H63 JD	1,100 gpm	199 psi	173 hp	8,763 lbs
6" x 3" Diesel Trash Pump 173hp High Head Stainless	PIONEER PP63C17L2-4045HFC	1,100 gpm	199 psi	173 hp	6,518 lbs
6" X 4" Diesel Clear Pump 250hp	PIONEER PP64C21L71-JD6068	1,300 gpm	326 psi	250 hp	6,712 lbs
6" x 4" Diesel Trash Pump 350hp	ATLAS COPCO PAC H64 JD	1,950 gpm	216 psi	275 hp	10,300 lbs
6" x 4" Diesel Trash Pump 350hp Silent	ATLAS COPCO PAC H64 JD-S	1,950 gpm	216 psi	275 hp	11,300 lbs
8" x 6" Diesel Trash Pump 600hp	PIONEER 86C21	4,000 gpm	281 psi	600 hp	14,760 lbs
10" x 8" Diesel Trash Pump 325hp	ATLAS COPCO PAC H108 JD	6,400 gpm	155 psi	325 hp	13,400 lbs
10" x 8" Diesel Trash Pump 325hp Silent	ATLAS COPCO PAC H108 JD-S	6,400 gpm	155 psi	325 hp	14,000 lbs
12" x 8" Diesel Trash Pump 600hp	PREMIER PUMP 8NHTH-RP-DC13	7,000 gpm	195 psi	600 hp	12,420 lbs







DIESEL CENTRIFIGUL PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Diesel Trash Pump 49hp	ATLAS COPCO PAC F44 KD	1,320 gpm	65 psi	49 hp	3,782 lbs
4" Diesel Trash Pump 49hp Silent	ATLAS COPCO PAC F44 KD-S	1,320 gpm	65 psi	49 hp	4,360 lbs
4" Diesel Trash Pump 49hp Stainless	PIONEER PP44S10L2-D2.9L	1,320 gpm	65 psi	49 hp	3,000 lbs
6" Diesel Trash Pump 74hp	ATLAS COPCO PAC F66 KD	2,640 gpm	71 psi	74 hp	4,100 lbs
6" Diesel Trash Pump 74hp Silent	ATLAS COPCO PAC F66 KD-S	2,640 gpm	71 psi	74 hp	4,650 lbs
6" Diesel Trash Pump Stainless	PIONEER PP66S12L2-TD2.9L	2,640 gpm	71 psi	74 hp	4,100 lbs
6" Diesel Trash Pump 173hp	PIONEER PPTP66S14	3,120 gpm	110 psi	173 hp	5,710 lbs
8" Diesel Trash Pump 120hp	ATLAS COPCO PAC F88 PD	3,950 gpm	86 psi	120 hp	5,200 lbs
8" Diesel Trash Pump 120hp Silent	ATLAS COPCO PAC F88 PD-S	3,950 gpm	86 psi	120 hp	5,580 lbs
12" Diesel Trash Pump 156hp Silent	ATLAS COPCO PAC F1212 JD-S	7,210 gpm	66 psi	156 hp	9,975 lbs
12" Diesel Trash Pump 286hp	ATLAS COPCO PAC F1212 VD	8,600 gpm	97 psi	285 hp	8,950 lbs
12" Diesel Trash Pump 286hp Silent	ATLAS COPCO PAC F1212 VD-S	8,600 gpm	97 psi	285 hp	10,580 lbs
14" Diesel Trash Pump 375hp	BARCO BPP141417J-375	14,000 gpm	86 psi	375 hp	12,600 lbs



ATLAS COPCO
PAC F44 KD-S



ATLAS COPCO
PAC F66 KD-S

DIESEL CHOPPER PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Chopper Pump 49 hp Silent	ATLAS COPCO PAC F44 KD-S	1,050 gpm	56 psi	499 hp	4,360 lbs
6" Chopper Pump 74hp Silent	ATLAS COPCO PAC F66 KD-S	2,000 gpm	51 psi	74 hp	4,650 lbs



MYERS-SETH
A-DD4S/HA/T



MYERS-SETH
A-DD6/HA/T



MYERS-SETH
A-DD6/HA/SAFE

DIESEL DOUBLE DIAPHRAGM PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
Pump Diaphragm 4" Double Diesel	MYERS-SETH A-DD4S/HA/T	425 gpm	38 psi	6 hp	1,750 lbs
Pump Diaphragm 6" Double Diesel	MYERS-SETH A-DD6/HA/T	550 gpm	34 psi	10 hp	2,240 lbs
Pump Diaphragm 6" Double Diesel Silent	MYERS-SETH A-DD6/HA/SAFE	550 gpm	34 psi	10 hp	2,980 lbs
Pump Diaphragm 8" Double Diesel	MYERS-SETH A-DD8/HA/T	700 gpm	40 psi	34 hp	3,400 lbs



MYERS-SETH
MSP PP-150

DIESEL PISTON WELLPOINT PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
6" Diesel Piston Dewatering Pump Silent	MYERS-SETH MSP PP-150	396 gpm	33 psi	10 hp	4,377 lbs



BARCO
HSK4A-KDI1903TCRFT4

DIESEL POSITIVE DISPLACMENT PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Diesel Positive Display Sludge Pump	BARCO HSK4A-KDI1903TCRFT4	220 gpm	173 psi	40 hp	5,400 lbs



THOMPSON
8RW-DDS-3.6



THOMPSON
12R-DDS-3.6-X

DIESEL ROTARY WELLPOINT PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
8" Diesel Rotary Dewatering Pump	THOMPSON 8RW-DDS-3.6-X	1,200 gpm	51 psi	74 hp	5,510 lbs
8" Diesel Rotary Dewatering Pump Silent	THOMPSON 8RW DDS-3.6-X Canopy	1,200 gpm	51 psi	74 hp	6,100 lbs
12" Diesel Rotary Dewatering Pump	THOMPSON 12R-DDS-3.6-X	2,200 gpm	51 psi	74 hp	5,710 lbs
12" Diesel Rotary Dewatering Pump Silent	THOMPSON 12R-DDS-3.6-X Canopy	2,200 gpm	51 psi	74 hp	6,220 lbs



ATLAS COPCO
PAC H64 E



ATLAS COPCO
PAC H108 E

ELECTRIC CENTRIFUGAL HIGH HEAD PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
6" x 4" Electric Trash Pump 350hp	ATLAS COPCO PAC H64 E	1,900 gpm	164 psi	350 hp	6,724 lbs
6" x 4" Electric Trash Pump 350hp Stainless	ATLAS COPCO PAC H64 E SS	1,900 gpm	164 psi	350 hp	6,724 lbs
8" x 6" Electric Trash Pump 350hp	ATLAS COPCO PAC H86 E	3,850 gpm	147 psi	350 hp	6,820 lbs
10" x 8" Electric Trash Pump 350hp	ATLAS COPCO PAC H108 E	6,400 gpm	155 psi	350 hp	7,352 lbs
10" x 8" Electric Trash Pump 350hp Stainless	ATLAS COPCO PAC H108 E SS	6,400 gpm	155 psi	350 hp	7,352 lbs
12" x 8" Electric Trash Pump 500hp	PREMIER PUMP 101222T	8,200 gpm	164 psi	500 hp	8,950 lbs



ATLAS COPCO
PAC F44 E



ATLAS COPCO
PAC F66 E



ATLAS COPCO
PAC F1212 E

ELECTRIC CENTRIFUGAL PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Electric Trash Pump 50 hp	ATLAS COPCO PAC F44 E	1,320 gpm	60 psi	50 hp	2,755 lbs
4" Electric Trash Pump 50 hp Stainless	ATLAS COPCO PAC F44 E SS	1,320 gpm	60 psi	50 hp	2,755 lbs
6" Electric Trash Pump 75 hp	ATLAS COPCO PAC F66 E	2,640 gpm	71 psi	100 hp	3,415 lbs
6" Electric Trash Pump 75 hp Stainless	ATLAS COPCO PAC F66 E SS	2,640 gpm	71 psi	100 hp	3,415 lbs
8" Electric Trash Pump 125 hp	ATLAS COPCO PAC F88 E	3,950 gpm	86 psi	150 hp	4,520 lbs
12" Electric Trash Pump 350 hp	ATLAS COPCO PAC F1212 E	9,100 gpm	113 psi	350 hp	6,950 lbs
12" Electric Trash Pump 350 hp Stainless	ATLAS COPCO PAC F1212 E SS	9,100 gpm	113 psi	350 hp	6,950 lbs
6" x 4" Electric Process Pump 10 hp	BARCO BES64BE-10	800 gpm	34 psi	10 hp	1,150 lbs



THOMPSON
6PW-EBS-10

ELECTRIC PISTON WELLPOINT PUMP

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
6" Electric Piston Dewatering Pump Silent	THOMPSON 6PW-EBS-10	400 gpm	28 psi	10 hp	1,874 lbs



WACKER NEUSON
PST2



MULTIQUIP
ST3020BCUL



ATLAS COPCO
S60 N

ELECTRIC SUBMERSIBLE PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
2" Electric Submersible Pump	WACKER NEUSON PST2	52 gpm	12 psi	1 hp	25 lbs
3" Electric Submersible Pump	MULTIQUIP ST3020BCUL	170 gpm	31 psi	2 hp	64 lbs
3" Electric Submersible Pump Slim Line 6hp	SULZER JC34ND	250 gpm	34 psi	6 hp	68 lbs
3" Electric Submersible Pump Sludge	ATLAS COPCO WEDA S30N 460V	250 gpm	25 psi	4 hp	55 lbs
4" Electric Submersible Pump Water	ATLAS COPCO D80 H	600 gpm	108 psi	31 hp	390 lbs
4" Electric Submersible Pump Water	ATLAS COPCO D50N	600 gpm	34 psi	8.5 hp	122 lbs
4" Electric Submersible Pump Sludge	ATLAS COPCO S60 N	400 gpm	43 psi	10 hp	144 lbs
4" Electric Submersible Pump Slurry	ATLAS COPCO L95 N	1,200 gpm	69 psi	50 hp	1,667 lbs
6" Electric Submersible Pump Water	ATLAS COPCO WEDA D70L	600 gpm	86 psi	18 hp	244 lbs
6" Electric Submersible Pump Slurry	ATLAS COPCO WEDA L100N	2,500 gpm	51 psi	60 hp	2,233 lbs
8" Electric Submersible Pump Water	ATLAS COPCO D95 N	3,000 gpm	43 psi	58 hp	580 lbs
10" Electric Submersible Pump Water	ATLAS COPCO WEDA D100N	6,000 gpm	51 psi	90 hp	1,133 lbs







FILTRATION SYSTEMS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	WEIGHT
Filter Bag Housing Duplex 4"	TROJAN HOSE 31-FTR	500 gpm	100 psi	1,350 lbs
Filter Bag Housing Duplex 6"	VYTAL 4BF6	1,000 gpm	150 psi	2,000 lbs
Filter Bag Housing Duplex 8"	VYTAL 8BF8	2,000 gpm	150 psi	3,200 lbs







GASOLINE DRIVEN PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
2" Gas Trash Pump	WACKER NEUSON PT2A	165 gpm	46 psi	5.5 hp	95 lbs
2" Gas Dewatering Pump	WACKER NEUSON PG2A	168 gpm	38 psi	3.5 hp	55 lbs
3" Gas Trash Pump	WACKER NEUSON PT3A	347 gpm	42 psi	5.5 hp	137lbs
3" Gas Dewatering Pump	WACKER NEUSON PG3A	290 gpm	38 psi	8 hp	68 lbs
4" Gas Trash Pump	WACKER NEUSON PT4A	689 gpm	45 psi	16 hp	330 lbs
Pump Diaphragm 3" Gas	WACKER NEUSON PDT3A	88 gpm	9 psi	3.5 hp	174 lbs



HYDRA-TECH
HT74DVD



HYDRA-TECH
S4VHLDI



THOMPSON
120HST

HYDRAULIC SUBMERSIBLE POWER PACKS & PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
Hydraulic Power Unit 75hp	HYDRA TECH HT74D/VFPT	30 gpm	2,900 psi	74 hp	3,520 lbs
Hydraulic Power Unit 140hp	THOMPSON 78hpU-DCUS-4.5P-M	88 gpm	3,500 psi	140 hp	5,480 lbs
Hydraulic Power Unit 200hp	D&D 800DSK	96 gpm	2,500 psi	200 hp	7,080 lbs
4" Hydraulic Submersible Pump	HYDRA TECH SP04DT/S4VHLDI	900 gpm	77 psi	-	209 lbs
6" Hydraulic Submersible Pump	HYDRA TECH SP06DT/S6TC	1,500 gpm	30 psi	-	247 lbs
8" Hydraulic Submersible Pump	HYDRA TECH FP-S8TCDI	2,500 gpm	34 psi	-	453 lbs
12" Hydraulic Submersible Pump	THOMPSON 120HST	7,300 gpm	43 psi	-	1,700 lbs







VARIABLE FREQUENCY DRIVES

CLASS	MODEL	VOLTAGE	AMPERAGE	HORSEPOWER	WEIGHT
Variable Frequency Drive 10 hp	FUJI MD010-EQS	480 V	17 A	Up to 10 hp	200 lbs
Variable Frequency Drive 25 hp	YASKAWA DW-4025	480 V	42 A	Up to 25 hp	400 lbs
Variable Frequency Drive 30 hp	FUJI MD030-EQS	480 V	45 A	Up to 30 hp	480 lbs
Variable Frequency Drive 50 hp	FUJI MD050-EQS	480 V	75 A	Up to 50 hp	502 lbs
Variable Frequency Drive 100 hp	FUJI MD100-EQS	480 V	150 A	Up to 100 hp	885 lbs
Variable Frequency Drive 200 hp	FUJI MD200-EQS	480 V	253 A	Up to 200 hp	1,050 lbs
Variable Frequency Drive 350 hp	FUJI MD350-EQS	480 V	415 A	Up to 350 hp	1,350 lbs
Variable Frequency Drive 600 hp	FUJI MD600-EQS	480 V	740 A	Up to 600 hp	1,980 lbs

POWER SOLUTIONS



ENERGY STORAGE

ATLAS COPCO ZBC 250-575 UL



AIRMAN
SDG25S-8E1



WACKER NEUSON
G70



CUMMINS
C500D6RE

DIESEL GENERATORS

CLASS	MODEL	DIMENSIONS (L/W/H)	FUEL CONSUMPTION FULL LOAD	TOTAL FUEL CAPACITY
Diesel Generator 20kW/25kVA	AIRMAN SDG25S-8E1	67" x 31" x 55"	1.6 gal/hr	51.5 gal
Diesel Generator 36kW/45kVA	AIRMAN SDG45S-8E2	74.8" x 38.2" x 61.4"	2.8 gal/hr	80.5 gal
Diesel Generator 40kW–69kW	AIRMAN SDG65S-8E1	160" x 74" x 84.25"	3.9 gal/hr	111 gal
Diesel Generator 70kW–99kW	WACKER NEUSON G70	100" x 40.5" x 70.2"	6.7 gal/hr	41 gal
Diesel Generator 100kW–139kW	ATLAS COPCO QAS 125 JD T4F RS	162.4" x 56" x 85.5"	7.06 gal/hr	166 gal
Diesel Generator 140kW–169kW	ATLAS COPCO QAS 175 FD	189" x 77" x 88"	7.8 gal/hr (50 Hz) or 9.1 gal/hr (60 Hz)	194 gal
Diesel Generator 170kW–199kW	AIRMAN SDG150S-8E1	211" x 83.75" x 100.6"	8.5 gal/hr	204 gal
Diesel Generator 200kW–249kW	CAT QAS 250KW	218" x 94" 109"	13.5 gal/hr (50 Hz) or 14.23 gal/hr (60 Hz)	385 gal
Diesel Generator 250kW–299kW	AIRMAN SDG400S-8E1	270" x 92" x 127"	23.1 gal/hr	491 gal
Diesel Generator 300kW–349kW	AIRMAN SDG400S-8E1	177" x 59" x 107.5"	23.1 gal/hr	491 gal
Diesel Generator 500kW–699kW	CUMMINS C500D6RE	287" x 102" x 123"	30.5 gal/hr	547 gal
Diesel Generator 1,000kW–1,299kW Tier 4 Final	CUMMINS C1000D6RE	480" x 102" x 162"	63.9 gal/hr	1,250 gal
Diesel Generator 1,300kW–1,599kW	ATLAS COPCO QAC 1350-1500KW	240" x 96" x 114"	67.4 gal/hr (50 Hz) or 74.4 gal/hr (60 Hz)	468 gal
Diesel Generator 2,000kW	CAT 3516G	285" x 94" x 117"	128.3 gal/hr	1,250 gal
Movie Diesel Generator 25kW–30kW	FTG KL30FQ	132" x 58" x 69"	1.8 gal/hr	63 gal
Movie Diesel Generator 80kW–99kW	FTG KL80FQ-T	173" x 74" x 85"	4.2 gal/hr	79 gal
Movie Diesel Generator 150kW–199kW	FTG FP1400FQS-T	176"x 72" x 121"	9.33 gal/hr	230 gal



AIRMAN
BOSS 25-15



ATLAS COPCO
ZBC 250-575 UL

ENERGY STORAGE SYSTEMS

CLASS	MODEL	RATING @ VOLTAGE	DIMENSIONS (L/W/H)	WEIGHT
Energy Storage 20kW Gen Combo Hybrid System	ANA AIRMAN BOSS 25-15	24 kW/15 kWh @ 208/277/480 V, 16 kW/15 kWh @ 120/240 V	160" x 74" x 75"	5,500 lbs
Energy Storage 70kW Gen Combo Hybrid System	ANA AIRMAN BOSS 70-65	70 kW/62 kWh @ 208/277/480 V	212.8" x 52.26" x 58.75"	11,000 lbs
Energy Storage 24kW/30kVA/75kWh 208v 3Ph	ATLAS COPCO ZBP 30-75	24 kW/71.4 kWh @ 120/208 V	57" x 49" x 74"	3,278 lbs
Energy Storage 250kW/250kVA/575kWh 480v 3Ph	ATLAS COPCO ZBC 250-575 UL	250 kW/575 kWh 301 A @ 480 V	118" x 96" x 114"	24,250 lbs
Energy Storage 36kW/45kVA/75kWh 240v 3Ph	ATLAS COPCO ZBP 40-75	32 kW/76.8 kWh @ 120/240 V	57" x 49" x 74"	3,571 lbs
Energy Storage 500kW/500kVA/250kWh 480v 3Ph	ATLAS COPCO ZBC 500-250 UL	500 kW/250 kWh 600 A @ 480 V	118" x 96" x 114"	23,150 lbs







PANELS

CLASS	MODEL	DIMENSIONS (L/W/H)	VOLTAGE RANGE	WEIGHT
100 Amp Quad Stringer Feeder Panel 5 Plugs	LEX LEX DB100N1J5DM-13-SP	14.25" x 14.25" x 14.15"	208/120 VAC	32 lbs
15kVA Mill Panel 480v–110v	TRYSTAR TF-15KVA480-208SDDC-CG-D	33.5" x 26.25" x 51.5"	Step down 480 V to 208/120 VAC	600 lbs
30kVA Mill Panel 480v–110v	TRYSTAR TF-30KVA480-208SDC-CG-D	42.5" x 30.5" x 50.75"	Step down 480 V to 208/120 VAC	775 lbs
200 Amp Quad Stringer Feeder Panel 10 Plugs	LEX DB200N1J10DM-63	15.00" x 18.00" x 22.00"	120/208 VAC	75 lbs
400 Amp I Line Panel	TRYSTAR IL-046-VDE-27-LP	44" x 26" x 28"	120–600 VAC	235 lbs
800 AMP I-Line Panel	TRYSTAR IL-086-VDE-27-LP	53.25" x 34" x 72.5"	120–600 VAC	1,500 lbs
1200 AMP I-Line Panel	TRYSTAR IL-126-VDE-45MBLP	53.25" x 34" x 72.5"	120–600 VAC	1,750 lbs
3000 AMP I-Line Panel	TRYSTAR IL-306-VDE-108	69" x 62.75" x 95.33"	120–600 VAC	850–1,100 lbs



TRYSTAR TPATS-045MMMF-A



TRYSTAR HTB-1DL-6P



TRYSTAR DBLA.F3-A-A-A1

PANELS (CONTINUED)

CLASS	MODEL	DIMENSIONS (L/W/H)	VOLTAGE RANGE	WEIGHT
Automatic Transfer Switch 1200A 200V/480V	TRYSTAR IL-126-VDE-63-LP	35.5" x 20.75" x 52"	120–600 VAC	750–850 lbs
Automatic Transfer Switch 400A 200V/480V	TRYSTAR TPATS-045MMMF-A	32" x 16.5" x 46"	200–480 VAC	200 lbs
Automatic Transfer Switch 800A 200V/480V	TRYSTAR TPATS-085MMMF-A	35.5" x 20.75" x 52"	200–480 VAC	230 lbs
Spider Box Feeder Panel 200A	TRYSTAR HTB-1DL-6P	15" x 14.5" x 14.5"	208/120 VAC	23–25 lbs
Spider Box Feeder Panel 400A	TRYSTAR DBLA.F3-A-A-A1	24.5" x 20.25" x 40.75"	208/120 VAC	110 lbs
Transformer 15kVA 480/208V	TRYSTAR TBXJ1.T236-B-B-A1	11.5" x 14.5" x 21"	Step down 480 V to 208/120 VAC	18 lbs
Transformer 75kVA 480/208V	TRYSTAR TF-75KVA480-208SDC-M-F	46" x 32" x 28"	Step down 480 V to 208/120 VAC	1,025 lbs
Transformer 150kVA 480/208V	TRYSTAR TF-150KVA480-208SDC-M-F	58" x 38" x 34"	Step down 480 V to 208Y/120 VAC	2,030 lbs
Transformer 300kVA 480/208V Wye-Wye	TRYSTAR TF-300-3-3-5-C-M-F.WW	69.25" x 45" x 68.5"	Step down 480 V to 208Y/120 VAC	2,500 lbs
Transformer 500kVA 480/208V Wye-Wye	TRYSTAR TT-500-3-3-5-C-M-F.ww	50" x 36" x 32"	480 to 208Y/120VAC	375 lbs
Transformer 2500kVA Multi-Tap Medium Voltage	VANTRAN 2500MTT	120" x 79" x 89"	MultiTap	18,000 lbs







LOAD BANKS

CLASS	MODEL	RATING @ VOLTAGE	DIMENSIONS (L/W/H)	WEIGHT
Liquid Cooled Load Bank 500kw, Indoor Only	AVTRON LC20	500 kW/602 A/408 V, 433 kW/602 A/415 V	65" x 39.5" x 74.5"	2,504 lbs
Liquid Cooled Load Bank 720kw, Indoor Only	AVTRON LC720	720 kW/866 A/480 V, 540 kW/751 A/415 V	65" x 39.5" x 74.5"	2,604 lbs
Load Bank 100kw, Indoor Only	AVTRON 2705	100 kW @ 480/208 V/3 ph, 50 kW @ 240/120 V/1 ph	25" x 16.25" x 31.5"	100 lbs
Load Bank 2000kw, Outdoor Rated	TRYSTAR LT2000-480-1DMT-CB	2,000 kW @ 480 V	40.25" x 88" x 95"	3,600 lbs
Load Bank 4000kw, Outdoor Rated	TRYSTAR LT4000-480-1DMT	4,000 kW @ 480 V	102" x 113" x 102"	15,000 lbs
Load Bank 6000kva Resitive/Reactive, Outdoor	AVTRON 8400	6,000 kW @ 480 V	240" x 96" x 102"	38,500 lbs
Load Bank 500kw, Indoor Only	AVTRON/ASCO 2805 500KW W/SIGMA LT	500 kW @ 480/240/208 V/3 ph	59.19" x 34.19" x 53.12"	950 lbs
Load Bank 600kw, Indoor Only	AVTRON 2805 600KW W/SMARTBOARD	600 kW @ 480/240/208 V/3 ph	63.44" x 34.19" x 50.62"	1,026 lbs
Portable Load Bank 100kw, Indoor Only	AVTRON 2500	80 kW @ 308 V/3 ph, 100 kW @ 240/480 V/3 ph	23" x 11" x 25"	78 lbs



NATURAL GAS GENERATORS

CLASS	MODEL	DIMENSIONS (L/W/H)	FUEL CONSUMPTION FULL LOAD	WEIGHT
Natural Gas Generator 390kW Prime	MESA HDI GV22PU	24' 4" x 8' 7" x 10' 5"	4,742,067 BTU/h	15,000 lbs

TORQUING, HYDRAULIC AND ELECTRIC POWER TOOLS



DEMOLITION HAMMER

MILWAUKEE MXF368-1XC



HYTORC
HBT1507



HYTORC
PES



HYTORC
TSR2

BOLT TENSIONING

CLASS	MODEL	BOLT DIAMETER	MAX LOAD
Torque Tensioning Pump Air Driven Hydraulic	HBT1507	-	-
Torque Tensioning Pump Electric Driven Hydraulic	PES	-	-
Torque Tensioning #0 Load Cell	TSR0	3/4", 7/8"	35,970 lbf
Torque Tensioning #1 Load Cell	TSR1	1", 1-1/8"	62,950 lbf
Torque Tensioning #2 Load Cell	TSR2	1", 1-1/8", 1-1/4", 1-3/8"	101,160 lbf
Torque Tensioning #3 Load Cell	TSR3	1-1/4", 1-3/8", 1-1/2", 1-5/8"	148,370 lbf
Torque Tensioning #4 Load Cell	TSR4	1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"	224,810 lbf
Torque Tensioning #5 Load Cell	TSR5	2", 2-1/4", 2-1/2", 2-3/4"	337,210 lbf
Torque Tensioning #6 Load Cell	TSR6	2-3/4", 3", 3-1/4", 3-1/2"	562,020 lbf
Torque Tensioning #7 Load Cell	TSR7	3-1/2", 3-3/4", 4"	719,390 lbf
Torque Tensioning #0 to #7 Adapter Kit 3/4" to 4"	Various	3/4" to 4"	35,970–719,390 lbf

EquipmentShare has mobile repair, calibration and certification for your torquing equipment.



WEB
EQUIPMENTSHARE.COM

TEL
(888) 80-RENTS







HYDRAULIC WRENCHES - SQUARE DRIVE

CLASS	MODEL	TORQUE RANGE
Wrench Torque Hydraulic Square Drive 3/4" 1.4K	TORCUP TU-2	127–1270
Wrench Torque Hydraulic Square Drive 3/4" 1.4K	TORCUP SQ-1	156–1414
Wrench Torque Hydraulic Square Drive 1" 3K	TORCUP TU-3	330–3330
Wrench Torque Hydraulic Square Drive 1" 3K	TORCUP SQ-3	379–3515
Wrench Torque Hydraulic Square Drive 1-1/2" 3K	TORCUP SQ-5	507–5523
Wrench Torque Hydraulic Square Drive 1 1/2" 11K	TORCUP SQ-10	956–10620
Wrench Torque Hydraulic Square Drive 1 1/2" 11K	TORCUP TU-11	1100–11010
Wrench Torque Hydraulic Square Drive 2 1/2" 60K	TORCUP TU-60	5800–58000





HYDRAULIC WRENCHES - LOW PROFILE

CLASS	MODEL	TORQUE RANGE	HEX SIZE RANGE
Wrench Torque Hydraulic Low Profile 1K Drive	TORCUP TX-1	45–560	1/2"–2"
Wrench Torque Hydraulic Low Profile 2K Drive	TORCUP TX-2, TXU-2	192–1,928	3/4"–2-9/16"
Wrench Torque Hydraulic Low Profile 4K Drive	TORCUP TX-4, TXU-4	395–3,950	1"–3-1/8"
Wrench Torque Hydraulic Low Profile 8K Drive	TORCUP TX-8, TXU-8	830–8,630	1-7/8"–4-5/8"
Wrench Torque Hydraulic Low Profile 16K Drive	TORCUP TX-16	1,560–16,600	2-3/16"–5-5/16"
Wrench Torque Hydraulic Low Profile 45K Drive	TORCUP TX-45	4,850–47,380	3 1/8"–7 7/8"





HYDRAULIC TORQUE WRENCH PUMPS

CLASS	MODEL	POWER REQUIREMENTS	FLOW RATE AND PRESSURE CAPABILITIES
Wrench Torque Pump Air Driven Hydraulic	TORCUP AP1000	4 hp @ 90 psi/50 cfm	700 cu in/min @1,100 psi
Wrench Torque Pump Electric Driven Hydraulic	TORCUP EP1000	1.5 hp @ 115 VAC Single Phase	700 cu in/min
Wrench Torque Pump Air Driven Hydraulic Quad Port	TORCUP AP1000-Q	4 hp @ 90 psi/50 cfm	700 cu in/min @1,100 psi
Wrench Torque Pump Electric Driven Hydraulic Quad Port	TORCUP EP1000-Q	1.5 hp @ 115 VAC Single Phase	700 cu in/min





WRENCH TORQUE GUNS

CLASS	MODEL	MAX PSI	TORQUE RANGE
Wrench Torque Gun 3/4" Air	TORCUP RP-500	80	78–530 ft-lbs
Wrench Torque Gun 1" Air 1K	TORCUP RP-1000-1	70	148–1,030 ft-lbs
Wrench Torque Gun 1" Air 2K	TORCUP RP-2000	90	231–2,015 ft-lbs
Wrench Torque Gun 1" Air 3K	TORCUP RP-3000	65	484–3,070 ft-lbs





AIR REGULATORS

CLASS	MODEL	HOSE LENGTH
Wrench Torque Gun Air Regulator	TORCUP RP-FRL	10' Hose
Wrench Torque Gun Air Regulator	TORCUP RPDD-FRL	15' Hose



TORCUP
VT-1000KIT



TORCUP
VT-2000KIT



B-RAD
401800

BATTERY TORQUE WRENCHES

CLASS	MODEL	RPM @ MAX TORQUE	TORQUE RANGE
Wrench Torque Gun 3/4" Cordless	TORCUP VT-500KIT	20	120–500 ft-lbs
Wrench Torque Gun 1" Cordless 1K	TORCUP VT-1000KIT	8	240–1,000 ft-lbs
Wrench Torque Gun 1" Cordless 2K	TORCUP VT-2000KIT	5	500–2,000 ft-lbs
Wrench Torque Gun 1" Cordless 3K	TORCUP VT-3000KIT	2	750–3,000 ft-lbs
Wrench Torque Gun 1" Cordless 3K	B-RAD 401800	20	600–3,000 ft-lbs
Wrench Torque Gun 1-1/2" Cordless 6K	TORCUP VT-6000KIT	2	1,200–6,000 ft-lbs







MANUAL TORQUING

CLASS	MODEL	LENGTH	TORQUE RANGE
Wrench Torque Manual 1/4"	CDI 1501MRMH	10"	20–150 in-lbs
Wrench Torque Manual 1/2" Digital Cordless	MILWAUKEE 2466-22HD	23–1/2"	-
Wrench Torque Manual 1/2" Digital Bluetooth	NORBAR 130515	27"	12.5–250 ft-lbs
Wrench Torque Manual 3/8" Digital Bluetooth	NORBAR 130512	18"	3.6–73.7 ft-lbs
Wrench Torque Manual 3/8"	PROTO J6006C	15–1/32"	16–80 ft-lbs
Wrench Torque Manual 3/8"	CDI 752MFRMH	16"	5–75 ft-lbs
Wrench Torque Manual 3/8"	PROTO J6012C	16–1/2"	20–100 ft-lbs
Wrench Torque Manual 1/2" 30 to 150 ft-lbs	CDI 1503MFRMH	19"	20–150 ft-lbs
Wrench Torque Manual 1/2" 30 to 150 ft-lbs	PROTO J6016C	19"	30–150 ft-lbs
Wrench Torque Manual 1/2" 50 to 250 ft-lbs	CDI 2503MFRPH	26–17/64"	30–250 ft-lbs
Wrench Torque Manual 1/2" 50 to 250 ft-lbs	PROTO J6014C	26–17/64"	50–250 ft-lbs
Wrench Torque Manual 3/4" 60 to 300 ft-lbs	PROTO J6018AB	32–3/4"	60–300 ft-lbs
Wrench Torque Manual 3/4120 to 600 ft-lbs	CDI 6004MFRMH	49"	100–600 ft-lbs
Wrench Torque Manual 3/4120 to 600 ft-lbs	PROTO J6020AB	49"	120–600 ft-lbs
Wrench Torque Manual 1" 200 to 1,000 ft-lbs	PROTO J6023	69"	200–1,000 ft-lbs
Wrench Torque Manual 1" 200 to 1,000 ft-lbs	WRIGHT 8447	70"	200–1,000 ft-lbs







MANUAL TORQUING (CONTINUED)

CLASS	MODEL	LENGTH	TORQUE RANGE
Torque Multiplier 1/2" x 3/4" 200 to 1,200 ft-lbs	PROTO J6212	19–19/32"	200–1,200 ft-lbs
Torque Multiplier 1/2" x 3/4" 200 to 1,200 ft-lbs	WRIGHT 9S9391	19–19/32"	200–1,200 ft-lbs
Torque Multiplier 1/2" x 1" 162 to 2,200 ft-lbs	PROTO J6222,J6234	19–19/32"	162–2,200 ft-lbs
Torque Multiplier 1/2" x 1" 173 to 3,200 ft-lbs	WRIGHT 9S393A	19–5/8"	173–3,200 ft-lbs
Torque Multiplier 1/2" x 1" 173 to 3,200 ft-lbs	PROTO J6232	19–5/8"	172–3,200 ft-lbs







SHEAR WRENCHES

CLASS	MODEL	TORQUE RANGE	ADAPTABLE DIAMETER
Shear Wrench 5/8" to 1" Electric	TONE GS-91EZ	810 ft-lbs	5/8"–1"
Shear Wrench 5/8" to 7/8" Electric	TONE S-61EZ	435 ft-lbs	5/8"–7/8"
Shear Wrench 5/8" to 1" Electric, Low Clearance	TONE GHC-241EZ	920 ft-lbs	5/8"–1"



ENERPAC
P392



ENERPAC
P462



ENERPAC
ZU4408JB

HYDRAULIC MANIFOLDS

CLASS	MODEL	RESERVOIR CAPACITY
Pump Hand Hydraulic <100 Cu. In.	ENERPAC P392	55 cu in
Pump Hand Hydraulic <100 Cu. In.	POWER TEAM P59L	66 cu in
Pump Hand Hydraulic 100 to 300 Cu. In.	ENERPAC P80	134 cu in
Pump Hand Hydraulic 100 to 300 Cu. In.	SPX POWER TEAM P159	137 cu in
Pump Hand Hydraulic >300 Cu. In.	ENERPAC P462	453 cu in
Pump Hand Hydraulic >300 Cu. In.	POWER TEAM P460	460 cu in
Pump Electric Driven Hydraulic 1/2 to 1 Gal	ENERPAC PUD1100B	0.5 gal
Pump Electric Driven Hydraulic Double Action	ENERPAC ZU4408JB	2 gal
Pump Electric Driven Hydraulic Double Action	ENERPAC ZU4420PB-R	5 gal
Pump Electric Driven Hydraulic Double Action	POWER TEAM PE554	5 gal







HYDRAULIC TOOL PUMPS

CLASS	MODEL	INLET SIZE
Manifold Hydraulic 2 Port Split Flow	ENERPAC AM21	3/8" nptf
Manifold Hydraulic 7 Port	ENERPAC AM41	3/8" nptf
Manifold Hydraulic 7 Port	POWERTEAM 9644	3/8" nptf
Manifold Hydraulic 4 Port Split Flow	ENERPAC A64	3/8" nptf
Manifold Hydraulic 4 Port Split Flow	POWERTEAM A65	3/8" nptf
Manifold Hydraulic 4 Port Split Flow with Gauges	ENERPAC AMGC41	3/8" nptf







HYDRAULIC JACKS

CLASS	MODEL	LOWERED TOE HEIGHT	STROKE
Toe Jack 9 Ton Hydraulic	ENERPAC SOH106	.79"	5.39"
Toe Jack 20 Ton Hydraulic	ENERPAC SOH236	1.18"	6.18"
Lifting Wedge 16 Ton Hydraulic	ENERPAC LW16	.39"	.83"



ENERPAC RC51



ENERPAC RSM100



ENERPAC RC104

HYDRAULIC LIFT CYLINDERS

CLASS	MODEL	COLLAPSED HEIGHT	EXTENDED HEIGHT
Lift Cylinder Hydraulic 5 Ton 1" Stroke	ENERPAC RC51	1.69"	2.13"
Lift Cylinder Hydraulic 5 Ton 3" Stroke	ENERPAC RC53	6.5"	9.5"
Lift Cylinder Hydraulic 10 Ton 7/16" Stroke	ENERPAC RSM100	1.69"	2.13"
Lift Cylinder Hydraulic 10 Ton 7/16" Stroke	POWER TEAM RLS100	1.75"	2.19"
Lift Cylinder Hydraulic 10 Ton 2" Stroke	ENERPAC RC102	4.78"	6.91"
Lift Cylinder Hydraulic 10 Ton 2" Stroke	POWER TEAM C102C	4.75"	6.88"
Lift Cylinder Hydraulic 10 Ton 4" Stroke	ENERPAC RC104	6.75"	10.88"
Lift Cylinder Hydraulic 10 Ton 4" Stroke	POWER TEAM C104C	6.75"	10.88"
Lift Cylinder Hydraulic 10 Ton 6" Stroke	ENERPAC RC106	9.75"	15.88"
Lift Cylinder Hydraulic 10 Ton 6" Stroke	POWER TEAM C106C	9.75"	15.88"
Lift Cylinder Hydraulic 10 Ton 8" Stroke	ENERPAC RC108	11.75"	19.75"
Lift Cylinder Hydraulic 10 Ton 8" Stroke	POWER TEAM C108C	11.75"	19.88"
Lift Cylinder Hydraulic 10 Ton 10" Stroke	POWER TEAM RC1010	13.75"	23.88"
Lift Cylinder Hydraulic 20 Ton 7/16" Stroke	POWER TEAM RLS200	2"	2.44"
Lift Cylinder Hydraulic 20 Ton 7/16"" Stroke	ENERPAC RSM200	2.03"	2.47"
Lift Cylinder Hydraulic 25 Ton 2" Stroke	ENERPAC RC252	6.5"	8.5"



ENERPAC
RC254



ENERPAC
RCH306



ENERPAC
RCS502

HYDRAULIC LIFT CYLINDERS (CONTINUED)

CLASS	MODEL	COLLAPSED HEIGHT	EXTENDED HEIGHT
Lift Cylinder Hydraulic 25 Ton 2" Stroke	POWER TEAM C252C	6.5"	8.5"
Lift Cylinder Hydraulic 25 Ton 4" Stroke	POWER TEAM C254C	8.5"	12.5"
Lift Cylinder Hydraulic 25 Ton 4" Stroke	ENERPAC RC254	8.5"	12.5"
Lift Cylinder Hydraulic 25 Ton 6" Stroke	POWER TEAM C256C	10.75"	17"
Lift Cylinder Hydraulic 25 Ton 6" Stroke	ENERPAC RC256	10.75"	17"
Lift Cylinder Hydraulic 25 Ton 8" Stroke	ENERPAC RC258	12.75"	21"
Lift Cylinder Hydraulic 25 Ton 10" Stroke	POWER TEAM C2510C	14.75"	25"
Lift Cylinder Hydraulic 25 Ton 10" Stroke	ENERPAC RC2510	14.75"	25"
Lift Cylinder Hydraulic 30 Ton 1/2" Stroke	POWER TEAM RLS300	2.31"	2.81"
Lift Cylinder Hydraulic 30 Ton 1/2" Stroke	ENERPAC RSM300	2.31"	2.81"
Lift Cylinder Hydraulic 30 Ton 2 1/2" Stroke	ENERPAC RCH302	7.03"	9.53"
Lift Cylinder Hydraulic 30 Ton 6" Stroke	ENERPAC RCH306	13"	19.13"
Lift Cylinder Hydraulic 50 Ton 5/8" Stroke	POWER TEAM RLS500S	2.63"	3.25"
Lift Cylinder Hydraulic 50 Ton 5/8" Stroke	POWER TEAM RSM500	2.63"	3.25"
Lift Cylinder Hydraulic 50 Ton 2" Stroke	ENERPAC RCS502	4.81"	7.19"
Lift Cylinder Hydraulic 50 Ton 2" Stroke	SPX POWER TEAM RSS502	5"	7.38"



ENERPAC
RC506



ENERPAC
RSM1000



ENERPAC
RC1006

HYDRAULIC LIFT CYLINDERS (CONTINUED)

CLASS	MODEL	COLLAPSED HEIGHT	EXTENDED HEIGHT
Lift Cylinder Hydraulic 50 Ton 2" Stroke	ENERPAC RC502	6.94"	8.94"
Lift Cylinder Hydraulic 50 Ton 4" Stroke	ENERPAC RC504	8.94"	12.94"
Lift Cylinder Hydraulic 55 Ton 2" Stroke	POWER TEAM C552C	6.88"	8.88"
Lift Cylinder Hydraulic 55 Ton 4" Stroke	POWER TEAM C554C	9.13"	13.38"
Lift Cylinder Hydraulic 55 Ton 6" Stroke	ENERPAC RC506	11.13"	17.38"
Lift Cylinder Hydraulic 55 Ton 6" Stroke	POWER TEAM C556C	11.13"	17.38"
Lift Cylinder Hydraulic 60 Ton 6" Stroke	ENERPAC RCH606	12.75"	18.75"
Lift Cylinder Hydraulic 100 Ton 5/8" Stroke	ENERPAC RSM1000	3.38"	4"
Lift Cylinder Hydraulic 100 Ton 5/8" Stroke	POWER TEAM RLS1000S	3.38"	4"
Lift Cylinder Hydraulic 100 Ton 3" Stroke	ENERPAC RCH1003	10""	13"
Lift Cylinder Hydraulic 100 Ton 6 5/8" Stroke	POWER TEAM C1006C	13.25"	19.88"
Lift Cylinder Hydraulic 100 Ton 6 5/8" Stroke	POWER TEAM R1006C	9.5"	15.5"
Lift Cylinder Hydraulic 100 Ton 6 5/8" Stroke	ENERPAC RC1006	14.06"	20.69"
Lift Cylinder Hydraulic 200 Ton 6" Stroke	ENERPAC HCG-2006	13.03"	18.94"



HOUGEN
75006PR



ENERPAC
SP35



ENERPAC
SP50100

MANUAL, ELECTRIC AND HYDRAULIC PUNCHES

CLASS	MODEL	CAPACITY (HOLE SIZE)	POWER SUPPLY
Punch Steel 11 Ton Cordless	HOUGEN MFG 76000PR	19/32"	115V
Punch Steel 27 Ton Electric	HOUGEN MFG 75006PR	15/16"	120V
Punch Steel 20 Ton Manual	ROPER WHITNEY MODEL 20	13/16"	Manual
Punch Steel 35 Ton Hydraulic	ENERPAC SP35	3/8"–1/2"	Hydraulic Pump
Punch Steel 35 Ton Hydraulic	POWER TEAM HP35S	7/16"–13/16"	Hydraulic Pump
Punch Steel 50 Ton Hydraulic	ENERPAC SP50100	1/2"–1-1/16"	Hydraulic Pump
Punch Steel 50 Ton Hydraulic	NITTO KOHK HS11-1624	1/2"–1-1/16"	Hydraulic Pump







NUT SPLITTERS

CLASS	MODEL	MAX NUT SIZE	POWER SUPPLY
Nut Splitter 12 Ton Hydraulic	ENERPAC NSH1927	1.06"	P80, P392 Pump
Nut Splitter 15 Ton Hydraulic	ENERPAC NSH2432	1.26"	P80, P392 Pump
Nut Splitter 15 Ton Hydraulic	SPX POWER TEAM HNS150	1.5"	P80, P392 Pump
Nut Splitter 20 Ton Hydraulic	ENERPAC NSH3646	1.81"	P80, P392 Pump
Nut Splitter 25 Ton Hydraulic	POWER TEAM HNS225	2.25"	P80, P392 Pump
Nut Splitter 36 Ton Hydraulic	ENERPAC NSH5065	2.56"	P80, P392 Pump
Nut Splitter 50 Ton Hydraulic	ENERPAC NSH6575	2.95"	P80, P392 Pump







FLANGE SPREADERS

CLASS	MODEL	MAX SPREAD
Flange Spreader Wedge 15 Ton Manual	ENERPAC SWI1214TMSTDSPB	4.1"
Flange Spreader Wedge 1 Ton Hydraulic	BVA SR10	3.9"
Flange Spreader Wedge 14 Ton Hydraulic	ENERPAC FSH14	3.16"
Flange Spreader Wedge 15 Ton Hydraulic	POWER TEAM FLS15-ST	0.57"
Flange Spreader Ratchet 5 Ton Pop-It	PETOL P95-525	1/16" to 5-1/4" spread
Flange Spreader Ratchet 15 Ton Pop-It	PETOL PHD0535	1/2" to 5-1/2" spread @30,000 Force/ 3" to 8-1/2" spread @ 20,000 Force
Flange Aligner Ratchet 4 Ton	ENERPAC FA4TMSTD	-
Flange Aligner Hydraulic 10 Ton	ENERPAC FA9TESTD	-







HAND TOOLS

CLASS	MODEL	COMMON USE
Flange Alignment Pin Kit 3/4" to 1-3/8"	FIT UP PRO FAB KIT	Aligns flanges for welding in piping systems
Flange Alignment Pin Kit 3/4" to 1-3/8"	GEARWRENCH FTS212	Aligns bolt holes on flanges prior to inserting bolts
Flange Alignment Pin Kit 1-1/2" to 2"	GEARWRENCH FTS1426	Aligns larger flanges for precise welding in piping systems
Wrench Torque Threaded Stud 1/4"	HILTI X-BT	Tightening the flange nut of the X-BT-MF composite stud







KNOCKOUT PUNCH KITS

CLASS	MODEL	BENDING MATERIALS
Punch Knockout Set 1/2" to 4" Hydraulic	CURRENT TOOLS 154PM	Punch up to 10 gauge mild steel
Punch Knockout Set 1/2" to 4" Hydraulic	GREENLEE 7310SB	Punch up to 10 gauge mild steel or 12 gauge stainless steel
Punch Knockout Set 1/2" to 4" Cordless	MILWAUKEE 2676-22	Punch up to 12 gauge mild steel and 14 gauge stainless steel
Punch Knockout Set 1/2" to 4" Cordless	GREENLEE LS100X11SB4X	For punching holes in mild steel, stainless steel, aluminum, brass, copper, fiberglass and plastics
Punch Knockout Dies 2 1/2" to 4"	MILWAUKEE 49-16-2695	Punch up to 10 gauge mild steel and stainless steel



SYNC PULLER

CLASS	MODEL	MAX SPREAD/MAX REACH	MAX OPERATING PRESSURE
Grip Puller 36 Ton	ENERPAC SGH36	25.59"/16.14"	10,000 psi







CABLE PULLERS AND FEEDERS

CLASS	MODEL	CAPACITY	FEET PER MINUTE
Cable Puller 2,000 lb Electric	GREENLEE G3	1/2" Diameter Rope	41'–97' per min depending on load
Cable Puller 3,000 lb Electric	CURRENT 33	9/16" Diameter Rope	22'–84' per min depending on load
Cable Puller 6,000 lb Electric	GREENLEE G6	3/4" Diameter Rope	11'–28' per min depending on load
Cable Puller 6,000 lb Electric	CURRENT 66	3/4" Diameter Rope	14'–44' per min depending on load
Cable Puller 8,000 lbs Electric	CURRENT 8890A	3/4" Diameter Rope	7'–16' per min depending on load
Cable Puller 8,000 lbs Electric	GREENLEE UT8	7/8" Diameter Rope	6'–19' per min depending on load
Cable Puller 10,000 lbs Electric	CURRENT 100A	7/8" Diameter Rope	8'–12' per min depending on load
Cable Puller 10,000 lbs Electric w/ Floor Mount	CURRENT 110	7/8" Diameter Rope	8'–12' per min depending on load
Cable Puller 10,000 lbs Electric w/ Chain Mount	CURRENT 120CT	7/8" Diameter Rope	8'–12' per min depending on load
Cable Puller 10,000 lbs Electric	GREENLEE UT10	7/8" Diameter Rope	6'–16' per min depending on load
Cable Puller 20,000 lbs Electric	ITOOL MVP20K	7/8" Diameter Rope	65' per min depending on load
Cable Puller Force Gauge	ITOOL SPRLT20K	3/4" Diameter Rope	65' per min depending on load
Cable Feeder	SOUTHWIRE MCF-01	3-1/2" Diameter Rope	0'–36' per min depending on load
Cable Feeder	GREENLEE GRL6810	3-1/2" Diameter Rope	0'–36' per min depending on load
Cable Feeder	CURRENT 99	3-1/2" Diameter Rope	4'–36' per min depending on load







PULLING ACCESSORIES

CLASS	MODEL
Sheave Triple Guide 36" 4,000 lb	CURRENT TOOLS 9236
Sheave Triple Guide 36" 6,500 lb	GREENLEE 6036
Sheave Triple Guide 36" 6,500 lb	CURRENT 333
Sheave Tray, 12"	CURRENT 658
Sheave Tray 12"	CURRENT TOOLS 951TR
Sheave Tray 24"	CURRENT 952TR
Cable Puller Rope 9/16" x 600'	CURRENT 916600PR
Cable Puller Rope 9/16" x 1,200'	CURRENT 9161200PR
Cable Puller Rope 7/8" x 1,200'	SOUTHWIRE P-7812
Cable Puller Rope 7/8" x 1,200'	CURRENT 781200PR
Sheave Hook 12" 8,000 lb	GREENLEE 8012
Sheave Hook 12" 8,000 lb	CURRENT 812
Sheave Hook 18" 8,000 lb	GREENLEE 8018
Sheave Hook 18" 8,000 lb	CURRENT 818
Sheave Hook 24" 8,000 lb	CURRENT 824
Sheave Hook 24" 8,000 lb	SOUTHWIRE SH24-8
Sheave Radius 24" 4,000 lb	CURRENT 9224EZ
Sheave Radius 24" 4,000 lb	CURRENT 9224







REELS AND ROLLERS

CLASS	MODEL
Cable Reel Jack Screw 28" to 56" Diameter	CURRENT 660
Cable Reel Spindle 62"	CURRENT 661
Cable Reel Jack Ratchet 58" to 90" Diameter	CURRENT 680
Cable Reel Spindle 100"	CURRENT 681
Cable Reel Spindle 76"	GREENLEE 684
Cable Reel Jack Pair 20 Ton	GREENLEE CRA1029
Cable Reel Jack Screw 28" to 56" Diameter	CURRENT 687
Cable Reel Roller 15 Ton Electric	SOUTHWIRE 615 RR-SW30
Cable Reel Jack Crank	GREENLEE RXM
Cable Roller 24" Right Angle	CURRENT 95024RA







ELECTRIC CRIMPERS

CLASS	MODEL	CAPACITY
Crimper Cable Cordless Dieless	MILWAUKEE 2877-22	#6 AWG to 750 MCM Cu & Dual Rated Connectors
Crimper Cable Cordless Dieless	DEWALT DCE350M2	#8 - 750 MCM Cu / 750 Al crimping capacity for copper and aluminum cable and connectors
Crimper Cable Cordless 12 Ton	GREENLEE EK1240LX11	750 Kcmil (MCM) Cu & Al
Crimper Cable U Dies 12 Ton Aluminum	GREENLEE KD12AL	-
Crimper Cable U Dies 12 Ton Copper	GREENLEE KD12CU	-







CABLE CUTTERS

CLASS	MODEL	COMMON USE
Cable Cutter Cordless	MILWAUKEE 2776-21	Cuts up to 1500MCM Copper
Cable Cutter Manual Ratchet	GREENLEE 759	Aluminum 750 kcmil, Communication Cable 1-1/8", Copper 500 kcmil
Cable Cutter Manual Ratchet	HK PORTER 8690FH	Cuts hard cable, ACSR, ACAR, ZEBRA, and self-supporting telephone cable







CONDUIT BENDERS

CLASS	MODEL	BENDING MATERIALS
Bender Tube Ratchet Manual 3/4"	RIDGID 35175	-
Bender Tube 1/2" to 1 1/8" Electric	ROTHENBERGER ROBEND 4000	-
Bender Pipe Conduit 1/2" to 2" Electric	GARDNER BENDER B2000	Rigid, Rigid Aluminum, EMT & IMC
Bender Pipe Conduit 1/2" to 2" Electric	GREENLEE 555RSC	Rigid, IMC, EMT & PVC Coated Rigid
Bender Pipe Conduit 1/2" to 2" Electric	CURRENT TOOLS 77SR	Rigid, IMC, EMT & PVC Coated Rigid
Bender Pipe Conduit 1/2" to 2" Single Shoe Electric	GREENLEE 854	Rigid, IMC, EMT
Bender Pipe Conduit 1/2" to 2" Hydraulic	ENERPAC STB101H	Mild Steel
Bender Pipe Conduit 3/4" to 2" Programmable Electric	GREENLEE 855GX	3/4" to 2" Rigid 1" to 2" EMT & IMC
Bender Pipe Conduit 2 1/4" to 4" Hydraulic	CURRENT TOOLS 254P	Rigid, EMT & IMC conduit
Bender Pipe Conduit 2 1/4" to 4" Hydraulic	GREENLEE 881CTE980	Rigid, EMT & IMC conduit
Bender Pipe Conduit Table	GREENLEE 881-MBT	-
Bender Pipe Conduit Table	CURRENT TOOLS 252-CT	-







PVC BENDERS

CLASS	MODEL	CAPACITY
Bender PVC Heater 1/2" to 2" Electric	GREENLEE 849	Heats 24" long PVC pipe
Bender PVC Heater 1/2" to 2" Electric	CURRENT TOOLS 450	Heats 24" long PVC pipe
Bender PVC Heater 1" to 6" Electric	GREENLEE 847	Heats 65" long PVC pipe
Bender PVC Heater 1" to 6" Electric	CURRENT TOOLS 452	Heats 65" long PVC pipe
Bender PVC Heater 1/2" to 4" Electric	GREENLEE 851	Heats 50" long PVC pipe
Bender PVC Heater 1/2" to 4" Electric	CURRENT TOOLS 451	Heats 50" long PVC pipe





BEARING HEATERS

CLASS	MODEL	O.D. CAPACITY	VOLTS
Bearing Heater	BESSEY SC 110V	4"x11"	110 V
Bearing Heater	BESSEY BC 440V	7"x22"	480 V



BDS
AIRMAB 5000



MILWAUKEE
2788-22HD



MILWAUKEE
4272-21

MAGNETIC DRILLS

CLASS	MODEL	WEIGHT
Drill Press Magnetic 1 3/8" Low Profile	HOUGEN MFG HMD130	24 lbs
Drill Press Magnetic 1 3/8" Low Profile	CS UNITEC MAB155	24 lbs
Drill Press Magnetic 1 3/8" Air	BDS AIRMAB 5000	39 lbs
Drill Press Magnetic 1 1/4" Electric Pipe	MAGSWITCH DISRUPTOR 30	24.2 lbs
Drill Press Magnetic 1 1/2" Cordless	MILWAUKEE 2788-20HD	29.5 lbs
Drill Press Magnetic 1 1/2" Cordless	MILWAUKEE 2788-22HD	29.5 lbs
Drill Press Magnetic 1 1/2" Cordless	MILWAUKEE 2787-20HD	29.5 lbs
Drill Press Magnetic Base	MILWAUKEE 4203	41 lbs
Drill Press Magnetic 3/4" Electric	MILWAUKEE 4206-1	70 lbs
Drill Press Magnetic 1 1/8" Electric	SLUGGER 21VJ79	22 lbs
Drill Press Magnetic 1 1/4" Electric	MILWAUKEE 843347	72 lbs
Drill Press Magnetic 1 1/2" Electric	HOUGEN MFG HMD904	30 lbs
Drill Press Magnetic 1 5/8" Electric	MILWAUKEE 4272-21	30 lbs
Drill Press Magnetic 1 5/8" Electric	CS UNITEC MABASIC450	30 lbs
Drill Press Magnetic 2" Electric	DEWALT DWE1622	33 lbs
Drill Press Magnetic 2 3/16" Electric	EUROBOOR ECO 55-T	28.4 lbs



DEWALT
DWE1622



HOUGEN
HMD934



UNIBOR
E5000LP

MAGNETIC DRILLS (CONTINUED)

CLASS	MODEL	WEIGHT
Drill Press Magnetic 2 3/8" Electric	HOUGEN MFG HMD917	46 lbs
Drill Press Magnetic 2 3/8" Electric	HOUGEN MFG HMD920	46 lbs
Drill Press Magnetic 3 1/16" Electric	HOUGEN MFG HMD934	72 lbs
Drill Press Magnetic 4 1/16" Electric	CS UNITEC MAB825	68 lbs
Drill Press Pipe Hole Electric	WHEELER REX 3092	58 lbs
Drill Press Magnetic 2" Low Profile	UNIBOR E5000LP	24 lbs



BAILEIGH
DP-4016B

DRILL PRESS

CLASS	MODEL	DRILLING CAPACITY
Drill Press Bench Top 16"	BAILEIGH DP-4016B	3/4" Mild Steel







DRILLS AND ROTARY HAMMERS

CLASS	MODEL	COMMON USE
Drill 1/2" Electric	HILTI BX 3-BT	X-BT Stud Fastening
Drill 1/2" Driver Cordless	HILTI SBT 4-A22	Predrilling accurate holes and installing fasteners
Drill Rail 1-11/16" Gas	TRAX 910195	Wood / Metal / Masonry
Drill Hammer Rotary 1/2" Cordless	MILWAUKEE 2806-22	Concrete
Drill Hammer Rotary 1-1/4" Cordless SDS Plus	BOSCH GBH18V-34CQN	Concrete
Drill Hammer Rotary 5/8" Electric SDS Plus	MILWAUKEE 5263-20	Concrete
Drill Hammer Rotary 5/8" Electric SDS Plus	MILWAUKEE 5263-21	Concrete
Drill Hammer Rotary 1" Electric SDS PLUS	MILWAUKEE 5262-21	Concrete
Drill Hammer Rotary 1-1/8" Electric SDS Plus	MILWAUKEE 5268-21	Concrete
Drill 3/8" Electric Right Angle	DEWALT DW160V	Wood / Metal / Masonry
Drill 1/2" Electric Right Angle	MILWAUKEE 3107-6	Wood / Metal / Plastic / Composite
1/2" Driver Cordless	MILWAUKEE 2607-22CT	Fastening
Drill 1/2" Cordless	MILWAUKEE 2805-22	Wood / Steel
Drill 1/2" Cordless	DEWALT DCD980M2	Wood / Steel
Drill 1/2" Electric	DEWALT DW235G	Wood / Steel
Drill 1/2" Electric	DEWALT DWD210G	Wood / Steel







DRILLS AND ROTARY HAMMERS (CONTINUED)

CLASS	MODEL	COMMON USE
Drill 1/2" Electric	DEWALT DWD220	Wood / Steel
Drill 1/2" Electric	HILTI SF BT 22-A	Wood / Steel
Drill 1/2" Electric	MILWAUKEE 0234-6	Plastic
Drill 3/4" Electric	MILWAUKEE 1854-1	Wood / Steel
Drill Hole Saw Kit	MILWAUKEE 49-22-4105	-







SURFACE PREPARATION

CLASS	MODEL	COMMON USE
Powder Actuated Gun	HILTI DX 351-BTG	Fastening X-BT Threaded Studs
Powder Actuated Gun	HILTI DX 5-GR	Fastening gratings to steel structures, Fastening diamond plates to steel structures
Powder Actuated Gun	HILTI DX 5-MX	Fastening wood and metal sheets to concrete, masonry block and steel, 2x4s to concrete
Powder Actuated Gun	HILTI DX 9-ENP	Fastening metal roof decks to steel structures



MILWAUKEE
MXF368-1XC



HILTI
TE 1000-AVR



HILTI
TE 3000-AVR

DEMOLITION HAMMERS

CLASS	MODEL	CHUCK SIZE/TYPE
Demolition Hammer Cordless	MILWAUKEE MXF368-1XC	1-1/8"
Demolition Hammer 10 to 20 lbs Electric	HILTI TE 700-AVR	TE-Y
Demolition Hammer 25 lbs Electric	HILTI TE 800-AVR	TE-S
Demolition Hammer 25 lbs Electric	HILTI TE 1000-AVR	TE-S
Demolition Hammer, 65 lbs Electric	HILTI TE 3000-AVR	TE-H
Demolition Hammer 35 lbs Electric	DEWALT D25960K	1-1/8"
Demolition Hammer 35 lbs Electric	DEWALT TE 2000-AVR	TE-S
Breaker Hammer, 70–90 lbs/Impact - Gas	US HAMMER GB-70	1 1/8"
Breaker Hammer, 70–90 lbs/Impact - Gas	US HAMMER GB-90	1 1/8"







SAWS AND GRINDERS

CLASS	MODEL	SPECS
Saw Jig Electric	DEWALT DW317	Accepts T-Shank jig saw blades
Saw Jig Electric	MILWAUKEE 6268-21	Accepts T-Shank jig saw blades
Saw Jig Cordless	MILWAUKEE 2737-21	Accepts T-Shank jig saw blades
Saw Reciprocating Electric	MILWAUKEE 6519-31	3/4" stroke length
Saw Reciprocating Electric	DEWALT DWE305	1-1/8" stroke length
Saw Reciprocating Cordless	MILWAUKEE 2821-21	1-1/4 stroke length
Saw Reciprocating Cordless	MILWAUKEE 2822-22	1-1/4 stroke length
Saw Circular 7-1/4" Electric	RIDGID RV3205VN	2-3/8” depth of cut
Saw Circular 7-1/4" Electric	DEWALT DWE575	2-9/16 " depth of cut
Saw Circular 10-1/4" Electric	MAKITA HS0600	3-13/16" depth of cut
Saw Circular 7-1/4" Cordless	MILWAUKEE 2631-20	2-1/2" depth of cut
Saw Circular 7-1/4" Cordless	DEWALT DCS578X1	2-9/16 " depth of cut
Saw Circular 8" Metal Cordless	MILWAUKEE 2982-20	2-9/16” depth of cut
Saw Circular 7 1/4" Electric Worm Drive	DEWALT DWS535B	2-9/16” depth of cut
Saw Concrete Cut-off 16" Handheld Gas	HUSQVARNA K1270	5.7" depth of cut
Bandsaw Cordless Compact	HILTI SB 4-A22 ADV COMPACT	2-1/2" depth of cut







SAWS AND GRINDERS (CONTINUED)

CLASS	MODEL	SPECS
Bandsaw Electric Deepcut 5"	DEWALT DWM120	5" depth of cut
Bandsaw Electric Deepcut 5"	MILWAUKEE 6232-21	5" depth of cut
Bandsaw Cordless Deepcut 5"	MILWAUKEE 2729-22HD	5" depth of cut
Saw Miter 12" Compound	DEWALT DWS779	14" max cut
Chainsaw Cordless	MILWAUKEE 2727-22HD	16" Bar
Grinder Angle Cordless 4" to 5"	MILWAUKEE 2780-22HD	8,500 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	DEWALT DW831	11,000 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	DEWALT DWE402N	11,000 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	HILTI AG-450-7D	11,500 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	DEWALT DWE43214N	10,500 rpm
Grinder Angle Electric 4-1/2" to 5" w/Lock	DEWALT DWE43113	9,000 rpm
Grinder Cordless 6"	HILTI AG 600-A36	8,500 rpm
Grinder Angle Electric 6"	METABO WEPBA17-150Q	9,600 rpm
Grinder Cordless 7"	MILWAUKEE 2785-20HD	6,600 rpm
Grinder Cordless 7"	MILWAUKEE 2785-22HD	6,600 rpm
Grinder Angle Electric 7"	DEWALT DW840	8,000 rpm







SAWS AND GRINDERS (CONTINUED)

CLASS	MODEL	SPECS
Grinder Angle Electric 7"	DEWALT DWE4517	8,500 rpm
Grinder Die Electric 14,000 to 21,000 rpm	MILWAUKEE 5196	14,500 rpm
Grinder Die Electric 21,000 to 27,000 rpm	DEWALT DWE4887	25,000 rpm
Grinder Die Electric 21,000 to 27,000 rpm	MILWAUKEE 5192	21,000 rpm
Grinder Die Electric 21,000 to 27,000 rpm	MILWAUKEE 5194	21,000 rpm
Floor Grinder Dual Head Electric	EDCO 2EC-NG	231 rpm; grinds approximately 500 sq-ft per hour
Nibbler Cordless	HILTI SPN 6-A22	C.L.U. profile, Corrugated sheet, Trapezoidal sheet, Flat sheet

EquipmentShare carries a robust offering of abrasives and blades to help complete your job.









IMPACTS

CLASS	MODEL	WEIGHT
Driver Impact 1/4" Cordless	DEWALT DCF885	1,400 in-lbs
Driver Impact 1/4" Cordless	DEWALT DCF887	1,825 in-lbs
Driver Impact 1/4" Cordless	HILTI SID 4-A22	1,717 in-lbs
Driver Impact 1/4" Cordless	MILWAUKEE 2853-22	2,000 in-lbs
Wrench Impact 3/8" Cordless	DEWALT DCF883M2	1,560 in-lbs
Wrench Impact 1/2" Electric	MILWAUKEE 9071-20	300 ft-lbs
Wrench Impact 3/4" Electric	DEWALT DW294	345 ft-lbs
Wrench Impact 1/2" Cordless	MILWAUKEE 2759-B22	220 ft-lbs
Wrench Impact 1/2" Cordless	DEWALT DCF899	1,200 ft-lbs
Wrench Impact 1/2" Cordless	MILWAUKEE 2863-22	1,400 ft-lbs
Wrench Impact 1/2" Cordless	INGERSOLL RAND W7152P-K22	1,500 ft-lbs
Wrench Impact 3/4" Cordless	INGERSOLL RAND W7172-K22	1,500 ft-lbs
Wrench Impact 3/4" Cordless	MILWAUKEE 2864-22	1,500 ft-lbs
Wrench Impact 1" Cordless	MILWAUKEE 2867-22	1,800 ft-lbs
Wrench Impact 1" D-Handle Cordless	MILWAUKEE 2868-22HD	2,000 ft-lbs
Wrench Impact 1" D-Handle Cordless	MILWAUKEE 2869-22HD	2,000 ft-lbs







LASERS AND SURVEYING EQUIPMENT

CLASS	MODEL
Level Laser Pipe	SPECTRA DG613
Level Laser Pipe	TOPCON TP-L6AV
Laser Level, Rotating	BOSCH 360 HORIZONTAL LASER
Laser Level, Rotating	SPECTRA LL300
Level Laser Rotating	HILTI POL 10
Laser Level, Rotating	TOPCON RL-H5A
Level Laser Rotating	SOKKIA B20 32X
Laser Level, Rotating	TOPCON RL200
Laser Level, Rotating	HILTI PR30-HVS-A12
Level Laser Rotating	HILTI PR 30-HVS
Level Laser Self Leveling 5 Point	BOSCH GRL2000-40H
Level Laser Self Leveling 5 Point	FLUKE PLS5R
Level Survey Transit Optical Theodolite	JOHNSON 40-6912
Level Laser Shaft Alignment	PRUFTECHNIK ALI 50.200
Level Laser Shaft Alignment	PRUFTECHNIK ALI 50.000-FULL
Level Laser Pulley Alignment	PRUFTECHNIK ALI 2.004 SET
Survey Total Station, 5 sec	NIKON XS5
Survey Tripod	HILTI PUA 25
Survey Tripod	JOHNSON 40-6335
Survey Measuring Rod	HILTI PUA 56

STORAGE, TANKS AND CONTAINERS



CONNEX OFFICE

8' X 40'



GENERIC

STORAGE CONTAINER 10'

CONNEX BOXES

CLASS	MODEL
Storage Container 40' HiCube	GENERIC 40H
Storage Container 40' HiCube Double Doors	GENERIC 40H-DD
Storage Container 40' HiCube Dual Cargo Doors	GENERIC 40H-D-CD
Storage Container 40' HiCube Triple Cargo Doors	GENERIC 40H-T-CD
Storage Container 40' HiCube Quad Cargo Doors	GENERIC 40H-Q-CD
Storage Container 40' HiCube Climate Controlled	GENERIC 40H-CC
Storage Container 40' Std	GENERIC 40S
Storage Container 40' Std Double Doors	GENERIC 40S-DD
Storage Container 20' Std	GENERIC 20S
Storage Container 20' Std Double Doors	GENERIC 20S-DD
Storage Container 20' Std Climate Controlled	GENERIC 20S-CC
Storage Container 20' HiCube	GENERIC 20H
Storage Container 20' HiCube Double Doors	GENERIC 20H-DD
Storage Container 20' Std Climate Controlled	GENERIC 20S-CC
Storage Container 10' Std	GENERIC 10S



GENERIC

CONNEX OFFICE 8'X40'

CONNEX BOXES (CONTINUED)

CLASS	MODEL
Office Ground Level Container 40' Std	GENERIC 40OF
Office Ground Level Container 40' HiCube	GENERIC 40OF-H
Office Ground Level Container 40' HiCube Dual Cargo Doors	GENERIC 40OF-D-CD
Office Ground Level Container 40' HiCube 1 Restroom	GENERIC 40OF-H-R1
Office Ground Level Container 40' Std Half Storage	GENERIC 40OF-HS
Office Ground Level Container 40' Std 1 Restroom	GENERIC 40OF-R1
Office Ground Level Container 20' Std	GENERIC 20OF
Office Ground Level Container 20' Std Half Storage	GENERIC 20OF-HS



DYMAC
ACV-DEF-211G

FLUID TANKS

CLASS	MODEL
Def Tank 200–300 Gal	DYMAC ACV-DEF-211G
Def Tank 400–500 Gal	DYMAC ACV-DEF-211G
Def Tank 2,000–2,499 Gal	BENECOR XL2100PC-SPF



WESTERN GLOBAL
FCS119



WESTERN GLOBAL
50TCG



WESTERN GLOBAL
E12000

FUEL CELLS

CLASS	MODEL
Fuel Tank Double Wall 119 Gal	WESTERN GLOBAL FCS119
Fuel Tank Double Wall 250 Gal	WESTERN GLOBAL 10TCG
Fuel Tank Double Wall 500 Gal	UNITY BLOC 2000
Fuel Tank Double Wall 500 Gal W/ 37 Gallon DEF	LOFTIN AC-DF-475-37
Fuel Tank Double Wall 610 Gal W/ 70 Gallon DEF	UNITY BLOC 2500
Fuel Tank Double Wall 1,000–1,200 Gal	WESTERN GLOBAL 50TCG
Fuel Tank Double Wall 1,500–1,800 Gal	UNITY BLOC 6000
Fuel Tank Double Wall 2,300 Gal	WESTERN GLOBAL 100TCG
Fuel Tank Double Wall 7,000–9,999 Gal	UNITY GRANDE 30
Fuel Tank Double Wall 10,000–13,999 Gal	WESTERN GLOBAL E12000



AMERATANK
R21KFALRBFT



AMERATANK
R21KFALF

FRAC TANKS

CLASS	MODEL
Frac Tank 21K Gal Lined Round Bottom EM	AMERATANK R21KFALRBFT
Frac Tank 21K Gal Vpr Tight Lined EM	AMERATANK R21KFALF
Frac Tank 21K Gal Vpr Tight Lined w/Coils EM	AMERATANK R21KFALFTC



PINNACLE
PWT1200

TRANSFER TANKS

CLASS	MODEL
Water Tower 12,000 Gal	PINNACLE PWT1200



PINNACLE V2254-D



PINNACLE P150-R3

ROLL-OFF BOXES

CLASS	MODEL
Box Roll-off 25-yd Dewatering	PINNACLE V2254-D
Box Roll-off 25-yd Metal Lid	PINNACLE L2252-FF
Box Roll-off 25-yd Tarp	PINNACLE S2252-FF
Box Roll-off 25-yd Vacuum	PINNACLE V2254-D
Roll-off Lined Poly Tank 6,300 gal	PINNACLE P150-R3



HUNDREDS OF LOCATIONS AND

GROWING NATIONWIDE

SCAN FOR THE MOST
UP-TO-DATE LOCATIONS LIST.

WEB
EQUIPMENTSHARE.COM

TEL
(888) 80-RENTS

Follow us on social media: