



Tubular Panels



Scan to view all
Belaire fence drawings

BelAire®
DESIGNER FENCING

...make it your own!



...make it your own!

Tubular Panels

COST-EFFECTIVE

BelAire aluminium tubular panels are an affordable fencing solution that doesn't compromise on quality. Designed to deliver cost-effective, security, and a modern finish, they offer excellent long-term value compared to timber or steel options that can rot, rust, or require ongoing maintenance.

BUILT TO LAST

Crafted from powder-coated aluminium, our posts, panels, are lightweight yet structurally strong. Unlike inferior fencing systems that use narrower 16mm pickets, BelAire panels use 19mm picket for added durability and rigidity. The panels come in 3 different panel designs and are all constructed from aluminium for long lasting durability, even close to the seaside. The panels are great for Pool Fencing, front fencing, reserve fencing where the developer needs permeability—you can achieve a sleek, long-lasting fence that enhances any property. Matching gates are also available along with a custom range of powdercoat colours.

EASY INSTALLATION

Our fencing systems are designed with simplicity in mind. Using inground or flanged posts, BelAire panels can be installed with minimal effort. Each panel is light enough to be easily handled by two people, making it practical even in hard-to-reach areas like backyards or sloping sites. We provide clear, step-by-step installation guides for DIY projects, or you can take advantage of our network of trusted installers across New Zealand. Call us on 0800 235 2473 and we'll connect you with an installer near you.

WARRANTY

Proudly New Zealand-made, BelAire aluminium fencing comes with a 10-year replacement warranty. With minimal maintenance, your fence will provide lasting privacy, security, and style for decades. Our panels are manufactured from premium raw materials, independently rated for a design life of over 20 years—so you can install with confidence knowing your fence is built to stand the test of time. raw materials state that they have a design life well in excess of 20 years. With this assurance we offer you a replacement warranty for any component of your new fencing if it fails within 10 years* from date of purchase.



Why Choose BelAire Tubular Panels?

KEY FEATURES

For a durable and cost-effective solution for landscape fencing, swimming pool fencing, and school safety, we bring you our Tubular Panel aluminium fence range. Designed to comply with all fence safety regulations, Tubular Panels will enhance your property and protect your family and your investment. These panels are constructed from aluminium for long-term durability, even in areas near the sea. The fences panels are supplied with all brackets and fittings for simple installation and matching Turbular gates are also available.

- No twisting, warping, rotting
- Looks the same as the day it was installed for many years
- Simple install
- Customisable and versatile to suit any landscape
- Lightweight but very durable
- Low maintenance
- Modern sleek look
- Posts made from 6061 T5 high tensile aluminium



RAGLAN PANEL

Panel Height: 950, 1200mm

Panel Length: 2250mm

Horizontal Rails: 40x40mm

Vertical Bars: 19x19mm

Bar Spacing: 95mm

Inground Post: 50x50mm x 1800mm Long

Flanged Post: 50x50 x 1300mm long

Rakable panel also available for sloping ground up to 35°

Colour: Standard in Ebony - Custom Colours available on request.



Raglan Panel: (Rail Brackets Ordered Separately)

950MM High DP9512

1200MM High DP1222

1200MM Rakable Panel DR1222

Raking rail Brackets (includes fixings) ARb40

Rail Bracket (includes fixings) AB40



ARB40



RB40



Fixings included
with both brackets



See post options on page 7

WAINUI PANEL

Panel Height: 1200, 1500, 1800mm

Panel Length: 2250mm

Horizontal Rails: 40x40mm

Vertical Bars: 19x19mm

Bar Spacing: 95mm

Inground Post: 50x50x1800mm, 60x60x2100mm, 90x90x2400mm long

Flanged Post: 50x50x1250, 60x60x1550mm, 90x90x1850mm long

Colour: Standard in Ebony - Custom Colours available on request.




1200MM High PP1222

1500MM High PP1522

1800MM High PP1822

40x40mm Rail Brackets (includes Fixings) RB40



RB40



Includes fixings

See post options on page 7



PIHA FIN PANEL

Panel Height: 1200mm

Panel Length: 2250mm


Horizontal Rails: 25x25mm

Bar Spacing: 95mm

Vertical Bars: 50x25mm

Post Size: 50x25mm

Colour: Standard in Ebony - Custom Colours available on request.



1200mm High AXP1222

Rail Bracket 25x25mm (includes Fixings) RB25



RB25

Includes fixings

See post options on page 7



ALUTUFF TUBULAR FENCING COMPONENTS

IN-GROUND POSTS

Both slat and louvre fencing is supplied with 60mm x 60mm in-ground posts as standard.

The following posts are available as options:




50 x 50mm
In-ground post
Codes: IP5018



60 x 60mm
In-ground post
Codes:
60x60 x 1250mm - IP60125EB
60x60 x 1550mm - IP60155EB
60x60 x 1850mm - IP60185EB



90 x 90mm
In-ground post
Codes:
90x90 x 1250 - IP90125EB
90x 90 x 1550 - IP90155EB
90x90 x 1850- IP90185EB



50 x 25 mm
In-ground post
Codes:
50x25 - IP502518
Piha Fin only


FLANGED BASE POSTS




50x50 Flanged post 1300mm:
Code:
FP5016, FPP5018



120 x 120mm
Welded flanged base
(60 x 60mm post)
60x60 x 1250mm - FP60125EB
60x60 x 1550mm - FP60155EB
60x60 x 1850mm - FP60185EB



160 x 160mm
Welded flanged base
(90 x 90mm post)
90x90 x 1250mm - FP90125EB
90x90 x 1550mm - FP90155EB
90x90x 1850mm - FP90185EB



125x125mm
Welded flanged base
(125 x 125mm x5mm post)
50x25 - FP502513
Piha Fin Only

POST CAPS

FLUSH CAP




Plastic Cap
(on 50 x 50mm post)
Code: PC50PL



Plastic Cap
(on 60 x 60mm post)
Code: PC60PL




Plastic Cap
(on 90 x 90mm post)
Code: PC90PL



Exposed Cap
(on 50 x 50mm post)
Code: PC50AL



Exposed Cap
(on 60 x 60mm post)
Code: PC60AL



Exposed Cap
(on 90 x 90mm post)
Code: PC90AL

EXPOSED CAP

STATE GATES SIZE OFFERINGS

RAGLAN PANEL GATES

Standard gates in stock:

DG9595 - 950w x 950h

DG1295-950w x 1200h

Construction:

Powdercoated aluminium.

Height: 950/1200mm


Pedestrian Gate Width: 950mm

Swing Gate Width: Custom Size

Sliding Gate Width: Custom Size

Colour: Standard in Ebony - Custom colours available on request

Pool gate hinges and latch - PGH



WAINUI PANEL GATES

Standard gates in stock:

PG1295 -950w x 1200h

PG1595-950w x 1200h

PG1895 - 950w x 1800h

Construction:

Powdercoated aluminium.

Height: 1200 / 1500 / 1800mm


Pedestrian Gate Width: 950mm

Swing Gate Width: Custom Size

Sliding Gate Width: Custom Size

Colour: Standard in Ebony - Custom colours available on request

Pool gate hinges and latch - PGH



PIHA FIN PANEL GATES

Standard gates in stock

AXPG950 - 950w x 1200h

Construction:

Powdercoated aluminium.

Dimensions:

- Standard 1200 (height) x 950 (width)

Height: 1200mm - 2100mm

Driveway Swing Gate Width: 1000-2300mm

Driveway Sliding Gate Width: Up to 6000mm

Colour: Standard in Ebony - Custom colours available on request

Pool gate hinges and latch - PGH

POOL HINGE & LATCH SET

SET INCLUDES 2 HINGES & LATCH: Order Code: PGH

MAGNETIC SAFETY LATCH

Polymer and stainless steel

SPECIFICATION

- Visual indicator shows locked/unlocked status
- New, higher-security lock cylinder
- Vertically and horizontally adjustable
- Indicator marks show if adjustment is required
- Meets all Australian and NZ Standards for pool gates
- Minimum post size: 25mm+
- Gate opening to be 39mm more than the gate size
- Fixing method: screw-on

