





BelAire®

DESIGNER FENCES AND BALUSTRADES


...make it your own!

Design Guide

FRAMELESS GLASS FENCING & BALUSTRADES 


ALUMINIUM FENCING & SCREEN SYSTEMS 

AURORA 

SOLID PANEL FENCING 

COMMERCIAL ACOUSTIC WALLS 

COLOUR FENCE 

GATES 

0800 BELAIRE (0800 235 2473)
www.belairefencing.co.nz

Who We Are

BelAire is a brand of Storetech Industries. Storetech Industries is a family owned business that has been operating since 1974.

Core Values

Internal

Passion - Attention To Detail
Trust - Team Players

External

Greater Customer Experience - Trust
Loyalty - Effort - Excellence

Our Mission

To make sure New Zealanders can be confident that their outdoor equipment and personal environment is secure and protected by offering New Zealand's widest range of simple, modular fencing solutions while adhering to our core values.



Ben Carney - Owner/Director



Peter Carney - Owner/Director

BelAire®
DESIGNER FENCING

Frameless Glass Fencing and Balustrade

- 1200mm high Glass panels - pool fencing
- 1000mm high Glass panels - balustrades
- 2205 Stainless steel hardware - marine grade
- Black hardware available
- Soft closing gate hardware
- Enduroshield coated glass panels



Aluminium Fencing and Screen Systems

- 7 Standard colour options
- Custom powder coating available
- 5 Horizontal slat options
- 4 Vertical slat options
- Permeable privacy
- Oblique Panels



Aurora Panel Fencing

- 1000mm high Aurora panels - balustrades
- 1200mm high Aurora panels - pool panels
- 1200,1500,1800mm high Aurora panels - Landscape panels
- Custom colour options available
- Permeability options



Tubular Fencing

- No twisting, warping, rotting
- Looks the same as the day it was installed for many years
- Simple install
- Customisable and versatile to suit any landscape



Solid Panel Fencing

- Acoustic noise barriers
- Feature walls
- Versatile and easy to install
- Multiple infill options available



Commercial Acoustic Barriers

- Can be built up-to 6000mm high
- Easy installation
- Reduces up-to 28dB of noise



Colour Wall Steel Fencing

- Economical alternative to timber fencing
- 3 standard height options
- Slat infill options



Gates

- Swing Gates
- Sliding Gates
- Custom size gates
- Custom designs available
- Custom colour options






BelAire®
DESIGNER FENCES AND BALUSTRADES

Scan to see all Frameless Glass
Fencing & Balustrade details

...make it your own!

AS/NZS2208
Grade A TF
ID 7777

Frameless Glass Fencing & Balustrade



INDEPENDENTLY LOAD TESTED

BelAire:
345kg

Compliance
requirement:
240kg

Average
adult man:
81kg

Loads distributed through
a 960mm x 960mm timber
load board

GENERAL FEATURES

- 12mm toughened safety glass
- New Zealand standards compliant
- 10 year warranty
- DIY instructions included

Compliant with:

F4 and F9 Building Code compliant.

AS/NZS2208: 1996

New Zealand standards for
safety glass manufacturing

NZS 8500

Safety barriers and fences around
swimming pools, spas and hot tubs

NZS 4223.3:2016

Approved Balustrade Handrail

SOFT, NOT SLAMMED

Even though BelAire gates are made from toughened safety glass, a slammed glass gate will always put you on edge. Relax. Upgrade to glass-to-glass or glass-to wall **Polaris soft-closing hinges**, and you'll never hear the bang of a slammed gate again!


Choose to upgrade to Polaris soft-closing hinges when you order online, or just talk with one of our friendly sales representatives.



GLASS PANEL DIMENSIONS

FENCING PANELS

- 12mm thick clear toughened glass
- Corner radius: 2mm
- 22 widths available from 300mm to 1600mm



*Also comes in size 1200 x 1750mm for when a pool fence meets a boundary fence


BALUSTRADE PANELS

- 12mm thick clear toughened glass
- Corner radius: 2mm
- 19 widths available from 600mm to 1600mm




GATE PANELS

- 8 & 10mm thick clear toughened glass
- Corner radius: 2mm
- 2 x Bunny ear cut outs for hinges
- 2 widths available, 800mm & 900mm



HINGE PANELS

- 12mm thick clear toughened glass
- Corner radius: 2mm
- 2 x Bunny ear cut outs for hinges
- 5 widths available from 900mm to 1600mm



SPIGOTS

TEKAPO BASE PLATE SPIGOT

Duplex 2205 Stainless Steel



KAWEKA SIDE MOUNT SPIGOT

Duplex 2205 Stainless Steel



MILFORD BASE PLATE SPIGOT

Duplex 2205 Stainless Steel



AORAKI FACE MOUNT SPIGOT

Duplex 2205 Stainless Steel



TEKAPO CORE DRILL SPIGOT

Duplex 2205 Stainless Steel



RAKAIA FRICTION CHANNEL

1.5 & 3m Long Channel Kits



BelAire also supply a wide range of glass fence fittings:

- 180° & 90° glass-to-glass & glass-to-wall latches
- 180° & 90° glass-to-glass & glass-to-wall hinges
- 180°, 90° and swivel glass-to-glass & glass-to-wall clamps
- Handrail, handrail end cap and handrail wall plate
- 180°, 90° and swivel handrail connectors

RAKAIA CHANNEL

CHANNEL DETAILS

The all new Rakaia side mounted friction fitting glass channel system has been designed for the most simple installation method in mind, it also meets and surpasses all compliance that is required for New Zealand regulations.

Rakaia Channel - FRICTION FIT

Timber Order Code: SCECHT

Concrete Order Code: SCECHC

*Includes channel, powder coated inner and outer covers, plastic insert, pressure plate, grub screws, hanger brackets and mounting screws.



Additional Components

SCECHGS

Grub Screws (per unit)

SCECHCC


Corner Cap (per unit)

SCECHHB

Hanger Bracket (per unit)

SCECHJC

Channel Join Cover (per unit)



Frameless Glass Fencing & Balustrade

FIXINGS FOR ALL SPIGOTS

TIMBER FIXINGS




Countersunk Timber Screw 140mm Long

Stainless Steel 316 (Hex head drive)

Order Code: SCETCSK

- Self tapping 140mm length with M8 diameter screw
- Spigots: Tekapo, Rakaia Channel



M12 Coachscrew Timber Screw 135mm

Stainless Steel 316 (Hex head drive)

135mm Order Code: SCETHX (for Kaweka spigots)

- Self tapping 135mm length with M12 diameter screw
- Spigots: Kaweka, Milford



M10 & M12 Timber Lag Screw 140mm Long

Stainless Steel 316 (Hex head drive)

Order Code: SCELAG140 (M10 Rakaia Channel)

Order Code: SCELAG160 (M12 Aoraki Spigots)

- Self tapping 140mm or 160mm length
- 2 x M12 nuts or M10 nuts
- Spigots: Aoraki, Rakaia Channel (Bottom Fixing)



Chemset: SCECHEM Chemset

Used with SCETHR12 Stainless threaded rod into concrete

CONCRETE FIXINGS



M8 Countersunk Concrete Screw ANCHOR 80 & 95mm Long

Stainless Steel 316 (Torx head drive)

80mm Order Code: SCECCSA80

95mm Order Code: SCECCSA95


- Self tapping 95mm length with 10mm outer; M8 diameter screw
- Spigots: Tekapo, Rakaia Channel
- Drill a 8mm Hole



M10 Concrete Wedge anchor x 110mm Stainless Steel

Code: SCECHSA-K

- Spigots: Kaweka



M12 Concrete Screw Anchor 110mm Long Stainless Steel 316 (Hex head drive)

Order Code: SCECHSA

- Self tapping 110mm length with 14mm outer; M12 diameter screw
- Spigots: Milford, Kaweka
- Drill a 12mm hole



Threaded rod


Stainless Steel 316 (Hex head drive)


M10 Order Code: SCETHR10
(for Rakaia Channel)

M12 Order Code: SCETHR12

(for Milford, Kaweka and Aoraki Spigots)

- Chemset also supplied for concrete applications - ask our sales team for more info
- Drill a 14mm hole when using Chemset







BelAire®
DESIGNER FENCES AND BALUSTRADES

...make it your own!

Scan to see all Aluminium Fencing
& Screen systems details

Aluminium Fencing & Screen Systems

SLAT FENCING

Slat orientation: Vertical or Horizontal

Post dimensions: 60 x 60 x 2mm or 90 x 90, 3mm BMT

Slat profiles: 85mm x 25mm or 60mm x 25mm

Suitable for fence heights: 900mm – 2400mm

Post centres: 2410mm, 2710mm, 3010mm

*Based on 60mm x 60mm posts

Slat construction:

85 x 25mm (standard stocked size in 7 colours below)


60 x 25mm (standard stocked in ebony only)

Powder coated aluminium


It is important to note that our fencing, with 25mm wide slats, is superior in strength to some inferior fencing with 16mm wide slats.

Available in two heights – 85mm is our standard stocked size, and 60mm slats are available on request. The two types of slats can be used exclusively, or combined in any way you choose. Both can also be used either horizontally or vertically.


POWDER COAT COLOURS Custom colours available



Titania



Gull Grey



Slate Grey



Grey Friars



Ironsand



Flax



Ebony



*2yr Warranty within a 1500m sea spray zone.



Horizontal Slat Panel 15

Code: BSHXXXX



Post Centres:

1545mm, 2410mm, 2710mm, 3010mm

Fence Panel Heights:

1200, 1500, 1800, 2000mm

Slats:

85mm x 25mm

Slat Gaps

15mm

Horizontal Slat Panel 27

Code: BSHOXXXX



Post Centres:

1545mm, 2410mm, 2710mm, 3010mm

Fence Panel Heights:

1210, 1430, 1760, 1980mm

Slats:

85mm x 25mm

Slat Gaps

25mm

Horizontal Slat Panel Mixed

Code: BSHMXXXX



Post Centres:

2410mm, 2710mm, 3010mm

Fence Panel Heights:

1200, 1500, 1800, 2000mm

Slats:

Mix of 85 x 25mm & 60 x 25mm

Slat Gaps

15mm

Horizontal Slat Panel Solid/Open

Code: BSHS15XXXX



Post Centres:

2410mm, 2710mm, 3010mm

Fence Panel Heights:

1195, 1450, 1790, 1960mm

Slats:


85mm x 25mm

Slat Gaps

15mm (Top Slats only)

Horizontal Slat Panel Solid

Code: BSHSXXXX



Post Centres:

2410mm, 2710mm, 3010mm

Fence Panel Heights:

1190, 1445, 1785, 1955mm

Slats:

85mm x 25mm

Slat Gaps

0mm

*Measurements based on 60mm x 60mm posts

Vertical Slat Panel 15

Code: BSVXXXX



Post Centres:

1860mm, 2160mm, 2410mm,
2710mm, 3010mm

Fence Panel Heights:

1200, 1500, 1800, 2000mm

Slats:

85mm x 25mm

Slat Gaps

15mm

Vertical Slat Panel 39

Code: BSV0XXXX



Post Centres:

2410mm, 2710mm, 3010mm

Fence Panel Heights:

1200, 1500, 1800, 2000mm

Slats:

85mm x 25mm

Slat Gaps

39mm

Vertical Slat Panel Mixed

Code: BSVMXXXX



Post Centres:

2410mm, 2710mm, 3010mm

Fence Panel Heights:

1200, 1500, 1800, 2000mm

Slats:

Mix of 85 x 25mm & 60 x 25mm

Slat Gaps

15mm

Vertical Slat Panel Solid

Code: BSVSXXXX



Post Centres:

2380mm, 2720mm, 2970mm

Fence Panel Heights:

1200, 1500, 1800, 2000mm

Slats:

85mm x 25mm

Slat Gaps

0mm



*Measurements based on 60mm x 60mm posts

ALUMINIUM FENCING COMPONENTS



60 x 60mm
in-ground post
Code: IP6024XX



90 x 90mm
in-ground post
Code: IP9024XX



20° - 72° degree
in-ground adjustable angle post
Code: AIP6024



120 x 120mm
welded flanged base
(60 x 60mm post)
Code: FPPC6020



160 x 160mm
welded flanged base
(90 x 90mm post)
Code: FPPC9020



25mm channel
Code: BSLCH



25mm channel cover
Code: BSLCHC



46mm channel
Code: BOBCH



46mm channel cover
Code: BOBCHC



60 x 25mm slat
Code: BSLXX60XX



85 x 25mm slat
Code: BSLXX85XX

LOUVRE FENCING


Louvre fence height options:

350mm (3 louvres), 600mm (5 louvres), 900mm (8 louvres)

1200mm (10 louvres), 1500mm (13 louvres), 1800mm (15 louvres)

Construction:

**135mm high aluminium aerofoil
louvre fence powder coated to
your colour of choice.**





OBLIQUE FENCING

Post dimensions: 60mm (deep) x 60mm (face) 2 mm SHS

Oblique slat thickness: 25mm


Fence heights: 1200mm , 1500mm, 1800mm

Post centres: 1860mm, 2410mm

BelAire oblique fencing is fully customisable. If there's a particular size or configuration you require, call us on 0800 235 2473 and we'll custom-make a fence just for you.



POWDER COAT COLOUR



Flax



BelAire oblique fencing posts, channels and slats are supplied in powder-coated Dulux Flaxpod. They can also be supplied in any Dulux powder coat colour of your choice at additional cost. The Dulux powder coating chart can be found at: www.duluxpowdercoatings.co.nz

You can choose the same colour for your posts, channels and oblique slats, or any combination you wish!

OBLIQUE SLATS

Oblique slat construction:

1.2mm powder coated aluminium.





Uglee™

Where Functionality Meets Elegance

Designed with both functionality and aesthetics in mind, our enclosures provide a sleek and stylish solution to keeping your outdoor space neat and tidy.

Colour Options



TITANIA

GULL GREY

SLATE GREY

IRONSAND

GREY FRIARS

FLAX

EBONY



Can't find the size to suit?

We also do custom size Uglees. Send us an email with your ideal dimensions and we'll make it!

UGLEE RANGE Sizing: WxDxH in mm

650 Mini



Size:
650x650x1160 |
0.46m³ | 0.42m² |
465 Litres

Can Fit:
Single 140L Bin,
Recycle Bins,
Outdoor Seat
Cushions

650 Double



Size:
1100x650x1160 |
0.79m³ | 0.71m² |
785 Litres

Can Fit:
2 X 140L Bins,
Toys, Small Pool
Pump, BBQs

650 Triple



Size:
1600x650x1160 |
1.2m³ | 1.04m² |
1144 Litres

Can Fit:
3 X 140L Bins,
Toys, Small
Bikes, Pool
Pump, BBQs

UGLEE RANGE Sizing: WxDxH in mm

850 Mini



Size:
850x850x1160 |
0.79m³ | 0.72m² |
795 Litres

Can Fit:
Single 240L
Bin,
Recycle Bins,
Outdoor Toys

850 Double



Size:
1420x850x1160 |
1.32m³ | 1.27m² |
1328 Litres

Can Fit:
2 X 240L Bins,
Pool Pumps,
Bikes, BBQs,
Toys, Cushions

850 Triple



Size:
2000x850x1250 |
1.87m³ | 1.7m² |
1870 Litres

Can Fit:
3 X 240L Bins,
Recycle Bins,
Toys, Bikes, Pool
Pumps

AC Small



Size:
1100x500x785 | 0.44m³ | 0.55m² |
440 Litres

Can Fit:
1 X Small AC Unit

AC Large



Size:
1100x500x1000 | 0.55m³ | 0.55m² |
550 Litres

Can Fit:
1 X Large AC Unit

Gas Bottle



Size:
1100x500x1650 | 0.90m³ | 0.55m² |
908 Litres

Can Fit:
Gas Bottles, Large AC Units

The Monsta



Size:
1980x1200x1250 | 2.82m³ | 2.37m² | 2,820 Litres

Can Fit:
Pool Pumps & Filters, E Bikes, Lawn Mowers,
Garden Tools, BBQs

The Shed



Size:
2470x1300x2070 | 6.45m³ | 3.21m² | 5,800 Litres

Can Fit:
Fire wood, Bikes, Lawn Mowers, Garden Tools,
BBQs

Uglee™

BUILT TO HIDE THE UGLY

SCAN ME!



BelAire®
DESIGNER FENCES AND BALUSTRADES



BelAire®
DESIGNER FENCES AND BALUSTRADES

...make it your own!

Aurora Panel Fencing



Scan to see all Aurora Panel fencing details

DURABLE CONSTRUCTION

Made from high-quality aluminium, Aurora fence panels are built to withstand the elements and resist corrosion, ensuring long-lasting performance and minimal maintenance requirements. With guaranteed no shrinking, warping, twisting, rotting or rusting.

SLEEK DESIGN

With their modern and streamlined appearance, Aurora panels add a touch of elegance to any property. Their clean lines and smooth finish contribute to a contemporary architectural look.

CUSTOMISABLE

Aurora aluminium fence panels are available in various styles, heights, and colors, allowing for customisation to suit specific design preferences and property requirements.

EASY INSTALLATION

Designed for straightforward installation, Aurora panels come in either a full kitset or made into panels to make installation a breeze. Simple assembly instructions, make the installation process quick and hassle-free.

We provide step by step self-install instructions that any competent DIY person should be able to follow.

LOW MAINTENANCE

Unlike traditional fencing materials such as wood, aluminium requires minimal maintenance. Aurora panels are resistant to rust, fading, and warping, ensuring they retain their appearance over time without the need for frequent upkeep.

VERSATILITY

Whether used for residential yards, commercial properties, or public spaces, Aurora aluminium fence panels offer versatility in application. They can be installed around pools, gardens, or along property lines to provide security and enhance curb appeal.

ENVIRONMENTALLY FRIENDLY

Aluminium is a sustainable and recyclable material, making Aurora fence panels an eco-friendly choice for environmentally conscious consumers.

SECURITY

In addition to their aesthetic appeal, Aurora aluminium fence panels provide a secure barrier, deterring intruders and ensuring the safety of property occupants.



AURORA PANEL FENCING

THE POOL/BALUSTRADE PANEL

Post Centers: 1650mm

Fence Panel Heights: 950, 1200, 1500, 1800mm

Slats Sizes: 60 x 25mm

Assembled Panel Codes: ABPA1016, APPA1216, APPA1516, APPA1816

Kitset Panel Codes: ABPK1016, APPK1216, APPK1516, APPK1816

Colour Options: Ebony

Custom colour options available



EACH PANEL CONTAINS

14 x 60x25mm Slats cut to suit desired height.

14 x 60 x 25mm Slat end caps


2 x 1650 Oblique channels with channel caps

64 Tek screws per panel

Posts: Panel posts need to be ordered separately

Posts: 60 x 60mm Mid posts 90 x 90mm corner posts

Available in 4 different panel designs



THE LANDSCAPE PANEL

Post Centers: 1980mm

Fence Panel Heights: 1200, 1500, 1800mm

Slat Sizes: 60 x 25mm

Assembled Panel Codes: ALPA1220, ALPA1520, ALPA1820

Kitset Panel Codes: ALPK1220, ALPK1520, ALPK1820

Colour Options: Ebony

Custom colour options available



EACH PANEL CONTAINS

17 x 60x25mm Slats cut to suit desired height.

17 x 60 x 25mm Slat end caps

2 x 1980 Oblique channels with channel caps

76 Tek screws per panel

Posts: Panel posts need to be ordered separately

Posts: 60 x 60mm Mid posts 90 x 90mm corner posts

Available in 6 different panel designs





BelAire®
DESIGNER FENCES AND BALUSTRADES

...make it your own!

Tubular Panels

COST-EFFECTIVE

BelAire aluminium tubular panels are an affordable fencing solution that doesn't compromise on quality. Designed to deliver cost-effective, security, and a modern finish, they offer excellent long-term value compared to timber or steel options that can rot, rust, or require ongoing maintenance.

BUILT TO LAST

Crafted from powder coated aluminium, our posts, panels, are lightweight yet structurally strong. Unlike inferior fencing systems that use narrower 16mm pickets, BelAire panels use 19mm picket for added durability and rigidity. The panels come in 3 different panel designs and are all constructed from aluminium for long lasting durability, even close to the seaside. The panels are great for pool fencing, front fencing, reserve fencing where the developer needs permeability — you can achieve a sleek, long-lasting fence that enhances any property. Matching gates are also available along with a custom range of powder coat colours.

EASY INSTALLATION

Our fencing systems are designed with simplicity in mind. Using inground or flanged posts, BelAire panels can be installed with minimal effort. Each panel is light enough to be easily handled by two people, making it practical even in hard-to-reach areas like backyards or sloping sites. We provide clear, step-by-step installation guides for DIY projects, or you can take advantage of our network of trusted installers across New Zealand. Call us on 0800 235 2473 and we'll connect you with an installer near you.

WARRANTY

BelAire aluminium fencing comes with a 10-year replacement warranty. With minimal maintenance, your fence will provide lasting privacy, security, and style for decades. Our panels are manufactured from premium raw materials, independently rated for a design life of over 20 years — so you can install with confidence knowing your fence is built to stand the test of time. raw materials state that they have a design life well in excess of 20 years. With this assurance we offer you a replacement warranty for any component of your new fencing if it fails within 10 years* from date of purchase.

RAGLAN PANEL

Panel Height: 950, 1200mm

Panel Length: 2250mm

Horizontal Rails: 40x40mm

Vertical Bars: 19x19mm

Bar Spacing: 95mm

Rakable panel also available for sloping ground up to 35°

Colour: Standard in Ebony - Custom colours available on request.



WAINUI PANEL

Panel Height: 1200, 1500, 1800mm

Panel Length: 2250mm

Horizontal Rails: 40x40mm

Vertical Bars: 19x19mm

Bar Spacing: 95mm

Colour: Standard in Ebony - Custom colours available on request.



PIHA FIN PANEL

Panel Height: 1200mm

Panel Length: 2250mm

Horizontal Rails: 25x25mm


Bar Spacing: 95mm

Vertical Bars: 50x25mm

Colour: Standard in Ebony - Custom colours available on request.








Scan to see all Solid Panel fencing details

BelAire®
DESIGNER FENCES AND BALUSTRADES

...make it your own!

Solid Panel Fencing



CLASSIC

Post dimensions: 120mm (deep) x 180mm (face) 0.95 mm BMT

Panel thickness: 50mm

Density of composite panel materials: 15.49kg/m²

Suitable for fence heights: 900mm – 2400mm

Post centres: 2530mm, 2830mm

SIGNATURE

Post dimensions: 140mm (deep) x 280mm (face) 0.95 mm BMT

Panel thickness: 70mm

Density of composite panel materials: 15.49kg/m²

Suitable for fence heights: 900mm – 3000mm

Post centres: 2630mm, 2930mm

ESTATE


Post dimensions: 210mm (deep) x 320mm (face) 0.95 mm BMT

Panel thickness: 70mm

Density of composite panel materials: 15.49kg/m²

Suitable for fence heights: 900mm – 3000mm

Post centres: 2670mm, 2970mm



SOLID PANEL FENCING INFILLS

SOLID PANELS

Classic, Signature & Estate

Classic Construction:

5mm fibre cement outer skins
40mm expanded polystyrene core

Signature & Estate Construction:

5mm fibre cement outer skins
60mm expanded polystyrene core

Post Centres:

Classic - 2530mm, 2830mm

Signature - 2630mm, 2930mm

Estate - 2670mm, 2970mm



HORIZONTAL SLAT INFILL PANELS

Classic, Signature & Estate

Slat Construction:

Powder coated aluminium

85mm x 25mm | 60mm x 25mm


Construction:

Aluminium slat channel with cover,
powder coated to same colour as
the slats.

Slat Infill Panel Height Options:

300mm 900mm 1500mm

600mm 1200mm 1800mm



VERTICAL SLAT INFILL PANELS

Classic, Signature & Estate

Slat Construction:

Powder coated aluminium

85mm x 25mm | 60mm x 25mm



Construction:

Aluminium slat channel with cover,
powder coated to same colour as
the slats.

Slat Infill Panel Height Options:

300mm 900mm 1500mm

600mm 1200mm 1800mm



SOLID PANEL FENCING INFILLS

LOUVRE INFILL PANELS

Signature & Estate

Construction:

Powder coated to your colour choice. Aluminium Louvre 135mm x 30mm inserted into a pre-punched steel channel that accepts the louvre infill.

Louvre Infill Panel Height Options:

350mm	1200mm
600mm	1500mm
900mm	1800mm



AURORA INFILL PANELS

Signature & Estate

Slat Construction:

Powder coated aluminium



60mm x 25mm

Construction:

Aluminium slat channel with cover, powder coated to same colour as the slats.

Slat Infill Panel Height Options:

900mm	1500mm
1200mm	1800mm



GLASS INFILL PANELS

Signature & Estate

Slat Construction:

Powder coated aluminium


85mm x 25mm | 60mm x 25mm

Construction:

Aluminium slat channel with cover, powder coated to same colour as the slats.

Slat Infill Panel Height Options:

300mm	900mm	1500mm
600mm	1200mm	1800mm






BelAire®
DESIGNER FENCES AND BALUSTRADES

...make it your own!

Commercial Acoustic Barriers



Up to 4m HIGH

Post dimensions: 140 mm(deep) x 280mm

(face) 0.95 mm BMT

Panel thickness: 70mm

Density of composite panel: 15.49kg/m²

Suitable for fence heights: 900 - 3000mm

Post centres: 2630mm, 2930mm

4m to 6m HIGH

Post dimensions: 250mm (deep) x 150mm

(face) 0.95 mm BMT

Panel thickness: 70mm

Density of composite panel: 15.49kg/m²

Suitable for fence heights: 3000 - 5100mm

Post centres: 2470mm

NOTE: All barriers over 3m high need to be engineered to suit the wind regions and the ground conditions. Please contact us on 0800 235 2473 for more details.




BelAire®


DESIGNER FENCES AND BALUSTRADES

...make it your own!

Frontier Colours:



Borderline Colours:



Coloured Steel Fencing


FRONTIER

Strong and durable coloured steel panels

SFR 1.8 – 1800 H x 2300mm W

SFR 1.5 – 1500 H x 2300mm W

SFR 1.2 – 1200 H x 2300mm W





BORDERLINE

Durable coloured steel panels with slat trim

SBO 1.5/300 – 1800 H x 2300mm W
including 300mm high slat infill

SBO 1.2/600 – 1800H x 2300mm W
including 600mm high slat infill

SBO 1.2/300 – 1500 H x 2300mm W
including 300mm high slat infill



Colour Wall Steel Fencing



5 3

BelAire®
DESIGNER FENCES AND BALUSTRADES

...make it your own!



BelAire®
DESIGNER FENCES AND BALUSTRADES


...make it your own!

Gates




Scan to see all
Gate details

HINGED



SLIDING



GATE OPTIONS

SOLID GATES

Construction:

0.55mm preprimed steel outer skins.
13mm expanded polystyrene core.
Welded aluminium frame.

Height: 1200mm - 2100mm

Pedestrian Gate Width: 800mm - 2500mm

Driveway Swing Gate Width: 800mm - 2500mm

Driveway Sliding Gate Width: 2500mm - 6000mm

Colour: Ready for priming and painting



HORIZONTAL & VERTICAL SLAT GATES

Construction:

Powder coated aluminium.

Slat dimensions:

- Standard 85mm (height) x 25mm (width)
- Custom 60mm (height) x 25mm (width)

Height: 1200mm - 2100mm

Pedestrian Gate Width: 800mm - 2500mm

Driveway Swing Gate Width: 800mm - 2500mm

Driveway Sliding Gate Width: 2500mm - 6000mm

Colour: Ready for priming and painting



LOUVRE GATES

Construction:

Powder coated aluminium.

Louvre dimensions:

- 135mm (height) x 30mm (width)

Height: 1200mm - 2100mm

Pedestrian Gate Width: 800mm - 2500mm

Driveway Swing Gate Width: 800mm - 2500mm

Driveway Sliding Gate Width: 2500mm - 6000mm

Colour: Ready for priming and painting



GATE OPTIONS

AURORA GATES

Construction:

Powder coated aluminium.

Slat dimensions:

- Standard 60mm (height) x 25mm (width)

Height: 1200mm - 2100mm

Pedestrian Gate Width: 800mm - 2500mm

Driveway Swing Gate Width: 800mm - 2500mm

Driveway Sliding Gate Width: 2500mm - 6000mm

Colour: Standard in Ebony, also available in custom colours



HORIZONTAL & VERTICAL SOLID SLAT GATES

Construction:

Powder coated aluminium.

Slat dimensions:

- Standard 85mm (height) x 25mm (width)
- Custom 60mm (height) x 25mm (width)

Height: 1200mm - 2100mm

Pedestrian Gate Width: 800mm - 2500mm

Driveway Swing Gate Width: 800mm - 2500mm

Driveway Sliding Gate Width: 2500mm - 6000mm

Colour: Ready for priming and painting



HORIZONTAL & VERTICAL ECO SLAT GATE KITS

Slat construction:

85mm x 25mm

1.6mm powder coated aluminium


Channel construction:

Powder coated aluminium.

Channel: 39mm x 32mm (includes sliding screw cover plate)

Height: 1200mm, 1500mm and 1800mm

Pedestrian Gate Width: Up to 1000mm

Powder-coat colours:

BelAire®

DESIGNER FENCES AND BALUSTRADES

For more information, call us to speak to one of our friendly team:

0800 235 2473

...make it your own!



BelAire Designer Fencing is a division of:



BelAire Designer Fencing

2 Waitane Place, Onekawa, Napier 4110

Tel: 0800 BELAIRE (0800 235 2473)

Email: info@belairefencing.co.nz · www.belairefencing.co.nz